



Constellation Energy

May 10, 2007

U. S. Nuclear Regulatory Commission
Washington, DC 20555

ATTENTION: Document Control Desk

SUBJECT: Calvert Cliffs Nuclear Power Plant; Unit Nos. 1 & 2; Docket Nos. 50-317 & 50-318
Independent Spent Fuel Storage Installation; Docket No. 72-8
Annual Radiological Environmental Operating Report

REFERENCES: (a) Calvert Cliffs Nuclear Power Plant Technical Specification 5.6.2
(b) Calvert Cliffs Independent Spent Fuel Storage Installation Technical Specification 6.2

In accordance with References (a) and (b), Calvert Cliffs Nuclear Power Plant is submitting the Annual Radiological Environmental Operating Report, for the calendar year 2006.

Should you have questions regarding this matter, please contact Mr. Jay S. Gaines at (410) 495-5219.

Very truly yours,

A handwritten signature in black ink, appearing to read "Steven R. Sanders".

for

Steven R. Sanders
General Supervisor - Chemistry

SRS/CAN/bjd

Attachment: As stated

cc: D. V. Pickett, NRC
S. J. Collins, NRC
Resident Inspector, NRC

R. I. McLean, DNR
R. Manley, MDE

JE25
NRE/MRB

**ANNUAL RADIOLOGICAL ENVIRONMENTAL
OPERATING REPORT
FOR THE
CALVERT CLIFFS NUCLEAR POWER PLANT
UNITS 1 AND 2
AND THE
INDEPENDENT SPENT FUEL STORAGE INSTALLATION**

January 1 - December 31, 2006

A. M. Barnett
L. J. Barta, Ph.D.
B. D. Nuse

CONSTELLATION ENERGY
CONSTELLATION GENERATION GROUP, LLC

APRIL 2007

(LEFT BLANK)

TABLE OF CONTENTS

| | |
|--|-----|
| LIST OF FIGURES | iii |
| LIST OF TABLES | v |
| <u>I. SUMMARY</u> | 1 |
| <u>II. CALVERT CLIFFS NUCLEAR POWER PLANT RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM</u> | 3 |
| <u>II.A. INTRODUCTION</u> | 3 |
| <u>II.B. PROGRAM</u> | 3 |
| II.B.1 <u>Objectives</u> | 3 |
| II.B.2 <u>Sample Collection</u> | 4 |
| II.B.3 <u>Data Interpretation</u> | 4 |
| II.B.4 <u>Program Exceptions</u> | 4 |
| <u>II.C. RESULTS AND DISCUSSIONS</u> | 4 |
| II.C.1 <u>Aquatic Environment</u> | 5 |
| II.C.1.a <u>Bay Water</u> | 5 |
| II.C.1.b <u>Aquatic Organisms</u> | 5 |
| II.C.1.c <u>Shoreline Sediment</u> | 5 |
| II.C.2 <u>Atmospheric Environment</u> | 8 |
| II.C.2.a <u>Air Particulate Filters</u> | 8 |
| II.C.2.b <u>Air Iodine</u> | 8 |
| II.C.3 <u>Terrestrial Environment</u> | 8 |
| II.C.3.a <u>Vegetation</u> | 10 |
| II.C.3.b <u>Soils</u> | 10 |
| II.C.4 <u>Direct Radiation</u> | 10 |
| <u>II.D. CONCLUSION</u> | 12 |
| <u>III. INDEPENDENT SPENT FUEL STORAGE INSTALLATION RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM</u> | 21 |
| <u>III.A. INTRODUCTION</u> | 21 |
| <u>III.B. PROGRAM</u> | 21 |
| III.B.1 <u>Objectives</u> | 21 |
| III.B.2 <u>Sample Collection</u> | 22 |
| III.B.3 <u>Data Interpretation</u> | 22 |
| III.B.4 <u>Program Exceptions</u> | 22 |
| <u>III.C. RESULTS AND DISCUSSIONS</u> | 22 |
| III.C.1 <u>Atmospheric Environment</u> | 22 |
| III.C.1.a <u>Air Particulate Filters</u> | 22 |
| III.C.2 <u>Terrestrial Environment</u> | 23 |
| III.C.2.a <u>Vegetation</u> | 23 |
| III.C.2.b <u>Soils</u> | 23 |
| III.C.3 <u>Direct Radiation</u> | 24 |
| <u>III.D. CONCLUSION</u> | 24 |
| <u>IV. REFERENCES</u> | 28 |
| <u>APPENDIX A Sample Locations for the REMP and the ISFSI</u> | 29 |
| <u>APPENDIX B Analysis Results for the REMP and the ISFSI</u> | 45 |
| <u>APPENDIX C Quality Assurance Program</u> | 69 |
| <u>APPENDIX D Land Use Survey</u> | 87 |
| <u>APPENDIX E Additional Samples and Analysis Results</u> | 89 |

(LEFT BLANK)

LIST OF FIGURES

| Figure | Title | Page |
|---------------|--|-------------|
| 1 | Tritium in Chesapeake Bay Water..... | 6 |
| 2 | Silver-110m and Potassium-40 in Chesapeake Bay Oysters..... | 7 |
| 3 | Nuclear Fallout in the Calvert Cliffs Area..... | 9 |
| 4 | Mean TLD Gamma Dose, Calvert Cliffs Nuclear Power Plant..... | 11 |
| 5 | Atmospheric Dispersion Around CCNPP Average Relative Air Concentrations..... | 15 |
| 6 | Atmospheric Dispersion Around CCNPP Average Relative Ground Deposition..... | 17 |
| 7 | Mean TLD Gamma Dose, ISFSI..... | 25 |
| A-1 | Map of Southern Maryland and Chesapeake Bay Showing Location of Calvert Cliffs Nuclear Power Plant..... | 35 |
| A-2 | Calvert Cliffs Nuclear Power Plant Sampling Locations, 0-2 Miles..... | 37 |
| A-3 | Calvert Cliffs Nuclear Power Plant Sampling Locations, 0-10 Miles..... | 39 |
| A-4 | Independent Spent Fuel Storage Installation Sampling Locations..... | 42 |
| A-5 | Enlarged Map of the Independent Spent Fuel Storage Installation Sampling Locations..... | 43 |

(LEFT BLANK)

LIST OF TABLES

| Table | Title | Page |
|-------|---|------|
| 1 | Synopsis of 2006 Calvert Cliffs Nuclear Power Plant Radiological Environmental Monitoring Program | 19 |
| 2 | Annual Summary of Radioactivity in the Environs of the Calvert Cliffs Nuclear Plant Units 1 and 2 | 20 |
| 3 | Synopsis of 2006 Calvert Cliffs Nuclear Power Plant Independent Spent Fuel Storage Installation Radiological Environmental Monitoring Program | 26 |
| 4 | Annual Summary of Radioactivity in the Environs of the Calvert Cliffs Nuclear Power Plant Independent Spent Fuel Storage Installation | 27 |
| A-1 | Locations of Environmental Sampling Stations for the Calvert Cliffs Nuclear Power Plant.. | 33 |
| A-2 | Locations of Environmental Sampling Stations for the Independent Spent Fuel Storage Installation at Calvert Cliffs..... | 41 |
| B-1 | Concentration of Tritium and Gamma Emitters in Bay Water | 49 |
| B-2 | Concentration of Gamma Emitters in the Flesh of Edible Fish..... | 50 |
| B-3 | Concentration of Gamma Emitters in Oyster Samples | 51 |
| B-4 | Concentration of Gamma Emitters in Shoreline Sediment..... | 52 |
| B-5 | Concentration of Iodine-131 in Filtered Air | 53 |
| B-6 | Concentration of Beta Emitters in Air Particulates | 55 |
| B-7 | Concentration of Gamma Emitters in Air Particulates | 59 |
| B-8a | Concentration of Gamma Emitters in Vegetation Samples | 60 |
| B-8b | Concentration of Gamma Emitters in Vegetation From Locations Around the IFSFI..... | 61 |
| B-9 | Concentration of Gamma Emitters in Soil Samples From Locations Around the ISFSI | 62 |
| B-10 | Typical MDA Ranges for Gamma Spectrometry | 63 |
| B-11 | Typical LLDs for Gamma Spectrometry | 64 |
| B-12 | Direct Radiation | 65 |
| C-1 | Results of Participation in Cross Check Programs | 73 |
| C-2 | Results of Quality Assurance Program | 76 |
| C-3 | Teledyne Brown Engineering's Typical MDAs for Gamma Spectrometry | 85 |
| D-1 | Land Use Survey..... | 87 |
| E-1 | Locations of Non-Tech Spec Environmental Sampling Stations for Calvert Cliffs Nuclear Power Plant | 92 |
| E-2 | Synopsis of 2006 Calvert Cliffs Nuclear Power Plant Non-Tech Spec Radiological Environmental Monitoring Program..... | 93 |
| E-3 | Annual Summary for Calvert Cliffs Nuclear Power Plant Units 1 & 2 Non-Tech Spec Radiological Environmental Monitoring Program | 94 |
| E-4 | Concentration of Gamma Emitters in Bottom Sediment | 95 |
| E-5 | Concentration of Iodine-131 in Filtered Air | 96 |
| E-6 | Concentration of Beta Emitters in Air Particulates | 98 |

LIST OF TABLES - Continued

| <u>Table</u> | <u>Title</u> | <u>Page</u> |
|--------------|---|-------------|
| E-7 | Concentration of Gamma Emitters in Air Particulates | 100 |
| E-8 | Concentration of Tritium and Gamma Emitters in Taylors Island Well Water..... | 101 |
| E-9 | Direct Radiation as Measured in Pressurized Ion Chamber | 102 |
| E-10 | Direct Radiation..... | 103 |
| E-11 | Direct Radiation from Resin Storage Area | 104 |

I. SUMMARY

During this operating period for Calvert Cliffs Nuclear Power Plant (CCNPP) Units 1 and 2, a total of 3592 radiological analyses were performed and the analytical results reviewed. Most of these analyses were performed to satisfy the requirements of the Offsite Dose Calculation Manual (ODCM) (Ref. 6) and the Environmental and Independent Spent Fuel Storage Installation (ISFSI) Technical Specifications (Ref. 10). Some of these samples, although not required by either the ODCM or the Technical Specifications, were collected to maintain our commitments to the surrounding community and to maintain historical continuity of the CCNPP Radiological Environmental Monitoring Program (REMP) that started in 1970. The entire monitoring program in place around CCNPP is divided into three parts: the original REMP, the ISFSI monitoring program, and the Non-ODCM Radiological Environmental Monitoring. The following paragraphs describe each of these parts in more detail.

A total of 654 radiochemical analyses were performed on 586 environmental samples and 537 thermoluminescent dosimeters (TLDs) were analyzed for ambient radiation exposure rates as part of the original REMP. These analyses were performed to satisfy the requirements of the ODCM (Ref. 6) and the Environmental Technical Specifications (Ref. 5).

For the ISFSI monitoring program, 357 radiochemical analyses were performed on 297 environmental samples, 52 of which were in common with the original REMP. In addition, 480 TLDs, 24 in common with the original REMP, were analyzed for ambient radiation exposure rates. These analyses were performed to satisfy the requirements of the ODCM (Ref. 6) and the ISFSI Technical Specifications (Ref. 10).

In addition, 583 analyses were performed on 535 additional environmental samples, and 480 additional TLDs were analyzed for ambient radiation exposure rates. Also, six pressurized ion chambers continuously monitored the environs around the plant for ambient radiation levels resulting in 72 monthly measurements. As mentioned earlier, these additional analyses reflect a commitment to maintain historical continuity for samples and sampling pathways discontinued from the program when the Environmental Technical Specifications were changed in March 1985 and to satisfy monitoring commitments made to the surrounding community.

And lastly, 200 radiochemical analyses were performed on 200 quality assurance samples and 132 quality assurance TLDs were analyzed as part of an internal and external quality assurance program associated with Teledyne Brown Engineering. Laboratory intercomparison samples obtained from Environmental Resource Associates (ERA) and Analytics' Inc. were also analyzed.

Samples collected from the aquatic environment included bay water, fish, oysters, and shoreline sediment. Bay water was analyzed for tritium and gamma emitters. Fish, oysters, and shoreline sediments were analyzed for gamma emitting radionuclides.

Monitoring the atmospheric environment involved sampling the air at various locations surrounding CCNPP and the ISFSI. Air particulates and gaseous iodine were collected on glass fiber filters and silver zeolite molecular sieve cartridges, respectively. The particulate filters were analyzed for beta activity and gamma emitting nuclides. The molecular sieve cartridges were analyzed for airborne gaseous radioiodine.

Samples from the terrestrial environment consisted of vegetation and soil samples collected and analyzed for gamma emitters. Vegetation samples for the original REMP were also analyzed for I-131.

Measurements of direct radiation, as required by the ODCM, were performed by analyzing TLDS from forty locations surrounding CCNPP and the ISFSI.

Natural radioactivity was detected in essentially all 3592 radiological analyses performed. Low levels of man-made fission products were also observed in 17 of these analyses. All of these observations were attributed to fallout from past atmospheric weapons testing. Detailed discussions about the results of these analyses are contained in the body of this report.

To assess the plant's contribution to the radiation levels of the ambient environment, dose calculations were performed using the plant's effluent release data, on-site meteorological data, and appropriate pathways. The results of these dose calculations indicate:

- a. a maximum thyroid dose of 5.16×10^{-2} mrem via liquid and gaseous pathways, which is less than 0.1% of the acceptable limit of 75 mrem/yr as specified in 40CFR190;
- b. a maximum whole body dose of 3.81×10^{-3} mrem via liquid and gaseous pathways, which is less than 0.02% of the acceptable limit of 25 mrem/yr as specified in 40CFR190;
- c. a maximum calculated dose to all other organs via liquid and gaseous pathways was equal to 1.00×10^{-2} mrem to the skin. This dose is less than 0.05% of the allowable limit of 25 mrem/yr as specified in 40CFR190.

Thus, it is concluded based upon the levels of radioactivity observed and the various dose calculations performed, that CCNPP Units 1 and 2 and the ISFSI did not cause any significant radiological impact on the surrounding environment.

II. CALVERT CLIFFS NUCLEAR POWER PLANT RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM

II.A. INTRODUCTION

Constellation Energy (CE), previously known as Baltimore Gas and Electric Company (BGE), has been conducting a REMP in the environs of the CCNPP since the summer of 1970. The Calvert Cliffs site is an operating nuclear generating station consisting of two pressurized water reactors. Unit 1 achieved criticality on October 7, 1974 and commenced commercial operation in May 1975. Unit 2 achieved criticality on November 30, 1976 and went into commercial operation April 1, 1977. The location of the plant in relation to local metropolitan areas is shown on Figure A-1.

Results of the monitoring program for the pre-operational period have been reported in a series of documents (Ref. 1-4). The results from previous operational periods are contained in annual reports submitted to the NRC as required.

Results of the monitoring program for the current operational period are included in this report. The report presents the content of the REMP (Table 1), the sampling locations (Appendix A), the summary of the analytical results (Table 2), a compilation of the analytical data (Appendix B), the results of the Analytics Intercomparison Program and the Quality Assurance Program (Appendix C), the results of the Land Use Survey (Appendix D), and a compilation of the analytical data for extra samples collected (Appendix E). Interpretation of the data and conclusions are presented in the body of the report.

The environmental surveillance data collected during this reporting period were compared with that generated in previous periods whenever possible to evaluate the environmental radiological impact of CCNPP Units 1 and 2.

II.B. PROGRAM

II.B.1 Objectives

The objectives of the REMP for the Calvert Cliffs Nuclear Power Plant are:

- a. To verify that radioactivity and ambient radiation levels attributable to plant operation are within the limits specified in the ODCM (Ref. 6) and the Environmental Radiation Protection Standards as stated in 40 CFR Part 190,
- b. To detect any measurable buildup of long-lived radionuclides in the environment,
- c. To monitor and evaluate ambient radiation levels,
- d. To determine whether any statistically significant increase occurs in the concentration of radionuclides in important pathways.

II.B.2 Sample Collection

The locations of the individual sampling stations are listed in Table A-1 and shown in Figures A-2 and A-3. All samples were collected by contractors to, or personnel of Constellation Energy according to CCNPP Procedures (Ref. 7,12).

II.B.3 Data Interpretation

Many results in environmental monitoring occur at or below the minimum detectable activity (MDA). In this report, all results at or below the relevant MDA are reported as being "less than" the MDA value.

II.B.4 Program Exceptions

There was a program exception during this operating period. Samples of collards (sample codes Ib1 and Ib7), cabbage (sample codes Ib2 and Ib8), and broccoli (sample codes Ib3 and Ib9) were not taken from the garden locations Bay Breeze Road and the EOF during the month of August as required by the ODCM (Ref. 6). No substitute samples were collected from the natural vegetation around the locations in lieu of the samples not taken from these locations in the August sampling period. This program exception has been entered into the site's Corrective Action Program to ensure it does not recur.

II.C. RESULTS AND DISCUSSIONS

All the environmental samples collected during the year were analyzed using Constellation Energy laboratory procedures (Ref. 8). The analytical results for this reporting period are presented in Appendix B and are also summarized in Table 2. For discussion, the analytical results are divided into four categories. The categories are the Aquatic Environment, the Atmospheric Environment, the Terrestrial Environment, and Direct Radiation. These categories are further divided into subcategories according to sample type (e.g., Bay Water, Aquatic Organisms, etc., for the Aquatic Environment).

II.C.1 Aquatic Environment

The aquatic environment surrounding the plant was monitored by analyzing samples of bay water, aquatic organisms, and shoreline sediment. These samples were obtained from various sampling locations on the Chesapeake Bay near the plant.

II.C.1.a Bay Water

Monthly bay water samples were taken from two locations during the year. These locations are the Intake Area (sample code Wa1) and the Discharge Area (sample code Wa2). Composite samples were obtained from each location for the entire sampling period. These samples were analyzed for tritium and gamma emitters.

The tritium analyses, performed on quarterly composites of the monthly bay water samples, revealed no evidence of tritium in any of the samples taken from either site throughout the year.

Figure 1 compares tritium observed in the plant discharge and intake with annual effluent releases as reported in the Radioactive Effluent Release Report.

Monthly analyses of bay water samples from both locations for gamma emitters exhibited no detectable concentrations of any plant-related radionuclides.

II.C.1.b Aquatic Organisms

Twelve samples of aquatic organisms were obtained from four locations during the year. Samples of fish, when in season, are normally collected from the Discharge Area (sample codes Ia1 and Ia2) and from the Patuxent River (sample codes Ia4 and Ia5). As shown in Table B-2, two species of fish were sampled at both the plant discharge and the control point in the Patuxent River. Oyster samples were obtained quarterly from Camp Conoy (sample code Ia3) and Kenwood Beach (Ia6).

Edible portion of the fish and oyster samples were analyzed for gamma emitters. Gamma spectrometric analyses of the fish exhibited naturally occurring K-40, but no detectable concentrations of any plant-related radionuclides. Oyster samples likewise exhibited naturally occurring K-40, but no detectable concentrations of any plant related radionuclides.

II.C.1.c Shoreline Sediment

Semiannual shoreline sediment samples were taken from one location during the year. This location is Shoreline at Barge Road (sample code Wb1). The samples obtained from this location were analyzed for gamma emitters.

Gamma spectrometric analyses of these samples exhibited naturally occurring radionuclides, but no detectable concentration of any plant-related radionuclides.

FIGURE 1
Tritium in Chesapeake Bay Water





FIGURE 2
Silver-110m and Potassium-40 in Chesapeake Bay Oysters



II.C.2 Atmospheric Environment

The atmospheric environment was monitored by analyzing air particulate filters and silver zeolite cartridges (for trapping radioiodine species). These samples were collected from five locations surrounding the plant. These locations are On Site before the Entrance to Camp Conoy (sample code A1), Camp Conoy Road at the Emergency Siren (sample code A2), Bay Breeze Road (sample code A3), Route 765 at Lusby (sample code A4), and at the Emergency Operations Facility (sample code A5).

II.C.2.a Air Particulate Filters

Weekly composite air particulate filter samples were collected from the five locations during the year. These samples were analyzed for beta activity and gamma emitters.

Weekly analyses for beta activity on air particulate filters collected from all five locations showed values characteristic of background levels. The values ranged from 0.8×10^{-2} to 4.4×10^{-2} pCi/m³ for the indicator locations and 1.0×10^{-2} to 4.0×10^{-2} pCi/m³ at the control location. The location with the highest overall mean of 2.1×10^{-2} pCi/m³ was A5, Emergency Operations Facility (EOF).

Gamma spectrometric analyses of monthly composited air particulate samples exhibited no detectable concentrations of any plant-related radionuclides in any of these samples. Naturally occurring radionuclides, such as Be-7, were detected in nearly all samples.

Figure 3 depicts the historical trends of beta activity.

II.C.2.b Air Iodine

Weekly composited silver zeolite cartridges (for trapping radioiodine species) were collected from the five locations during the year. These samples were analyzed for radioiodine species.

Weekly radioiodine analyses of silver zeolite cartridges collected from all five locations exhibited no detectable concentrations of I-131.



Figure 3 depicts the historical trends of radioiodine.

II.C.3 Terrestrial Environment

The terrestrial environment was monitored by analyzing samples of vegetation collected monthly, when available, from various sampling locations near the plant during the normal growing season.

FIGURE 3
Nuclear Fallout in the Calvert Cliffs Area

SURFACE AIR VAPORS, LUSBY, MD (A4)



II.C.3.a Vegetation

Vegetation samples were collected from three locations during the year. These locations are Garden Plot off Bay Breeze Road (sample codes Ib1, Ib2, and Ib3), On Site before the Entrance to Camp Conoy (sample codes Ib4, Ib5, and Ib6), and the Emergency Operations Facility (sample codes Ib7, Ib8, and Ib9). These samples were analyzed for gamma emitters, including analyses for I-131.

All samples showed detectable amounts of naturally occurring K-40 and Be-7. No plant related radionuclides were found in any of these samples.


II.C.4 Direct Radiation

Direct radiation is measured by a network of TLDs in each overland sector surrounding the Plant both at the plant boundary and at 4 miles from the Plant.

TLDs were collected quarterly from twenty-three locations surrounding the plant. The twenty indicator locations are On Site Along the Cliffs (sample code DR1), Route 765 Auto Dump (sample code DR2), Giovanni's Tavern (sample code DR3), Route 765 across from White Sands (sample code DR4), John's Creek (sample code DR5), Lusby (sample code DR6), On Site before the Entrance to Camp Conoy (sample code DR7), On Site at Emergency Siren (sample code DR8), Bay Breeze Road (sample code DR9), Decatur and Calvert Beach Roads (sample code DR10), Dirt Road off Mackall and Parran Roads (sample code DR11), Mackall and Bowen Roads (sample code DR12), Wallville (sample code DR13), Rodney Point (sample code DR14), Mill Bridge and Turner Roads (sample code DR15), Appeal School (sample code DR16), Cove Point and Little Cove Point Roads (sample code DR17), Cove Point (sample code DR18), Long Beach (sample code DR19), and On Site Near Shore (sample code DR20). The three control locations are the Emergency Operations Facility (sample code DR21), Solomons Island (sample code DR22), and Taylors Island, Carpenters Property (sample code DR23).

The mean 90 day ambient radiation measured at the indicator locations was 11.36 mR and ranged from 9.29 to 15.00 mR as reported in Table 2. The control locations showed a 90 day mean of 12.62 mR with ranges from 10.17 to 15.46 mR. The location with the highest overall mean of 15.00 was DR23, Taylors Island, which ranged from 14.41 to 15.46 mR. A comparison of the means and ranges of the current TLD data with those of both the historical data and the regional data shows no plant-related contribution to the measured direct radiation exposure. Figure 4 shows the historical comparison of the average monthly radiation levels per calendar year for TLDs on site, at four miles, and at the control locations.

FIGURE 4
Mean TLD Gamma Dose, Calvert Cliffs Nuclear Power Plant



II.D. CONCLUSION

No man-made fission or activation by-products attributable to plant operations were observed in the environment surrounding the plant during the year.

Historical trends for tritium in bay water, Ag-110m and K-40 in oyster samples, nuclear fallout in the Calvert Cliffs area, and TLD data are depicted in Figures 1 through 4. As can be seen from these figures, the plant made no adverse radiological contributions to the surrounding environment.

To assess the plant's contribution to the ambient radiation levels of the surrounding environment, dose calculations were performed using the plant's effluent release data, on site meteorological data (see X/Q and D/Q values presented in Figures 5 and 6), and appropriate pathways. The results of these dose calculations indicate:

Gaseous Pathways

A maximum thyroid dose of 4.90×10^{-2} mrem to a child via the plume, ground, vegetable, meat, and inhalation pathways at 2.1 km SE of the containments at Calvert Cliffs. This is less than 0.1% of the acceptable limit of 75 mrem/yr as specified in 40CFR190, "Environmental Radiation Protection Standards for Nuclear Power Operations."

A maximum whole body gamma dose of 2.2×10^{-3} mrem to a child at 2.4 km SSW of the containments at Calvert Cliffs. This is less than 0.01% of the acceptable dose limit of 25 mrem/yr as specified in 40CFR190.

A maximum dose to any other organ, in this case the skin, of 1.00×10^{-2} mrem to a child at 1.8 km SSW of the containments at Calvert Cliffs. This is less than 0.05% of the acceptable dose limit of 25 mrem/yr as specified in 40CFR190.

Liquid Pathways

A maximum thyroid dose of 2.6×10^{-3} mrem to an adult for all liquid pathways, which is about 0.001% of the acceptable dose limit of 75 mrem/yr as specified in 40CFR190.

A maximum whole body dose of 1.61×10^{-3} mrem to a child via all liquid pathways, which is less than 0.01% of the acceptable dose limit of 25 mrem/yr as stated in 40CFR190.

A maximum dose to any other organ, in this case bone, of 4.57×10^{-3} mR to a child for all pathways, which is 0.02% of the acceptable dose limit of 25 mrem/yr specified in 40CFR190.

Gaseous and Liquid Pathways Combined

A maximum thyroid dose of 5.16×10^{-2} mrem via liquid and gaseous pathways, which is less than 0.1% of the acceptable limit of 75 mrem/yr as specified in 40CFR190;

A maximum whole body dose of 3.81×10^{-3} mrem via liquid and gaseous pathways, which is less than 0.02% of the acceptable limit of 25 mrem/yr as specified in 40CFR190;

A maximum calculated dose to all other organs via liquid and gaseous pathways was equal to 1.00×10^{-2} mrem to the skin. This dose was less than 0.05% of the allowable limit of 25 mrem/yr as specified in 40CFR190.


In all cases, the calculated doses are a small fraction of the applicable limits specified in 40 CFR Part 190.

Therefore, it is concluded that the operation of Calvert Cliffs Units 1 and 2 produced radioactivity and ambient radiation levels significantly below the limits of the ODCM and 40 CFR Part 190, and there was no significant buildup of plant-related radionuclides in the environment due to the operation of the CCNPP.

(LEFT BLANK)

FIGURE 5


Atmospheric Dispersion Around CCNPP Average Relative Air Concentrations



(LEFT BLANK)

FIGURE 6

Atmospheric Dispersion Around CCNPP Average Relative Ground Deposition



(LEFT BLANK)

Table 1

Synopsis of 2006 Calvert Cliffs Nuclear Power Plant Radiological Environmental Monitoring Program

| Sample Type | Sampling Frequency | Number of Locations | Number Collected | Analysis | Analysis Frequency ¹ | Number Analyzed |
|--------------------------------|--------------------|---------------------|------------------|---------------------|---------------------------------|-----------------|
| Aquatic Environment | | | | | | |
| Bay Water | MC | 2 | 24 | Gamma H-3 | M QC | 24 8 |
| Fish ² | A | 4 | 4 | Gamma | A | 4 |
| Oysters | Q | 2 | 8 | Gamma | Q | 8 |
| Shoreline Sediment | SA | 1 | 2 | Gamma | SA | 2 |
| Atmospheric Environment | | | | | | |
| Air Iodine ³ | W | 5 | 257 | I-131 | W | 257 |
| Air Particulates ⁴ | W | 5 | 258 | Gross Beta Gamma | W MC | 258 60 |
| Direct Radiation | | | | | | |
| Ambient Radiation | Q | 23 | 537 | TLD | Q | 537 |
| Terrestrial Environment | | | | | | |
| Vegetation ⁵ | M | 3 | 30 | Gamma | M | 30 |

¹ W=weekly, M=monthly, Q=quarterly, SA=semiannual, A=annual, C=composite

² Once in Season, July through September

³ The collection device contains silver Zeolite

⁴ Beta counting is performed after >72 hour decay, Gamma spectroscopy performed on monthly composites of weekly samples

⁵ Monthly during growing season when available

Table 2

**Annual Summary of Radioactivity in the Environs of the
Calvert Cliffs Nuclear Power Plant Units 1 and 2**

| Medium or Pathway Sampled (Unit of Measurement) | Type and Total Number of Analyses Performed | Lower Limit of Detection (LLD) | Indicator Locations Mean (F)/Range ¹ | Location with Highest Annual Mean Name/Distance & Direction ² | Highest Annual Mean (F) / Range ¹ | Control Locations Mean (F)/Range |
|---|---|--------------------------------|---|--|--|----------------------------------|
| Atmospheric Environment | | | | | | |
| Air Particulates (10 ⁻² pCi/m ³) | Gross Beta (258) | 0.5 | 1.7 (206/206) (0.8-4.4) | EOF A5 19.3 km WNW | 2.1 (52/52) (1.0-4.0) | 2.1 (52/52) (1.0-4.0) |
| Direct Radiation | | | | | | |
| Ambient Radiation (mR/90 days) | TLD (537) | -- | 11.36 (471/471) (9.29-15.00) | Taylor's Island DR23 12.6 km ENE | 15.00 (24/24) (14.41-15.46) | 12.62 (66/66) (10.17-15.46) |

¹ Mean and range based upon detectable measurements only. Fraction (F) of detectable measurements at specified location is indicated in parentheses

² From the centerpoint between the two containment buildings.

III. INDEPENDENT SPENT FUEL STORAGE INSTALLATION RADIOLOGICAL ENVIRONMENTAL MONITORING PROGRAM

III.A. INTRODUCTION

In August 1990 BGE initiated a program of additional radiological environmental monitoring around the site for the Independent Spent Fuel Storage Installation (ISFSI). The first dry fuel storage canister was loaded into the ISFSI in November of 1993, with more canisters being loaded in subsequent years. During this operating period, three additional canisters of spent fuel were transferred to the ISFSI. Area was also used as a temporary storage area for additional radioactive material.

Results of the monitoring program for the ISFSI for the current period are included in this report.

This report presents the content of the ISFSI REMP (Table 3), the ISFSI sampling locations (Appendix A), the summary of the analytical results of the period (Table 4), and a compilation of the analytical data for the period (Appendix B). Interpretation of the data and conclusions are presented in the body of the report.

The ISFSI monitoring program is as described in this section of the report. Pressurized Ion Chambers (PICs), because they duplicate direct surveillance by TLDs and because they experience problems with reliability, were excluded from the Technical Specification portion of the ISFSI monitoring program. PIC results, however, are given in Table E-9 and will continue to be Non-ODCM surveillance to satisfy our commitment to the surrounding community.

The results were compared with that generated during the previous ISFSI pre-operational periods (Ref.11) and the current and previous CCNPP REMP periods. These comparisons show little deviations from these periods and are very close to the natural background levels for the region with the exception of TLDs around the north end of the ISFSI. More detailed discussions of these results are given in Section III. C.

III.B. PROGRAM

III.B.1 Objectives

The objectives of the radiological environmental monitoring program for the ISFSI are:

- a. To satisfy the community concern regarding the impact of the ISFSI on the environment,
- b. To verify that radioactivity and ambient radiation levels attributable to operation of the ISFSI are within the limits specified in the Environmental Radiation Protection Standards as stated in 40 CFR Part 190,

- c. To detect any measurable buildup of long-lived radionuclides in the environment due to the ISFSI,
- d. To monitor and evaluate ambient radiation levels around the ISFSI,
- e. To determine whether any statistically significant increase occurs in the concentration of radionuclides near the ISFSI.

III.B.2 Sample Collection

The locations of the individual sampling sites are listed in Table A-2 and shown in Figures A-4 and A-5. All samples were collected by contractors to, or personnel of, Constellation Energy personnel according to Constellation Energy Laboratory Procedures (Ref. 7).

III.B.3 Data Interpretation

Many results in environmental monitoring occur at or below the minimum detectable activity (MDA). In this report, all results at or below the relevant MDA are reported as being "less than" the MDA value.

III.B.4 Program Exceptions

There were no program exceptions during this operating period

III.C. RESULTS AND DISCUSSIONS

All the environmental samples collected were analyzed using Constellation Energy laboratory procedures (Ref. 8). The analytical results for this reporting period are presented in Appendix B and are also summarized for the period in Table 4. For discussion, the analytical results are divided into three categories. The categories are the Atmospheric Environment, the Terrestrial Environment, and Direct Radiation. These categories are further divided into subcategories according to sample type (e.g., Vegetation and Soil for Terrestrial Environment).

III.C.1 Atmospheric Environment

The atmospheric environment was monitored by analyzing air particulate filters. These samples were collected from five locations surrounding the ISFSI.

No source of airborne radioiodine exists for the ISFSI. Airborne radioiodine is, therefore, not considered in assessing the radiological impact of the ISFSI.

III.C.1.a Air Particulate Filters

Weekly composite air particulate filter samples were collected from five locations during the period. These locations are On Site before the Entrance to Camp Conoy (sample code A1; in common with the CCNPP REMF), Meteorological Station (SFA1), CCNPP Visitor's Center

(SFA2), NNW of the ISFSI (SFA3), and SSE of the ISFSI (SFA4). These samples were analyzed for beta radioactivity and gamma emitting radionuclides.

Weekly analyses for beta activity on air particulate filters collected from all five locations showed values characteristic of levels routinely observed in the REMP. These values ranged from 0.7×10^{-2} to 4.5×10^{-2} pCi/m³ for the indicator locations and 0.7×10^{-2} to 3.3×10^{-2} pCi/m³ for the control location. The location with the highest overall mean of 2.3×10^{-2} pCi/m³ was SFA4, SSE of ISFSI.

Gamma spectrometric analyses of monthly composited air particulate samples exhibited no detectable concentrations of any plant-related radionuclides in any of these samples. Naturally occurring radionuclides, such as Be-7, were detected in nearly all samples.

III.C.2 Terrestrial Environment

The terrestrial environment was monitored by analyzing samples of vegetation and soil collected quarterly from the vicinity of the air sampling locations for the ISFSI.

III.C.2.a Vegetation

Vegetation samples were collected quarterly from five locations during the year. These locations are: Meteorological Station (sample code SFb1), CCNPP Visitor's Center (sample code SFb2), NNW of the ISFSI (sample code SFb3), SSE of the ISFSI (sample code SFb4), and On Site before the Entrance to Camp Conoy (sample code SFb5). These samples were analyzed for gamma emitters.

No detectable concentration of plant-related radionuclides were found in any of these samples. Naturally occurring radionuclides such as K-40 were detected in all samples.

III.C.2.b Soils

Soil samples were collected quarterly from five locations surrounding the ISFSI in the vicinity of the air samplers. These locations are: Meteorological Station (sample code SFS1), CCNPP Visitor's Center (sample code SFS2), NNW of the ISFSI (sample code SFS3), SSE of the ISFSI (sample code SFS4), and On Site before the Entrance to Camp Conoy (sample code SFS5).

Soil samples were analyzed for gamma emitting radionuclides. Cesium-137 was detected in thirteen quarterly samples from both indicator and control locations. The Cs-137 concentrations ranged from 37 ± 45 to 922 ± 127 pCi/kg. While the presence of Cs-137 in these samples may be plant-related, this range is consistent with that found to be due to the residual fallout from past atmospheric nuclear weapons testing. The activities of this radionuclide are well below the federal limits established in 40 CFR Part 190, "Environmental Radiation Protection Standards for Nuclear Power Operations" and are comparable to those observed in previous annual reporting periods for the CCNPP REMP and in the earlier pre-operational data for the ISFSI. No other detectable concentrations of plant-related radionuclides were found in any of these samples. Naturally occurring radionuclides such as K-40, were also detected in all these samples.

III.C.3 Direct Radiation

Direct radiation is measured by a network of TLDs surrounding the ISFSI. These TLDs are collected quarterly from nineteen locations surrounding the ISFSI, plus one control TLD location at the Visitor's Center (sample code SFDR7). The locations include On Site before the Entrance to Camp Conoy (sample code DR7, common to both the CCNPP Program and the ISFSI Program) and the Meteorological Station (sample code DR30, previously a location maintained for historical continuity.) The other sampling locations are: SW of ISFSI, (sample code SFDR1); NNW of ISFSI, (sample code SFDR2); North of ISFSI, (sample code SFDR3); NE of ISFSI, (sample code SFDR4); East of ISFSI, (sample code SFDR5); ESE of ISFSI, (sample code SFDR6); NNW of ISFSI, (sample code SFDR8); SSE of ISFSI, (sample code SFDR9); NW of ISFSI, (sample code SFDR10); WNW of ISFSI, (sample code SFDR11); WSW of ISFSI, (sample code SFDR12); South of ISFSI, (sample code SFDR13); SE of ISFSI, (sample code SFDR14); ENE of ISFSI, (sample code SFDR15); SSW of ISFSI, (sample code SFDR16); NNE of ISFSI, (sample code SFDR17) and West of ISFSI, (sample code SFDR18). Sampling locations are shown on Figures A-4 and A-5.

The mean 90 day ambient radiation measured at the ISFSI indicator locations was 26.79 mR and ranged from 9.53 to 42.06 mR as reported in Table 4. The control location showed a 90 day mean of 12.64 mR and ranged from 12.11 to 13.45 mR. The location with the highest overall mean of 39.40 mR with a range of 37.46 to 42.06 mR was SFDR18, West of ISFSI. These readings are consistent with those expected from the storage of spent fuel in the ISFSI. A comparison of the average monthly radiation levels per calendar year of the ISFSI TLD data from the indicator locations with the ISFSI control location at the Visitor's Center, SFDR7, can be seen in Figure 7.

III.D. CONCLUSION

Low levels of Cs-137 were observed in the environment surrounding the ISFSI during the period. The Cs-137 observations were attributed to fallout from past atmospheric weapons testing. No other plant-related radionuclide was observed in the environs of the ISFSI.

In general, the results in the following tables continue the historical trends previously observed at the official sites of the CCNPP REMP.

FIGURE 7
Mean TLD Gamma Dose, ISFSI




Table 3

**Synopsis of 2006 Calvert Cliffs Nuclear Power Plant
Independent Spent Fuel Storage Installation
Radiological Environmental Monitoring Program**

| Sample Type | Sampling Frequency | Number of Locations | Number Collected | Analysis | Analysis Frequency¹ | Number Analyzed |
|--------------------------------|---------------------------|----------------------------|-------------------------|-----------------|---------------------------------------|------------------------|
| Atmospheric Environment | | | | | | |
| Air Particulates ² | W | 5 | 258 | Gross Beta | W | 258 |
| | | | | Gamma | MC | 60 |
| Direct Radiation | | | | | | |
| Ambient Radiation | Q | 20 | 480 | TLD | Q | 480 |
| Terrestrial Environment | | | | | | |
| Vegetation | Q | 5 | 20 | Gamma | Q | 20 |
| Soil | Q | 5 | 20 | Gamma | Q | 20 |

¹ W=weekly, M=monthly, Q=quarterly, SA=semiannual, A=annual, C=composite

² Beta counting is performed after >72 hour decay, Gamma spectroscopy performed on monthly composites of weekly samples

TABLE 4
Annual Summary of Radioactivity in the Environs of the
Calvert Cliffs Nuclear Power Plant Independent Spent Fuel Storage Installation

| Medium or Pathway Sampled (Unit of Measurement) | Type and Total Number of Analyses Performed | Lower Limit of Detection (LLD) | Indicator Locations Mean (F)/Range ¹ | Location with Highest Annual Mean Name/Distance & Direction ² | Highest Annual Mean (F) / Range ¹ | Control Locations Mean (F)/Range ¹ |
|---|---|--------------------------------|---|--|--|---|
| Atmospheric Environment | | | | | | |
| Air Particulates (10 ⁻² pCi/m ³) | Gross Beta (258) | 0.5 | 1.9 (206/206) (0.7-4.5) | SSE of ISFSI SFA4 0.1 km SSE | 2.3 (52/52) (0.9-4.5) | 1.7 (52/52) (0.7-3.3) |
| Direct Radiation | | | | | | |
| Ambient Radiation (mR/90 days) | TLD (480) | -- | 26.79 (456/456) (9.53-42.06) | West of ISFSI SFDR18 0.1 km W | 39.40 (24/24) (37.46-42.06) | 12.64 (24/24) (12.11-13.45) |
| Terrestrial Environment | | | | | | |
| Soil (pCi/kg) | Gamma (20) Cs-137 | 17 | 345 (10/16) (37-922) | NNW of ISFSI SFS3 0.1 km NNW | 626 (4/4) (221-922) | 106 (3/4) (65-178) |

¹ Mean and range based upon detectable measurements only. Fraction (F) of detectable measurement at specified locations is indicated in parentheses

² From the centerpoint of the ISFSI facility

IV. REFERENCES

- (1) Cohen, L. K., "Preoperational Environmental Radioactivity Monitoring Program at Calvert Cliffs Units 1 and 2", NUS No. 882 Semiannual Report January-June 1971, December 1971; NUS No. 1025 Annual Report 1971, March 1973.
- (2) Cohen, L. K., "Preoperational Environmental Radioactivity Monitoring Program at Calvert Cliffs Units 1 and 2", NUS No. 1137 Annual Report 1972, December 1973.
- (3) Cohen, L. K. and Malmberg, M.S., "Preoperational Environmental Radioactivity Monitoring Program at Calvert Cliffs Units 1 and 2", NUS No. 1188, Annual Report 1973, October 1974.
- (4) Malmberg, M. S., "Preoperational Environmental Radioactivity Monitoring Program at Calvert Cliffs Units 1 and 2", NUS No. 1333, Data Summary Report, September 1970 to September 1974, July 1975
- (5) Calvert Cliffs Nuclear Power Plant, Units 1 and 2, License Nos. DPR-53 and DPR-69, Technical Specification 5.6.2; Annual Radiological Environmental Operating Report.
- (6) Offsite Dose Calculation Manual for the Calvert Cliffs Nuclear Power Plant.
- (7) CP-234, Specification and Surveillance for the Radiological Environmental Monitoring Program.
- (8) Constellation Energy Laboratory Procedures Manual, General Services Department.
- (9) Constellation Energy, "Land Use Survey Around Calvert Cliffs Nuclear Power Plant, August 2006."
- (10) Calvert Cliffs Independent Spent Fuel Storage Installation Technical Specifications, Appendix A to Materials License SNM-2505
- (11) Baltimore Gas and Electric Company, Radiological Environmental Monitoring Program Pre-Operational Report for the Calvert Cliffs Independent Spent Fuel Storage Installation, August 1990 - November 1993, February 1994.
- (12) CP-501, Liquid and Steam Sampling Techniques

APPENDIX A

Sample Locations for the REMP and the ISFSI

Appendix A contains information concerning the environmental samples which were collected during this operating period.

Sample locations and specific information about individual locations for the CCNPP REMP are given in Table A-1. Figure A-1 shows the location of the CCNPP in relation to Southern Maryland and the Chesapeake Bay. Figures A-2 and A-3 show the locations of the power plant sampling sites in relation to the plant site at different degrees of detail.

Sample locations and specific information about individual locations for the ISFSI radiological environmental monitoring program are given in Table A-2. Figures A-4 and A-5 show the locations of the ISFSI sampling sites in relation to the plant site at different degrees of detail.

(LEFT BLANK)

TABLE OF CONTENTS - SAMPLING LOCATIONS

| Table | Title | Page |
|-------|---|------|
| A-1 | Locations of Environmental Sampling Stations for the Calvert Cliffs Nuclear Power Plant.. | 33 |
| A-2 | Locations of Environmental Sampling Stations for the Independent Spent Fuel Storage Installation at Calvert Cliffs..... | 41 |

| Figure | Title | Page |
|--------|--|------|
| A-1 | Map of Southern Maryland and Chesapeake Bay Showing Location of Calvert Cliffs Nuclear Power Plant | 35 |
| A-2 | Calvert Cliffs Nuclear Power Plant Sampling Locations, 0-2 Miles..... | 37 |
| A-3 | Calvert Cliffs Nuclear Power Plant Sampling Locations, 0-10 Miles..... | 39 |
| A-4 | Independent Spent Fuel Storage Installation Sampling Locations | 42 |
| A-5 | Enlarged Map of the Independent Spent Fuel Storage Installation Sampling Locations | 43 |

(LEFT BLANK)

TABLE A-1
Locations of Environmental Sampling Stations
for the Calvert Cliffs Nuclear Power Plant

| Station | Description | Distance ¹ | | Direction ¹ |
|------------------|--|-----------------------|---------|------------------------|
| | | (KM) | (Miles) | (Sector) |
| A1 | On Site before Entrance to Camp Conoy | 0.7 | 0.4 | S |
| A2 | Camp Conoy at Emergency Siren | 2.5 | 1.6 | SSE |
| A3 | Bay Breeze Road | 2.6 | 1.6 | SE |
| A4 | Route 765 Lusby | 2.9 | 1.8 | SSW |
| A5 | Emergency Operations Facility (EOF) | 19.3 | 12.0 | WNW |
| DR1 | On Site along Cliffs | 0.6 | 0.4 | NW |
| DR2 | Route 765; Auto Dump | 2.7 | 1.7 | WNW |
| DR3 | Route 765; Giovanni's Tavern (Knotty Pine) | 2.3 | 1.4 | W |
| DR4 | Route 765, across from White Sands Drive | 2.0 | 1.2 | WSW |
| DR5 | Route 765, John's Creek | 2.4 | 1.5 | SW |
| DR6 | Route 765 Lusby | 2.9 | 1.8 | SSW |
| DR7 ² | On Site before Entrance to Camp Conoy | 0.7 | 0.4 | S |
| DR8 | Camp Conoy at Emergency Siren | 2.5 | 1.6 | SSE |
| DR9 | Bay Breeze Road | 2.6 | 1.6 | SE |
| DR10 | Calvert Beach Rd. and Decatur Street | 6.4 | 4.0 | NW |
| DR11 | Dirt road off Mackall & Parran Roads | 6.6 | 4.1 | WNW |
| DR12 | Mackall and Bowen Roads | 6.7 | 4.2 | W |
| DR13 | Mackall Rd. near Wallville | 6.1 | 3.8 | WSW |
| DR14 | Rodney Point | 6.4 | 4.0 | SW |
| DR15 | Mill Bridge and Turner Roads | 6.2 | 3.9 | SSW |
| DR16 | Across from Appeal School | 6.5 | 4.0 | S |
| DR17 | Cove Point and Little Cove Point Roads | 5.9 | 3.7 | SSE |
| DR18 | Cove Point | 7.1 | 4.4 | SE |
| DR19 | Long Beach | 4.4 | 2.7 | NW |
| DR20 | On Site near shore | 0.4 | 0.2 | NNW |
| DR21 | Emergency Operations Facility (EOF) | 19.3 | 12.0 | WNW |
| DR22 | Solomons Island | 12.5 | 7.8 | S |
| DR23 | Taylor's Island, Carpenter's Property | 12.6 | 7.8 | ENE |
| Ia1,2 | Discharge Area | 0.3 | 0.2 | N |
| Ia3 | Camp Conoy | 0.9 | 0.6 | E |
| Ia4,5 | Patuxent River | N/A | N/A | N/A |
| Ia6 | Kenwood Beach | 10.7 | 6.6 | NNW |
| Ia10 | Hog Island | 15.3 | 9.5 | SSE |
| Ib1,2,3 | Garden Off Bay Breeze Road | 2.6 | 1.6 | SSE |
| Ib4,5,6 | On Site before Entrance to Camp Conoy | 0.7 | 0.4 | S |
| Ib7,8,9 | Emergency Operations Facility (EOF) | 19.3 | 12.0 | WNW |
| Wa1 | Intake Area | 0.2 | 0.1 | NNE |
| Wa2 | Discharge Area | 0.3 | 0.2 | N |
| Wb1 | Shoreline at Barge Rd. | 0.6 | 0.4 | ESE |


¹ Distance and direction from the central point between the two containment buildings.

² Common to both the REMP and ISFSI monitoring program

(LEFT BLANK)


FIGURE A-1

Map of Southern Maryland and Chesapeake Bay Showing Location of Calvert Cliffs Nuclear Power Plant



(LEFT BLANK)

FIGURE A-2
Calvert Cliffs Nuclear Power Plant Sampling Locations
0-2 Miles



(LEFT BLANK)

FIGURE A-3
Calvert Cliffs Nuclear Power Plant Sampling Locations
0-10 Miles



(LEFT BLANK)

TABLE A-2
Locations of Environmental Sampling Stations for the
Independent Spent Fuel Storage Installation at Calvert Cliffs

| Station | Description | Distance ¹ | Direction ¹ |
|-------------------------|---------------------------------------|-----------------------|------------------------|
| | | (KM) | (Sector) |
| Air Particulate | | | |
| A1 ² | On Site before Entrance to Camp Conoy | 0.3 | ESE |
| SFA1 | Meteorological Station | 0.3 | NW |
| SFA2 | CCNPP Visitor's Center | 0.8 | N |
| SFA3 | NNW of ISFSI | 0.1 | NNW |
| SFA4 | SSE of ISFSI | 0.1 | SSE |
| Direct Radiation | | | |
| SFDR1 | SW of ISFSI | 0.2 | SW |
| SFDR2 | NNW of ISFSI | 0.2 | NNW |
| SFDR3 | North of ISFSI | 0.1 | N |
| SFDR4 | NE of ISFSI | 0.1 | NE |
| SFDR5 | East of ISFSI | 0.1 | E |
| SFDR6 | ESE of ISFSI | 0.1 | ESE |
| SFDR7 | CCNPP Visitor's Center | 0.8 | N |
| SFDR8 | NNW of ISFSI | 0.1 | NNW |
| SFDR9 | SSE of ISFSI | 0.1 | SSE |
| SFDR10 | NW of ISFSI | 0.1 | NW |
| SFDR11 | WNW of ISFSI | 0.1 | WNW |
| SFDR12 | WSW of ISFSI | 0.04 | WSW |
| SFDR13 | South of ISFSI | 0.1 | S |
| SFDR14 | SE of ISFSI | 0.1 | SE |
| SFDR15 | ENE of ISFSI | 0.1 | ENE |
| SFDR16 | SSW of ISFSI | 0.04 | SSW |
| SFDR17 | NNE of ISFSI | 0.1 | NNE |
| SFDR18 | West of ISFSI | 0.04 | W |
| DR7 ² | On Site before Entrance to Camp Conoy | 0.3 | ESE |
| DR30 | Meteorological Station | 0.3 | NW |
| Vegetation | | | |
| Sfb1 | Meteorological Station | 0.3 | NW |
| Sfb2 | CCNPP Visitor's Center | 0.8 | N |
| Sfb3 | NNW of ISFSI | 0.1 | NNW |
| Sfb4 | SSE of ISFSI | 0.1 | SSE |
| Sfb5 | On Site before Entrance to Camp Conoy | 0.3 | ESE |
| Soil | | | |
| SFS1 | Meteorological Station | 0.3 | NW |
| SFS2 | CCNPP Visitor's Center | 0.8 | N |
| SFS3 | NNW of ISFSI | 0.1 | NNW |
| SFS4 | SSE of ISFSI | 0.1 | SSE |
| SFS5 | On Site before Entrance to Camp Conoy | 0.3 | ESE |

¹ Distance and direction from the central point of the ISFSI

² Common to both REMP and ISFSI monitoring program

FIGURE A-4

Independent Spent Fuel Storage Installation Sampling Locations





FIGURE A-5

Enlarged Map of the Independent Spent Fuel Storage Installation
Sampling Locations



(LEFT BLANK)

APPENDIX B
Analysis Results for the REMP and the ISFSI

Appendix B is a presentation of the analytical results for the CCNPP and the ISFSI radiological environmental monitoring programs.

(LEFT BLANK)

TABLE OF CONTENTS - ANALYTICAL RESULTS

| Table | Title | Page |
|--------------|---|-------------|
| B-1 | Concentration of Tritium and Gamma Emitters in Bay Water | 49 |
| B-2 | Concentration of Gamma Emitters in the Flesh of Edible Fish | 50 |
| B-3 | Concentration of Gamma Emitters in Oyster Samples | 51 |
| B-4 | Concentration of Gamma Emitters in Shoreline Sediment..... | 52 |
| B-5 | Concentration of Iodine-131 in Filtered Air | 53 |
| B-6 | Concentration of Beta Emitters in Air Particulates | 55 |
| B-7 | Concentration of Gamma Emitters in Air Particulates | 59 |
| B-8a | Concentration of Gamma Emitters in Vegetation Samples | 60 |
| B-8b | Concentration of Gamma Emitters in Vegetation From Locations Around the IFSSI..... | 61 |
| B-9 | Concentration of Gamma Emitters in Soil Samples From Locations Around the IFSSI | 62 |
| B-10 | Typical MDA Ranges for Gamma Spectrometry | 63 |
| B-11 | Typical LLDs for Gamma Spectrometry | 64 |
| B-12 | Direct Radiation..... | 65 |

(LEFT BLANK)

Table B-1

Concentration of Tritium and Gamma Emitters in Bay Water
(Results in units of pCi/L +/- 2σ)

| Sample Code | Sample Date | H-3 ¹ | Gamma Emitters |
|---------------------------|-------------|------------------|----------------|
| Wa1 Intake Vicinity | 1/31/2006 | | * |
| | 2/28/2006 | | * |
| | 3/31/2006 | <446 | * |
| | 4/28/2006 | | * |
| | 5/31/2006 | | * |
| | 6/29/2006 | | * |
| | 6/30/2006 | <456 | |
| | 7/31/2006 | | * |
| | 8/31/2006 | | * |
| | 9/29/2006 | <340 | * |
| | 10/31/2006 | | * |
| | 11/30/2006 | | * |
| | 12/28/2006 | <340 | * |
| Wa2 Discharge Vicinity | 1/31/2006 | | * |
| | 2/28/2006 | | * |
| | 3/31/2006 | <457 | * |
| | 4/28/2006 | | * |
| | 5/31/2006 | | * |
| | 6/29/2006 | | * |
| | 6/30/2006 | <457 | |
| | 7/31/2006 | | * |
| | 8/31/2006 | | * |
| | 9/29/2006 | <340 | * |
| | 10/31/2006 | | * |
| | 11/30/2006 | | * |
| | 12/28/2006 | <340 | * |

¹ Quarterly composites of monthly samples
* All Non-Natural Gamma Emitters <MDA

Table B-2

**Concentration of Gamma Emitters in the Flesh of Edible Fish
(Results in units of pCi/kg (wet) +/- 2σ)**

| SAMPLE CODE | Sample Date | Sample Type | Gamma Emitters |
|------------------------------------|-------------|------------------|----------------|
| la1 Discharge Area | 8/22/2006 | Bluefish | * |
| la2 Discharge Area | 8/22/2006 | Spanish Mackerel | * |
| la4 ¹ Patuxent River | 8/22/2006 | Bluefish | * |
| la5 ¹ Patuxent River | 8/22/2006 | Spanish Mackerel | * |

¹ Control Location

* All Non-Natural Gamma Emitters <MDA

Table B-3

Concentration of Gamma Emitters in Oyster Samples
(Results in units of pCi/kg (wet) +/- 2σ)

| SAMPLE CODE | Sample Date | Gamma Emitters |
|------------------|-------------|----------------|
| la3 | 3/24/2006 | * |
| Camp Conoy | 6/19/2006 | * |
| | 8/22/2006 | * |
| | 10/26/2006 | * |
| | | |
| la6 ¹ | 3/24/2006 | * |
| Kenwood Beach | 6/19/2006 | * |
| | 8/22/2006 | * |
| | 10/26/2006 | * |
| | | |

¹ Control Location

* All Non-Natural Gamma Emitters <MDA

Table B-4

**Concentration of Gamma Emitters in Shoreline Sediment
(Results in units of pCi/kg (dry) +/- 2 σ)**

| SAMPLE CODE | Sample Date | Gamma Emitters |
|------------------------|-------------|----------------|
| Wb1 | 6/26/2006 | * |
| Shoreline at Barge Rd. | 11/20/2006 | * |

* All Non-Natural Gamma Emitters <MDA

Table B-5

Concentration of Iodine-131 in Filtered Air
(Results in units of 10^{-3} pCi/m³ +/- 2 σ)

| Start Date | Stop Date | A1 Entrance to Camp Conoy | A2 Camp Conoy Siren | A3 Bay Breeze Rd | A4 Route 765 at Lusby | A5 ¹ EOF |
|------------|-----------|---------------------------------|---------------------------|------------------------|-----------------------------|------------------------|
| 1/2/2006 | 1/9/2006 | * | * | * | * | * |
| 1/9/2006 | 1/16/2006 | * | * | * | * | * |
| 1/16/2006 | 1/23/2006 | * | * | * | * | * |
| 1/23/2006 | 1/30/2006 | * | * | * | * | * |
| 1/30/2006 | 2/6/2006 | * | * | * | * | * |
| 2/6/2006 | 2/13/2006 | * | * | * | 3 | * |
| 2/13/2006 | 2/20/2006 | * | * | * | * | * |
| 2/20/2006 | 2/27/2006 | * | * | * | * | * |
| 2/27/2006 | 3/6/2006 | * | * | * | * | * |
| 3/6/2006 | 3/13/2006 | * | * | * | * | * |
| 3/13/2006 | 3/20/2006 | * | * | * | * | * |
| 3/20/2006 | 3/27/2006 | * | * | * | * | * |
| 3/27/2006 | 4/3/2006 | * | * | * | * | * |
| 4/3/2006 | 4/10/2006 | * | * | * | * | * |
| 4/10/2006 | 4/17/2006 | * | * | * | * | * |
| 4/17/2006 | 4/24/2006 | * | * | * | * | * |
| 4/24/2006 | 5/1/2006 | * | * | 2 | * | * |
| 5/1/2006 | 5/8/2006 | * | * | 2 | * | * |
| 5/8/2006 | 5/15/2006 | * | * | * | * | * |
| 5/15/2006 | 5/22/2006 | * | * | * | * | * |
| 5/22/2006 | 5/29/2006 | * | * | * | * | * |
| 5/29/2006 | 6/5/2006 | * | * | * | * | * |
| 6/5/2006 | 6/12/2006 | * | * | * | * | * |
| 6/12/2006 | 6/19/2006 | * | * | * | * | * |
| 6/19/2006 | 6/26/2006 | * | * | * | * | * |
| 6/26/2006 | 7/3/2006 | * | * | * | * | * |
| 7/3/2006 | 7/10/2006 | * | * | * | * | * |
| 7/10/2006 | 7/17/2006 | * | * | * | * | * |
| 7/17/2006 | 7/24/2006 | * | * | * | * | * |
| 7/24/2006 | 7/31/2006 | * | * | * | * | * |
| 7/31/2006 | 8/7/2006 | * | * | * | * | * |
| 8/7/2006 | 8/14/2006 | * | * | * | * | * |
| 8/14/2006 | 8/21/2006 | * | * | * | * | * |
| 8/21/2006 | 8/28/2006 | * | * | * | * | * |

¹ Control Location

² Sampler Malfunction; Loss of Data

³ Operator Error; Loss of Data

* All Non-Natural Gamma Emitters <MDA

Table B-5 - Continued

**Concentration of Iodine-131 in Filtered Air
(Results in units of 10^{-3} pCi/m³ +/- 2 σ)**

| Start Date | Stop Date | A1 Entrance to Camp Conoy | A2 Camp Conoy Siren | A3 Bay Breeze Rd | A4 Route 765 at Lusby | A5 ¹ EOF |
|------------|------------|---------------------------------|---------------------------|------------------------|-----------------------------|------------------------|
| 8/28/2006 | 9/4/2006 | * | * | * | * | * |
| 9/4/2006 | 9/11/2006 | * | * | * | * | * |
| 9/11/2006 | 9/18/2006 | * | * | * | * | * |
| 9/18/2006 | 9/25/2006 | * | * | * | * | * |
| 9/25/2006 | 10/2/2006 | * | * | * | * | * |
| 10/2/2006 | 10/9/2006 | * | * | * | * | * |
| 10/9/2006 | 10/16/2006 | * | * | * | * | * |
| 10/16/2006 | 10/23/2006 | * | * | * | * | * |
| 10/23/2006 | 10/30/2006 | * | * | * | * | * |
| 10/30/2006 | 11/6/2006 | * | * | * | * | * |
| 11/6/2006 | 11/13/2006 | * | * | * | * | * |
| 11/13/2006 | 11/20/2006 | * | * | * | * | * |
| 11/20/2006 | 11/27/2006 | * | * | * | * | * |
| 11/27/2006 | 12/4/2006 | * | * | * | * | * |
| 12/5/2006 | 12/11/2006 | * | * | * | * | * |
| 12/12/2006 | 12/18/2006 | * | * | * | * | * |
| 12/18/2006 | 12/25/2006 | * | * | * | * | * |
| 12/25/2006 | 1/1/2007 | * | * | * | * | * |

¹ Control Location

Table B-6

Concentration of Beta Emitters in Air Particulates
(Results in units of 10^{-2} pCi/m³ +/- 2σ)

| Start Date | Stop Date | A1 Entrance to Camp Conoy | A2 Camp Conoy Siren | A3 Bay Breeze Rd | A4 Route 765 at Lusby | A5 ¹ EOF |
|------------|-----------|---------------------------------|---------------------------|------------------------|-----------------------------|------------------------|
| 1/2/2006 | 1/9/2006 | 1.7 +/- 0.2 | 1.5 +/- 0.2 | 1.1 +/- 0.2 | 1.7 +/- 0.2 | 1.5 +/- 0.2 |
| 1/9/2006 | 1/16/2006 | 1.9 +/- 0.3 | 1.4 +/- 0.2 | 1.4 +/- 0.2 | 2.0 +/- 0.3 | 1.6 +/- 0.2 |
| 1/16/2006 | 1/23/2006 | 1.3 +/- 0.2 | 1.3 +/- 0.2 | 1.1 +/- 0.2 | 1.8 +/- 0.3 | 1.2 +/- 0.2 |
| 1/23/2006 | 1/30/2006 | 1.7 +/- 0.2 | 1.3 +/- 0.2 | 1.3 +/- 0.2 | 1.5 +/- 0.2 | 1.7 +/- 0.2 |
| 1/30/2006 | 2/6/2006 | 1.5 +/- 0.2 | 1.2 +/- 0.2 | 1.3 +/- 0.2 | 2.1 +/- 0.3 | 1.2 +/- 0.2 |
| 2/6/2006 | 2/13/2006 | 1.9 +/- 0.3 | 1.6 +/- 0.2 | 1.6 +/- 0.2 | 1.8 +/- 0.3 | 1.8 +/- 0.2 |
| 2/13/2006 | 2/20/2006 | 3.0 +/- 0.3 | 2.4 +/- 0.2 | 2.0 +/- 0.2 | 0.9 +/- 0.2 | 2.6 +/- 0.2 |
| 2/20/2006 | 2/27/2006 | 3.1 +/- 0.3 | 2.2 +/- 0.2 | 2.2 +/- 0.2 | 2.8 +/- 0.3 | 2.6 +/- 0.2 |
| 2/27/2006 | 3/6/2006 | 2.3 +/- 0.3 | 1.9 +/- 0.2 | 1.5 +/- 0.2 | 2.3 +/- 0.3 | 2.3 +/- 0.3 |
| 3/6/2006 | 3/13/2006 | 2.8 +/- 0.3 | 1.8 +/- 0.2 | 1.7 +/- 0.2 | 2.5 +/- 0.3 | 2.4 +/- 0.2 |
| 3/13/2006 | 3/20/2006 | 3.0 +/- 0.3 | 2.0 +/- 0.2 | 2.2 +/- 0.2 | 2.5 +/- 0.2 | 2.4 +/- 0.2 |
| 3/20/2006 | 3/27/2006 | 1.4 +/- 0.3 | 1.4 +/- 0.2 | 1.1 +/- 0.2 | 1.2 +/- 0.2 | 1.2 +/- 0.2 |
| 3/27/2006 | 4/3/2006 | 2.3 +/- 0.2 | 2.1 +/- 0.2 | 1.9 +/- 0.2 | 2.3 +/- 0.2 | 2.0 +/- 0.2 |
| 4/3/2006 | 4/10/2006 | 1.9 +/- 0.3 | 1.8 +/- 0.2 | 1.4 +/- 0.2 | 1.5 +/- 0.2 | 1.9 +/- 0.2 |
| 4/10/2006 | 4/17/2006 | 2.1 +/- 0.3 | 1.4 +/- 0.2 | 1.5 +/- 0.2 | 1.5 +/- 0.2 | 1.9 +/- 0.2 |
| 4/17/2006 | 4/24/2006 | 1.1 +/- 0.2 | 1.2 +/- 0.2 | 0.9 +/- 0.2 | 1.0 +/- 0.2 | 1.2 +/- 0.2 |
| 4/24/2006 | 5/1/2006 | 1.5 +/- 0.2 | 1.6 +/- 0.2 | ² | 1.3 +/- 0.2 | 1.9 +/- 0.3 |
| 5/1/2006 | 5/8/2006 | 1.5 +/- 0.2 | 1.4 +/- 0.2 | ² | 1.3 +/- 0.2 | 1.5 +/- 0.2 |
| 5/8/2006 | 5/15/2006 | 1.2 +/- 0.2 | 0.9 +/- 0.2 | 1.0 +/- 0.2 | 1.0 +/- 0.2 | 1.1 +/- 0.2 |
| 5/15/2006 | 5/22/2006 | 1.0 +/- 0.2 | 1.2 +/- 0.2 | 1.1 +/- 0.2 | 1.0 +/- 0.2 | 1.4 +/- 0.2 |
| 5/22/2006 | 5/29/2006 | 1.6 +/- 0.2 | 1.5 +/- 0.2 | 1.4 +/- 0.2 | 1.3 +/- 0.2 | 1.8 +/- 0.2 |
| 5/29/2006 | 6/5/2006 | 1.5 +/- 0.2 | 1.8 +/- 0.2 | 1.9 +/- 0.3 | 1.4 +/- 0.2 | 2.0 +/- 0.2 |
| 6/5/2006 | 6/12/2006 | 1.1 +/- 0.2 | 1.0 +/- 0.2 | 1.1 +/- 0.2 | 1.0 +/- 0.2 | 1.5 +/- 0.2 |
| 6/12/2006 | 6/19/2006 | 1.4 +/- 0.2 | 1.4 +/- 0.2 | 1.1 +/- 0.2 | 1.6 +/- 0.2 | 2.2 +/- 0.2 |
| 6/19/2006 | 6/26/2006 | 1.1 +/- 0.2 | 0.8 +/- 0.2 | 0.8 +/- 0.2 | 1.2 +/- 0.2 | 1.1 +/- 0.2 |
| 6/26/2006 | 7/3/2006 | 1.3 +/- 0.2 | 1.1 +/- 0.2 | 1.6 +/- 0.2 | 1.5 +/- 0.2 | 2.5 +/- 0.3 |
| 7/3/2006 | 7/10/2006 | 1.8 +/- 0.2 | 1.4 +/- 0.2 | 1.5 +/- 0.2 | 1.6 +/- 0.2 | 2.6 +/- 0.3 |
| 7/10/2006 | 7/17/2006 | 1.6 +/- 0.2 | 1.2 +/- 0.2 | 1.0 +/- 0.2 | 1.7 +/- 0.2 | 2.0 +/- 0.3 |
| 7/17/2006 | 7/24/2006 | 1.3 +/- 0.2 | 1.3 +/- 0.2 | 2.3 +/- 0.2 | 0.9 +/- 0.2 | 2.1 +/- 0.3 |
| 7/24/2006 | 7/31/2006 | 2.1 +/- 0.2 | 1.9 +/- 0.2 | 1.8 +/- 0.2 | 2.2 +/- 0.2 | 3.0 +/- 0.3 |
| 7/31/2006 | 8/7/2006 | 1.8 +/- 0.2 | 2.4 +/- 0.3 | 2.6 +/- 0.3 | 2.1 +/- 0.2 | 2.7 +/- 0.3 |
| 8/7/2006 | 8/14/2006 | 1.7 +/- 0.2 | 1.8 +/- 0.2 | 1.7 +/- 0.2 | 1.9 +/- 0.2 | 2.5 +/- 0.3 |
| 8/14/2006 | 8/21/2006 | 1.9 +/- 0.2 | 2.0 +/- 0.2 | 1.8 +/- 0.2 | 2.0 +/- 0.2 | 3.1 +/- 0.3 |
| 8/21/2006 | 8/28/2006 | 2.3 +/- 0.2 | 2.8 +/- 0.2 | 2.6 +/- 0.3 | 2.9 +/- 0.2 | 4.0 +/- 0.3 |

¹ Control Location

² Sampler Malfunction; Loss of Data

Table B-6 - Continued

**Concentration of Beta Emitters in Air Particulates
(Results in units of 10^{-2} pCi/m³ +/- 2 σ)**

| Start Date | Stop Date | A1 Entrance to Camp Conoy | A2 Camp Conoy Siren | A3 Bay Breeze Rd | A4 Route 765 at Lusby | A5 ¹ EOF |
|------------|------------|---------------------------------|---------------------------|------------------------|-----------------------------|------------------------|
| 8/28/2006 | 9/4/2006 | 1.3 +/- 0.2 | 1.0 +/- 0.2 | 1.0 +/- 0.2 | 0.9 +/- 0.2 | 1.1 +/- 0.2 |
| 9/4/2006 | 9/11/2006 | 2.2 +/- 0.2 | 1.9 +/- 0.2 | 2.0 +/- 0.2 | 2.0 +/- 0.2 | 2.8 +/- 0.3 |
| 9/11/2006 | 9/18/2006 | 1.2 +/- 0.2 | 1.0 +/- 0.2 | 1.0 +/- 0.2 | 0.9 +/- 0.2 | 1.0 +/- 0.2 |
| 9/18/2006 | 9/25/2006 | 1.5 +/- 0.2 | 1.4 +/- 0.2 | 1.6 +/- 0.2 | 1.5 +/- 0.2 | 2.5 +/- 0.3 |
| 9/25/2006 | 10/2/2006 | 1.7 +/- 0.2 | 1.5 +/- 0.2 | 1.9 +/- 0.3 | 1.6 +/- 0.2 | 2.3 +/- 0.3 |
| 10/2/2006 | 10/9/2006 | 1.6 +/- 0.2 | 1.8 +/- 0.2 | 1.6 +/- 0.3 | 1.5 +/- 0.2 | 2.1 +/- 0.3 |
| 10/9/2006 | 10/16/2006 | 2.2 +/- 0.2 | 2.3 +/- 0.2 | 3.0 +/- 0.3 | 2.5 +/- 0.2 | 3.1 +/- 0.3 |
| 10/16/2006 | 10/23/2006 | 1.3 +/- 0.2 | 1.7 +/- 0.2 | 1.8 +/- 0.3 | 1.2 +/- 0.2 | 2.0 +/- 0.3 |
| 10/23/2006 | 10/30/2006 | 1.3 +/- 0.2 | 1.7 +/- 0.2 | 2.5 +/- 0.3 | 1.5 +/- 0.2 | 1.7 +/- 0.2 |
| 10/30/2006 | 11/6/2006 | 2.3 +/- 0.2 | 3.0 +/- 0.3 | 3.9 +/- 0.4 | 2.5 +/- 0.2 | 3.9 +/- 0.4 |
| 11/6/2006 | 11/13/2006 | 1.5 +/- 0.2 | 1.8 +/- 0.2 | 1.2 +/- 0.2 | 1.5 +/- 0.2 | 1.2 +/- 0.1 |
| 11/13/2006 | 11/20/2006 | 1.4 +/- 0.2 | 1.6 +/- 0.2 | 1.5 +/- 0.2 | 1.6 +/- 0.2 | 1.2 +/- 0.2 |
| 11/20/2006 | 11/27/2006 | 1.7 +/- 0.2 | 1.6 +/- 0.2 | 1.5 +/- 0.2 | 1.8 +/- 0.2 | 1.5 +/- 0.2 |
| 11/27/2006 | 12/4/2006 | 1.4 +/- 0.2 | 1.9 +/- 0.2 | 1.8 +/- 0.2 | 2.0 +/- 0.2 | 1.9 +/- 0.2 |
| 12/4/2006 | 12/11/2006 | 2.8 +/- 0.2 | 2.9 +/- 0.2 | 2.8 +/- 0.2 | 2.8 +/- 0.2 | 2.5 +/- 0.2 |
| 12/12/2006 | 12/18/2006 | 3.4 +/- 0.2 | 3.9 +/- 0.2 | 4.4 +/- 0.3 | 3.5 +/- 0.2 | 3.8 +/- 0.2 |
| 12/18/2006 | 12/25/2006 | 1.6 +/- 0.2 | 1.9 +/- 0.2 | 1.8 +/- 0.2 | 2.4 +/- 0.2 | 1.8 +/- 0.2 |
| 12/25/2006 | 1/1/2007 | 1.9 +/- 0.2 | 2.0 +/- 0.2 | 1.7 +/- 0.2 | 2.0 +/- 0.2 | 1.9 +/- 0.2 |

¹ Control Location

Table B-6 - Continued

Concentration of Beta Emitters in Air Particulates
(Results in units of 10^{-2} pCi/m³ +/- 2 σ)

| Start Date | Stop Date | SFA1 MET Station | SFA2 ¹ Visitors Center | SFA3 NNW of ISFSI | SFA4 SSE of ISFSI |
|------------|-----------|---------------------|--------------------------------------|----------------------|----------------------|
| 1/2/2006 | 1/9/2006 | 1.6 +/- 0.3 | 1.4 +/- 0.2 | ² | 1.5 +/- 0.2 |
| 1/9/2006 | 1/16/2006 | 1.6 +/- 0.2 | 1.7 +/- 0.2 | 1.3 +/- 0.2 | 2.2 +/- 0.2 |
| 1/16/2006 | 1/23/2006 | 1.2 +/- 0.2 | 1.3 +/- 0.2 | ² | 1.5 +/- 0.2 |
| 1/23/2006 | 1/30/2006 | 1.7 +/- 0.2 | 1.5 +/- 0.2 | 1.7 +/- 0.3 | 1.9 +/- 0.2 |
| 1/30/2006 | 2/6/2006 | 1.3 +/- 0.2 | 1.4 +/- 0.2 | 1.1 +/- 0.2 | 1.9 +/- 0.2 |
| 2/6/2006 | 2/13/2006 | 1.7 +/- 0.2 | 1.5 +/- 0.2 | 1.6 +/- 0.2 | 1.4 +/- 0.2 |
| 2/13/2006 | 2/20/2006 | 1.5 +/- 0.2 | 2.3 +/- 0.2 | 2.4 +/- 0.2 | 3.0 +/- 0.3 |
| 2/20/2006 | 2/27/2006 | 2.6 +/- 0.3 | 2.3 +/- 0.2 | 2.2 +/- 0.2 | 2.9 +/- 0.3 |
| 2/27/2006 | 3/6/2006 | 2.1 +/- 0.2 | 2.0 +/- 0.2 | 1.9 +/- 0.2 | 3.0 +/- 0.3 |
| 3/6/2006 | 3/13/2006 | 2.3 +/- 0.2 | 2.0 +/- 0.2 | 1.9 +/- 0.2 | 2.7 +/- 0.3 |
| 3/13/2006 | 3/20/2006 | 2.7 +/- 0.3 | 2.1 +/- 0.2 | 2.3 +/- 0.2 | 3.2 +/- 0.3 |
| 3/20/2006 | 3/27/2006 | 0.9 +/- 0.2 | 1.3 +/- 0.2 | 1.1 +/- 0.2 | 0.9 +/- 0.2 |
| 3/27/2006 | 4/3/2006 | 2.6 +/- 0.3 | 1.8 +/- 0.2 | 2.0 +/- 0.2 | 2.5 +/- 0.2 |
| 4/3/2006 | 4/10/2006 | 1.9 +/- 0.2 | 1.4 +/- 0.2 | 1.5 +/- 0.2 | 2.1 +/- 0.3 |
| 4/10/2006 | 4/17/2006 | 1.6 +/- 0.2 | 1.3 +/- 0.2 | 1.3 +/- 0.2 | 1.8 +/- 0.2 |
| 4/17/2006 | 4/24/2006 | 1.2 +/- 0.2 | 1.1 +/- 0.2 | 1.0 +/- 0.2 | 1.2 +/- 0.2 |
| 4/24/2006 | 5/1/2006 | 1.5 +/- 0.2 | 1.4 +/- 0.2 | 1.5 +/- 0.2 | 1.8 +/- 0.2 |
| 5/1/2006 | 5/8/2006 | 1.5 +/- 0.2 | 1.3 +/- 0.2 | 1.6 +/- 0.2 | 1.8 +/- 0.2 |
| 5/8/2006 | 5/15/2006 | 0.9 +/- 0.2 | 0.8 +/- 0.2 | 0.7 +/- 0.1 | 1.7 +/- 0.2 |
| 5/15/2006 | 5/22/2006 | 1.2 +/- 0.2 | 1.1 +/- 0.2 | 1.0 +/- 0.2 | 2.1 +/- 0.3 |
| 5/22/2006 | 5/29/2006 | 1.6 +/- 0.2 | 1.5 +/- 0.2 | 1.3 +/- 0.2 | 2.2 +/- 0.3 |
| 5/29/2006 | 6/5/2006 | 1.8 +/- 0.2 | 1.7 +/- 0.2 | 1.2 +/- 0.2 | 2.1 +/- 0.3 |
| 6/5/2006 | 6/12/2006 | 1.0 +/- 0.2 | 1.1 +/- 0.2 | 1.1 +/- 0.2 | 2.1 +/- 0.3 |
| 6/12/2006 | 6/19/2006 | 1.6 +/- 0.2 | 1.7 +/- 0.2 | 1.2 +/- 0.2 | 2.3 +/- 0.3 |
| 6/19/2006 | 6/26/2006 | 1.2 +/- 0.2 | 0.9 +/- 0.2 | 0.8 +/- 0.2 | 1.9 +/- 0.3 |
| 6/26/2006 | 7/3/2006 | 1.6 +/- 0.2 | 1.5 +/- 0.2 | 1.7 +/- 0.2 | 2.2 +/- 0.3 |
| 7/3/2006 | 7/10/2006 | 1.7 +/- 0.2 | 1.6 +/- 0.2 | 1.6 +/- 0.2 | 2.2 +/- 0.3 |
| 7/10/2006 | 7/17/2006 | 1.6 +/- 0.2 | 1.7 +/- 0.2 | 1.9 +/- 0.2 | 2.3 +/- 0.3 |
| 7/17/2006 | 7/24/2006 | 1.6 +/- 0.2 | 1.5 +/- 0.2 | 1.7 +/- 0.2 | 1.8 +/- 0.3 |
| 7/24/2006 | 7/31/2006 | 2.3 +/- 0.2 | 2.4 +/- 0.2 | 2.4 +/- 0.2 | 3.1 +/- 0.3 |
| 7/31/2006 | 8/7/2006 | 1.6 +/- 0.2 | 2.4 +/- 0.2 | 2.3 +/- 0.2 | 3.1 +/- 0.3 |
| 8/7/2006 | 8/14/2006 | 1.7 +/- 0.2 | 2.0 +/- 0.2 | 2.0 +/- 0.2 | 2.8 +/- 0.3 |
| 8/14/2006 | 8/21/2006 | 1.9 +/- 0.2 | 1.9 +/- 0.2 | 2.2 +/- 0.2 | 3.1 +/- 0.3 |
| 8/21/2006 | 8/28/2006 | 2.6 +/- 0.2 | 2.5 +/- 0.2 | 2.6 +/- 0.2 | 4.3 +/- 0.3 |

¹ Control Location

² Sampler Malfunction; Loss of Data

Table B-6 - Continued

**Concentration of Beta Emitters in Air Particulates
(Results in units of 10^{-2} pCi/m³ +/- 2σ)**

| Start Date | Stop Date | SFA1 MET Station | SFA2 ¹ Visitors Center | SFA3 NNW of ISFSI | SFA4 SSE of ISFSI |
|------------|------------|---------------------|--------------------------------------|----------------------|----------------------|
| 8/28/2006 | 9/4/2006 | 1.0 +/- 0.2 | 0.7 +/- 0.2 | 0.8 +/- 0.2 | 1.1 +/- 0.2 |
| 9/4/2006 | 9/11/2006 | 2.2 +/- 0.2 | 2.3 +/- 0.2 | 2.1 +/- 0.2 | 3.6 +/- 0.4 |
| 9/11/2006 | 9/18/2006 | 0.9 +/- 0.2 | 1.0 +/- 0.2 | 0.9 +/- 0.2 | 1.7 +/- 0.3 |
| 9/18/2006 | 9/25/2006 | 1.5 +/- 0.2 | 1.6 +/- 0.2 | 1.9 +/- 0.2 | 2.4 +/- 0.3 |
| 9/25/2006 | 10/2/2006 | 1.4 +/- 0.2 | 1.5 +/- 0.2 | 1.6 +/- 0.2 | 2.3 +/- 0.3 |
| 10/2/2006 | 10/9/2006 | 1.7 +/- 0.2 | 1.3 +/- 0.2 | 1.3 +/- 0.2 | 2.5 +/- 0.3 |
| 10/9/2006 | 10/16/2006 | 2.2 +/- 0.2 | 2.4 +/- 0.2 | 2.1 +/- 0.2 | 3.9 +/- 0.4 |
| 10/16/2006 | 10/23/2006 | 1.1 +/- 0.2 | 1.3 +/- 0.2 | 1.2 +/- 0.2 | 2.3 +/- 0.3 |
| 10/23/2006 | 10/30/2006 | 1.3 +/- 0.2 | 1.2 +/- 0.2 | 1.6 +/- 0.2 | 1.5 +/- 0.2 |
| 10/30/2006 | 11/6/2006 | 2.6 +/- 0.2 | 2.8 +/- 0.2 | 2.2 +/- 0.2 | 4.5 +/- 0.4 |
| 11/6/2006 | 11/13/2006 | 1.2 +/- 0.2 | 1.1 +/- 0.2 | 1.2 +/- 0.1 | 1.4 +/- 0.2 |
| 11/13/2006 | 11/20/2006 | 1.7 +/- 0.2 | 1.5 +/- 0.2 | 1.4 +/- 0.2 | 1.7 +/- 0.2 |
| 11/20/2006 | 11/27/2006 | 1.5 +/- 0.2 | 1.6 +/- 0.2 | 1.4 +/- 0.2 | 1.9 +/- 0.2 |
| 11/27/2006 | 12/4/2006 | 2.0 +/- 0.2 | 2.1 +/- 0.2 | 1.8 +/- 0.2 | 2.2 +/- 0.2 |
| 12/4/2006 | 12/11/2006 | 2.4 +/- 0.2 | 2.7 +/- 0.2 | 2.4 +/- 0.2 | 3.1 +/- 0.2 |
| 12/12/2006 | 12/18/2006 | 3.4 +/- 0.2 | 3.3 +/- 0.2 | 3.1 +/- 0.2 | 3.6 +/- 0.2 |
| 12/18/2006 | 12/25/2006 | 1.6 +/- 0.2 | 1.4 +/- 0.2 | 1.6 +/- 0.2 | 2.0 +/- 0.2 |
| 12/25/2006 | 1/1/2007 | 2.0 +/- 0.2 | 2.1 +/- 0.2 | 1.8 +/- 0.2 | 2.2 +/- 0.2 |

¹ Control Location

Table B-7

**Concentration of Gamma Emitters in Air Particulates
(Results in units of 10^{-3} pCi/m³ +/- 2 σ)**

| Sample Date | A1 Entrance to Camp Conoy | A2 Camp Conoy Siren | A3 Bay Breeze Rd | A4 Route 765 at Lusby | A5 ¹ EOF |
|-------------|---------------------------------|---------------------------|---------------------|-----------------------------|------------------------|
| 1/15/2006 | * | * | * | * | * |
| 2/15/2006 | * | * | * | * | * |
| 3/15/2006 | * | * | * | * | * |
| 4/15/2006 | * | * | * | * | * |
| 5/15/2006 | * | * | * | * | * |
| 6/15/2006 | * | * | * | * | * |
| 7/15/2006 | * | * | * | * | * |
| 8/15/2006 | * | * | * | * | * |
| 9/15/2006 | * | * | * | * | * |
| 10/15/2006 | * | * | * | * | * |
| 11/15/2006 | * | * | * | * | * |
| 12/15/2006 | * | * | * | * | * |

| Sample Date | SFA1 MET Station | SFA2 ¹ Visitors Center | SFA3 NNW of ISFSI | SFA4 SSE of ISFSI |
|-------------|---------------------|--------------------------------------|----------------------|----------------------|
| 1/15/2006 | * | * | * | * |
| 2/15/2006 | * | * | * | * |
| 3/15/2006 | * | * | * | * |
| 4/15/2006 | * | * | * | * |
| 5/15/2006 | * | * | * | * |
| 6/15/2006 | * | * | * | * |
| 7/15/2006 | * | * | * | * |
| 8/15/2006 | * | * | * | * |
| 9/15/2006 | * | * | * | * |
| 10/15/2006 | * | * | * | * |
| 11/15/2006 | * | * | * | * |
| 12/15/2006 | * | * | * | * |

¹ Control Location
All Non-Natural Gamma Emitters <MDA

Table B-8a

**Concentration of Gamma Emitters in Vegetation Samples
(Results in units of pCi/kg (wet) +/- 2σ)**

| SAMPLE CODE | Sample Date | Sample Type | Gamma Emitters |
|-----------------------------------|-------------|------------------|----------------|
| Ib1 ¹ Bay Breeze Rd | 6/26/2006 | Cabbage | * |
| | 7/24/2006 | Collards | * |
| | 10/2/2006 | Broccoli | * |
| Ib2 Bay Breeze Rd | 6/26/2006 | Collards | * |
| | 7/24/2006 | Cauliflower | * |
| | 10/2/2006 | Cabbage | * |
| Ib3 Bay Breeze Rd | 6/26/2006 | Broccoli | * |
| | 7/24/2006 | Brussels sprouts | * |
| | 10/2/2006 | Collards | * |
| Ib4 Camp Conoy Entrance | 6/26/2006 | Cabbage | * |
| | 7/24/2006 | Collards | * |
| | 8/28/2006 | Collards | * |
| | 10/2/2006 | Broccoli | * |
| Ib5 Camp Conoy Entrance | 6/26/2006 | Collards | * |
| | 7/24/2006 | Cauliflower | * |
| | 8/28/2006 | Cabbage | * |
| | 10/2/2006 | Cabbage | * |
| Ib6 Camp Conoy Entrance | 6/26/2006 | Broccoli | * |
| | 7/24/2006 | Brussels sprouts | * |
| | 8/28/2006 | Broccoli | * |
| | 10/2/2006 | Collards | * |
| Ib7 ¹ EOF | 6/26/2006 | Cabbage | * |
| | 7/24/2006 | Collards | * |
| | 10/2/2006 | Broccoli | * |
| Ib8 ¹ EOF | 6/26/2006 | Collards | * |
| | 7/24/2006 | Cauliflower | * |
| | 10/2/2006 | Cabbage | * |
| Ib9 ¹ EOF | 6/26/2006 | Broccoli | * |
| | 7/24/2006 | Brussels sprouts | * |
| | 10/2/2006 | Collards | * |

¹ Control Location
* All Non-Natural Gamma Emitters <MDA

Table B-8b

**Concentration of Gamma Emitters in Vegetation
From Locations Around the IFSFI
(Results in units of pCi/kg (wet) +/- 2σ)**

| SAMPLE CODE | Sample Date | Gamma Emitters |
|--|-------------|----------------|
| SFb1 | 3/6/2006 | * |
| MET Station | 6/19/2006 | * |
| | 10/6/2006 | * |
| | 11/20/2006 | * |
| | | |
| SFb2 ¹ | 3/6/2006 | * |
| Visitor's Center | 6/19/2006 | * |
| | 10/6/2006 | * |
| | 11/20/2006 | * |
| | | |
| SFb3 | 3/6/2006 | * |
| NNW of ISFSI | 6/19/2006 | * |
| | 10/6/2006 | * |
| | 11/20/2006 | * |
| | | |
| SFb4 | 3/6/2006 | * |
| SSE of ISFSI | 6/19/2006 | * |
| | 10/6/2006 | * |
| | 11/20/2006 | * |
| | | |
| SFb5 | 3/6/2006 | * |
| On Site before Entrance to Camp Conoy | 6/19/2006 | * |
| | 10/6/2006 | * |
| | 11/20/2006 | * |
| | | |

¹ Control Location
* All Non-Natural Gamma Emitters <MDA

Table B-9

**Concentration of Gamma Emitters in Soil Samples
From Locations Around the ISFSI
(Results in units of pCi/kg (dry) +/- 2σ**

| SAMPLE CODE | Sample Date | Cs-137 | Gamma Emitters |
|-----------------------------------|-------------|-------------|----------------|
| SFS1 | 3/6/2006 | 1 | * |
| MET station | 6/19/2006 | 1 | * |
| | 9/25/2006 | 1 | * |
| | 11/20/2006 | 1 | * |
| | | | |
| SFS2 ² | 3/6/2006 | 1 | * |
| | 6/19/2006 | 73 +/- 54 | * |
| | 9/25/2006 | 65 +/- 59 | * |
| | 11/20/2006 | 178 +/- 51 | * |
| Visitors Center | | | |
| | | | |
| | | | |
| | | | |
| SFS3 NNW of ISFSI | 3/6/2006 | 922 +/- 127 | * |
| | 6/19/2006 | 473 +/- 113 | * |
| | 9/25/2006 | 221 +/- 74 | * |
| | 11/20/2006 | 888 +/- 133 | * |
| SFS4 SSE of ISFSI | 3/6/2006 | 37 +/- 45 | * |
| | 6/19/2006 | 87 +/- 70 | * |
| | 9/25/2006 | 1 | * |
| | 11/20/2006 | 1 | * |
| SFS5 Entrance to Camp Conoy | 3/6/2006 | 331 +/- 63 | * |
| | 6/19/2006 | 198 +/- 55 | * |
| | 9/25/2006 | 142 +/- 41 | * |
| | 11/20/2006 | 157 +/- 47 | * |

¹ This isotope <MDA

² Control Location

* All Non-Natural Gamma Emitters <MDA

TABLE B-10

Typical MDA Ranges for Gamma Spectrometry

| Selected Nuclides | Bay Water pCi/l | Fish pCi/kg | Shellfish pCi/kg | Shoreline pCi/kg | Vegetation pCi/kg | Soil pCi/kg | Particulates 10 ⁻³ pCi/m ³ |
|-------------------|--------------------|----------------|---------------------|---------------------|----------------------|----------------|---|
| Na-22 | 1.6 - 3.8 | 21 - 29 | 18 - 30 | 28 - 29 | 16 - 37 | 33 - 95 | 1.3 - 3.4 |
| Cr-51 | 12 - 40 | 160 - 166 | 118 - 176 | 208 - 213 | 14 - 164 | 203 - 486 | 13 - 39 |
| Mn-54 | 1.4 - 3.2 | 16 - 20 | 15 - 22 | 26 - 30 | 13 - 28 | 32 - 81 | 1.2 - 6.2 |
| Co-58 | 1.5 - 4.0 | 20 - 23 | 16 - 26 | 28 - 32 | 13 - 26 | 28 - 79 | 1.4 - 3.4 |
| Fe-59 | 3.5 - 11 | 53 - 74 | 36 - 65 | 60 - 77 | 28 - 69 | 65 - 174 | 3.7 - 8.2 |
| Co-60 | 1.5 - 3.7 | 18 - 25 | 18 - 26 | 27 - 39 | 15 - 35 | 23 - 97 | 1.3 - 3.3 |
| Zn-65 | 3.3 - 7.9 | 46 - 62 | 36 - 57 | 69 - 97 | 32 - 73 | 67 - 238 | 3.0 - 6.9 |
| Nb-95 | 1.7 - 5.8 | 25 - 31 | 20 - 35 | 34 - 40 | 13 - 27 | 34 - 93 | 2.1 - 5.0 |
| Zr-95 | 2.8 - 6.9 | 35 - 44 | 29 - 43 | 45 - 62 | 21 - 48 | 53 - 141 | 2.1 - 6.4 |
| Ru-106 | 12 - 26 | 131-149 | 124 - 185 | 224 - 287 | 108 - 239 | 264 - 643 | 10 - 25 |
| Ag-110m | 1.2 - 2.9 | 15 - 18 | 15 - 18 | 21 - 31 | 11 - 25 | 29 - 88 | 0.1 - 2.6 |
| Te-129m | 18 - 60 | 247 - 280 | 192 - 284 | 321 - 367 | 135 - 281 | 346 - 855 | 19 - 55 |
| I-131 | 2.4 - 49 | 99 - 121 | 30 - 89 | 50 - 52 | 11 - 37 | 32.7 - 179 | ¹ |
| Cs-134 | 1.2 - 2.6 | 14 - 17 | 13 - 19 | 24 - 34.5 | 11 - 24 | 27 - 94 | 1.0 - 2.4 |
| Cs-137 | 1.2 - 3.0 | 15 - 18 | 15 - 34 | 25 - 30 | 1.5 - 26 | 27 - 72 | 1.0 - 2.8 |
| Ba-140 | 7.3 - 66 | 174 - 208 | 75 - 184 | 138 - 150 | 41 - 109 | 112 - 430 | 12 - 84 |
| La-140 | 3.2 - 29 | - | 49 - 74 | 75 - 75 | 17 - 51 | 60 - 138 | 8.7 - 19 |
| Ce-144 | 7.1 - 12 | 45 - 49 | 42 - 49 | 101 - 111 | 49 - 86 | 110 - 245 | 2.8 - 8.2 |

¹ The MDA range for I-131 on a silver zeolite cartridge is typically 4.16×10^{-3} to 3.40×10^{-2}

TABLE B-11
Typical LLDs for Gamma Spectrometry

| Selected Nuclides | Bay Water pCi/l | Fish pCi/kg | Shellfish pCi/kg | Sediment pCi/kg | Particulate 10 ⁻³ pCi/m ³ | Precipitation pCi/l | Vegetation pCi/Kg | Soil pCi/Kg | Well Water pCi/l |
|-------------------|--------------------|----------------|---------------------|--------------------|--|------------------------|----------------------|----------------|---------------------|
| Na-22 | 2.9 | 22 | 22 | 24 | 2.9 | 2.9 | 35 | 24 | 2.9 |
| Cr-51 | 17 | 88 | 88 | 110 | 12 | 17 | 162 | 110 | 17 |
| Mn-54 | 2.4 | 17 | 17 | 18 | 2.1 | 2.4 | 27 | 18 | 2.4 |
| Co-58 | 2.4 | 16 | 16 | 17 | 2.0 | 2.4 | 25 | 17 | 2.4 |
| Fe-59 | 5.2 | 37 | 37 | 38 | 4.6 | 5.2 | 60 | 38 | 5.2 |
| Co-60 | 2.8 | 22 | 22 | 21 | 2.7 | 2.8 | 33 | 21 | 2.8 |
| Zn-65 | 5.6 | 23 | 23 | 54 | 2.8 | 5.6 | 66 | 54 | 5.6 |
| Nb-95 | 2.2 | 15 | 15 | 18 | 1.9 | 2.2 | 25 | 18 | 2.2 |
| Zr-95 | 3.8 | 27 | 27 | 29 | 3.3 | 3.8 | 44 | 29 | 3.8 |
| Ru-106 | 20 | 135 | 135 | 146 | 17 | 20 | 223 | 146 | 20 |
| Ag-110m | 2.1 | 14 | 14 | 16 | 1.8 | 2.1 | 25 | 16 | 2.1 |
| Te-129m | 26 | 149 | 149 | 180 | 20 | 26 | 265 | 180 | 26 |
| I-131 | 2.0 | 11 | 11 | 14 | 1.5* | 2.0 | 20 | 14 | 2.0 |
| Cs-134 | 2.2 | 15 | 15 | 20 | 1.9 | 2.2 | 24 | 20 | 2.2 |
| Cs-137 | 2.3 | 15 | 15 | 17 | 1.8 | 2.3 | 27 | 17 | 2.3 |
| Ba-140 | 7.3 | 48 | 48 | 54 | 6.1 | 7.3 | 80 | 54 | 7.3 |
| La-140 | 4.1 | 26 | 26 | 25 | 3.4 | 4.1 | 41 | 25 | 4.1 |
| Ce-144 | 12 | 43 | 43 | 75 | 5.5 | 12 | 101 | 75 | 12 |

*The LLD for I-131 measured on a silver zeolite cartridge is 2.0 x10⁻³ pCi/m³

Table B-12

Direct Radiation
(Results in Units of mR/90 days +/- 2σ)

| Site Code | Location | First Quarter | Second Quarter | Third Quarter | Fourth Quarter |
|-----------|---|----------------|----------------|----------------|----------------|
| DR01 | On Site, along Cliffs | 12.51 +/- 1.12 | 13.51 +/- 2.89 | 12.90 +/- 0.76 | 14.73 +/- 4.05 |
| DR02 | Route 765, Auto Dump | 10.39 +/- 0.86 | 9.77 +/- 0.37 | 10.62 +/- 0.38 | 10.90 +/- 1.31 |
| DR03 | Route 765, Giovanni's Tavern | 10.26 +/- 0.44 | 10.27 +/- 0.92 | 10.48 +/- 1.17 | 10.75 +/- 1.40 |
| DR04 | Route 765, across from White Sands Drive. | 12.44 +/- 1.19 | 11.35 +/- 0.96 | 12.21 +/- 0.83 | 12.35 +/- 0.59 |
| DR05 | Route 765, John's Creek | 11.62 +/- 0.55 | 10.78 +/- 0.67 | 11.36 +/- 0.72 | 11.93 +/- 0.57 |
| DR06 | Route 765 at Lusby | 10.04 +/- 0.85 | 9.67 +/- 0.68 | 10.00 +/- 1.12 | 10.54 +/- 1.42 |
| DR07 | Entrance to Camp Conoy | 10.68 +/- 0.14 | 9.53 +/- 0.86 | 10.14 +/- 0.52 | 10.82 +/- 0.77 |
| DR08 | Camp Conoy Rd at Emergency Siren | 14.35 +/- 1.09 | 13.83 +/- 1.72 | 14.86 +/- 1.54 | 15.00 +/- 0.46 |
| DR09 | Bay Breeze Rd | 11.22 +/- 0.43 | 10.62 +/- 0.86 | 11.35 +/- 1.66 | 11.05 +/- 0.80 |
| DR10 | Calvert Beach Rd and Decatur Street | 10.46 +/- 0.39 | 10.15 +/- 0.84 | 10.51 +/- 1.56 | 10.50 +/- 0.69 |
| DR11 | Dirt road off Mackall & Parren Rd | 10.47 +/- 0.47 | 10.51 +/- 0.85 | 10.65 +/- 0.70 | 11.49 +/- 0.33 |
| DR12 | Mackall & Bowen Rds | 10.02 +/- 0.55 | 10.20 +/- 0.27 | 10.41 +/- 1.03 | 11.08 +/- 1.12 |

Table B-12

Direct Radiation
(Results in Units of mR/90 days +/- 2σ)

| Site Code | Location | First Quarter | Second Quarter | Third Quarter | Fourth Quarter |
|-------------------|------------------------------------|----------------|----------------|----------------|----------------|
| DR13 | Mackall Rd, near Wallville | 11.41 +/- 1.01 | 11.43 +/- 1.09 | 11.55 +/- 1.38 | 11.94 +/- 1.15 |
| DR14 | Rodney Point | 12.81 +/- 1.06 | 12.29 +/- 1.65 | 13.18 +/- 0.26 | 13.62 +/- 1.28 |
| DR15 | Mill Bridge & Turner Rds | 11.51 +/- 1.11 | 11.51 +/- 0.90 | 11.46 +/- 0.80 | 12.27 +/- 1.16 |
| DR16 | Across from Appeal School | 10.22 +/- 0.81 | 10.29 +/- 0.49 | 10.86 +/- 1.14 | 10.78 +/- 1.14 |
| DR17 | Cove Point & Little Cove Point Rds | * | 12.30 +/- 1.97 | 12.75 +/- 0.43 | 12.33 +/- 0.95 |
| DR18 | Cove Point | 9.29 +/- 0.64 | 9.58 +/- 0.97 | 9.29 +/- 0.44 | 9.56 +/- 0.98 |
| DR19 | Long Beach | 10.74 +/- 1.15 | 10.59 +/- 1.33 | 10.64 +/- 0.81 | 11.19 +/- 0.45 |
| DR20 | On site, near shore | 12.94 +/- 0.89 | 12.79 +/- 0.89 | 11.99 +/- 2.23 | 12.74 +/- 0.74 |
| DR21 ¹ | EOF | 11.76 +/- 0.62 | 11.59 +/- 1.38 | 11.49 +/- 0.99 | 11.78 +/- 0.71 |
| DR22 ¹ | Solomons Island | 11.02 +/- 0.70 | 11.00 +/- 0.50 | * | 10.17 +/- 0.34 |
| DR23 ¹ | Taylors Island | 14.41 +/- 1.21 | 15.21 +/- 0.54 | 15.46 +/- 0.90 | 14.93 +/- 2.79 |
| DR30 | MET Station | 12.10 +/- 1.02 | 13.02 +/- 0.85 | 13.88 +/- 0.99 | 13.19 +/- 1.57 |
| SFDR01 | SW of ISFSI | 16.44 +/- 1.01 | 17.23 +/- 1.20 | 15.84 +/- 1.16 | 16.22 +/- 2.32 |

* Missing Data

¹ Control Location

Table B-12

Direct Radiation
(Results in Units of mR/90 days +/- 2σ)

| Site Code | Location | First Quarter | Second Quarter | Third Quarter | Fourth Quarter |
|---------------------|------------------|----------------|-----------------|----------------|----------------|
| SFDR02 | NNW of ISFSI | 19.68 +/- 2.16 | 19.87 +/- 2.70 | 21.72 +/- 2.52 | 21.04 +/- 1.03 |
| SFDR03 | North of ISFSI | 33.51 +/- 3.89 | 36.66 +/- 6.39 | 34.78 +/- 7.47 | 35.95 +/- 4.63 |
| SFDR04 | NE of ISFSI | 31.55 +/- 5.90 | 31.43 +/- 3.84 | 26.37 +/- 3.98 | 30.76 +/- 4.00 |
| SFDR05 | East of ISFSI | 17.75 +/- 1.33 | 21.56 +/- 0.64 | 21.37 +/- 1.40 | 18.91 +/- 2.00 |
| SFDR06 | ESE of ISFSI | 16.03 +/- 1.19 | 16.92 +/- 1.14 | 17.79 +/- 1.26 | 17.86 +/- 1.60 |
| SFDR07 ¹ | Visitor's Center | 12.11 +/- 0.44 | 13.45 +/- 1.74 | 12.72 +/- 1.07 | 12.29 +/- 0.91 |
| SFDR08 | NNW of ISFSI | 29.45 +/- 3.36 | 29.68 +/- 3.41 | 32.58 +/- 1.16 | 28.43 +/- 1.46 |
| SFDR09 | SSE of ISFSI | 16.97 +/- 1.51 | 31.84 +/- 1.71 | 29.95 +/- 3.42 | 29.70 +/- 3.73 |
| SFDR10 | NW of ISFSI | 35.74 +/- 4.16 | 38.50 +/- 12.67 | 32.65 +/- 7.74 | 34.33 +/- 6.54 |
| SFDR11 | WNW ISFSI | 30.39 +/- 4.52 | 27.81 +/- 2.06 | 30.78 +/- 7.27 | 25.40 +/- 2.85 |
| SFDR12 | WSW of ISFSI | 29.12 +/- 2.22 | 31.00 +/- 10.41 | 31.32 +/- 6.86 | 31.86 +/- 6.23 |
| SFDR13 | South of ISFSI | 21.88 +/- 4.16 | 32.59 +/- 7.53 | 32.25 +/- 3.52 | 31.28 +/- 2.40 |
| SFDR14 | SE of ISFSI | 19.62 +/- 1.96 | 36.43 +/- 3.88 | 32.69 +/- 1.13 | 30.94 +/- 3.03 |
| SFDR15 | ENE of ISFSI | 19.52 +/- 3.58 | 22.89 +/- 3.02 | 24.37 +/- 3.19 | 22.03 +/- 2.33 |
| SFDR16 | SSW of ISFSI | 34.22 +/- 6.89 | 37.73 +/- 7.39 | 37.23 +/- 4.32 | 35.12 +/- 4.32 |
| SFDR17 | NNE of ISFSI | 35.29 +/- 3.26 | 39.52 +/- 6.77 | 37.24 +/- 4.27 | 37.18 +/- 6.40 |
| SFDR18 | West of ISFSI | 38.44 +/- 8.94 | 39.65 +/- 8.98 | 37.46 +/- 6.26 | 42.06 +/- 6.04 |

¹Control Location

(LEFT BLANK)

APPENDIX C

Quality Assurance Program

Appendix C is a summary of Constellation Energy laboratory's quality assurance program. It consists of Table C-1 which is a compilation of the results of the Constellation Energy Laboratory's participation in an intercomparison program with Environmental Resource Associates (ERA) located in Arvada, Colorado and Analytics, Inc. located in Atlanta, Georgia. It also includes Table C-2 which is a compilation of the results of the Constellation Energy Laboratory's participation in a split sample program with Teledyne Brown Engineering located in Knoxville, Tennessee and Table C-3 which is a list of typical MDAs achieved by Teledyne Brown for Gamma Spectroscopy.

All the Constellation Energy Laboratory's results contained in Table C-1 generally agree with the intercomparison laboratories' results within the range of $\pm 2 \sigma$ of each other. In addition, all the sets of intercomparison results in the table are in full agreement when they were further evaluated using the NRC Resolution Test Criteria¹. The uncertainties for the Constellation Energy Laboratory's results and Analytics' results are $\pm 2\sigma$ while the ERA laboratory's uncertainty is based on USEPA guidelines².

All the results contained in Table C-2 agree within the range of $\pm 2 \sigma$ of each other with their respective Constellation Energy Laboratory original, replicate and/or Teledyne Brown Engineering's split laboratory samples, except for the comparisons of two soil samples and a shoreline sample involving Cs-137 results. The original analysis of the soil sample from SFS2 collected on 3/06/2006, the split analysis of the soil sample from SFS4 collected on 6/19/2006, and the split analysis of the shoreline sample do not agree within the range of $\pm 2\sigma$ of their respective QC comparison soil samples analyzed. These minor discrepancies, which have been observed in previous reporting periods, are most probably due to counting statistics and/or the non-homogeneous nature of this type of sample. Other samples whose nature generally precludes sample splitting are marked "***" in the Split Analysis column.

¹ NRC Inspection Manual, Inspection Procedure 84750, March 15, 1994

² National Standards for Water Proficiency Testing Studies Criteria Document, December 1998

(LEFT BLANK)

TABLE OF CONTENTS - ANALYTICAL RESULTS

| <u>Table</u> | <u>Title</u> | <u>Page</u> |
|--------------|--|-------------|
| C-1 | Results of Participation in Cross Check Programs | 73 |
| C-2 | Results of Quality Assurance Program | 76 |
| C-3 | Teledyne Brown Engineering's Typical MDAs for Gamma Spectrometry | 85 |

(LEFT BLANK)

TABLE C-1
Results of Participation in Cross Check Programs

| Sample Date | Sample Type and Units | Isotope Observed | Reported Laboratory's Results ¹ | Cross Check Lab Results ¹ |
|-------------|------------------------|------------------|--|--------------------------------------|
| 1/16/06 | Water-pCi/L | Ba-133 | 90±8 | 89±10 |
| | | Co-60 | 101±8 | 98±5 |
| | | Cs-134 | 19±5 | 22±5 |
| | | Cs-137 | 112±11 | 110±6 |
| | | Zn-65 | 194±24 | 200±19 |
| 3/23/06 | Milk-pCi/L | I-131 | 79±19 | 78±3 |
| | | Cs-134 | 106±13 | 121±4 |
| | | Cs-137 | 92±16 | 89±3 |
| | | Ce-141 | 108±19 | 104±3 |
| | | Cr-51 | 280±101 | 280±9 |
| | | Mn-54 | 93±18 | 93±3 |
| | | Co-58 | 112±20 | 105±3 |
| | | Fe-59 | 87±23 | 87±3 |
| | | Co-60 | 131±16 | 128±4 |
| | | Zn-65 | 182±38 | 176±6 |
| 3/23/06 | Charcoal Cartridge-pCi | I-131 | 114±8 | 86±3 |
| 3/23/06 | Water-pCi/L | Gross β | 225±3 | 262±9 |
| 4/11/06 | Water-pCi/L | I-131 | 19±5 | 20±3 |
| 6/8/06 | Water-pCi | Gross β | 156±2 | 169±6 |
| 6/8/06 | Water-pCi/L | I-131 | 83±26 | 75±2 |
| | | Cs-134 | 101±12 | 103±3 |
| | | Cs-137 | 114±19 | 95±3 |
| | | Ce-141 | 166±23 | 149±5 |
| | | Co-58 | 92±19 | 81±3 |
| | | Fe-59 | 96±26 | 76±3 |
| | | Cr-51 | 264±117 | 210±7 |
| | | Co-60 | 116±15 | 104±4 |
| | | Mn-54 | 141±20 | 119±4 |
| | | Zn-65 | 155±39 | 150±5 |

¹ See discussion at the beginning of the Appendix.

TABLE C-1 - Continued

Results of Participation in Cross Check Programs

| Sample Date | Sample Type and Units | Isotope Observed | Reported Laboratory's Results ¹ | Cross Check Lab Results ¹ |
|-------------|------------------------|------------------|--|--------------------------------------|
| 6/8/06 | Filter-pCi/filter | Ce-141 | 134±7 | 129±4 |
| | | Cr-51 | 200±35 | 182±6 |
| | | Cs-134 | 71±5 | 89±3 |
| | | Cs-137 | 82±7 | 82±3 |
| | | Mn-54 | 105±8 | 130±3 |
| | | Fe-59 | 70±8 | 66±2 |
| | | Zn-65 | 143±16 | 130±4 |
| | | Co-60 | 90±6 | 90±3 |
| | | Co-58 | 71±7 | 70±2 |
| 7/10/06 | Water-pCi/L | Ba-133 | 80±14 | 85±9 |
| | | Cs-134 | 46±9 | 52±5 |
| | | Cs-137 | 243±23 | 239±12 |
| | | Zn-65 | 113±32 | 128±12 |
| | | Co-60 | 101±13 | 103±5 |
| 7/10/06 | Water-pCi/L | Gross β | 7.46±3.00 | 8.95±5.00 |
| 9/14/06 | Charcoal Cartridge-pCi | I-131 | 111±8 | 92±3 |
| 9/14/06 | Filter-pCi/filter | Gross β | 80±2 | 85±3 |

¹ See discussion at the beginning of the Appendix

TABLE C-1 - Continued

Results of Participation in Cross Check Programs

| Sample Date | Sample Type and Units | Isotope Observed | Reported Laboratory's Results ¹ | Cross Check Lab Results ¹ |
|-------------|-----------------------|------------------|--|--------------------------------------|
| 9/18/06 | Filter-pCi/filter | Am-241 | 396±131 | 297±116 |
| | | Cs-134 | 2789±42 | 2790±390 |
| | | Cs-137 | 251±18 | 208±66 |
| | | Co-60 | 1499±28 | 1220±210 |
| 10/06/06 | Water-pCi/L | I-131 | 27±2 | 23±3 |
| 12/07/06 | Milk-pCi/L | I-131 | 86±56 | 70±2 |
| | | Ce-141 | 369±39 | 294±10 |
| | | Cr-51 | 607±200 | 433±14 |
| | | Cs-134 | 150±15 | 147±5 |
| | | Cs-137 | 264±29 | 237±8 |
| | | Co-58 | 96±18 | 84±3 |
| | | Mn-54 | 140±23 | 111±4 |
| | | Fe-59 | 80±29 | 80±3 |
| | | Zn-65 | 184±39 | 164±5 |
| | | Co-60 | 331±26 | 281±9 |
| 12/07/06 | Filter-pCi/filter | Ce-141 | 216±9 | 191±6 |
| | | Cr-51 | 323±50 | 280±9 |
| | | Cs-134 | 81±5 | 95±3 |
| | | Cs-137 | 163±10 | 153±5 |
| | | Co-58 | 54±8 | 54±2 |
| | | Mn-54 | 81±9 | 72±2 |
| | | Fe-59 | 60±12 | 52±2 |
| | | Zn-65 | 112±18 | 106±4 |
| 12/07/06 | Water-pCi/L | Gross β | 255±3 | 225±7 |

¹ See discussion at the beginning of the Appendix

TABLE C-2

Results of Quality Assurance Program

| Sample Type And Location | Sample Date | Type of Analysis | Original Analysis | Replicate Analysis | Split Analysis |
|-----------------------------|----------------|---------------------|----------------------|------------------------------|-------------------|
| | | | | 10^{-2} pCi/m ³ | |
| Air Iodine-A3 | 1/09/06 | I-131 | <MDA | <MDA | ** |
| Air Iodine-A4 | 1/09/06 | I-131 | <MDA | <MDA | ** |
| Air Filter -A1 | 1/09/06 | Beta | 1.7±0.2 | 1.9±0.2 | ** |
| Air Filter -A2 | 1/09/06 | Beta | 1.5±0.1 | 1.6±0.2 | ** |
| Air Filter -A3 | 1/09/06 | Beta | 1.1±0.2 | 1.4±0.2 | ** |
| Air Filter -A4 | 1/09/06 | Beta | 1.7±0.2 | 1.9±0.2 | ** |
| Air Filter -A5 | 1/09/06 | Beta | 1.5±0.2 | 1.6±0.2 | ** |
| Air Filter -SFA1 | 1/09/06 | Beta | 1.6±0.3 | 1.7±0.2 | ** |
| Air Filter -SFA2 | 1/09/06 | Beta | 1.4±0.2 | 1.6±0.2 | ** |
| Air Filter -SFA3 | 1/09/06 | Beta | ¹ | ¹ | ** |
| Air Filter -SFA4 | 1/09/06 | Beta | 1.5±0.2 | 1.9±0.2 | ** |
| | | | | 10^{-2} pCi/m ³ | |
| Air Filter-A1 | 2/06/06 | Beta | 1.5±0.2 | 1.7±0.2 | ** |
| Air Filter-A2 | 2/06/06 | Beta | 1.2±0.2 | 1.3±0.2 | ** |
| Air Filter-A3 | 2/06/06 | Beta | 1.3±0.2 | 1.3±0.2 | ** |
| Air Filter-A4 | 2/06/06 | Beta | 2.1±0.3 | 2.3±0.2 | ** |
| Air Filter-A5 | 2/06/06 | Beta | 1.2±0.2 | 1.4±0.2 | ** |
| Air Filter-SFA1 | 2/06/06 | Beta | 1.3±0.2 | 1.5±0.2 | ** |
| Air Filter-SFA2 | 2/06/06 | Beta | 1.4±0.2 | 1.4±0.2 | ** |
| Air Filter-SFA3 | 2/06/06 | Beta | 1.1±0.2 | 1.1±0.2 | ** |
| Air Filter-SFA4 | 2/06/06 | Beta | 1.9±0.2 | 2.0±0.2 | ** |
| Air Iodine-A1 | 2/06/06 | I-131 | <MDA | <MDA | ** |
| Air Iodine-A2 | 2/06/06 | I-131 | <MDA | <MDA | ** |
| | | | | pCi/L | |
| Bay Water-Wa2 | 2/28/06 | Gamma | <MDA | <MDA | <MDA |

**The nature of these samples precluded splitting them with an independent laboratory.

¹ Result is below laboratory's LLD for this analysis

TABLE C-2 - Continued

Results of Quality Assurance Program

| Sample Type And Location | Sample Date | Type of Analysis | Original Analysis | Replicate Analysis | Split Analysis |
|-----------------------------|----------------|---------------------|----------------------|------------------------------|-------------------|
| | | | | 10^{-2} pCi/m ³ | |
| Air Filter-A1 | 3/06/06 | Beta | 2.3±0.3 | 2.4±0.3 | ** |
| Air Filter-A2 | 3/06/06 | Beta | 1.9±0.2 | 1.8±0.2 | ** |
| Air Filter-A3 | 3/06/06 | Beta | 1.5±0.2 | 1.6±0.2 | ** |
| Air Filter-A4 | 3/06/06 | Beta | 2.3±0.3 | 2.2±0.3 | ** |
| Air Filter-A5 | 3/06/06 | Beta | 2.2±0.2 | 2.4±0.3 | ** |
| Air Filter-SFA1 | 3/06/06 | Beta | 2.1±0.2 | 2.2±0.2 | ** |
| Air Filter-SFA2 | 3/06/06 | Beta | 2.0±0.2 | 1.9±0.2 | ** |
| Air Filter-SFA3 | 3/06/06 | Beta | 1.9±0.2 | 2.0±0.2 | ** |
| Air Filter-SFA4 | 3/06/06 | Beta | 2.9±0.3 | 2.8±0.3 | ** |
| Air Iodine-A3 | 3/06/06 | I-131 | <MDA | <MDA | ** |
| Air Iodine-A4 | 3/06/06 | I-131 | <MDA | <MDA | ** |
| | | | | pCi/Kg | |
| Soil-SFS1 | 3/06/06 | Gamma | <MDA | <MDA | <MDA |
| Soil-SFS2 | 3/06/06 | Cs-137 | <MDA | 100±71 | 142±92 |
| Vegetation-SFb1 | 3/06/06 | Gamma | <MDA | <MDA | <MDA |
| Vegetation-SFb2 | 3/06/06 | Gamma | <MDA | <MDA | <MDA |
| Oysters-Ia3 | 3/24/06 | Gamma | <MDA | <MDA | <MDA |
| | | | | pCi/L | |
| Bay Water-Wa2 | 4/28/06 | Gamma | <MDA | <MDA | <MDA |
| | | | | 10^{-2} pCi/m ³ | |
| Air Filter-A1 | 4/03/06 | Beta | 2.3±0.2 | 2.4±0.2 | ** |
| Air Filter-A2 | 4/03/06 | Beta | 2.1±0.2 | 1.8±0.2 | ** |
| Air Filter-A3 | 4/03/06 | Beta | 1.9±0.2 | 1.7±0.2 | ** |
| Air Filter-A4 | 4/03/06 | Beta | 2.3±0.2 | 2.1±0.2 | ** |
| Air Filter-A5 | 4/03/06 | Beta | 2.0±0.1 | 2.1±0.1 | ** |
| Air Filter-SFA1 | 4/03/06 | Beta | 2.6±0.2 | 2.4±0.2 | ** |
| Air Filter-SFA2 | 4/03/06 | Beta | 1.8±0.2 | 1.9±0.2 | ** |
| Air Filter-SFA3 | 4/03/06 | Beta | 2.0±0.2 | 1.9±0.2 | ** |
| Air Filter-SFA4 | 4/03/06 | Beta | 2.5±0.2 | 2.2±0.2 | ** |

**The nature of these samples precluded splitting them with an independent laboratory.

TABLE C-2 - Continued

Results of Quality Assurance Program

| Sample Type And Location | Sample Date | Type of Analysis | Original Analysis | Replicate Analysis | Split Analysis |
|-----------------------------|----------------|---------------------|----------------------|------------------------------|-------------------|
| | | | | 10^{-2} pCi/m ³ | |
| Air Iodine-A1 | 4/03/06 | I-131 | <MDA | <MDA | ** |
| Air Iodine-A2 | 4/03/06 | I-131 | <MDA | <MDA | ** |
| | | | | 10^{-2} pCi/m ³ | |
| Air Filters-A1 | 4/15/06 | Gamma | <MDA | <MDA | <MDA |
| Air Filters-A2 | 4/15/06 | Gamma | <MDA | <MDA | <MDA |
| Air Filters-A3 | 4/15/06 | Gamma | <MDA | <MDA | <MDA |
| Air Filters-A4 | 4/15/06 | Gamma | <MDA | <MDA | <MDA |
| Air Filters-A5 | 4/15/06 | Gamma | <MDA | <MDA | <MDA |
| Air Filters-SFA1 | 4/15/06 | Gamma | <MDA | <MDA | <MDA |
| Air Filters-SFA2 | 4/15/06 | Gamma | <MDA | <MDA | <MDA |
| Air Filters-SFA3 | 4/15/06 | Gamma | <MDA | <MDA | <MDA |
| Air Filters-SFA4 | 4/15/06 | Gamma | <MDA | <MDA | <MDA |
| | | | | 10^{-2} pCi/m ³ | |
| Air Iodine-A3 | 5/08/06 | I-131 | <MDA | <MDA | ** |
| Air Iodine-A4 | 5/08/06 | I-131 | <MDA | <MDA | ** |
| Air Filter-A1 | 5/08/06 | Beta | 1.4±0.2 | 1.3±0.2 | ** |
| Air Filter-A2 | 5/08/06 | Beta | 1.4±0.2 | 1.3±0.2 | ** |
| Air Filter-A3 | 5/08/06 | Beta | ¹ | ¹ | ** |
| Air Filter-A4 | 5/08/06 | Beta | 1.2±0.2 | 1.4±0.2 | ** |
| Air Filter-A5 | 5/08/06 | Beta | 1.5±0.2 | 1.5±0.2 | ** |
| Air Filter-SFA1 | 5/08/06 | Beta | 1.5±0.2 | 1.3±0.2 | ** |
| Air Filter-SFA2 | 5/08/06 | Beta | 1.3±0.2 | 1.4±0.2 | ** |
| Air Filter-SFA3 | 5/08/06 | Beta | 1.6±0.2 | 1.4±0.2 | ** |
| Air Filter-SFA4 | 5/08/06 | Beta | 1.8±0.2 | 1.7±0.2 | ** |
| | | | | pCi/L | |
| Bay Water-Wa2 | 5/31/06 | Gamma | <MDA | <MDA | <MDA |

**The nature of these samples precluded splitting them with an independent laboratory..

¹ Result is below laboratory's LLD for this analysis

TABLE C-2 - Continued

Results of Quality Assurance Program

| Sample Type And Location | Sample Date | Type of Analysis | Original Analysis | Replicate Analysis | Split Analysis |
|-----------------------------|----------------|---------------------|----------------------|------------------------------|-------------------|
| | | | | 10^{-2} pCi/m ³ | |
| Air Iodine-A1 | 6/05/06 | I-131 | <MDA | <MDA | ** |
| Air Iodine-A2 | 6/05/06 | I-131 | <MDA | <MDA | ** |
| | | | | 10^{-2} pCi/m ³ | |
| Air Filter-A1 | 6/05/06 | Beta | 1.5±0.2 | 1.3±0.2 | ** |
| Air Filter-A2 | 6/05/06 | Beta | 1.8±0.2 | 1.5±0.2 | ** |
| Air Filter-A3 | 6/05/06 | Beta | 1.9±0.3 | 1.7±0.2 | ** |
| Air Filter-A4 | 6/05/06 | Beta | 1.4±0.2 | 1.3±0.2 | ** |
| Air Filter-A5 | 6/05/06 | Beta | 2.0±0.2 | 1.7±0.2 | ** |
| Air Filter-SFA1 | 6/05/06 | Beta | 1.8±0.2 | 1.6±0.2 | ** |
| Air Filter-SFA2 | 6/05/06 | Beta | 1.7±0.2 | 1.7±0.2 | ** |
| Air Filter-SFA3 | 6/05/06 | Beta | 1.2±0.2 | 1.4±0.2 | ** |
| Air Filter-SFA4 | 6/05/06 | Beta | 2.1±0.3 | 2.0±0.3 | ** |
| | | | | pCi/Kg | |
| Soil-SFS2 | 6/19/06 | Cs-137 | 73±54 | 101±77 | 176±86 |
| Soil-SFS4 | 6/19/06 | Cs-137 | 86±70 | 88±67 | <MDA |
| Vegetation-SFb2 | 6/19/06 | Gamma | <MDA | <MDA | <MDA |
| Vegetation-SFb4 | 6/19/06 | Gamma | <MDA | <MDA | <MDA |
| | | | | pCi/Kg | |
| Shoreline-Wb1 | 6/26/06 | Gamma | <MDA | <MDA | 225±73 |
| | | | | mR/90 Days | |
| DR05 | 6/30/06 | TLD | 10.78±0.67 | 11.26±0.84 | ** |
| DR06 | 6/30/06 | TLD | 9.67±0.68 | 9.77±1.25 | ** |
| DR07 | 6/30/06 | TLD | 9.53±0.86 | 9.76±0.67 | ** |
| DR08 | 6/30/06 | TLD | 13.83±1.72 | 14.24±0.78 | ** |
| DR09 | 6/30/06 | TLD | 10.62±0.86 | 10.50±1.29 | ** |
| DR10 | 6/30/06 | TLD | 10.15±0.84 | 10.17±1.02 | ** |
| DR11 | 6/30/06 | TLD | 10.51±0.85 | 10.08±1.15 | ** |
| DR29 | 6/30/06 | TLD | 14.90±1.12 | 15.73±1.80 | ** |
| DR31 | 6/30/06 | TLD | 14.98±1.33 | 14.54±0.83 | ** |

**The nature of these samples precluded splitting them with an independent laboratory.

TABLE C-2 - Continued

Results of Quality Assurance Program

| Sample Type And Location | Sample Date | Type of Analysis | Original Analysis | Replicate Analysis | Split Analysis |
|-----------------------------|----------------|---------------------|----------------------|-------------------------------------|-------------------|
| | | | | mR/90 Days | |
| SFDR14 | 6/30/06 | TLD | 36.43±3.88 | 34.21±7.21 | ** |
| SFDR15 | 6/30/06 | TLD | 22.89±3.02 | 23.66±6.11 | ** |
| | | | | 10 ⁻² pCi/m ³ | |
| Air Filter-A1 | 7/03/06 | Beta | 1.8±0.2 | 1.5±0.2 | ** |
| Air Filter-A2 | 7/03/06 | Beta | 1.4±0.2 | 1.4±0.2 | ** |
| Air Filter-A3 | 7/03/06 | Beta | 1.5±0.2 | 1.6±0.2 | ** |
| Air Filter-A4 | 7/03/06 | Beta | 1.6±0.2 | 1.6±0.2 | ** |
| Air Filter-A5 | 7/03/06 | Beta | 2.6±0.3 | 2.5±0.2 | ** |
| Air Filter-SFA1 | 7/03/06 | Beta | 1.7±0.2 | 1.6±0.2 | ** |
| Air Filter-SFA2 | 7/03/06 | Beta | 1.6±0.2 | 1.6±0.2 | ** |
| Air Filter-SFA3 | 7/03/06 | Beta | 1.6±0.2 | 1.6±0.2 | ** |
| Air Filter-SFA4 | 7/03/06 | Beta | 2.2±0.3 | 2.4±0.3 | ** |
| Air Iodine-A3 | 7/03/06 | I-131 | <MDA | <MDA | ** |
| Air Iodine-A4 | 7/03/06 | I-131 | <MDA | <MDA | ** |
| | | | | pCi /kg | |
| Vegetation-Ib1 | 7/24/06 | Gamma | <MDA | <MDA | <MDA |
| Vegetation-Ib2 | 7/24/06 | Gamma | <MDA | <MDA | <MDA |
| Vegetation-Ib4 | 7/24/06 | Gamma | <MDA | <MDA | <MDA |
| Vegetation-Ib5 | 7/24/06 | Gamma | <MDA | <MDA | <MDA |
| Vegetation-Ib7 | 7/24/06 | Gamma | <MDA | <MDA | <MDA |
| Vegetation-Ib8 | 7/24/06 | Gamma | <MDA | <MDA | <MDA |
| | | | | 10 ⁻² pCi/m ³ | |
| Air Filter-A1 | 8/07/06 | Beta | 1.8±0.2 | 1.8±0.2 | ** |
| Air Filter-A2 | 8/07/06 | Beta | 2.4±0.3 | 2.5±0.3 | ** |
| Air Filter-A3 | 8/07/06 | Beta | 2.6±0.3 | 2.3±0.3 | ** |
| Air Filter-A4 | 8/07/06 | Beta | 2.1±0.2 | 1.8±0.2 | ** |
| Air Filter-A5 | 8/07/06 | Beta | 2.7±0.3 | 3.0±0.3 | ** |
| Air Filter-SFA1 | 8/07/06 | Beta | 1.6±0.2 | 1.8±0.2 | ** |
| Air Filter-SFA2 | 8/07/06 | Beta | 2.4±0.2 | 2.4±0.2 | ** |
| Air Filter-SFA3 | 8/07/06 | Beta | 2.3±0.2 | 2.1±0.2 | ** |
| Air Filter-SFA4 | 8/07/06 | Beta | 3.1±0.3 | 3.3±0.4 | ** |

**The nature of these samples precluded splitting them with an independent laboratory.

TABLE C-2 - Continued

Results of Quality Assurance Program

| Sample Type And Location | Sample Date | Type of Analysis | Original Analysis | Replicate Analysis | Split Analysis |
|-----------------------------|----------------|---------------------|----------------------|------------------------------|-------------------|
| | | | | 10^{-2} pCi/m ³ | |
| Air Iodine-A1 | 8/07/06 | I-131 | <MDA | <MDA | ** |
| Air Iodine-A2 | 8/07/06 | I-131 | <MDA | <MDA | ** |
| | | | | pCi/kg | |
| Fish-Ia1 | 8/22/06 | Gamma | <MDA | <MDA | <MDA |
| Oysters-Ia3 | 8/22/06 | Gamma | <MDA | <MDA | <MDA |
| | | | | pCi/L | |
| Bay Water-Wa2 | 8/31/06 | Gamma | <MDA | <MDA | <MDA |
| | | | | 10^{-2} pCi/m ³ | |
| Air Iodine-A3 | 9/04/06 | I-131 | <MDA | <MDA | ** |
| Air Iodine-A4 | 9/04/06 | I-131 | <MDA | <MDA | ** |
| Air Filter-A1 | 9/04/06 | Beta | 1.3±0.2 | 1.7±0.2 | ** |
| Air Filter-A2 | 9/04/06 | Beta | 1.0±0.2 | 1.3±0.2 | ** |
| Air Filter-A3 | 9/04/06 | Beta | 1.0±0.2 | 1.3±0.2 | ** |
| Air Filter-A4 | 9/04/06 | Beta | 0.9±0.2 | 1.2±0.2 | ** |
| Air Filter-A5 | 9/04/06 | Beta | 1.1±0.2 | 1.3±0.3 | ** |
| Air Filter-SFA1 | 9/04/06 | Beta | 1.0±0.2 | 1.1±0.2 | ** |
| Air Filter-SFA2 | 9/04/06 | Beta | 0.7±0.2 | 0.9±0.2 | ** |
| Air Filter-SFA3 | 9/04/06 | Beta | 0.8±0.2 | 1.2±0.2 | ** |
| Air Filter-SFA4 | 9/04/06 | Beta | 1.1±0.2 | 1.6±0.3 | ** |
| | | | | 10^{-3} pCi/m ³ | |
| Air Filters-A1 | 9/15/06 | Gamma | <MDA | <MDA | <MDA |
| Air Filters-A2 | 9/15/06 | Gamma | <MDA | <MDA | <MDA |
| Air Filters-A3 | 9/15/06 | Gamma | <MDA | <MDA | <MDA |
| Air Filters-A4 | 9/15/06 | Gamma | <MDA | <MDA | <MDA |
| Air Filters-A5 | 9/15/06 | Gamma | <MDA | <MDA | <MDA |
| Air Filters-SFA1 | 9/15/06 | Gamma | <MDA | <MDA | <MDA |
| Air Filters-SFA2 | 9/15/06 | Gamma | <MDA | <MDA | <MDA |

**The nature of these samples precluded splitting them with an independent laboratory.

TABLE C-2 - Continued

Results of Quality Assurance Program

| Sample Type And Location | Sample Date | Type of Analysis | Original Analysis | Replicate Analysis | Split Analysis |
|-----------------------------|----------------|---------------------|----------------------|------------------------------|-------------------|
| | | | | 10^{-3} pCi/m ³ | |
| Air Filters-SFA3 | 9/15/06 | Gamma | <MDA | <MDA | <MDA |
| Air Filters-SFA4 | 9/15/06 | Gamma | <MDA | <MDA | <MDA |
| | | | | mR/90 Days | |
| DR05 | 09/30/06 | TLD | 11.36±0.72 | 11.64±1.29 | ** |
| DR06 | 09/30/06 | TLD | 10.00±1.12 | 9.74±1.34 | ** |
| DR07 | 09/30/06 | TLD | 10.14±0.52 | 10.09±0.97 | ** |
| DR08 | 09/30/06 | TLD | 14.86±1.54 | 11.59±4.35 | ** |
| DR09 | 09/30/06 | TLD | 11.35±1.66 | 9.96±1.11 | ** |
| DR10 | 09/30/06 | TLD | 10.51±1.56 | 9.27±1.19 | ** |
| DR11 | 09/30/06 | TLD | 10.65±0.70 | 9.27±1.05 | ** |
| SFDR14 | 09/30/06 | TLD | 32.69±1.13 | 29.65±3.24 | ** |
| SFDR15 | 09/30/06 | TLD | 24.37±3.19 | 20.99±2.16 | ** |
| DR29 | 09/30/06 | TLD | 14.46±0.87 | 13.09±2.09 | ** |
| DR31 | 09/30/06 | TLD | 15.29±0.51 | 12.95±1.13 | ** |
| | | | | pCi /kg | |
| Vegetation-lb1 | 10/02/06 | Gamma | <MDA | <MDA | <MDA |
| Vegetation-lb2 | 10/02/06 | Gamma | <MDA | <MDA | <MDA |
| Vegetation-lb4 | 10/02/06 | Gamma | <MDA | <MDA | <MDA |
| Vegetation-lb5 | 10/02/06 | Gamma | <MDA | <MDA | <MDA |
| Vegetation-lb7 | 10/02/06 | Gamma | <MDA | <MDA | <MDA |
| Vegetation-lb8 | 10/02/06 | Gamma | <MDA | <MDA | <MDA |
| | | | | 10^{-2} pCi/m ³ | |
| Air Iodine-A1 | 10/09/06 | I-131 | <MDA | <MDA | ** |
| Air Iodine-A2 | 10/09/06 | I-131 | <MDA | <MDA | ** |

**The nature of these samples precluded splitting them with an independent laboratory.

TABLE C-2 - Continued

Results of Quality Assurance Program

| Sample Type And Location | Sample Date | Type of Analysis | Original Analysis | Replicate Analysis | Split Analysis |
|-----------------------------|----------------|---------------------|----------------------|------------------------------|-------------------|
| | | | | 10^{-2} pCi/m ³ | |
| Air Filter-A1 | 10/09/06 | Beta | 1.6±0.2 | 1.5±0.2 | ** |
| Air Filter-A2 | 10/09/06 | Beta | 1.8±0.2 | 1.5±0.2 | ** |
| Air Filter-A3 | 10/09/06 | Beta | 1.6±0.3 | 1.7±0.3 | ** |
| Air Filter-A4 | 10/09/06 | Beta | 1.5±0.2 | 1.3±0.2 | ** |
| Air Filter-A5 | 10/09/06 | Beta | 2.1±0.3 | 2.0±0.3 | ** |
| Air Filter-SFA1 | 10/09/06 | Beta | 1.7±0.2 | 1.4±0.2 | ** |
| Air Filter-SFA2 | 10/09/06 | Beta | 1.3±0.2 | 1.4±0.2 | ** |
| Air Filter-SFA3 | 10/09/06 | Beta | 1.3±0.2 | 1.2±0.2 | ** |
| Air Filter-SFA4 | 10/09/06 | Beta | 2.5±0.3 | 2.2±0.3 | ** |
| Air Filter-A1 | 11/05/06 | Beta | 1.9±0.2 | 2.2±0.2 | ** |
| Air Filter-A2 | 11/05/06 | Beta | 2.3±0.3 | 2.3±0.2 | ** |
| Air Filter-A3 | 11/05/06 | Beta | 2.3±0.4 | 2.2±0.2 | ** |
| Air Filter-A4 | 11/05/06 | Beta | 2.1±0.2 | 2.5±0.2 | ** |
| Air Filter-A5 | 11/05/06 | Beta | 2.0±0.2 | 2.0±0.2 | ** |
| Air Filter-SFA1 | 11/05/06 | Beta | 2.3±0.2 | 2.2±0.3 | ** |
| Air Filter-SFA2 | 11/05/06 | Beta | 2.2±0.2 | 2.2±0.2 | ** |
| Air Filter-SFA3 | 11/05/06 | Beta | 1.9±0.2 | 2.1±0.2 | ** |
| Air Filter-SFA4 | 11/05/06 | Beta | 2.3±0.2 | 2.3±0.2 | ** |
| Air Iodine-A3 | 11/05/06 | I-131 | <MDA | <MDA | ** |
| Air Iodine-A5 | 11/05/06 | I-131 | <MDA | <MDA | ** |
| | | | | pCi/L | |
| Bay Water-Wa2 | 11/30/06 | Gamma | <MDA | <MDA | <MDA |

**The nature of these samples precluded splitting them with an independent laboratory.

TABLE C-2 - Continued

Results of Quality Assurance Program

| Sample Type And Location | Sample Date | Type of Analysis | Original Analysis | Replicate Analysis | Split Analysis |
|-----------------------------|----------------|---------------------|------------------------------|-----------------------|-------------------|
| | | | 10^{-2} pCi/m ³ | | |
| Air Filter-A1 | 12/04/06 | Beta | 1.4±0.2 | 1.6±0.2 | ** |
| Air Filter-A2 | 12/04/06 | Beta | 1.9±0.2 | 1.9±0.2 | ** |
| Air Filter-A3 | 12/04/06 | Beta | 1.8±0.2 | 1.7±0.2 | ** |
| Air Filter-A4 | 12/04/06 | Beta | 1.9±0.2 | 2.3±0.2 | ** |
| Air Filter-A5 | 12/04/06 | Beta | 2.0±0.2 | 2.0±0.2 | ** |
| Air Filter-SFA1 | 12/04/06 | Beta | 2.0±0.2 | 1.9±0.2 | ** |
| Air Filter-SFA2 | 12/04/06 | Beta | 2.1±0.2 | 1.9±0.2 | ** |
| Air Filter-SFA3 | 12/04/06 | Beta | 1.8±0.2 | 2.0±0.2 | ** |
| Air Filter-SFA4 | 12/04/06 | Beta | 2.2±0.2 | 1.8±0.2 | ** |
| Air Iodine-A1 | 12/04/06 | I-131 | <MDA | <MDA | ** |
| Air Iodine-A2 | 12/04/06 | I-131 | <MDA | <MDA | ** |

**The nature of these samples precluded splitting them with an independent laboratory

TABLE C-3

Teledyne Brown Engineering's Typical MDAs for Gamma Spectrometry

| Selected Nuclides | Bay Water pCi/l | Fish pCi/kg | Shellfish pCi/kg | Sediment pCi/kg | Vegetation pCi/kg | Particulates 10 ⁻³ pCi/m ³ |
|-------------------|--------------------|----------------|---------------------|--------------------|----------------------|---|
| H-3 | 175 | -- | -- | -- | -- | -- |
| Na-22 | 1 | 8 | 3 | 12 | 6 | 5 |
| Cr-51 | 12 | 105 | 4 | 104 | 50 | 63 |
| Mn-54 | 1 | 9 | 3 | 12 | 5 | 4 |
| Co-58 | 1 | 9 | 4 | 9 | 4 | 5 |
| Fe-59 | 3 | 28 | 9 | 24 | 10 | 12 |
| Co-60 | 1 | 9 | 4 | 12 | 5 | 6 |
| Zn-65 | 2 | 20 | 8 | 25 | 10 | 9 |
| Nb-95 | 1 | 12 | 7 | 14 | 6 | 9 |
| Zr-95 | 2 | 18 | 8 | 20 | 9 | 9 |
| Ru-106 | 9 | 75 | 30 | 90 | 41 | 40 |
| Ag-110m | 1 | 10 | 10 | 10 | 5 | 4 |
| Te-129m | 16 | 131 | 60 | 162 | 79 | 95 |
| I-131 | 4 | 65 | 30 | 35 | 22 | 74 |
| Cs-134 | 1 | 8 | 4 | 10 | 5 | 4 |
| Cs-137 | 1 | 9 | 4 | 10 | 5 | 4 |
| BaLa-140 | 3 | 32 | 15 | 25 | 14 | 36 |
| Ce-144 | 7 | 40 | 16 | 54 | 26 | 18 |

(LEFT BLANK)

APPENDIX D
Land Use Survey

Appendix D contains the results of a Land Use Survey conducted around Calvert Cliffs Nuclear Power Plant during this operating period. A table listing the raw data of this survey and a discussion of the results are included in this appendix.

Discussion

A Land Use Survey was conducted to identify, within a distance of 5 miles, the location of the nearest milk animal, the nearest residence, and the nearest garden greater than 50 m² in each of the nine sectors over land. A detailed description of the Land Use Survey is given in a separate document (Ref. 9). The position of the nearest residence and garden in each sector out to 5 miles is given in the adjacent table. There are no animals producing milk for human consumption within the 5 mile radius. There was a new residence located within the 5-mile radius in the SSW sector; however, its distance from the plant is the same as that reported for the closest residence in that sector in 2005.

| Sector | Distance From Plant (miles) | |
|--------|--------------------------------|--------|
| | Residence | Garden |
| SE | 1.7 | 1.7 |
| SSE | 1.3 | 1.3 |
| S | 1.8 | 1.8 |
| SSW | 1.5 | 1.7 |
| SW | 1.1 | 1.1 |
| WSW | 1.2 | 1.4 |
| W | 1.3 | 1.5 |
| WNW | 2.5 | 2.5 |
| NW | 2.1 | 2.1 |

The closest residence is situated in the SW sector and the nearest garden is also in the SW sector, which is one of the least prevalent wind directions. In the S, SSE, and SE sectors, there is the highest probability of wind blowing from the direction of the plant. The two gardens used for vegetable samples by the REMP have been placed in the sectors with the highest X/Q. One sampling garden is located in the S sector at a distance of 0.4 miles, and another is situated near the site boundary in the SSE sector at a distance of 1.6 miles from the plant. These two sampling sites are considered good indicator locations for radioactive depositions around the plant.

The dose assessment using this operating period meteorological data was performed, and no significant impact from the plant was found.

(LEFT BLANK)

APPENDIX E

Additional Samples and Analysis Results

Appendix E is a presentation of the analytical results for additional samples collected in the environs of CCNPP. These extra samples are not required by the ODCM (Ref. 6). Table E-1 lists the locations of all the additional samples and the remaining tables in this appendix provide the results. Some of these samples were collected and analyzed to maintain the historical continuity for samples and sampling pathways discontinued when the Environmental Technical Specifications were changed in March, 1985. Additionally, they include the PICs added for the ISFSI.

Table E-4 through E-10 contain analytical results for samples taken from the various radiological pathways (i.e., aquatic, atmospheric, terrestrial, and direct radiation) surrounding the plant. In general these results continue the historical trends previously observed in the official sites of the CCNPP REMP and ISFSI.

Table E-11 shows the direct radiation readings from TLDs placed at the perimeter of the Resin Storage Area which is a temporary waste resin storage and cask transfer area located to the west of the ISFSI facility. The TLD values are somewhat higher than those in the REMP program due to their proximity to this source of the radiation. However, when the direct radiation readings for the Resin Storage Area are compared with those from the ISFSI and Site Boundary TLDs, it is apparent that temporary storage of spent resin and cask transfers are having no significant, measurable effect on the environs surrounding CCNPP.

(LEFT BLANK)

TABLE OF CONTENTS - ANALYTICAL RESULTS

| Table | Title | Page |
|-------|--|------|
| E-1 | Locations of Non-Tech Spec Environmental Sampling Stations for Calvert Cliffs Nuclear Power Plant..... | 92 |
| E-2 | Synopsis of 2006 Calvert Cliffs Nuclear Power Plant Non-Tech Spec Radiological Environmental Monitoring Program..... | 93 |
| E-3 | Annual Summary for Calvert Cliffs Nuclear Power Plant Units 1 & 2 Non-Tech Spec Radiological Environmental Monitoring Program..... | 94 |
| E-4 | Concentration of Gamma Emitters in Bottom Sediment..... | 95 |
| E-5 | Concentration of Iodine-131 in Filtered Air..... | 96 |
| E-6 | Concentration of Beta Emitters in Air Particulates..... | 98 |
| E-7 | Concentration of Gamma Emitters in Air Particulates..... | 100 |
| E-8 | Concentration of Tritium and Gamma Emitters in Taylors Island Well Water..... | 101 |
| E-9 | Direct Radiation as Measured in Pressurized Ion Chamber..... | 102 |
| E-10 | Direct Radiation..... | 103 |
| E-11 | Direct Radiation from Resin Storage Area..... | 104 |

TABLE E-1

Locations of Non-Tech Spec Environmental Sampling Stations
for Calvert Cliffs Nuclear Power Plant

| Station | Description | Distance ¹ | | Direction ¹ |
|---------|---|-----------------------|---------|------------------------|
| | | (KM) | (Miles) | (Sector) |
| A6 | Long Beach | 4.4 | 2.7 | NW |
| A7 | Taylor's Island, Carpenter's Property | 12.6 | 7.8 | ENE |
| A8 | Cambridge, U of MD Estuarine Center | 32.0 | 19.9 | NE |
| DR24 | Route 4 and Parran Road | 3.0 | 1.9 | SW |
| DR25 | Camp Conoy Guard House | 1.0 | 0.6 | S |
| DR26 | Route 235 & Clarks Landing Rd. | 20.5 | 12.7 | SW |
| DR27 | Route 231 & Route 4 | 23.0 | 14.3 | NW |
| DR28 | Taylor's Island Emergency Siren #35 | 12.3 | 7.6 | ENE |
| DR29 | Taylor's Island Emergency Siren #38 | 12.5 | 7.8 | E |
| DR31 | Cambridge, U of MD Estuarine Center | 32.0 | 19.9 | NE |
| DR32 | Twining Property, Taylor's Island | 12.3 | 7.6 | NE |
| DR33 | P.A. Ransome Property, Taylor's Island | 14.8 | 9.2 | ESE |
| DR34 | Shoreline at Barge Road | 0.2 | 0.1 | NE |
| OSGDR1 | North of Old Steam Generator Storage Facility | 0.3 | 0.2 | SW |
| OSGDR2 | West of Old Steam Generator Storage Facility | 0.3 | 0.2 | SW |
| PIC1 | Taylor's Island, Carpenter's Property | 12.6 | 7.8 | ENE |
| PIC2 | On Site before Entrance to Camp Conoy | 0.7 | 0.4 | S |
| PIC3 | Meteorological Station | 0.8 | 0.5 | WSW |
| PIC4 | NNW of ISFSI | 0.6 | 0.4 | SW |
| PIC5 | SSE of ISFSI | 0.6 | 0.4 | SSW |
| PIC8 | CCNPP Visitor's Center | 0.3 | 0.2 | NW |
| RPDR5 | Resin Storage Area – North Fence Lower | 0.7 | 0.4 | SW |
| RPDR6 | Resin Storage Area – North Fence Upper | 0.7 | 0.4 | SW |
| RPDR7 | Resin Storage Area – West Fence Right | 0.7 | 0.4 | SW |
| RPDR8 | Resin Storage Area – West Fence Left | 0.7 | 0.4 | SW |
| RPDR9 | Resin Storage Area – South Fence Upper | 0.7 | 0.4 | SW |
| RPDR10 | Resin Storage Area – South Fence Lower | 0.7 | 0.4 | SW |
| RPDR11 | Resin Storage Area – East Fence Left | 0.7 | 0.4 | SW |
| RPDR12 | Resin Storage Area – East Fence Right | 0.7 | 0.4 | SW |
| Wbs2 | Discharge Area | 0.3 | 0.2 | N |
| Wbs4 | Camp Conoy/Rocky Point | 3.0 | 1.9 | SE |
| Ww1 | Taylor's Island, Carpenter's Property | 12.6 | 7.8 | ENE |

¹ Distance and direction from the central point between the two containment buildings.

Table E-2

**Synopsis of 2006 Calvert Cliffs Nuclear Power Plant
Non-Tech Spec Radiological Environmental Monitoring Program**

| Sample Type | Sampling Frequency ¹ | Number of Locations | Number Collected | Analysis | Analysis Frequency | Number Analyzed |
|--------------------------------|---------------------------------|---------------------|------------------|---------------------|--------------------|-----------------|
| Aquatic Environment | | | | | | |
| Bottom Sediment | Q | 2 | 4 | Gamma | Q | 4 |
| Atmospheric Environment | | | | | | |
| Air Iodine ² | W | 7 | 360 | I-131 | W | 360 |
| Air Particulates ³ | W | 3 | 154 | Gross Beta Gamma | W MC | 154 36 |
| Direct Radiation | | | | | | |
| Pressurized Ion Chamber | M | 6 | 72 | Gamma | M | 72 |
| Ambient Radiation | Q | 20 | 480 | TLD | Q | 480 |
| Terrestrial Environment | | | | | | |
| Ground water | M | 2 | 12 | H-3 Gamma | M M | 12 12 |

¹ W=weekly, M=monthly, Q=quarterly, SA=semiannual, A=annual, C=composite

² The collection device contains silver Zeolite

³ Beta counting is performed after >=72 hour decay. Gamma spectroscopy performed on monthly composites of weekly samples

Table E-3

**Annual Summary for Calvert Cliffs Nuclear Power Plant Units 1 & 2
Non-Tech Spec Radiological Environmental Monitoring Program**

| Medium or Pathway Sampled (Unit of Measurement) | Type and Total Number of Analyses Performed | Lower Limit of Detection (LLD) | Indicator Locations Mean (F)/Range ¹ | Location with Highest Annual Mean Name/Distance & Direction ² | Highest Annual Mean (F) / Range | Control Locations Mean (F)/Range |
|---|---|--------------------------------|---|--|---------------------------------|----------------------------------|
| Aquatic Environment | | | | | | |
| Bottom Sediment (pCi/kg) | Gamma (4) Cs-137 | 17 | 232 (2/2) (186-278) | Discharge Area Wbs2 0.3 km N | 232 (2/2) (186-278) | 152 (2/2) (131-172.90) |
| Atmospheric Environment | | | | | | |
| Air Particulates (10 ⁻² pCi/m ³) | Gross Beta (154) | 0.5 | 1.7 (102/102) (0.7-3.9) | Long Beach A6 4.4 km NW | 1.7 (52/52) (0.7-3.9) | 1.5 (52/52) (0.5-3.1) |
| Direct Radiation | | | | | | |
| Ambient Radiation (mR/90 days) | TLD (480) | -- | 21.27 (480/480) (7.53-64.06) | East Fence Right RPDR12 km | 47.88 (24/24) (15.28-64.06) | -- -- |
| Pressurized Ion Chamber (mR/30 days) | Ionization Chamber (72) | -- | 7.40 (60/60) (4.26-13.04) | NNW of ISFSI PIC4 0.6 km SW | 11.32 (12/12) (10.99-11.72) | 6.22 (12/12) (5.66-6.71) |

¹ Mean and range based upon detectable measurements only. Fraction (F) of detectable measurements at specified location is indicated in parentheses
² From the centerpoint between the two containment buildings

Table E-4

**Concentration of Gamma Emitters in Bottom Sediment
(Results in units of pCi/kg (dry) +/- 2 σ)**

| SAMPLE CODE | Sample Date | Cs-137 | Gamma Emitters |
|-------------------------|-------------|------------|----------------|
| Wbs2 | 6/19/2006 | 186 +/- 62 | * |
| Discharge Area | 10/26/2006 | 278 +/- 64 | * |
| Wbs4 ¹ | 6/19/2006 | 173 +/- 62 | * |
| Camp Conoy/ Rocky Point | 10/26/2006 | 131 +/- 73 | * |

¹ Control Location

* All Non-Natural Gamma Emitters <MDA

Table E-5

Concentration of Iodine-131 in Filtered Air
(Results in units of 10^{-3} pCi/m³ +/- 2 σ)

| Start Date | Stop Date | A6 Long Beach | A7 Taylors Island | CAM Cambridge | SFA1 MET Station | SFA2 ¹ Visitors Center | SFA3 NNW of ISFSI | SFA4 SSE of ISFSI |
|------------|-----------|---------------------|-------------------------|------------------|------------------------|---|-------------------------|-------------------------|
| 1/2/2006 | 1/9/2006 | * | * | * | * | * | 2 | * |
| 1/9/2006 | 1/16/2006 | * | * | * | * | * | * | * |
| 1/16/2006 | 1/23/2006 | * | * | * | * | * | 2 | * |
| 1/23/2006 | 1/30/2006 | * | * | * | * | * | * | * |
| 1/30/2006 | 2/6/2006 | * | * | * | * | * | * | * |
| 2/6/2006 | 2/13/2006 | * | * | * | * | * | * | * |
| 2/13/2006 | 2/20/2006 | * | * | * | * | * | * | * |
| 2/20/2006 | 2/27/2006 | * | * | * | * | * | * | * |
| 2/27/2006 | 3/6/2006 | * | * | * | * | * | * | * |
| 3/6/2006 | 3/13/2006 | * | * | * | * | * | * | * |
| 3/13/2006 | 3/20/2006 | * | * | * | * | * | * | * |
| 3/20/2006 | 3/27/2006 | * | * | * | * | * | * | * |
| 3/27/2006 | 4/3/2006 | * | * | * | * | * | * | * |
| 4/3/2006 | 4/10/2006 | * | * | * | * | * | * | * |
| 4/10/2006 | 4/17/2006 | * | * | * | * | * | * | * |
| 4/17/2006 | 4/24/2006 | * | * | * | * | * | * | * |
| 4/24/2006 | 5/1/2006 | * | * | 2 | * | * | * | * |
| 5/1/2006 | 5/8/2006 | * | * | * | * | * | * | * |
| 5/8/2006 | 5/15/2006 | * | * | 2 | * | * | * | * |
| 5/15/2006 | 5/22/2006 | * | * | * | * | * | * | * |
| 5/22/2006 | 5/29/2006 | * | * | * | * | * | * | * |
| 5/29/2006 | 6/5/2006 | * | * | * | * | * | * | * |
| 6/5/2006 | 6/12/2006 | * | * | * | * | * | * | * |
| 6/12/2006 | 6/19/2006 | * | * | * | * | * | * | * |
| 6/19/2006 | 6/26/2006 | * | * | * | * | * | * | * |
| 6/26/2006 | 7/3/2006 | * | * | * | * | * | * | * |
| 7/3/2006 | 7/10/2006 | * | * | * | * | * | * | * |
| 7/10/2006 | 7/17/2006 | * | * | * | * | * | * | * |
| 7/17/2006 | 7/24/2006 | * | * | * | * | * | * | * |
| 7/24/2006 | 8/1/2006 | * | * | * | * | * | * | * |
| 8/1/2006 | 8/7/2006 | * | * | * | * | * | * | * |
| 8/7/2006 | 8/14/2006 | * | * | * | * | * | * | * |
| 8/14/2006 | 8/21/2006 | * | * | * | * | * | * | * |
| 8/21/2006 | 8/28/2006 | * | * | * | * | * | * | * |

¹ Control Location

² Sampler malfunction; Loss of Data

* <MDA

Table E-5 - Continued

Concentration of Iodine-131 in Filtered Air
(Results in units of 10^{-3} pCi/m³ +/- 2 σ)

| Start Date | Stop Date | A6 Long Beach | A7 Taylors Island | CAM Cambridge | SFA1 MET Station | SFA2 ¹ Visitors Center | SFA3 NNW of ISFSI | SFA4 SSE of ISFSI |
|------------|------------|---------------------|-------------------------|------------------|------------------------|---|-------------------------|-------------------------|
| 8/28/2006 | 9/4/2006 | * | * | * | * | * | * | * |
| 9/4/2006 | 9/11/2006 | * | * | * | * | * | * | * |
| 9/11/2006 | 9/18/2006 | * | * | * | * | * | * | * |
| 9/18/2006 | 9/25/2006 | * | * | * | * | * | * | * |
| 9/25/2006 | 10/2/2006 | * | * | * | * | * | * | * |
| 10/2/2006 | 10/9/2006 | * | * | * | * | * | * | * |
| 10/9/2006 | 10/16/2006 | * | * | * | * | * | * | * |
| 10/16/2006 | 10/23/2006 | * | * | * | * | * | * | * |
| 10/23/2006 | 10/30/2006 | * | * | * | * | * | * | * |
| 10/30/2006 | 11/6/2006 | * | * | * | * | * | * | * |
| 11/6/2006 | 11/13/2006 | * | * | * | * | * | * | * |
| 11/13/2006 | 11/20/2006 | * | * | * | * | * | * | * |
| 11/20/2006 | 11/27/2006 | * | * | * | * | * | * | * |
| 11/27/2006 | 12/4/2006 | * | * | * | * | * | * | * |
| 12/5/2006 | 12/11/2006 | * | * | * | * | * | * | * |
| 12/12/2006 | 12/18/2006 | * | * | * | * | * | * | * |
| 12/18/2006 | 12/25/2006 | * | * | * | * | * | * | * |
| 12/25/2006 | 1/1/2007 | * | * | * | * | * | * | * |

¹ Control Location
* <MDA

Table E-6

**Concentration of Beta Emitters in Air Particulates
(Results in units of 10^{-2} pCi/m³ +/- 2 σ)**

| Start Date | Stop Date | A6 Long Beach | A7 ¹ Taylors Island | CAM Cambridge |
|------------|-----------|------------------|-----------------------------------|------------------|
| 1/2/2006 | 1/9/2006 | 1.2 +/- 0.2 | 1.9 +/- 0.2 | 1.6 +/- 0.2 |
| 1/9/2006 | 1/16/2006 | 1.5 +/- 0.2 | 1.4 +/- 0.2 | 1.2 +/- 0.2 |
| 1/16/2006 | 1/23/2006 | 1.0 +/- 0.2 | 1.3 +/- 0.2 | 1.0 +/- 0.2 |
| 1/23/2006 | 1/30/2006 | 1.3 +/- 0.2 | 1.6 +/- 0.2 | 1.3 +/- 0.2 |
| 1/30/2006 | 2/6/2006 | 1.3 +/- 0.2 | 1.9 +/- 0.2 | 1.5 +/- 0.2 |
| 2/6/2006 | 2/13/2006 | 1.7 +/- 0.2 | 1.7 +/- 0.2 | 1.5 +/- 0.2 |
| 2/13/2006 | 2/20/2006 | 2.2 +/- 0.2 | 2.9 +/- 0.3 | 2.1 +/- 0.2 |
| 2/20/2006 | 2/27/2006 | 2.0 +/- 0.2 | 2.5 +/- 0.3 | 2.0 +/- 0.2 |
| 2/27/2006 | 3/6/2006 | 1.9 +/- 0.2 | 2.4 +/- 0.3 | 1.7 +/- 0.2 |
| 3/6/2006 | 3/13/2006 | 2.0 +/- 0.2 | 2.2 +/- 0.3 | 2.0 +/- 0.2 |
| 3/13/2006 | 3/20/2006 | 2.3 +/- 0.2 | 2.8 +/- 0.3 | 2.1 +/- 0.2 |
| 3/20/2006 | 3/27/2006 | 1.8 +/- 0.3 | 1.4 +/- 0.2 | 1.0 +/- 0.2 |
| 3/27/2006 | 4/3/2006 | 1.9 +/- 0.2 | 1.6 +/- 0.2 | 1.0 +/- 0.2 |
| 4/3/2006 | 4/10/2006 | 1.5 +/- 0.2 | 1.4 +/- 0.2 | 1.3 +/- 0.2 |
| 4/10/2006 | 4/17/2006 | 1.8 +/- 0.2 | 1.3 +/- 0.2 | 1.6 +/- 0.2 |
| 4/17/2006 | 4/24/2006 | 1.2 +/- 0.2 | 0.9 +/- 0.2 | 1.4 +/- 0.3 |
| 4/24/2006 | 5/1/2006 | 2.7 +/- 0.3 | 1.6 +/- 0.2 | 2 |
| 5/1/2006 | 5/8/2006 | 2.8 +/- 0.4 | 1.6 +/- 0.2 | 1.3 +/- 0.4 |
| 5/8/2006 | 5/15/2006 | 1.0 +/- 0.2 | 1.1 +/- 0.2 | 2 |
| 5/15/2006 | 5/22/2006 | 1.1 +/- 0.2 | 1.1 +/- 0.2 | 1.0 +/- 0.2 |
| 5/22/2006 | 5/29/2006 | 1.4 +/- 0.2 | 1.9 +/- 0.2 | 1.5 +/- 0.2 |
| 5/29/2006 | 6/5/2006 | 1.3 +/- 0.2 | 1.1 +/- 0.2 | 1.6 +/- 0.2 |
| 6/5/2006 | 6/12/2006 | 1.1 +/- 0.2 | 1.1 +/- 0.2 | 0.9 +/- 0.2 |
| 6/12/2006 | 6/19/2006 | 1.3 +/- 0.2 | 1.1 +/- 0.2 | 1.0 +/- 0.2 |
| 6/19/2006 | 6/26/2006 | 0.7 +/- 0.1 | 0.7 +/- 0.1 | 0.8 +/- 0.2 |
| 6/26/2006 | 7/3/2006 | 1.3 +/- 0.2 | 1.5 +/- 0.2 | 1.9 +/- 0.3 |
| 7/3/2006 | 7/10/2006 | 1.3 +/- 0.2 | 0.5 +/- 0.1 | 1.5 +/- 0.2 |
| 7/10/2006 | 7/17/2006 | 1.9 +/- 0.2 | 1.4 +/- 0.2 | 1.6 +/- 0.2 |
| 7/17/2006 | 7/24/2006 | 1.0 +/- 0.2 | 1.5 +/- 0.2 | 1.8 +/- 0.2 |
| 7/24/2006 | 7/31/2006 | 1.9 +/- 0.2 | 0.8 +/- 0.2 | 1.7 +/- 0.4 |
| 8/1/2006 | 8/7/2006 | 1.8 +/- 0.2 | 1.7 +/- 0.2 | 1.3 +/- 0.2 |
| 8/7/2006 | 8/14/2006 | 2.1 +/- 0.2 | 1.7 +/- 0.2 | 1.7 +/- 0.2 |
| 8/14/2006 | 8/21/2006 | 1.9 +/- 0.2 | 1.6 +/- 0.2 | 1.6 +/- 0.2 |
| 8/21/2006 | 8/28/2006 | 2.6 +/- 0.2 | 2.2 +/- 0.2 | 2.4 +/- 0.2 |

¹ Control Location

² Sampler malfunction; Loss of Data

Table E-6 - Continued

**Concentration of Beta Emitters in Air Particulates
(Results in units of 10^{-2} pCi/m³ +/- 2 σ)**

| Start Date | Stop Date | A6 Long Beach | A7 ¹ Taylors Island | CAM Cambridge |
|------------|------------|------------------|-----------------------------------|------------------|
| 8/28/2006 | 9/4/2006 | 1.2 +/- 0.2 | 0.5 +/- 0.1 | 0.9 +/- 0.2 |
| 9/4/2006 | 9/11/2006 | 2.0 +/- 0.2 | 1.7 +/- 0.2 | 1.8 +/- 0.2 |
| 9/11/2006 | 9/18/2006 | 0.9 +/- 0.2 | 1.0 +/- 0.2 | 0.9 +/- 0.2 |
| 9/18/2006 | 9/25/2006 | 1.7 +/- 0.2 | 1.5 +/- 0.2 | 1.9 +/- 0.2 |
| 9/25/2006 | 10/2/2006 | 1.6 +/- 0.2 | 1.5 +/- 0.2 | 1.7 +/- 0.2 |
| 10/2/2006 | 10/9/2006 | 1.4 +/- 0.2 | 1.8 +/- 0.2 | 2.4 +/- 0.3 |
| 10/9/2006 | 10/16/2006 | 2.3 +/- 0.2 | 1.7 +/- 0.2 | 3.3 +/- 0.3 |
| 10/16/2006 | 10/23/2006 | 1.4 +/- 0.2 | 1.3 +/- 0.2 | 1.8 +/- 0.2 |
| 10/23/2006 | 10/30/2006 | 1.2 +/- 0.2 | 1.1 +/- 0.2 | 1.8 +/- 0.2 |
| 10/30/2006 | 11/6/2006 | 2.7 +/- 0.3 | 1.9 +/- 0.2 | 2.6 +/- 0.2 |
| 11/6/2006 | 11/13/2006 | 1.4 +/- 0.2 | 0.9 +/- 0.2 | 1.2 +/- 0.2 |
| 11/13/2006 | 11/20/2006 | 1.7 +/- 0.2 | 1.3 +/- 0.2 | 1.8 +/- 0.2 |
| 11/20/2006 | 11/27/2006 | 2.0 +/- 0.2 | 1.4 +/- 0.2 | 1.7 +/- 0.2 |
| 11/27/2006 | 12/4/2006 | 2.3 +/- 0.2 | 1.8 +/- 0.2 | 2.4 +/- 0.2 |
| 12/4/2006 | 12/11/2006 | 3.1 +/- 0.3 | 2.1 +/- 0.2 | 3.1 +/- 0.2 |
| 12/12/2006 | 12/18/2006 | 3.9 +/- 0.2 | 3.1 +/- 0.2 | 3.4 +/- 0.2 |
| 12/18/2006 | 12/25/2006 | 2.0 +/- 0.3 | 1.2 +/- 0.2 | 1.4 +/- 0.2 |
| 12/25/2006 | 1/1/2007 | 2.5 +/- 0.2 | 1.5 +/- 0.2 | 1.8 +/- 0.2 |

Table E-7

**Concentration of Gamma Emitters in Air Particulates
(Results in units of 10^{-3} pCi/m³ +/- 2σ)**

| Sample Date | A6 Long Beach | A7 ¹ Taylors Island | CAM Cambridge |
|-------------|------------------|-----------------------------------|------------------|
| 1/15/2006 | * | * | * |
| 2/15/2006 | * | * | * |
| 3/15/2006 | * | * | * |
| 4/15/2006 | * | * | * |
| 5/15/2006 | * | * | * |
| 6/15/2006 | * | * | * |
| 7/15/2006 | * | * | * |
| 8/15/2006 | * | * | * |
| 9/15/2006 | * | * | * |
| 10/15/2006 | * | * | * |
| 11/15/2006 | * | * | * |
| 12/15/2006 | * | * | * |

¹ Control Location

* Non-Natural Gamma Emitters <MDA

Table E-8

**Concentration of Tritium and Gamma Emitters
in Taylors Island Well Water
(Results in units of 10^{-3} pCi/m³ +/- 2 σ)**

| Sample Date | H-3 | Gamma Emitters |
|-------------|------|----------------|
| 1/31/2006 | <460 | * |
| 2/28/2006 | <461 | * |
| 3/29/2006 | <456 | * |
| 05/02/2006 | <460 | * |
| 5/31/2006 | <460 | * |
| 7/03/2006 | <457 | * |
| 8/1/2006 | <340 | * |
| 8/29/2006 | <344 | * |
| 9/26/2006 | <340 | * |
| 10/31/2006 | <340 | * |
| 11/28/2006 | <340 | * |
| 12/27/2006 | <340 | * |

* Non-Natural Gamma Emitters <MDA

Table E-9

Direct Radiation as Measured in Pressurized Ion Chamber
(Results in units of mR/30 days +/- 10%)

| Sample Code | Month | | Month | |
|-----------------------------------|-------|----------------|-------|----------------|
| PIC1 ¹ | JAN | 6.03 +/- 0.60 | FEB | 6.40 +/- 0.64 |
| | MAR | 6.71 +/- 0.67 | APR | 6.68 +/- 0.67 |
| Taylor's Island | MAY | 6.51 +/- 0.60 | JUN | 6.64 +/- 0.66 |
| | JUL | 5.83 +/- 0.60 | AUG | 6.32 +/- 0.63 |
| | SEP | 6.33 +/- 0.63 | OCT | 5.84 +/- 0.58 |
| | NOV | 5.66 +/- 0.57 | DEC | 5.70 +/- 0.57 |
| PIC2 Entrance to Camp Conoy | JAN | 4.30 +/- 0.43 | FEB | 4.30 +/- 0.43 |
| | MAR | 4.93 +/- 0.49 | APR | 4.37 +/- 0.44 |
| | MAY | 4.38 +/- 0.44 | JUN | 4.38 +/- 0.44 |
| | JUL | 4.33 +/- 0.40 | AUG | 4.37 +/- 0.44 |
| | SEP | 4.30 +/- 0.43 | OCT | 4.33 +/- 0.43 |
| | NOV | 4.26 +/- 0.43 | DEC | 4.27 +/- 0.43 |
| PIC3 MET Station | JAN | 5.07 +/- 0.51 | FEB | 5.06 +/- 0.51 |
| | MAR | 5.24 +/- 0.52 | APR | 5.36 +/- 0.54 |
| | MAY | 5.51 +/- 0.55 | JUN | 5.89 +/- 0.59 |
| | JUL | 5.72 +/- 0.60 | AUG | 5.67 +/- 0.57 |
| | SEP | 5.58 +/- 0.56 | OCT | 5.60 +/- 0.56 |
| | NOV | 5.94 +/- 0.59 | DEC | 5.96 +/- 0.60 |
| PIC4 NNW of ISFSI | JAN | 11.14 +/- 1.11 | FEB | 11.20 +/- 1.12 |
| | MAR | 11.55 +/- 1.16 | APR | 11.72 +/- 1.17 |
| | MAY | 11.60 +/- 1.16 | JUN | 11.51 +/- 1.15 |
| | JUL | 11.03 +/- 1.10 | AUG | 11.13 +/- 1.13 |
| | SEP | 11.00 +/- 1.10 | OCT | 10.99 +/- 1.10 |
| | NOV | 11.39 +/- 1.14 | DEC | 11.55 +/- 1.16 |
| PIC5 SSE of ISFSI | JAN | 6.62 +/- 0.66 | FEB | 6.61 +/- 0.66 |
| | MAR | 9.19 +/- 0.92 | APR | 13.04 +/- 1.30 |
| | MAY | 12.53 +/- 1.25 | JUN | 12.11 +/- 1.21 |
| | JUL | 11.61 +/- 1.16 | AUG | 11.78 +/- 1.18 |
| | SEP | 11.24 +/- 1.12 | OCT | 11.22 +/- 1.12 |
| | NOV | 10.89 +/- 1.09 | DEC | 10.82 +/- 1.08 |
| PIC8 Visitor's Center | JAN | 4.88 +/- 0.49 | FEB | 4.93 +/- 0.49 |
| | MAR | 5.22 +/- 0.52 | APR | 5.63 +/- 0.56 |
| | MAY | 5.58 +/- 0.56 | JUN | 5.34 +/- 0.53 |
| | JUL | 4.97 +/- 0.50 | AUG | 5.06 +/- 0.51 |
| | SEP | 4.91 +/- 0.49 | OCT | 4.95 +/- 0.50 |
| | NOV | 4.87 +/- 0.49 | DEC | 4.89 +/- 0.49 |

¹ Control Location

Table E-10

Direct Radiation
(Results in units of mR/90 days +/- 2σ)

| Site Code | Location | First Quarter | Second Quarter | Third Quarter | Fourth Quarter |
|-----------|---|----------------|----------------|----------------|----------------|
| DR24 | Rt. 4 and Parran Rd. | 11.84 +/- 0.66 | 10.96 +/- 1.08 | 10.97 +/- 0.35 | 11.68 +/- 1.09 |
| DR25 | Camp Conoy Guard House | 12.30 +/- 1.16 | 11.75 +/- 0.99 | 11.93 +/- 1.11 | 12.72 +/- 1.30 |
| DR26 | Rt. 235 and Clark's Landing Road | 10.43 +/- 0.66 | 10.64 +/- 1.14 | 10.43 +/- 0.84 | 10.70 +/- 0.81 |
| DR27 | Rt. 231 and Rt. 4 | 10.96 +/- 0.56 | 10.36 +/- 1.16 | 10.77 +/- 0.99 | 11.25 +/- 1.01 |
| DR28 | Taylors Is. Siren #35 | 12.99 +/- 1.11 | 13.29 +/- 1.63 | 13.91 +/- 1.59 | 13.36 +/- 1.76 |
| DR29 | Taylors Is. Siren #38 | 14.65 +/- 2.26 | 14.90 +/- 1.12 | 14.46 +/- 0.87 | 13.37 +/- 1.61 |
| DR31 | Cambridge | 14.60 +/- 1.27 | 14.98 +/- 1.33 | 15.29 +/- 0.51 | 15.90 +/- 2.56 |
| DR32 | Twining Property, Taylors Island | 13.24 +/- 1.04 | 13.83 +/- 2.23 | 14.28 +/- 0.78 | 13.32 +/- 1.61 |
| DR33 | P. A. Ransome Property | 14.57 +/- 2.18 | 15.34 +/- 0.76 | 15.22 +/- 1.62 | 15.16 +/- 2.18 |
| DR34 | Shoreline at Barge Rd. | 9.48 +/- 0.38 | 9.42 +/- 0.73 | 9.53 +/- 0.83 | 9.55 +/- 0.88 |
| OSG1 | North of Old Steam Generator Storage Facility | 17.83 +/- 1.46 | 18.98 +/- 1.25 | 18.97 +/- 1.80 | 19.51 +/- 1.61 |
| OSG2 | West of Old Steam Generator Storage Facility | 15.35 +/- 1.97 | 16.71 +/- 2.15 | 16.65 +/- 2.00 | 17.18 +/- 2.21 |

Table E-11

**Direct Radiation from Resin Storage Area
(Results in units of mR/90 days +/- 2 σ)**

| Site Code | Location | First Quarter | Second Quarter | Third Quarter | Fourth Quarter |
|-----------|-------------------|----------------|----------------|----------------|----------------|
| RPDR05 | North Fence Lower | 18.88 +/- 2.01 | 47.30 +/- 3.01 | 28.68 +/- 1.21 | 36.75 +/- 3.57 |
| RPDR06 | North Fence Upper | 19.86 +/- 1.10 | 33.37 +/- 4.48 | 28.57 +/- 2.05 | 40.82 +/- 4.65 |
| RPDR07 | West Fence Right | 30.46 +/- 2.75 | 51.29 +/- 3.73 | 16.17 +/- 2.08 | 8.05 +/- 0.63 |
| RPDR08 | West Fence Left | 57.86 +/- 5.90 | 55.47 +/- 2.06 | 7.53 +/- 0.65 | 10.35 +/- 0.35 |
| RPDR09 | South Fence Upper | 35.99 +/- 2.82 | 46.58 +/- 3.48 | 54.42 +/- 2.27 | 12.63 +/- 1.38 |
| RPDR10 | South Fence Lower | 26.36 +/- 2.37 | 37.41 +/- 3.86 | 42.34 +/- 4.00 | 10.82 +/- 0.78 |
| RPDR11 | East Fence Left | 22.10 +/- 2.18 | 24.54 +/- 3.35 | 46.06 +/- 5.78 | 14.08 +/- 1.26 |
| RPDR12 | East Fence Right | 52.61 +/- 3.24 | 64.06 +/- 1.71 | 59.57 +/- 2.16 | 15.28 +/- 1.13 |