

Exelon Generation Company, LLC LaSalle County Station 2601 North 21st Road Marseilles, IL 61341-9757 www.exeloncorp.com

Nuclear

RA08-027

10 CFR 50.36a

April 30, 2008

U. S. Nuclear Regulatory Commission Attention: Document Control Desk Washington, D.C. 20555

LaSalle County Station, Units 1 and 2

Facility Operating License Nos. NPF-11 and NPF-18

NRC Docket Nos. 50-373 and 50-374

Subject:

2007 Annual Radioactive Effluent Release Report

Enclosed is the Exelon Generation Company, LLC, 2007 Annual Radioactive Effluent Release Report for LaSalle County Station, submitted in accordance with 10 CFR 50.36a, "Technical specifications on effluents from nuclear power reactors," paragraph (a)(2) and Technical Specification 5.6.3, "Radioactive Effluent Release Report."

Should you have any questions concerning this letter, please contact Mr. Terrence Simpkin, Regulatory Assurance Manager, at (815) 415-2800.

Respectfully,

Daniel J. Enright

Site Vice President

LaSalle County Station

Attachment

CC:

Regional Administrator - NRC Region III

NRC Senior Resident Inspector - LaSalle County Station

IE48

Supplemental Information

1. Regulatory Limits

a. Gaseous Effluents

- 1) The air dose due to noble gases released in gaseous effluents, from each reactor unit, from the site shall be limited to the following:
 - a) During any calendar quarter: Less than or equal to 5 mrad for gamma radiation and less than or equal to 10 mrad for beta radiation, and
 - b) During any calendar year: Less than or equal to 10 mrad for gamma radiation and less than or equal to 20 mrad for beta radiation.
- 2) The dose to an individual from radioidines and radioactive materials in particulate form, and radionuclides, other than noble gases, with half-lives greater than eight days in gaseous effluents released, from each reactor unit, from the site shall be limited to the following:
- 3)
- a) During any calendar quarter: Less than or equal to 7.5 mRem to any organ, and
- b) During any calendar year: Less than or equal to 15 mRem to any organ.

b. Liquid Effluents

- 1) The dose or dose commitment to an individual from radioactive materials in liquid effluents released, from each reactor unit, from the site shall be limited:
 - a) During any calendar quarter: Less than or equal to 1.5 mRem to the total body and to less than or equal to 5 mRem to any organ, and
 - b) During any calendar year: Less than or equal to 3 mRem to the total body and to less than or equal to 10 mRem to any organ.

c. Total Dose -

1) The dose or dose commitment to any member of the public, due to releases or radioactivity and radiation, from uranium fuel cycle sources shall be limited to less than or equal to 25 mRem to the body or any organ (except the thyroid, which shall be limited to less than or equal to 75 mRem) over 12 consecutive months.

Supplemental Information (continued)

2. Allowable Concentrations –

a. Gaseous Effluents

- 1) The dose rate due to radioactive materials released in gaseous effluents from the site shall be limited to the following:
 - a) For noble gases: Less than or equal to 500 mRem/year to the total body and less than or equal to 3000 mRem/year to the skin, and
 - b) For all radioiodines and for all radioactive materials in particulate form, and radionuclides, other than noble gases, with half-lives greater than eight days: Less than or equal to 1500 mRem/year to any organ via the inhalation pathway.

b. Liquid Effluents

1) The concentration of radioactive material released from the site shall be limited to ten (10) times the concentrations specified in 10 CFR Part 20, Appendix B, Table II, Column 2 for radionuclides other than dissolved or entrained noble gases. For dissolved or entrained noble gases, the concentration shall be limited to the following:

Nuclide	DWC (µci/ml)
Kr-85m	2.00E-04
Kr-85	5.00E-04
Kr-87	4.00E-05
Kr-88	9.00E-05
Ar-41	7.00E-05
Xe-131m	7.00E-04
Xe-133m	5.00E-04
Xe-133	6.00E-04
Xe-135m	2.00E-04
Xe-135	2.00E-04

3. Average Energy

Not applicable - average energy is no longer used to determine dose to the public.

4. Measurements and Approximations of Total Radioactivity

a. Gaseous Effluents

- 1) Containment Vent and Purge System is sampled by grab sample which is analyzed for principal gamma emitters and H-3.
- 2) Main Vent Stack is sampled by grab sample, which is analyzed for principal gamma emitters and H-3.
- 3) Standby Gas Treatment System is sampled by grab sample, which is analyzed for principal gamma emitters.

Supplemental Information (continued)

All release types as listed in 1 and 2 above, at the vent stack and as listed in 3 above, at the Standby Gas Treatment System whenever there is flow, are continuously sampled by charcoal cartridge and particulate filter paper, which are analyzed for iodines and principal gamma emitters. Particulate filter papers are composited and analyzed for gross alpha, Sr-89 and Sr-90. Noble gases, gross beta and gamma are continuously monitored by noble gas monitors for the vent stack and the standby gas treatment system.

b. Liquid Effluents

- Batch waste release tanks are sampled each batch for principal gamma emitters, I-131, dissolved and entrained noble gases, H-3, gross alpha, Sr-89, Sr-90 and Fe-55.
- 2) Continuous releases are sampled continuously in proportion to the rate of flow of the effluent stream and by grab sample. Samples are analyzed for principal gamma emitters, I-131, dissolved and entrained noble gases, H-3, gross alpha, Sr-89, Sr-90 and Fe-55.

5. Batch Releases

a. Gaseous

	1)	Number of batch releases:	None
	2)	Total time period for batch releases:	N/A
	3)	Maximum time period for a batch release:	N/A
	4)	Average time period for batch releases:	N/A
	5)	Minimum time period for a batch release:	N/A
b.	Liquid		
	1)	Number of batch releases:	None
	2)	Total time period for batch releases: Min.	N/A
	3)	Maximum time period for a batch release: Min.	N/A
	4)	Average time period for batch releases: Min.	N/A
	5)	Minimum time period for a batch release: Min.	N/A
	6)	Average stream flow during periods of release of effluent into a flowing stream: gpm	N/A

Supplemental Information (continued)

6.	Abnormal	Releases

a. Gaseous

1) Number of releases:

None

2) Total activity released:

N/A

b. Liquid

1) Number of releases:

None

2) Total activity released:

N/A

7. Process Control Program

There were no changes to the Process Control Program during this time period.

8. Effluent Monitoring Instrumentation timeclocks and sample anomalies.

Time clocks:

There were no effluent monitoring time clocks exceeded in 2007.

Sample anomalies:

There were no sampling anomalies experienced during 2007.

9. Offsite Dose Calculation Manual Revisions.

There were no revisions made to the ODCM in 2007.

LASALLE COUNTY NUCLEAR POWER STATION EFFLUENT AND WASTE DISPOSAL ANNUAL REPORT (2007)

UNITS ONE AND TWO

DOCKET NUMBERS 50-373 AND 50-374 GASEOUS EFFLUENTS-SUMMATION OF ALL RELEASES

					Estimated
Units	1st Qtr	2nd Qtr	3rd Qtr	4 th Qtr	Total Error %

A. Fission and Activation Gas Releases

1. Total Release Activity	Ci	6.23E+02	6.61E+02	6.26E+02	7.19E+02	3.50E+01
2. Average Release Rate	uCi/sec	8.01E+01	8.40E+01	7.87E+01	9.04E+01	
3. Percent of Technical Specification Limit	%	*	*	*	*	

B. Iodine Releases

1. Total I-131 Activity	Ci	1.56E-02	1.90E-02	2.76E-02	1.79E-02	3.50E+01
2. Average Release Rate	uCi/sec	2.00E-03	2.42E-03	3.47E-03	2.26E-03	
3. Percent of Technical Specification	%	*	*	*	*	
Limit			·		•	

C. Particulate (> 8 day half-life) Releases

1. Gross Activity	Ci	3.06-02	3.05E-03	3.75E-03	3.15E-03	3.30E+01
2. Average Release Rate	uCi/sec	3.94E-04	3.87E-04	4.71E-04	3.95E-04	
3. Percent of Technical Specification Limit	% .	*	*	*	*	
3. Gross Alpha Activity	Ci	<1.00E-11	<1.00E-11	<1.00E-11	<1.00E-11	

D. Tritium Releases

1. Total Release Activity	Ci	2.27E+01	2.17E+01	2.21E+01	2.87E+01	2.10E+01
2. Average Release Rate	uCi/sec	2.92E+00	2.76E+00	2.78E+00	3.61E+00	
3. Percent of Technical Specification Limit	%	*	*	*	*	

[&]quot;*" This information is contained in the Radiological Impact on Man section of the report.

[&]quot;<" Indicates activity of sample is less than LLD given in uCi/ml

LASALLE COUNTY NUCLEAR POWER STATION EFFLUENT AND WASTE DISPOSAL ANNUAL REPORT (2007) GASEOUS EFFLUENTS-ELEVATED RELEASE

Unit 1 and Unit 2 Continuous Mode

Units

1st Qtr

2nd Qtr

3rd Qtr

4th Qtr

1. Fission and Activation Gas Relea	292				
Ar-41	Ci	7.29E-04	<1.00E-4	<1.00E-4	<1.00E-4
Kr-85	Ci	<1.00E-4	<1.00E-4	<1.00E-4	<1.00E-4
Kr-85m	Ci	1.87E+02	1.88E+02	1.80E+02	1.73E+02
Kr-87	Ci	1.48E+01	3.81E+00	3.99E+00	<1.00E-4
Kr-88	Ci	2.74E+02	2.92E+02	2.45E+02	3.37E+02
Xe-131m	Ci	<1.00E-4	<1.00E-4	<1.00E-4	<1.00E-4
Xe-133	Ci	1.47E+02	1.76E+02	1.97E+02	2.09E+02
Xe-133m	Ci	2.42E-04	<1.00E-4	<1.00E-4	<1.00E-4
Xe-135	Ci	6.01E-01	6.01E-01	<1.00E-4	<1.00E-4
Xe-135m	Ci	4.38E-04	<1.00E-4	<1.00E-4	<1.00E-4
Xe-138	Ci	<1.00E-4	<1.00E-4	<1.00E-4	<1.00E-4
TOTAL	Ci	6.23E+02	6.60E+02	6.26E+02	7.19E+02
2. Iodine Releases	-				
I-131	Ci	1.56E-02	1.90E-02	2.76E-02	1.79E-02
I-132	Ci	1.91E-02	3.43E-02	4.55E-02	2.03E-02
I-133	Ci	3.98E-02	5.61E-02	8.32E-02	4.72E-02
I-134	Ci	9.54E-03	<1.00E-11	9.89E-03	1.10E-02
I-135	Ci	3.16E-02	5.11E-02	6.84E-02	3.37E-02
TOTAL IODINE	Ci	1.16E-01	1.61E-01	2.35E-01	1.30E-01
ГОТАL I-131, I-133, I-135	Ci	8.70E-02	1.26E-01	1.79E-01	9.88E-02
3. Particulate (> 8 day half-life) Re Cr-51 Mn-54	Ci Ci	<1.00E-11	<1.00E-11 5.14E-05	<1.00E-11 1.08E-05	<1.00E-11
Co-57	Ci	<1.00E-11	<1.00E-11	<1.00E-05	<1.00E-11
Fe-55	Ci	<1.00E-11	<1.00E-11	<1.00E-11	<1.00E-11
Co-58	Ci	<1.00E-11	<1.00E-11	<1.00E-11	<1.00E-11
Fe-59	Ci	<1.00E-11	<1.00E-11	<1.00E-11	<1.00E-11
Co-60	Ci	5.25E-05	1.36E-04	2.08E-04	2.40E-04
Zn-65	Ci	<1.00E-11	<1.00E-01	<1.00E-11	<1.00E-11
Sr-89	Ci				
	ļ Ç.	ソリロト・ロン	951F-04	1 10F-03	
Sr-90	Ci	2.90E-02	9.51E-04 <1.00F-11	1.10E-03	7.46E-04
	Ci Ci	<1.00E-11	<1.00E-11	<1.00E-11	7.46E-04 <1.00E-11
Zr-95	Ci	<1.00E-11 <1.00E-11	<1.00E-11 <1.00E-11	<1.00E-11 <1.00E-11	7.46E-04 <1.00E-11 <1.00E-11
Zr-95 Mo-99	Ci Ci	<1.00E-11 <1.00E-11 <1.00E-11	<1.00E-11 <1.00E-11 <1.00E-11	<1.00E-11 <1.00E-11 <1.00E-11	7.46E-04 <1.00E-11 <1.00E-11 <1.00E-11
Zr-95 Mo-99 Ru-103	Ci Ci Ci	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11	7.46E-04 <1.00E-11 <1.00E-11 <1.00E-11
Zr-95 Mo-99 Ru-103 Sn-117m	Ci Ci Ci	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11	7.46E-04 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11
Zr-95 Mo-99 Ru-103 Sn-117m Cs-134	Ci Ci Ci Ci	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11	7.46E-04 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11
Zr-95 Mo-99 Ru-103 Sn-117m Cs-134	Ci Ci Ci Ci Ci	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 1.31E-04	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11	7.46E-04 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11
Zr-95 Mo-99 Ru-103 Sn-117m Cs-134 Cs-137 Ba\La-140	Ci Ci Ci Ci Ci Ci	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 1.31E-04 1.42E-03	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 1.91E-03	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 2.43E-03	7.46E-04 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 2.16E-03
Zr-95 Mo-99 Ru-103 Sn-117m Cs-134 Cs-137 Ba\La-140 Ce-141	Ci Ci Ci Ci Ci Ci	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 1.31E-04 1.42E-03 <1.00E-11	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 1.91E-03 <1.00E-11	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 2.43E-03 <1.00E-11	7.46E-04 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 2.16E-03 <1.00E-11
Sr-90 Zr-95 Mo-99 Ru-103 Sn-117m Cs-134 Cs-137 Ba\La-140 Ce-141 Ce-144 TOTAL PARTICULATES	Ci Ci Ci Ci Ci Ci	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 1.31E-04 1.42E-03	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 1.91E-03	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 2.43E-03	7.46E-04 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 2.16E-03 <1.00E-11
Zr-95 Mo-99 Ru-103 Sn-117m Cs-134 Cs-137 Ba\La-140 Ce-141 Ce-144 TOTAL PARTICULATES	Ci	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 1.31E-04 1.42E-03 <1.00E-11 <1.00E-11	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 1.91E-03 <1.00E-11 <1.00E-11	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 2.43E-03 <1.00E-11 <1.00E-11	7.46E-04 <1.00E-11
Zr-95 Mo-99 Ru-103 Sn-117m Cs-134 Cs-137 Ba\La-140 Ce-141	Ci	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 1.31E-04 1.42E-03 <1.00E-11 <1.00E-11	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 1.91E-03 <1.00E-11 <1.00E-11 3.05E-03	<1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 <1.00E-11 2.43E-03 <1.00E-11 <1.00E-11	7.46E-04 <1.00E-11

[&]quot;<" Indicates activity of sample is less than LLD given in uCi/ml

LASALLE COUNTY NUCLEAR POWER STATION EFFLUENT AND WASTE DISPOSAL ANNUAL REPORT (2007) LIQUID RELEASES

UNIT 1 and UNIT 2

SUMMATION OF ALL LIQUID RELEASES

						Estimated
Uı	nits	1st Qtr	2nd Qtr	3rd Qtr	4th Qtr	Total Error %

A. Fission and Activation Products

1. Total Activity Released	Ci	<lld< th=""><th><lld< th=""><th><lld< th=""><th><lld< th=""><th>N/A</th></lld<></th></lld<></th></lld<></th></lld<>	<lld< th=""><th><lld< th=""><th><lld< th=""><th>N/A</th></lld<></th></lld<></th></lld<>	<lld< th=""><th><lld< th=""><th>N/A</th></lld<></th></lld<>	<lld< th=""><th>N/A</th></lld<>	N/A
2. Average Concentration Released	uCi/ml	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""><td></td></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""><td></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td></td></lld<></td></lld<>	<lld< td=""><td></td></lld<>	
3. Percent of Applicable Limit	%	*	*	*	*	

B. Tritium

1. Total Activity Released	Ci	<lld< th=""><th><lld< th=""><th><lld< th=""><th><lld< th=""><th>N/A</th></lld<></th></lld<></th></lld<></th></lld<>	<lld< th=""><th><lld< th=""><th><lld< th=""><th>N/A</th></lld<></th></lld<></th></lld<>	<lld< th=""><th><lld< th=""><th>N/A</th></lld<></th></lld<>	<lld< th=""><th>N/A</th></lld<>	N/A
2. Average Concentration Released	uCi/ml	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""><td></td></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""><td></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td></td></lld<></td></lld<>	<lld< td=""><td></td></lld<>	
3. Percent of Applicable Limit	%	*	*	*	*	

C. Dissolved Noble Gases

1. Total Activity Released	Ci	<lld< th=""><th><lld< th=""><th><lld< th=""><th><lld< th=""><th>N/A</th></lld<></th></lld<></th></lld<></th></lld<>	<lld< th=""><th><lld< th=""><th><lld< th=""><th>N/A</th></lld<></th></lld<></th></lld<>	<lld< th=""><th><lld< th=""><th>N/A</th></lld<></th></lld<>	<lld< th=""><th>N/A</th></lld<>	N/A
2. Average Concentration Released	uCi/ml	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""><td></td></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""><td></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td></td></lld<></td></lld<>	<lld< td=""><td></td></lld<>	
3. Percent of Applicable Limit	%	*	*	*	*	

D. Gross Alpha

1. Total Activity Released (estimate)	Ci	<lld< th=""><th><lld< th=""><th><lld< th=""><th><lld< th=""><th>N/A</th></lld<></th></lld<></th></lld<></th></lld<>	<lld< th=""><th><lld< th=""><th><lld< th=""><th>N/A</th></lld<></th></lld<></th></lld<>	<lld< th=""><th><lld< th=""><th>N/A</th></lld<></th></lld<>	<lld< th=""><th>N/A</th></lld<>	N/A
2. Average Concentration Released	uCi/ml	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""><td></td></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""><td></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td></td></lld<></td></lld<>	<lld< td=""><td></td></lld<>	
3. Percent of Applicable Limit	%	* .	*	*	*	

E. Volume of Liquid Waste to Discharge	liters	0.00E+00	0.00E+00	0.00E+00	0.00E+00	N/A
F. Volume of Dilution Water	liters	0.00E+00	0.00E+00	0.00E+00	0.00E+00	N/A

[&]quot;*" This information is contained in the Radiological Impact on Man section of the report.

[&]quot;<" Indicates activity of sample is less than LLD given in uCi/ml

LASALLE COUNTY NUCLEAR POWER STATION EFFLUENT AND WASTE DISPOSAL ANNUAL REPORT (2007) LIQUID RELEASES

UNIT 1 and UNIT 2 BATCH MODE

Nuclides From Batch Releases	Units	1st Qtr	2nd Qtr	3rd Qtr	4th Qtr
Trucker I for Butter I fellowses		150 Qu	2.1.0 \Qu	3.0 4	1 122 62
H-3	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Cr-51	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Mn-54	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Fe-55	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Co-58	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Fe-59	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Co-60	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Zn-65	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Sr-89	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Sr-90	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Nb-95	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Zr-95	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Mo-99	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Tc-99m	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Ag-110m	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Sb-122	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Sb-124	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
I-131	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Cs-134	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Cs-137	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Ba\La-140	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Ce-141	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Ce-144	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
W-187	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
TOTAL	Ci	None	None	None	None
	•				
Xe-131m	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Xe-133	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Xe-133m	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Xe-135	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Xe-135m	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
TOTAL	Ci	None	None	None	None

[&]quot;<" Indicates activity of sample is less than LLD given in uCi/ml

LASALLE COUNTY NUCLEAR POWER STATION EFFLUENT AND WASTE DISPOSAL ANNUAL REPORT (2007) LIQUID RELEASES UNIT 1 and UNIT 2 CONTINUOUS MODE

Nuclides From Continuous Releases	Units	1st Qtr	2nd Qtr	3rd Qtr	4th Qtr
	*			h	
Gross Alpha	Ci	<1.00E-07	<1.00E-07	<1.00E-07	<1.00E-07
H-3	Ci	<1.00E-05	<1.00E-05	<1.00E-05	<1.00E-05
Cr-51	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
Mn-54	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
Fe-55 (Estimate)	Ci	<1.00E-06	<1.00E-06	<1.00E-06	<1.00E-06
Co-58	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
Fe-59	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
Co-60	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
Zn-65	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
Sr-89 (Estimate)	Ci	<5.00E-08	<5.00E-08	<5.00E-08	<5.00E-08
Sr-90 (Estimate)	Ci	<5.00E-08	<5.00E-08	<5.00E-08	<5.00E-08
Nb-95	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
Zr-95	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
Mo-99	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
Tc-99m	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
Ag-110m	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
Sb-122	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
Sb-124	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
I-131	Ci	<1.00E-06	<1.00E-06	<1.00E-06	<1.00E-06
Cs-134	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
Cs-137	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
Ba\La-140	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
Ce-141	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
Ce-144	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
W-187	Ci	<5.00E-07	<5.00E-07	<5.00E-07	<5.00E-07
TOTAL	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>
Xe-131m	Ci	<1.00E-05	<1.00E-05	<1.00E-05	<1.00E-05
Xe-133	Ci	<1.00E-05	<1.00E-05	<1.00E-05	<1.00E-05
Xe-133m	Ci	<1.00E-05	<1.00E-05	<1.00E-05	<1.00E-05
Xe-135	Ci	<1.00E-05	<1.00E-05	<1.00E-05	<1.00E-05
Xe-135m	Ci	<1.00E-05	<1.00E-05	<1.00E-05	<1.00E-05
TOTAL	Ci	<lld< td=""><td><lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""><td><lld< td=""></lld<></td></lld<></td></lld<>	<lld< td=""><td><lld< td=""></lld<></td></lld<>	<lld< td=""></lld<>

[&]quot;<" Indicates activity of sample is less than LLD given in uCi/ml

SOLID WASTE AND IRRADIATED FUEL SHIPMENTS

EFFLUENT AND WASTE DISPOSAL ANNUAL REPORT (2007) SOLID WASTE AND IRRADIATED FUEL SHIPMENTS FIRST QUARTER

A. SOLID WASTE SHIPPED OFFSITE FOR BURIAL OR DISPOSAL

1.	Spent resins, filter sludges,
	evaporator bottoms, etc.

a.	Quantity shipped cu.m.	0.00E+00
b.	Total activity Ci	0.00E+00
c.	Major nuclides (estimate %)	N/A
d.	Shipment type	N/A

2. Dry compressible waste, contaminated equipment, etc.

a.	Quantity shipped	cu.m.	2.74E+02
b.	Total activity	Ci	2.90E+00

c. Major nuclides (estimate %)

7.12E+01
1.97E+01
6.06E+00
7.70E-01
4.13E-01

d. Shipment type LSA

3. Irradiated Components

a.	Quantity shipped cu.m.	0.00E+00
b.	Total activity Ci	0.00E+00
c.	Major nuclides (estimate %)	N/A
d.	Shipment type	N/A

EFFLUENT AND WASTE DISPOSAL ANNUAL REPORT (2007) SOLID WASTE AND IRRADIATED FUEL SHIPMENTS FIRST QUARTER

4.	Other		
	a.	Quantity shipped cu.m.	0.00E+00
	b.	Total activity Ci	0.00E+00
	c.	Major nuclides (estimate %)	N/A
	d.	Shipment type	N/A

5. Solid Waste Disposition

	Number of Shipments	Transportation Mode	<u>Destination</u>
	1.	Truck	ALARON Corporation
	5	Truck	Duratek - Bear Creek
TOTAL THIS QUARTER	6		

Estimated total error % for spent resins, filter sludges, evaporator bottoms, etc. (Jan-Mar) 2.50E+01

Estimated total error % for dry compressible waste, contaminated equipment, etc. (Jan-Mar) 2.50E+01

Estimated total error % for irradiated components (Jan-Mar) N/A

B. IRRADIATED FUEL SHIPMENTS

None

EFFLUENT AND WASTE DISPOSAL ANNUAL REPORT (2007) SOLID WASTE AND IRRADIATED FUEL SHIPMENTS SECOND QUARTER

A. SOLID WASTE SHIPPED OFFSITE FOR BURIAL OR DISPOSAL

1. Spent resins, filter sludges, evaporator bottoms, etc.

2.

d.

Shipment type

Cvup	orator bottoms, etc.			
a.	Quantity shipped	cu.m.		7.88E+00
b.	Total activity	Ci		2.31E+01
c.	Major nuclides (esti	mate %)		
		Fe-55 Co-60 Mn-54 Cr-51 Fe-59	6.02E+01 1.74E+01 1.29E+01 3.32E+00 2.65E+00	
d.	Shipment type			LSA, Type A
e.	Solidification ag	gent		None
-	compressible waste, aminated equipment,	etc.		
a.	Quantity shipped	d cu.m.		1.04E+02
b.	Total activity	Ci		3.25E-02
c.	Major nuclides (Major nuclides (estimate %)		
		Co-60 Fe-55 Mn-54 H-3 Ni-63	7.00E+01 1.93E+01 5.93E+00 1.84E+00 7.57E-01	

LSA

EFFLUENT AND WASTE DISPOSAL ANNUAL REPORT (2007) SOLID WASTE AND IRRADIATED FUEL SHIPMENTS SECOND QUARTER

3. Irradiated Components (CRD Blades, LPRM Strings, SRM's)

a.	Quantity shippe	d cu.m.		4.99E-01
b.	Total activity	Ci		5.75E+04
c.	Major nuclides	(estimate %)		
		Co-60 Fe-55	4.93E+01 4.45E+01	
		Ni-63	3.66E+00	
		Mn-54	1.66E+00	
		Cr-51	3.65E-01	
d.	Shipment type	·		Class C

4. Other

a.	Quantity shipped cu.m.	0.00E+00
b.	Total activity Ci	0.00E+00
c.	Major nuclides (estimate %)	N/A
d.	Shipment type	N/A

5. Solid Waste Disposition

	Number of Shipments	Transportation Mode	Destination
	3	Truck	Barnwell Waste
	9	Truck	Management Facility Duratek-Bear Creek
TOTAL THIS QUARTER	12		

 $Estimated\ total\ error\ \%\ for\ spent\ resins,\ filter\ sludges,\ evaporator\ bottoms,\ etc.\ (Apr-Jun)\ \ 2.50E+01$

Estimated total error % for dry compressible waste, contaminated equipment, etc. (Apr-Jun) 2.50E+01

Estimated total error % for irradiated components (Apr-Jun) 2.50E+01

B. IRRADIATED FUEL SHIPMENTS

None

EFFLUENT AND WASTE DISPOSAL ANNUAL REPORT (2007) SOLID WASTE AND IRRADIATED FUEL SHIPMENTS THIRD QUARTER

A. SOLID WASTE SHIPPED OFFSITE FOR BURIAL OR DISPOSAL

1.	Spent resins, filter sludges, evaporator bottoms, etc.

					6 505 01
	a.	Quantity shipped		cu.m.	6.73E+01
	b.	Total activity		Ci	6.47E+01
	c.	Major nuclides	s (estimate %	6)	
		Fe-55 Co-60 Mn-54 Cr-51 Fe-59	5.69E+01 2.01E+01 1.22E+01 3.29E+00 2.57E+00		
	d.	Shipment type		LSA, Class A	
	e.	Solidification a	agent		N/A
2.	Dry compressible	le waste, contaminated equipment, etc.		ment, etc.	
	a.	Quantity shipp	ed	cu.m.	3.28E+02
	b.	Total activity Major nuclides (estimate %		Ci	6.52E-02
	c. -			6)	
		Fe-55 1.9 Mn-54 5.7 H-3 2.8	4E+01 1E+01 7E+00 9E+00 3E-01		
	d.	Shipment type		LSA	

EFFLUENT AND WASTE DISPOSAL ANNUAL REPORT (2007) SOLID WASTE AND IRRADIATED FUEL SHIPMENTS THIRD QUARTER

3. Irradiated Components (CRD Blades, LPRM Strings, SRM's)

	a. ·	Quantity shipped	•	cu.m.	1.90E-01
	b.	Total activity	•	Ci	2.56E+04
	c.	Major nuclides (estima	ite %)		
		Co-60 5.08E+01 Fe-55 4.34E+01 Ni-63 3.59E+00 Mn-54 1.44E+00 Cr-51 2.19E-01			
	d.	Shipment type		Class C	
4.	Other				
	a.	Quantity shipped	cu.m	l.	0.00E+00
	b	Total activity	Ci		0.00E+00
	c.	Major nuclides (estima	ite %)		N/A
	d.	Shipment type			N/A

5. Solid Waste Disposition

•	Number of Shipments	Transportation Mode	Destination
	8	Truck	Energy Solutions, LLC. (Containerized)
·	1	Truck	Barnwell Waste Management Facility
	4	Truck	Duratek-Gallaher Rd, TN
•	11	Truck	Duratek – Bear Creek
TOTAL THIS QUARTER	24		

Estimated total error % for spent resins, filter sludges, evaporator bottoms, etc. (Jul-Sep) 2.50E+01

Estimated total error % for dry compressible waste, contaminated equipment, etc. (Jul-Sep) 2.50E+01

Estimated total error % for irradiated components (Jul-Sep) 2.50E+01

B. IRRADIATED FUEL SHIPMENTS

None

EFFLUENT AND WASTE DISPOSAL ANNUAL REPORT (2007) SOLID WASTE AND IRRADIATED FUEL SHIPMENTS FOURTH QUARTER

		FOURTH QUARTER				
A.	SOLII	O WASTE SHIPPED OFFSITE FOR BURIAL	OR DISPOSAL			
	1.	Spent resins, filter sludges, evaporator bottoms, etc.				
		a. Quantity shipped	cu.m. 2.24E+01			
		b. Total activity	Ci 1.65E+02			
		c. Major nuclides (estimate %)				
	·	Co-60 5.79E+01 Fe-55 3.19E+01 Cs-137 4.78E+00 Ni-63 1.73E+00 Mn-54 1.48E+00) 			
		d. Shipment type	LSA, Class A			
		e. Solidification agent	None			
2.	Dry compressible waste, contaminated equipment, etc.					
	a.	Quantity shipped cu.m.	2.99E+02			
	b.	Total activity Ci	1.75E-01			
	c.	Major nuclides (estimate %)				
		Co-60 7.06E+01 Fe-55 1.95E+01 Mn-54 5.96E+00 H-3 9.83E-01 Ni-63 7.64E-01	· .			
	đ.	Shipment type	LSA			
3.	Irradia	ated Components				
	a.	Quantity shipped cu.m.	0.00E+00			
	b.	Total activity Ci	0.00E+00			
	c.	Major nuclides (estimate %)	N/A			

N/A

d.

Shipment type

EFFLUENT AND WASTE DISPOSAL ANNUAL REPORT (2007) SOLID WASTE AND IRRADIATED FUEL SHIPMENTS FOURTH QUARTER

4.	Other
4.	Other

a.	Quantity shipped cu.m.	0.00E+00
b.	Total activity Ci	0.00E+00
c.	Major nuclides (estimate %)	N/A
d.	Shipment type	N/A

5. Solid Waste Disposition

	Number of Shipments	Transportation Mode	Destination
	7	Truck	Duratek-Bear Creek
	5	Truck	Energy Solutions, LLC. (Containerized)
	1	Truck	Studsvik Processing Facility,
TOTAL THIS QUARTER	13		LLC.

Estimated total error % for spent resins, filter sludges, evaporator bottoms, etc. (Oct-Dec) 2.50E+01

Estimated total error % for dry compressible waste, contaminated equipment, etc. (Oct-Dec) 2.50E+01

Estimated total error % for other irradiated components (Oct-Dec) N/A

B. IRRADIATED FUEL SHIPMENTS

None

RADIOLOGICAL IMPACT ON MAN MAXIMUM DOSES RESULTING FROM RELEASES AND COMPLIANCE STATUS

STATION: LASALLE STATION

UNIT: 1

PERIOD: 01/01/07 12/31/07

NAME: ODCMLAS REPORT: ANNUAL MODE: ACTUAL

ACTUAL 2007 MAXIMUM DOSES RESULTING FROM AIRBORNE RELEASES PERIOD OF RELEASE - 01/01/07 TO 12/31/07 CALCULATED 03/24/08 INFANT RECEPTOR

TYPE .	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
GAMMA AIR (MRAD) BETA AIR (MRAD) TOT. BODY (MREM) SKIN (MREM) ORGAN (MREM)	1.22E-02 (WSW) 3.63E-04 (ESE) 9.20E-03 (WSW) 9.65E-03 (WSW) 2.32E-03 (ESE)	1.27E-02 (WSW) 3.57E-04 (ESE) 9.63E-03 (WSW) 1.01E-02 (WSW) 3.78E-02 (ESE)	1.07E-02 (WSW) 3.25E-04 (ESE) 8.12E-03 (WSW) 8.52E-03 (WSW) 6.94E-02 (ESE)	1.45E-02 (WSW) 3.81E-04 (ESE) 1.10E-02 (WSW) 1.15E-02 (WSW) 2.17E-02 (ESE)	5.02E-02 (WSW) 1.43E-03 (ESE) 3.79E-02 (WSW) 3.98E-02 (WSW) 1.31E-01 (ESE)
THIS IS A REF	THYROID PORT FOR THE (THYROID CALENDAR YEA	THYROID AR 2007	THYROID	THYROID

COMPLIANCE STATUS - 10CFR 50 APP. I INFANT RECEPTOR

----- % OF APP I. -----

	QTRLY	1ST QTR	2ND QTR	3RD QTR	4TH QTR	YRLY	% OF
	OBJ	JAN-MAR	APR-JUN	JUL-SEP	OCT-DEC	OBJ	APP. I
GAMMA AIR (MRAD)	5.0	0.24	0.25	0.21	0.29	10.0	0.50
BETA AIR (MRAD)	10.0	0.00	0.00	0.00	0.00	20.0	0.01
TOT. BODY (MREM)	2.5	0.37	0.39	0.32	0.44	5.0	0.76
SKIN (MREM)	7.5	0.13	0.13	0.11	0.15	15.0	0.27
ORGAN (MREM)	7.5	0.03	0.50	0.93	0.29	15.0	0.87
				· ·			

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001 ODCM SOFTWARE VERSION 1.1 January 1995 ODCM DATABASE VERSION 1.1 January 1995

THYROID THYROID THYROID THYROID

ACTUAL 2007

MAXIMUM DOSES RESULTING FROM AIRBORNE RELEASES PERIOD OF RELEASE - 01/01/07 TO 12/31/07 CALCULATED 03/24/08 CHILD RECEPTOR

TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
GAMMA AIR (MRAD) BETA AIR (MRAD) TOT. BODY (MREM) SKIN (MREM) ORGAN (MREM)	1.22E-02 (WSW) 3.63E-04 (ESE) 9.20E-03 (WSW) 9.65E-03 (WSW) 1.94E-03 (NNE)	1.27E-02 (WSW) 3.57E-04 (ESE) 9.63E-03 (WSW) 1.01E-02 (WSW) 4.22E-02 (NNE)	1.07E-02 (WSW) 3.25E-04 (ESE) 8.12E-03 (WSW) 8.52E-03 (WSW) 7.71E-02 (NNE)	1.45E-02 (WSW) 3.81E-04 (ESE) 1.10E-02 (WSW) 1.15E-02 (WSW) 2.63E-02 (NNE)	5.02E-02 (WSW) 1.43E-03 (ESE) 3.79E-02 (WSW) 3.98E-02 (WSW) 1.47E-01 (NNE)
THIS IS A REPO	THYROID RT FOR THE (THYROID	THYROID AR 2007	THYROID	THYROID

COMPLIANCE STATUS - 10CFR 50 APP. I CHILD RECEPTOR

----- % OF APP I. -----

	QTRLY OBJ	1ST QTR JAN-MAR	2ND QTR APR-JUN	3RD QTR JUL-SEP	4TH QTR OCT-DEC	YRLY OBJ	% OF APP. I
GAMMA AIR (MRAD)	5.0	0.24	0.25	0.21	0.29	10.0	0.50
BETA AIR (MRAD)	10.0	0.00	0.00	0.00	0.00	20.0	0.01
TOT. BODY (MREM)	2.5	0.37	0.39	0.32	0.44	5.0	0.76
SKIN (MREM)	7.5	0.13	0.13	0.11	0.15	15.0	0.27
ORGAN (MREM)	7.5	0.03	0.56	1.03	0.35	15.0	0.98
		THYROID	THYROID	THYROID	THYROID		THYROID

ACTUAL 2007 MAXIMUM DOSES RESULTING FROM AIRBORNE RELEASES PERIOD OF RELEASE - 01/01/07 TO 12/31/07 CALCULATED 03/24/08 TEENAGER RECEPTOR

TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
GAMMA AIR (MRAD) BETA AIR (MRAD) TOT. BODY (MREM) SKIN (MREM) ORGAN (MREM)	1.22E-02 (WSW) 3.63E-04 (ESE) 9.20E-03 (WSW) 9.65E-03 (WSW) 1.44E-03 (NNE)	1.27E-02 (WSW) 3.57E-04 (ESE) 9.63E-03 (WSW) 1.01E-02 (WSW) 2.60E-02 (NNE)	1.07E-02 (WSW) 3.25E-04 (ESE) 8.12E-03 (WSW) 8.52E-03 (WSW) 4.73E-02 (NNE)	1.45E-02 (WSW) 3.81E-04 (ESE) 1.10E-02 (WSW) 1.15E-02 (WSW) 1.64E-02 (NNE)	5.02E-02 (WSW) 1.43E-03 (ESE) 3.79E-02 (WSW) 3.98E-02 (WSW) 9.12E-02 (NNE)
THIS IS A REPO	THYROID ORT FOR THE (THYROID CALENDAR YEA	THYROID AR 2007	THYROID	THYROID

COMPLIANCE STATUS - 10CFR 50 APP. I TEENAGER RECEPTOR

----- % OF APP I. -----

	QTRLY OBJ	1ST QTR JAN-MAR	2ND QTR APR-JUN	3RD QTR JUL-SEP	4TH QTR OCT-DEC	YRLY OBJ	% OF APP. I
GAMMA AIR (MRAD)	5.0	0.24	0.25	0.21	0.29	10.0	0.50
•	5.0						
BETA AIR (MRAD)	10.0	0.00	0.00	0.00	0.00	20.0	0.01
TOT. BODY (MREM)	2.5	0.37	0.39	0.32	0.44	5.0	0.76
SKIN (MREM)	7.5	0.13	0.13	0.11	0.15	15.0	0.27
ORGAN (MREM)	7.5	0.02	0.35	0.63	0.22	15.0	0.61
		THYROID	THYROID	THYROID	THYROID		THYROID

ACTUAL 2007 MAXIMUM DOSES RESULTING FROM AIRBORNE RELEASES PERIOD OF RELEASE - 01/01/07 TO 12/31/07 CALCULATED 03/24/08 ADULT RECEPTOR

TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
GAMMA AIR (MRAD)	1.22E-02 (WSW)	1.27E-02 (WSW)	1.07E-02 (WSW)	1.45E-02 (WSW)	5.02E-02 (WSW)
BETA AIR	3.63E-04	3.57E-04	3.25E-04	3.81E-04	1.43E-03
(MRAD)	(ESE)	(ESE)	(ESE)	(ESE)	(ESE)
TOT. BODY	9.20E-03	9.63E-03	8.12E-03	1.10E-02	3.79E-02
(MREM)	(WSW)	(WSW)	(WSW)	(WSW)	(WSW)
SKIN	9.65E-03	1.01E-02	8.52E-03	1.15E-02	3.98E-02
(MREM)	(WSW)	(WSW)	(WSW)	(WSW)	(WSW)
ÓRGAN	1.58E-03	2.67E-02	4.85E-02	1.67E-02	9.35E-02
(MREM)	(NNE)	(NNE)	(NNE)	(NNE)	(NNE)
,	THYROID	THYROID	THYROID	THYROID	THYROID
THIS IS A REPOR	RT FOR THE C	CALENDAR YEA	AR 2007		

COMPLIANCE STATUS - 10CFR 50 APP. I ADULT RECEPTOR

----- % OF APP I. -----

GAMMA AIR (MRAD) BETA AIR (MRAD) TOT. BODY (MREM) SKIN (MREM) ORGAN (MREM)	QTRLY OBJ 5.0 10.0 2.5 7.5	1ST QTR JAN-MAR 0.24 0.00 0.37 0.13 0.02	2ND QTR APR-JUN 0.25 0.00 0.39 0.13 0.36	3RD QTR JUL-SEP 0.21 0.00 0.32 0.11 0.65	4TH QTR OCT-DEC 0.29 0.00 0.44 0.15 0.22	YRLY OBJ 10.0 20.0 5.0 15.0	% OF APP. I 0.50 0.01 0.76 0.27 0.62
		THYROID	THYROID	THYROID	THYROID		THYROID

AQUATIC Effluents- 10CFR50 Listing

24-mar-2008 18:45:06

STATION: LASALLE STATION

UNIT: 1

PERIOD: 01/01/07 12/31/07

NAME: ODCMLAS REPORT: ANNUAL MODE: ACTUAL

ACTUAL 2007

MAXIMUM DOSES (MREM) RESULTING FROM AQUATIC EFFLUENTS PERIOD OF RELEASE - 01/01/07 TO 12/31/07 CALCULATED 03/24/08 INFANT RECEPTOR

DOSE TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
TOTAL BODY	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INTERNAL ORGAN	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

THIS IS A REPORT FOR THE CALENDAR YEAR 2007

COMPLIANCE STATUS - 10 CFR 50 APP. I

----- % OF APP I. -----

	QTRLY OBJ	~	2ND QTR APR-JUN	3RD QTR JUL-SEP	~	YRLY OBJ	% OF APP. I
TOTAL BODY (MREM	1.5	0.00	0.00	0.00	0.00	3.0	0.00
CRIT. ORGAN (MREM	5.0	0.00	0.00	0.00	0.00	10.0	0.00

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001

ODCM SOFTWARE VERSION 1.1 January 1995

2007 ANNUAL REPORT

PROJECTED DOSE AT NEAREST COMMUNITY WATER SYSTEM * PERIOD OF RELEASE - 01/01/07 TO 12/31/07 CALCULATED 03/24/08 INFANT RECEPTOR

DOSE TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
TOTAL BODY	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INTERNAL ORGAN	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

THIS IS A REPORT FOR THE CALENDAR YEAR 2007

COMPLIANCE STATUS - 40 CFR 141

TYPE	ANNUAL LIMIT	% OF LIMIT
TOTAL	4.0 MREM	0.000
BODY		
INTERNAL	4.0 MREM	0.000
ORGAN		

^{*} THIS CALCULATION OF DOSE IS BASED ON TECHNIQUES DESCRIBED IN THE COMMONWEALTH EDISON OFFSITE DOSE CALCULATION MANUAL. THESE TECHNIQUES DIFFER FROM THOSE DESCRIBED IN 40 CFR 141.

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001

ODCM SOFTWARE VERSION 1.1 January 1995

ACTUAL 2007

MAXIMUM DOSES (MREM) RESULTING FROM AQUATIC EFFLUENTS PERIOD OF RELEASE - 01/01/07 TO 12/31/07 CALCULATED 03/24/08 CHILD RECEPTOR

DOSE TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
TOTAL BODY	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INTERNAL ORGAN	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

THIS IS A REPORT FOR THE CALENDAR YEAR 2007

COMPLIANCE STATUS - 10 CFR 50 APP. I

----- % OF APP I. -----

	QTRLY OBJ	1ST QTR JAN-MAR	2ND QTR APR-JUN	3RD QTR JUL-SEP	4TH QTR OCT-DEC	YRLY OBJ	% OF APP. I
TOTAL BODY (MREM) 1.5	0.00	0.00	0.00	0.00	3.0	0.00
CRIT. ORGAN (MREM) 5.0	0.00	0.00	0.00	0.00	10.0	0.00

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001

ODCM SOFTWARE VERSION 1.1 January 1995

2007 ANNUAL REPORT

PROJECTED DOSE AT NEAREST COMMUNITY WATER SYSTEM * PERIOD OF RELEASE - 01/01/07 TO 12/31/07 CALCULATED 03/24/08 CHILD RECEPTOR

DOSE TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
TOTAL BODY	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INTERNAL ORGAN	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

THIS IS A REPORT FOR THE CALENDAR YEAR 2007

COMPLIANCE STATUS - 40 CFR 141

TYPE	ANNUAL LIMIT	% OF LIMIT
TOTAL	4.0 MREM	0.000
BODY INTERNAL	4.0 MREM	0.000
ORGAN		

^{*} THIS CALCULATION OF DOSE IS BASED ON TECHNIQUES DESCRIBED IN THE COMMONWEALTH EDISON OFFSITE DOSE CALCULATION MANUAL. THESE TECHNIQUES DIFFER FROM THOSE DESCRIBED IN 40 CFR 141.

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001

ODCM SOFTWARE VERSION 1.1 January 1995

ACTUAL 2007

MAXIMUM DOSES (MREM) RESULTING FROM AQUATIC EFFLUENTS PERIOD OF RELEASE - 01/01/07 TO 12/31/07 CALCULATED 03/24/08 TEENAGER RECEPTOR

DOSE TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
TOTAL BODY	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INTERNAL ORGAN	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

THIS IS A REPORT FOR THE CALENDAR YEAR 2007

COMPLIANCE STATUS - 10 CFR 50 APP. I

----- % OF APP I. -----

	QTRLY OBJ	~	~	3RD QTR JUL-SEP	~	YRLY OBJ	% OF APP. I
TOTAL BODY (MREM	1) 1.5	0.00	0.00	0.00	0.00	3.0	0.00
CRIT. ORGAN (MREM	1) 5.0	0.00	0.00	0.00	0.00	10.0	0.00

RESULTS BASED UPON: ODCM ANN

ODCM ANNEX REVISION 3.0 MAY 2001

ODCM SOFTWARE VERSION 1.1 January 1995

2007 ANNUAL REPORT

PROJECTED DOSE AT NEAREST COMMUNITY WATER SYSTEM * PERIOD OF RELEASE - 01/01/07 TO 12/31/07 CALCULATED 03/24/08 TEENAGER RECEPTOR

DOSE TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
TOTAL BODY	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INTERNAL ORGAN	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

THIS IS A REPORT FOR THE CALENDAR YEAR 2007

COMPLIANCE STATUS - 40 CFR 141

TYPE	ANNUAL LIMIT	% OF LIMIT
TOTAL BODY	4.0 MREM	0.000
INTERNAL ORGAN	4.0 MREM	0.000

^{*} THIS CALCULATION OF DOSE IS BASED ON TECHNIQUES DESCRIBED IN THE COMMONWEALTH EDISON OFFSITE DOSE CALCULATION MANUAL. THESE TECHNIQUES DIFFER FROM THOSE DESCRIBED IN 40 CFR 141.

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001

ODCM SOFTWARE VERSION 1.1 January 1995

ACTUAL 2007

MAXIMUM DOSES (MREM) RESULTING FROM AQUATIC EFFLUENTS PERIOD OF RELEASE - 01/01/07 TO 12/31/07 CALCULATED 03/24/08 ADULT RECEPTOR

DOSE TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
TOTAL BODY	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INTERNAL ORGAN	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

THIS IS A REPORT FOR THE CALENDAR YEAR 2007

COMPLIANCE STATUS - 10 CFR 50 APP. I

----- % OF APP I. -----

	QTRLY OBJ	~	2ND QTR APR-JUN	~	~		
TOTAL BODY (MREM)	1.5	0.00	0.00	0.00	0.00	3.0	0.00
CRIT. ORGAN(MREM)	5.0	0.00	0.00	0.00	0.00	10.0	0.00

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001

ODCM SOFTWARE VERSION 1.1 January 1995

2007 ANNUAL REPORT

PROJECTED DOSE AT NEAREST COMMUNITY WATER SYSTEM * PERIOD OF RELEASE - 01/01/07 TO 12/31/07 CALCULATED 03/24/08

ADULT RECEPTOR

DOSE TYPE	1ST QUARTER JAN-MAR	2ND QUARTER APR-JUN	3RD QUARTER JUL-SEP	4TH QUARTER OCT-DEC	ANNUAL
TOTAL BODY	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
INTERNAL ORGAN	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

THIS IS A REPORT FOR THE CALENDAR YEAR 2007

COMPLIANCE STATUS - 40 CFR 141

TYPE	ANNUAL LIMIT	% OF LIMIT
TOTAL	4.0 MREM	0.000
BODY INTERNAL	4.0 MREM	0.000
ORGAN		

* THIS CALCULATION OF DOSE IS BASED ON TECHNIQUES DESCRIBED IN THE COMMONWEALTH EDISON OFFSITE DOSE CALCULATION MANUAL. THESE TECHNIQUES DIFFER FROM THOSE DESCRIBED IN 40 CFR 141.

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001

ODCM SOFTWARE VERSION 1.1 January 1995

Total Effective Dose Equivalent - 10CFR20 Listing

STATION: LASALLE STATION

UNIT: 1

PERIOD: 01/01/07 12/31/07

NAME: ODCMLAS REPORT: ANNUAL MODE: ACTUAL

For ADULT dose calculations, the included pathways are:

INHALATION

MILK

PRODUCE

VEGETABLES

MEAT

GROUND DEPOSITION

FISH

WATER

SKYSHINE

WHOLE BODY

Airborne Effluents are complete from 01/01/07 to 12/31/07 Aquatic Effluents are complete from 01/01/07 to 12/31/07 Skyshine entries are complete from 01/01/07 to 12/31/07

10 CFR 20 COMPLIANCE ASSESSMENT

PERIOD OF ASSESSMENT 01/01/07 TO 12/31/07

CALCULATED 03/24/08

TEDE

1. 10 CFR 20.1301 (a)(1) Compliance

Total Effective Dose Eqivalent, mrem/yr 3.95E-01

10 CFR 20.1301 (a)(1) limit mrem/yr 100.0

% of limit 0.39

Compliance Summary - 10CFR20

1st 2nd 3rd 4th % of Qtr Qtr Qtr Limit 9.79E-02 9.95E-02 1.01E-01 9.66E-02 0.39

LASALLE STATION UNIT ONE

10 CFR 20 COMPLIANCE ASSESSMENT

PERIOD OF ASSESSMENT 01/01/07 TO 12/31/07

CALCULATED 03/24/08

2. 10 CFR 20.1301 (d)/40 CFR 190 Compliance

		Dose (mrem)	Limit (mrem)	% of Limit
Whole Body	Plume	3.79E-02		
(DDE)	Skyshine	3.43E-01		
	Ground	7.25E-04		
	Total	3.82E-01	25.0	1.53
Organ Dose .	Thyroid	8.22E-02	75.0	0.11
(CDE)	Gonads	1.08E-02	25.0	0.04
	Breast	1.08E-02	25.0	0.04
	Lung	1.08E-02	25.0	0.04
	Marrow	1.08E-02	25.0	0.04
	Bone	1.08E-02	25.0	0.04
	Remainder	1.09E-02	25.0	0.04
	CEDE	1.30E-02		
	TEDE	3.95E-01	100.0	0.39

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001
ODCM SOFTWARE VERSION 1.1 January 1995
ODCM DATABASE VERSION 1.1 January 1995

Total Effective Dose Equivalent - 10CFR20 Listing

STATION: LASALLE STATION

UNIT: 2

PERIOD: 01/01/07 12/31/07

NAME: ODCMLAS REPORT: ANNUAL MODE: ACTUAL

For ADULT dose calculations, the included pathways are:

INHALATION

MILK PRODUCE VEGETABLES MEAT

GROUND DEPOSITION

FISH
WATER
SKYSHINE
WHOLE BODY

Airborne Effluents are complete from to
Aquatic Effluents are complete from to

Skyshine entries are complete from 01/01/07 to 12/31/07

LASALLE STATION UNIT TWO

10 CFR 20 COMPLIANCE ASSESSMENT

PERIOD OF ASSESSMENT 01/01/07 TO 12/31/07

CALCULATED 03/24/08

10 CFR 20.1301 (a)(1) Compliance 1.

TEDE

Total Effective Dose Eqivalent, mrem/yr 3.31E-01

10 CFR 20.1301 (a)(1) limit mrem/yr 100.0

> % of limit 0.33

Compliance Summary - 10CFR20

1st 2nd 3rd 4th % of Qtr Limit Qtr Qtr Qtr . 6.50E-02 8.85E-02 8.76E-02 9.02E-02

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001 ODCM SOFTWARE VERSION 1.1 January 1995

ODCM DATABASE VERSION 1.1 January 1995

LASALLE STATION UNIT TWO

10 CFR 20 COMPLIANCE ASSESSMENT

PERIOD OF ASSESSMENT 01/01/07 TO 12/31/07

CALCULATED 03/24/08

2. 10 CFR 20.1301 (d)/40 CFR 190 Compliance

		Dose (mrem)	Limit (mrem)	% of Limit
Whole Body	Plume	0.00E+00		
(DDE)	Skyshine	3.31E-01		
	Ground	0.00E+00		
	Total	3.31E-01	25.0	1.33
Organ Dogo	Thyroid	0.00E+00	75.0	0.00
Organ Dose	myrord	0.00E+00	75.0	0.00
(CDE)	Gonads	0.00E+00	25.0	0.00
	Breast	0.00E+00	25.0	0.00
	Lung	0.00E+00	25.0	0.00
	Marrow	0.00E+00	25.0	0.00
	Bone	0.00E+00	25.0	0.00
	Remainder	0.00E+00	25.0	0.00
	CEDE	0.00E+00		
	TEDE	3.31E-01	100.0	0.33

RESULTS BASED UPON: ODCM ANNEX REVISION 3.0 MAY 2001

ODCM SOFTWARE VERSION 1.1 January 1995

ODCM DATABASE VERSION 1.1 January 1995

EFFLUENT AND WASTE DISPOSAL ANNUAL REPORT (2007)

METEOROLOGICAL DATA

Period of Record: January - March 2007
Stability Class - Extremely Unstable - 200Ft-33Ft Delta-T (F)
Winds Measured at 33 Feet

Wind Speed (in mph)

	wild Speed (III mpi)								
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total		
N	0	4	13	2	0	0	19		
NNE	0	8	12	3	2	0	25		
NE	0	1	10	20	6	2	39		
ENE	0	3	4	24	3	1	35		
Е	1	7	5	15	17	2	47		
ESE	0	3	5	22	4	2	36		
SE	0	0	6	1	3	0	10		
SSE	0	0	4	1	1	0	6		
S	0	0	1	5	0	0	6		
SSW	0	1	6	7	5	1	20		
SW	0	3	8	12	7	0	30		
WSW	0	2	4	7	9	0	22		
W	0	1	11	13	12	1	38		
WNW	0	1	10	16	16	4	47		
NW	0	1	15	6	4	. 0	26		
NNW	0	3	23	13	0	0	. 39		
Variable	0	0	0	0	. 0	0	0		
Total	1	38	137	167	89	13	445		

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: January - March 2007 Stability Class - Moderately Unstable - 200Ft-33Ft Delta-T (F) Winds Measured at 33 Feet

Wind Speed (in mph)

		Wa	•				
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total
N	1	0	1	2	1	0	· 5
NNE	0	1	7	1	0	0	9
NE	0	0	7	1	2	1	11
ENE	0	0	2	1	1	0 .	4
E	0	0	0	3	0	1	4
ESE	0	0	1	3	2	0	6
SE	0	0	4	0	1	0	5
SSE	0	0	0	0	0	0	0
S	0	0	1	1	0	0	2
SSW	0	0	7	3	0	0	10
SW	0	0	6	8	1	0	15
WSW	0	0	3	6	3	2	14
W	0	0	8	10	3	2	23
WNW	0	1	7	7	21	2	38
NW	0	0	6	7	2	0	15
NNW	0	1	5	10	0	0	16
Variable	0	0	0	0	0	0	0
Total	1	3	65	63	37	8	177

Hours of calm in this stability class: 0

Hours of missing stability measurements in all stability classes:

Period of Record: January - March 2007 Stability Class - Slightly Unstable - 200Ft-33Ft Delta-T (F) Winds Measured at 33 Feet

Wind Speed (in mph)

Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	0	2	2	0	2	0	, 6			
NNE	0	0	5	0	0	0	5			
NE	0	0	1	. 5	4	. 0	10			
ENE	0	1	2	3	. 3	0	. 9			
E	0	0	2	7	2	0	11			
ESE	0	0	3	5	2	0	10			
SE	0	1	1	1	0	0	3			
SSE	0	0	. 0	1	1	0	2			
S	. 0	1	9	3	0	0	13			
SSW	0	2	5	5	0	0	12			
SW	0	2	7	5	1	0	15			
WSW	0	1	2	6	2	4	15			
W	0	2	12	18	6	0	38			
WNW	0	3	7	3	20	1	34			
NW	0	1	5	5	1	0	12			
NNW	0	0	1	3	0	0	4			
Variable	0	0	0	0	0	0	0			
Total	0	16	64	70	44	5	199			

Hours of calm in this stability class:

Hours of missing wind measurements in this stability class: 0

Period of Record: January - March 2007
Stability Class - Neutral - 200Ft-33Ft Delta-T (F)

Winds Measured at 33 Feet

Wind Speed (in mph)

Wind	• • • • • • • • • • • • • • • • • • • •								
Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total		
N	0	4	7	10	1	0	22		
NNE	0	5	4	1	0	0	10		
NE	0	1	11	3	0	0	15		
ENE	2	2	9	10	0	0	23		
E	1	2	18	17	13	8	. 59		
ESE	1	6	10	7	3	. 0	27		
SE	0	4	2	11	0	0	17		
SSE	0	. 7	9	4	2	0	22		
S	0	3	7	4	3	. 0	17		
SSW	0	4	8	21	14	1	48		
SW	2	2	24	32	14	0	74		
WSW	0	6	11	16	3	11	47		
W	. 0	1	26	27	6	8	68		
WNW	0	2	33	43	34	5	117		
NW	0	1	29	19	1	0	50		
NNW	0	5	23	10	7 .	. 0	45		
Variable	0	0	0	0	0	0	0		
							`		
Total	6	55	231	235	101	33	661		

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 2

Period of Record: January - March 2007 Stability Class - Slightly Stable - 200Ft-33Ft Delta-T (F) Winds Measured at 33 Feet

Wind Speed (in mph)

Wind			-				
Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total
N	1	7	3	2	0	0	13
NNE	2	7	2	0	0	0	11
NE	0	0	4	0	0	0	4
ENE	0 .	1	5	0	0	0	6
E	0	2	11	0	0	0	13
ESE	0	4	4	3	0	0	11
SE	0	1	2	0	0	0	3
SSE	0	3	2	5	2	0	12
S	0	4	4	12	8	2	30
SSW	0	2	10	25	14	2	53
SW .	1	6	20	26	12	2	67
WSW	2	2	16	4	3	0	27
W	1	7	22	10	1	0	41
WNW	2	9	28	15	. 7	0	61
NW	0	11	26	7	0	0	44
NNW	0	1	7	1	0	0	9
Variable	0	0	0	0	0	0	0
Total	9	67	166	110	47	6	405

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: January - March 2007
Stability Class - Moderately Stable - 200Ft-33Ft Delta-T (F)
Winds Measured at 33 Feet

Wind Speed (in mph)

	willa speed (ill mpil)								
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total		
N	0	0	0	0	0	0	0		
NNE	0	0	0	0	0	0	0		
NE	0	1	1	0	0	0	2		
ENE .	0	0	0	0	0	0	0		
E	0	0	2	0	0	0	2		
ESE	0	0	3	0	0	0	3		
SE	0	2	14	1	0	0	17		
SSE	0	4	4	1	0	0	9		
S	0	2	3	2	0	0	7		
SSW	0	2	. 7	3	2	0	14		
SW	0	7	11	4	0	0	22		
WSW	0	8	7	2	0	0	17		
M	0	12	12	8	0	0	32		
WNW	0	17	21	4	0	0	42		
NW	0	5	14	0	0	0	19		
NNW	0	3	0	0	0	0	3		
Variable	0	0	0	0	0	0	0		
Total	0	63	99	25	2	0	189		

Hours of calm in this stability class: 0

Hours of missing stability measurements in all stability classes:

Period of Record: January - March 2007
Stability Class - Extremely Stable - 200Ft-33Ft Delta-T (F)
Winds Measured at 33 Feet

Wind Speed (in mph)

	wind Speed (in mpn)								
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total		
N	0	4	0	0	0	0	4		
NNE	0	1	0	0	0	0	1		
NE	0	0	0	0	0	0	0		
ENE	0	0	0	0	0	0	0		
E	0	0	0	0	0	0	0		
ESE	0	0	0	0	0	0	0		
SE	0	2	1	0	0	0	3		
SSE	0	5	5	0	0	0	10		
S	0	1	3	0	0	0	4		
SSW	0	0	10	1	0	0	11		
SW	0	7	12	7	0	0	26		
WSW	. 0	4	3	0	0	0	7		
W	0	5	4	1	0	0	10		
WNW	0	0	2	0	0	0	2		
NW	0	0	1	0	0	0	1		
NNW	0	0	0	. 0	0	0	0		
Variable	0	0	0	0	0	0	0		
Total	0	29	41	9	0	0	79		

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: January - March 2007 Stability Class - Extremely Unstable - 375Ft-33Ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

1 7	Willa bpeca (III hpil)								
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total		
N	0	0	0	0	0	0	0		
NNE	0	0	0	1	0	1	2		
NE	0	0	0	0	1	1	2		
ENE	0	0	0	1	3	1	5		
E	0	0	1	1	1	5	8		
ESE	0	0	1	2	0	1	4		
SE	0	0	0	0	0	1	1		
SSE	0	0	1	0	0	0	1		
S	0	. 0	0	0	0	0	0		
SSW	0	0	0	0	0	0	0		
SW	0	0	0	0	0	7	7		
WSW	0	0	1	2	0	9	12		
W	0	1	0	0	0	0	1		
MMM	0	0	0	2	2	0	4		
NW	0	1	1	3	2	0	7		
NNW	0	0	0	2	0	0	2		
Variable	0	0	0	0	0	0	0		
Total	0	2	5	14	9	26	56		

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 3

Period of Record: January - March 2007 Stability Class - Moderately Unstable - 375Ft-33Ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

	wind Speed (in mpn)								
Wind Direction 	1-3	4-7	8-12	13-18	19-24	> 24	Total		
N	0	0	1	5	. 0	0	6		
NNE	0	0	4	2	1	0	7		
NE	0	0	0	3	3	1	7		
ENE	0	0	1	1	11	0	13		
E	0	0	0	3	2	3	8		
ESE	0	0	0	1	0	4	5		
SE	0	0	2	0	0	0	2		
SSE	0	1	0	0	0	0	1		
S	0	0	0	2	0	0	2		
SSW	0	0	2	. 1	0	0	3		
SŴ	0	0	0	1	4	1	6		
WSW	0	0	0	2	0	3	5		
W	0	0	0	0	0	0	. 0		
WNW	0	0	1	. 5	2	0	8		
NW	0	0	0	5	1	0	6		
NNW	0	0	0	7	0	0	7		
Variable	0	0	0	0	0	0	0		
Total	0	1	11	38	24	12	86		

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 2

Period of Record: January - March 2007 Stability Class - Slightly Unstable - 375Ft-33Ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

	Wind Speed (III lipit)									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	0	0	1	1	0	0	2			
NNE	0	0	4	1	0	1	6			
NE	0	0	0	2	1	8	11			
ENE	0	0	0	0	3	0	3			
E	0	1	1	0	2	6	10			
ESE	0	0	3	3	5	5	16			
SE	0	0	1	1	0	0	2			
SSE	0	0	0	0	0	0	0			
S	0	0	0	1	0	0	1			
SSW	0	0	1	4	2	6	13			
SW	0	0	1	1	0	1	3			
WSW	0	0	0	2	3	2	7			
W	0	0	2	7	12	1	22			
WNW	0	0	. 1	8	4	1	14			
NM	0	0	2	11	. 1	3	17			
NNW	0	0	5	3	0	0	. 8			
Variable	0	0	0	0	0	0	0			
Total	0	1	22	45	33	34	135			

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 19

Period of Record: January - March 2007
Stability Class - Neutral - 375Ft-33Ft Delta-T (F)
Winds Measured at 375 Feet

Wind Speed (in mph)

	wind Speed (in mpn)								
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total		
N	0	2	3	19	4	9	37		
NNE	0	5	10	20	1	5	41		
NE	0	4	3	18	13	12	50		
ENE	0	0	7	18	9	4	38		
E	0	1	3	15	13	36	68		
ESE	0	4	8	. 25	15	8	60		
SE	2	2	7	9	4	7	31		
SSE	0	1	8	3	3	3	18		
S	0	3	6	13	4	9	35		
SSW	0	3	9	9	26	34	81		
SW	0	3	7	15	35	30	90		
WSW	0	2	4	12	22	33	73		
W	0 ,	3	7	42	37	32	121		
WNW	0	3	11	27	54	60	155		
NW	0	5	12	38	34	20	109		
NNW	0	2	4	16	8	0	30		
Variable	0	0	0	0	0	0	0		
Total	2	43	109	299	282	302	1037		

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 21

Period of Record: January - March 2007
Stability Class - Slightly Stable - 375Ft-33Ft Delta-T (F)
Winds Measured at 375 Feet

Wind Speed (in mph)

		Willia Dipoda (Ill Inpil)									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total				
N	. 0	2	5	7	5	4	23				
NNE	1	1	1	7	1	0	11				
NE	0	0	1	2	0	0	3				
ENE	0	1	0	4	0	0	5				
E	0	0	0	3	1	0	4				
ESE	0	1	1	4	16	5	27				
SE	0	0	3	3	1	6	13				
SSE	0	0	4	2	2	8	16				
S	0	0	3	4	3	19	29				
SSW	0	1	3	2	5	66	77				
SW	0	0	2	6	14	56	78				
WSW	0	1	1	13	19	12	46				
W	0	2	9	16	10	23	60				
WNW	0	2	5	13	23	58	101				
NW	1	1	3	25	21	16	67				
NNW	0	1	7	9	9	1	27				
Variable	0	0	0	0	0	0	. 0				
Total	2	13	48	120	130	274	587				

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 1

Period of Record: January - March 2007 Stability Class - Moderately Stable - 375Ft-33Ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

	willa speca (III mpii)									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	0	1	3	0	1	1	6			
NNE	0	0	1	0	0	0	1			
NE	0	0	1	0	0	0	1			
ENE	0	0	0	1	0	0	1			
E	0	0	0	0	0	0	0 .			
ESE	0	0	0	0	1	2	3			
SE	0	0	0	0	2	2	4			
SSE	0	0	0	1	1	4	6			
S	0	0	1	5	2	3	11			
SSW	0	1	1	7	1	9	19			
SW	0	0	0	3	4	11	18			
WSW	0	0	1	2	5	4	12			
W	0	2	9	2	7	0	20			
WNW	0	1	1	0	9	7	18			
NW	1	0	0	1	5	2	9			
NNW	0	0	4	6	10	0	20			
Variable	0	0	0	0	0	0	0			
Total	1	5	22	28	48	45	149			

Hours of calm in this stability class: 0

Hours of missing stability measurements in all stability classes:

Period of Record: January - March 2007 Stability Class - Extremely Stable - 375Ft-33Ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

	wind Speed (in mpn)								
Wind Direction 	1-3	4-7	8-12	13-18	19-24	> 24	Total		
N	0	0	0	0	0	0	0		
NNE	0	0	0	0	0	0	0		
NE	0	0	0	0	0	0	0		
ENE	0	0	0	0	0	0	0		
E	0	0	0	0	0	0	0		
ESE	0	0	0	0	0	0	0		
SE	0	0	0	0	0	0	0		
SSE	0	0	0	1	0	1	2		
S	0	0	1	0	3	8	12		
SSW	0	0	1	0	0	2	3		
SW	0	0	0	1	0	4	5		
WSW	0	0	0	1	0	10	11		
W	0	0	0	1	0	0	1		
WNW	0	0	0	0	0	0	0		
NW	0	. 0	0	0	0	0	0		
NNW	0	0	0	0	0	0	0		
Variable	0	0	0	0	0	0	0		
Total	0	0	2	4	3	25	34		

Hours of calm in this stability class: 0

Hours of missing stability measurements in all stability classes:

Period of Record: April - June 2007 Stability Class - Extremely Unstable - 200Ft-33Ft Delta-T (F) Winds Measured at 33 Feet

Wind Speed (in mph)

Wind			~ <u>-</u>	. (-,		
Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total
N	0	0	0	0	0	0	0
NNE	0	0	0	0	0	0	0
NE	0	0	1	2	0	0	, 3
ENE	0	0	1	3	0	0	4
E	0	1	0	1	3	3	8
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	1	0	0	1
S .	0	0	0	1	5	1	7
SSW	0	. 0	0	2	9	10	21
SW	0	0	2	2	8	0	12
WSW	0	0	4	9	0	0	13
W	0	1	2	2	0	0	5
WNW	0	0	1.	3	5	0	9
NW	0	0	0	4	1	0	5
NNW	0	0	0	2	0	0	2
Variable	. 0	0	0	0	0	0	0
Total	0	2	11	32	31	14	90

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: April - June 2007 Stability Class - Moderately Unstable - 200Ft-33Ft Delta-T (F) Winds Measured at 33 Feet

Wind Speed (in mph)

Wind				,	•		
Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total
N	0	0	0	0	0	0	0
NNE	0	0	3	0	0	0	3
NE	0	0	0	7	0	0	7
ENE	0	0	1	4	0	2	7
E	0	0	1	0	0	1	2
ESE	0	0	0	0	0	0	0
SE	0	0	2	1	0	0	3
SSE	0	0	0	2	0	0	2
S	0	0	1	8	2	2	13
SSW	0	0	2	6	3	2	13
SW	0	0	6	1 .	0	1	8
WSW	0	0	1	8	1	0	. 10
W	0	1	2	5	0	0	8
WNW	0	0	13	8	5	0	26
NW	0	0	3	8	0	0	11
NNW	0	0	1	0	0	0	1
Variable	0	0	0	0	. 0	0	0
Total	0	1	36	58	11	8	114

Hours of calm in this stability class: 0

Hours of missing stability measurements in all stability classes:

Period of Record: April - June 2007 Stability Class - Slightly Unstable - 200Ft-33Ft Delta-T (F) Winds Measured at 33 Feet

Wind Speed (in mph)

	wind speed (in mpn)									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	0	1	3	0	0	0	4			
NNE	0	1	4	1	0	0	6			
NE	0	4	4	7	0	0	15			
ENE	0	0	4	4	4	3	15			
E	0	0	2	0	1	1	. 4			
ESE	0	0	3	1	0	0	4			
SE	0	0	2	0 .	0	0	2			
SSE	0	0	6	5	1	0	12			
S	0	2	9	11	3	0	25			
SSW	0	0	1	3	1	0	5			
SW	0	7	5	3	0	0	15			
WSW	0	1	4	4	1	1	11			
W	0	1	2	4	0	0	7			
WNW	0	1	8	19	3	0	31			
NW	0	3	4	2	7	0	16			
NNW	0	1	4	2	1	0	8			
Variable	0	0	0	0	0	0	0			
Total	0	22	65	66	. 22	5	180			

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: April - June 2007
Stability Class - Neutral - 200Ft-33Ft Delta-T (F)
Winds Measured at 33 Feet

Wind Speed (in mph)

! -	wind bpeed (in hiph)								
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total		
N	1	22	11	1	0	0	35		
NNE	1	19	24	1	0	0	45		
NE	0	15	20	27	1	0	63		
ENE	1	25	26	23	11	8	94		
E	0	15	28	44	10	4	101		
ESE	0	10	23	15	4	6	58		
SE	0	9	21	9	1	0	40		
SSE	0	4	5	5	0	0	14		
S	0	2	17	8	3	2	32		
SSW	1	8	16	5	10	0	40		
SW	0	4	21	7	3	5	40		
WSW	0	8	12	, 7	5	1	33		
W	0	6	15	11	5	1	38		
WNW	0	14	31	21	18	9	93		
NW	0	4	29	21	9	0	63		
NNW	0	5	9	34	5	0	53		
Variable	0	. 0	0	0	0	0	0		
Total	4	170	308	239	85	36	842		

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: April - June 2007
Stability Class - Slightly Stable - 200Ft-33Ft Delta-T (F)
Winds Measured at 33 Feet

Wind Speed (in mph)

	willd speed (ill lipit)								
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total		
N	2	14	2	0	0	0	18		
NNE	1	23	9	0	0	0	33		
NE	2	8	7	6	0	0	23		
ENE	0	3	34	6	0	0	43		
E	0	20	56	17	7	0	100		
ESE	1	, 11	3	. 6	3	0	24		
SE	0	9	4	4	0	0	17		
SSE	2	1	6	4	0	0	13		
·S	0	6	10	10	7	0	33		
SSW	0	8	11	10	8	0	37		
SW	2	10	14	16	2	0	44		
WSW	0	9	8	3	. 0	1	21		
W	2	10	17	2	5	1	37		
WNW	1	13	8	6	0	17	45		
NW	3	10	9	2 .	0	0	24		
NNW	0 .	1	7	. 0	0	0	8		
Variable	0	0 .	0	. 0	0 .	0	0		
Total	16	156	205	92	32	19	520		

Hours of calm in this stability class:

Hours of missing wind measurements in this stability class:

3

Hours of missing stability measurements in all stability classes:

Period of Record: April - June 2007 Stability Class - Moderately Stable - 200Ft-33Ft Delta-T (F) Winds Measured at 33 Feet

Wind Speed (in mph)

	wring speed (III mbit)									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	1	8	1	0	0	0	10			
NNE	0	4	0	0	0	0	4			
NE	0	2	0	0	0	0	2			
ENE	1	1	0	0	0	0	2			
E	0	13	7	1	0	0	21			
ESE	0	9	7	2	0	0	18			
SE	1	12	10	0	0	0	23			
SSE	1	16	10	0	0	0	27			
S	1	9	9	3	0	0	22			
SSW	0	4	5	3	0	Ó	12			
SW	1	5	8	2	0	0	16			
WSW	3	10	10	1	0	0	24			
W	0	5	2	0	0	0	7			
WNW .	0	15	1	0	0	0	16			
NW	2	10	1	0	0	0	13			
NNW	2	8	0	0	0	0	10			
Variable	0	0	0	0	0	0	. 0			
Total	13	131	71	12	0	0	227			

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

3

Hours of missing stability measurements in all stability classes:

Period of Record: April - June 2007 Stability Class - Extremely Stable - 200Ft-33Ft Delta-T (F) Winds Measured at 33 Feet

Wind Speed (in mph)

! 7	· · · · · · · · · · · · · · · · · · ·									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	. 0	3	0	0	0	0	3			
NNE .	0	0	0	0	0	0	0			
NE	. 0	0	. 0	0	0	0	0			
ENE	1	0	0	0	0	0	1			
E	2	5	1	0	0	0	8			
ESE	1	8	2	0	0	0	11			
SE	1	12	5	0	0	0	18			
SSE	0	18	18	0	0	0	36			
S	1	14	18	0	0	0	33			
SSW	0	7	13	. 0	0	0	20			
SW	0	4	21	0	0	0	25			
WSW	0	3	8	0	0	0	11			
W	0	14	1	0	0	0	15			
WNW	. 0	14	0	0	0	0	14			
NW .	0	7	1	0	0	0	8			
NNW	0	3	2	0	0	0	5			
Variable	0	0	0	0	0	0	0			
Total	6	112	90	0	0	0	208			

Hours of calm in this stability class:

Hours of missing wind measurements in this stability class:

Period of Record: April - June 2007 Stability Class - Extremely Unstable - 375Ft-33Ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

	wind speed (in mpn)									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	0	0	0	0	0	0	0			
NNE	0	0	0	0	0	0	. 0			
NE	0	0	0	0	0	0	0			
ENE	0	0	0	0	0	0	. 0			
E	0	9	0	0	0	0	. 0			
ESE	. 0	0	0	0	0	0	0			
SE	0	. 0	0	0	0	0	0			
SSE	0	0	0	. 0	0	0	0			
S	0	0	0	0	0	0	0			
SSW	0	0	0	0	0	5	5			
SW	0	0	0	0	. 0	1	. 1			
WSW	0	0	0	0	0	0	. 0			
W	0	0	0	0	0	0	0			
WNW	0	0	0	0	0	0	0			
NW	0	0	0	0	0	0	0			
NNW	0	0	0	0	0	0	0			
Variable	0	0	0	. 0	0	0	0			
Total	0 .	0	0	0	0	6	. 6			

Hours of calm in this stability class:

Hours of missing wind measurements in this stability class:

Period of Record: April - June 2007 Stability Class - Moderately Unstable - 375ft-33ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

		VV _	ina speed		.1 /		
Wind Direction	1-3	4-7	8-12 	13-18	19-24	> 24	Total
N	0	0	0	0	. 0	0	0
NNE	0	. 0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0 ·	0	0
E	0	0	. 0	0	0	0	0
ESE	0	0	0	. 0	0	0	0
SE	0	0	`0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	0	0	0	0	2	2	4
SSW	0	0	. 0	0	0	6	. 6
SW	0	0	0	1	1	5	7
WSW	0	. 0	0	0	0	0	0
W	Ó	0	0	0	0	0	0
WNW	0	0	0	0	0	0	0
NW	0	0	0	1	0	0	1
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	0	0	2	3	13	18

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0
Hours of missing stability measurements in all stability classes:

Period of Record: April - June 2007 Stability Class - Slightly Unstable - 375Ft-33Ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

Wind	• • • •									
Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
										
N	0	0	0	0	0	0	0			
NNE	0	0	1	2	1	0	4			
NE	0	0	0	0	6	0	6			
ENE	0	0	0	2	1	0	. 3			
E	0	0	0	0	0	4	4			
ESE	0	0	0	0	0	0	0			
SE	0	0	0	0	0	0	0			
SSE	0	0	0	0	0	0	0			
S	0	0	0	3	2	1	6			
SSW	0	0	0	0	4	6	10			
SW	0	0	0	5	1	1	7			
WSW .	0	0	1	1	5	0	7			
W	0	0	2	1	1	0	4			
WNW	0	0	2	1	0	1	4			
NW	0	0	0	3	4	2	9			
NNW	0	0	0	1	1	0	2			
Variable	0	0	0	0	0	0	0			
Total	0	0	6	19	26	15	66			

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: April - June 2007
Stability Class - Neutral - 375Ft-33Ft Delta-T (F)
Winds Measured at 375 Feet

Wind Speed (in mph)

	wind Speed (in mpn)								
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total		
N	0	3	15	10	2	0	30		
NNE	0	8	19	27	6	1	61		
NE	0	13	11	27	39	7	97		
ENE	2	12	18	32	20	30	114		
E	. 1	7	18	30	39	12	107		
ESE	0	6	19	14	9	15	63		
SE	0	6	15	16	6	2	45		
SSE	. 1	1	7	12	3	0	24		
S	0	0	11	32	15	10	68		
SSW	0	1	10	21	5	22	59		
SW	0	5	21	10	9	10	55		
WSW	0	3	11	20	21	9	64		
W	0	3	10	14	10	7	44		
WNW	0	12	25	50	36	32	155		
NW	0	5	32	18	32	35	122		
NNW	0	1	6	7	19	3	36		
Variable	0	0	0	0	0	0	. 0		
Total	4	86	248	340	271	195	1144		

Hours of calm in this stability class:

Hours of missing stability measurements in all stability classes:

Period of Record: April - June 2007 Stability Class - Slightly Stable - 375Ft-33Ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

1	Willa Speca (III hpi)									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	1	2 .	6	4	0	0	13			
NNE	0	1	4	23	4	1	33			
NE	1	1	10	8	0	0	20			
ENE	1	2	14	30	11	0	58			
E	0	3	9	23	17	20	72			
ESE	1	1	8	21	10	9	50			
SE	1	3	9	6	4	2	25			
SSE	0	2	3	. 5	3	4	17			
S	0	0	4	3	9	18	34			
SSW	0	0	5	5	12	25	47			
SW	0	0	5	. 10	15	24	54			
WSW	1	1	7	11	6	2	28			
W	0	1	7	11	10	9	38			
MMM	. 0	7	8	14	14	20	63			
NW	. 0	3	9	10	11	1	34			
NNW	0	5	9	8	3	0	25			
Variable	0	0	0	0	0 .	0	. 0			
Total	6	32	117	192	129	135	611			

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: April - June 2007 Stability Class - Moderately Stable - 375Ft-33Ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

	Wild Speed (III light)								
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total		
N	1	2	4	1	1	0	9		
NNE	0	4	1	1	0	0	6		
NE	1	3	0	1	0	0	5		
ENE	0	1	4	1	0	0	6		
E	0	0	0	. 6	4	0	10		
ESE	1	1	1	. 4	2	4	13		
SE	0	2	2	10	3	6	23		
SSE	0	0	1	5	8	3	17		
S	1	2	2	4	5	17	31		
SSW	. 0	0	4	7	4	20	35		
SW	0	0	0	4	4	5	13		
WSW	0	2	0	3	5	4	14		
W	0	0	0	3	3	2	8		
WNW	1	1	4	1	1	1	9		
NW	1	0	4	6	3	0	14		
NNW	0	0	4	4	3	0	11		
Variable	0	. 0	0	0	0	0	0		
Total	6	18	31	61	46	62	224		

Hours of calm in this stability class: 1

Hours of missing stability measurements in all stability classes:

Period of Record: April - June 2007 Stability Class - Extremely Stable - 375Ft-33Ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

		**-	LIIG DECC	x (±11 111p1	•,		
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total
N	0	0	0	0	0	0	0
NNE	0	1	0	0	0	0	1
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	1	1	0	0	0	0	2
ESE	0	1	1	0	1	1	4
SE	1	0	0	3	2	0	6
SSE	0	2	0	4	5	1	12
S	0	0	0	3	0	11	14
SSW	1	0	1	2	2	12	18
SW	1	2	2	2	4	3	14
WSW	1	1	0	2	4	13	21
W	0	1	3	2	0	0	6
WNW	0	0	2	2	0	0	4
NW	0	0	1	5	0	0	6
NNW	0	0	0	1	0	0	1
Variable	0	0	0	0	0	0	0
Total	5	9	10	26	18	41	109

Hours of calm in this stability class:

Hours of missing wind measurements in this stability class: 0

1

Hours of missing stability measurements in all stability classes:

Period of Record: July - September 2007 Stability Class - Extremely Unstable - 200Ft-33Ft Delta-T (F) Winds Measured at 33 Feet

Wind Speed (in mph)

Wind			-	•	•		
Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total
						~	
N	0	0	0	0	0	. 0	0
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	0	0	0	1	0	0	1
SSW	0	0	6	5	2	0	13
SW	0	0	4	5	0	0	9
WSW	0	0	0	2	2	0	4
W	0	1	0	0	1	0	2
WNW	0	0	0	2	. 0	0	2
NW	0	0	0	0	0	0	0
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	1	10	15	5	0	31

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0 Hours of missing stability measurements in all stability classes: 0

Period of Record: July - September 2007 Stability Class - Moderately Unstable - 200Ft-33Ft Delta-T (F) Winds Measured at 33 Feet

Wind Speed (in mph)

		***	ina bpece	a (III III)	-,		
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total
N	. 0	0	1	1	0	0	2
NNE	0	0	1	0	0	0	1
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	0	1	0	0	0	1
ESE	0	1	1	0	0	0	2
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	0	0	0	2	0	0	. 2
SSW	0	0	10	7	0	0	17
SW	0	2	19	7	0	0	28
WSW	0	0	6	5	2	0	13
W	0	0	7	6	0	0	13
WNW	0	0	16	3	0	0	19
NW	0	0	4	2	0	0	6
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	3	66	33	2	0	104

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: July - September 2007
Stability Class - Slightly Unstable - 200Ft-33Ft Delta-T (F)
Winds Measured at 33 Feet

Wind Speed (in mph)

	wind speed (in mpn)								
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total		
N	0	3	5	1	0	0	9		
NNE	0	10	6	0	0	0	16		
NE	0	4	7	0	0	0	11		
ENE	0	0	8	0	0	0	8		
E	0	3	1	0	0	0	4		
ESE	0	1	0	0	0	0	1		
SE	0	0	1	1	0	0	2		
SSE	0	1	1	0	0	0	2		
S	0	1	4	4	0	0	9		
SSW	0	0	6	6	2	0	14		
SW	0	9	17	6	0	0	32		
WSW	0	8	10	4	0	0	22		
W	0	6	6	4	1	0	17		
WNW	0	8	13	1	0	0	22		
NW	0	3	4	3	0	0	10		
NNW	0	1	8	0	0	0	9		
Variable	0	0	0 .	. 0	0	0	0		
Total	0	58	97	30	3	0	188		

Hours of calm in this stability class: 0

Hours of missing stability measurements in all stability classes:

Period of Record: July - September 2007
Stability Class - Neutral - 200Ft-33Ft Delta-T (F)

Winds Measured at 33 Feet

Wind Speed (in mph)

	willd speed (in mpn)									
Wind Direction 	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	2	34	15	1	0	0	52			
NNE	2	46	6	0	0	0	54			
NE	1	24	23	2	0	0	50			
ENE	0	24	20	4	0	0	48			
E	1	34	20	2	0	0	57			
ESE	0	20	9	1	0	0	30			
SE	1	18	17	0	. 0	0	36			
SSE	1	24	18	1	0	0	44			
S	3	12	19	20	0	0	54			
SSW	2	6	17	17	0	0	42			
SW	1	17	22	7	0	0	47			
WSW	0	28	19	14	0	0	61			
W	0	16	11	6	1	0	34			
WNW	1	25	17	2	3	0	48			
NW	0	13	9	4	1	0	27			
NNW	1	15	28	14	0	0	58			
Variable	0		0	0	0	0	0			
Total	16	356	270	95	5	0	742			

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 1

Period of Record: July - September 2007
Stability Class - Slightly Stable - 200Ft-33Ft Delta-T (F)
Winds Measured at 33 Feet

Wind Speed (in mph)

	willa speed (in mpn)									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	3	34	5	0	0	0	42			
NNE	4	31	6	0	0	0	41			
NE	2	8	18	0	0	0	28			
ENE	3	7	21	3	0	0	34			
E	0	17	21	0	0	0	38			
ESE	4	10	11	0	0	0	25			
SE	3	11	5	0	0	0	19			
SSE	2	5	13	1	0	0	21			
S	2	9	16	3	3	0	33			
SSW	2	13	19	2	1	0	37			
SW	0	18	25	13	0	0	56			
WSW	3	7	10	3	0	0	23			
W	1	4	6	0	1	0	12			
WNW	3	11	8	1	0	0	23			
NW	1	7	4	2	0	0	14			
NNW	2	16	11	0	0	0	29			
Variable	0	. 0	0	0 ·	0	0	0			
Total	35	208	199	28	5	0	475			

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

0

Hours of missing stability measurements in all stability classes:

Period of Record: July - September 2007

Stability Class - Moderately Stable - 200Ft-33Ft Delta-T (F)

Winds Measured at 33 Feet

Wind Speed (in mph)

	wind Speed (in mpn)								
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total		
N	2	19	0	0	0	0	21		
NNE	0	9	0	0	0	0	9		
NE	1	1	0	0	0	0	2		
ENE	0	1	0	0	. 0	0	1		
E	1	34	14	0	0	0	49		
ESE	1	25	3	0	0	\ 0	29		
SE	1	18	2	0	0	0	21		
SSE	4	17	11	0	0	0	32		
Ś	0	15	4	0	0	0	19		
SSW	4	19	8	0	0	0	31		
SW	1	17	18	0	0	0	36		
WSW	1	11	1	0	0	0	13		
W	1	15	1	. 0	0	0	17		
WNW	3	20	4	0	0	0	27		
NW	1	11	0	0	0	0	12		
NNW	1	6	2	0	0	0	9		
Variable	. 0	0	0	0	0	0	. 0		
Total	22	238	68	0	0	0	328		

Hours of calm in this stability class: 2

Hours of missing wind measurements in this stability class: 1

Period of Record: July - September 2007
Stability Class - Extremely Stable - 200Ft-33Ft Delta-T (F)
Winds Measured at 33 Feet

Wind Speed (in mph)

1.74 m d			~	(<u>-</u>	-,		
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total
N	1	8	0	0	0	0	9
NNE	0	5	0	0	0	0	5
NE	1	0	0	0	0	0	1
ENE	. 1	1	. 0	0	0	0	2
E	2	9	4	0	0	0	15
ESE	3	29	6	0	0	0	38
SE	0	45	8	0	0	0	53
SSE	1	37	15	0	0	0	53
S	0	21	2	0	0	0	23
SSW	0	23	12	0	0	0	35
SW	0	22	16	/ 0	0	0	38
WSW ,	1	20	11	0	0	0	32
W	2	11	1	0	0	0	14
www .	0	8	0	0	0	0	8
NW	1	6	0	0	0	0	7
NNW	0	3	0	0	0	0	3
Variable	0	0	0	0	0	0	0
Total	13	248	75	0	0	0	336

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: July - September 2007
Stability Class - Extremely Unstable - 375Ft-33Ft Delta-T (F)
Winds Measured at 375 Feet

Wind Speed (in mph)

Wind			-	` -	·		
Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total
N	0	0	0	0	0	0	0
NNE	0	0	0	0	0	0	0
NE	0	0	0	0	0	0	0
ENE	0	0	0	. 0	0	0	0
E	, 0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	0	0	0	0	. 0	0	0
SSW	0	0	0	0	0	0	0
SW	0	0	0	0	0	0	0
WSW	0	0	0	0	0	0	0
W	0	0	0	0	0	0	0
WNW	0	0	0	0	0	0	0
NW	0	0	0	0	0	0	0
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: July - September 2007 Stability Class - Moderately Unstable - 375Ft-33Ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

	willa speed (ill mpil)									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N .	0	0	0	0	0	0	0			
NNE	0	0	0	0	0	0	0			
NE	0	0	0	0	0	0	0			
ENE	0	0	, 0	0	0	0	0			
E	0	0	0	0	0	0	0			
ESE	0	0	0	0	. 0	0	0			
SE	0	0	0	0	0	0	0			
SSE	0	0	0	0	0	0	0			
S	0	0	0	0	0	. 0	0			
SSW	0	0	0	1	0	0	1			
SW	0	0	0	0	0	0	0			
WSW	0	0	0	0	0	1	1			
W	0	0	.0	0	0.	0	0			
WNW	0	0	0	0	0	0	0			
NW	0	0	0	0 .	0	0	0			
NNW	0	0	0	0	0	0	0			
Variable	0	0	0	0	0	0	0			
Total	0	0	0	1	0	1	2			

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: July - September 2007 Stability Class - Slightly Unstable - 375Ft-33Ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

Wind		• · · · · · · · · · · · · · · · · · · ·								
Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	0	0	0	ò	0	0	0			
NNE	0	0	1	0	0	0	1			
NE	0	0	0	0	0	0	0			
NE										
ENE	0	0	0	0	0	0	0			
E	0	0	0	0	0	0	0			
ESE	0	0	0	0	0	0	0			
SE	0	0	0	0	0	0	0			
SSE	0	0	0	0	0	0	0			
S	0	0	0	0	0	0	0			
SSW	0	0	4	6	5	3	18			
SW	0	0	4	1	5	0	10			
WSW	0	0	0	0	2	2	4			
W	0	0	0	0	0	0	0			
WNW	0	0	1	3	0	0	4			
NW	0	0	0	0	0	0	0			
NNW	0	0	0	0	0	0	0			
Variable	0	0	0	0	0	0	0			
Total	0	0	10	10	12	5	37			

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: July - September 2007
Stability Class - Neutral - 375Ft-33Ft Delta-T (F)
Winds Measured at 375 Feet

Wind Speed (in mph)

7.72 7		•••	Ina ppec	~ (±11 11. <u>P</u> 1	-,		
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total
N	0	20	24	9	. 2	0	55
NNE	0	20	44	10	0	0	74
NE	2	15	24	26	4	0	71
ENE	0	11	22	26	0	0	59
E	1	17	26	7	1	0	52
ESE	0	10	10	9	2	0	31
SE	0	14	11	8	3	0	36
SSE	0	16	10	7	0	0	33
S	0	4	8	22	17	4	55
SSW	1	1	12	36	17	15	82
SW	3	13	29	37	16	4	102
WSW	0	6	41	10	19	4	80
W	0	7	21	14	5	3	50
WNW	0	14	30	30	5	3	82
NW	1	11	23	21	11	1	68
NNW	0	9	14	17	10	0	50
Variable	0	0	0	0	0	0	0
Total	8	188	349	289	112	34	980

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 1

Period of Record: July - September 2007
Stability Class - Slightly Stable - 375Ft-33Ft Delta-T (F)
Winds Measured at 375 Feet

Wind Speed (in mph)

7.7.2										
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	1	3	15	16	17	0	52			
NNE	0	5	15	24	. 2	0	46			
NE	0	4	5	29	5	0	43			
ENE	0	4	15	42	8	0	69			
E	2	9	10	· 17	7	0	45			
ESE	0	8	6	5	6	3	28			
SE	1	4	11	5	6	1	28			
SSE	0	5	5	7	6	2	25			
S	0	6	6	8	11	9	40			
SSW	0	1	3	9	12	17	42			
SW	2	5	8	10	22	. 18	65			
WSW	1	7	3	12	10	5	38			
W	1	1	6	11	5	1	25			
WNW	1	7	4	11	5	2	30			
NW	0	2	8	11	11	3	35			
NNW	2	5	4	6	7	1	25			
Variable	0	0	0	0	0	0	0			
Total	11	76	124	223	140	62	636			

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: July - September 2007 Stability Class - Moderately Stable - 375Ft-33Ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

! 7	wind bpeed (in mpn)									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	1	3	2	3	1	. 0	10			
NNE	0	6	6	3	3	0	18			
NE	0	3	4	8	0	0	15			
ENE	1	2	3	0	1	0	7			
E	0	2	4	11	8	0	25			
ESE	1	9	13	8	10	2	43			
SE	0	2	5	9	5	5	26			
SSE	0	5	4	4	9	6	28			
S	0	6	3	4	11	8	32			
SSW	0	4	4	4	13	7	32			
SW	0	3	8	12	12	15	50			
WSW	0	0	5	5	3	2	15			
W	0	1	9	5	5	0	20			
WNW	0	0	4	3	6	0	13			
NW	0	0	2	7	4	1	14			
NNW	0	1	3	7	1	0	12			
Variable	0	0	0	0	0	0	0			
Total	3	47	79	93	92	46	360			

Hours of calm in this stability class: 1

Hours of missing wind measurements in this stability class: 0

Period of Record: July - September 2007 Stability Class - Extremely Stable - 375Ft-33Ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

1 -		•	a bpoo	. (·- ,		
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total
N	0	0	0	0	0	0	0
NNE	0	1	0	0	0	0	1
NE	0	1	0	0	0	0	1
ENE	0	0	0	0	0	0	0
Е	0	1	0	1	0	0	2
ESE	0	0	0	5	3	2	10
SE	0	1	0	4	8	15	28
SSE	0	0	0	0	13	22	35
S	0	1	3	4	3	16	27
SSW	0	3	6	5	5	9	28
SW	٠ 0	1	5	7 ·	5	12	30
WSW	1	0	2	4	2	5	14
W	0	2	2	6	2	0	12
WNW	0	0	0	0	3	0	3
NW	0	0	0	0	0	0	0
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	1	11	18	36	44	81	191

Hours of calm in this stability class: 0

Hours of missing stability measurements in all stability classes:

Period of Record: October - December 2007 Stability Class - Extremely Unstable - 200Ft-33Ft Delta-T (F) Winds Measured at 33 Feet

Wind Speed (in mph)

	wind speed (in mpn)									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	0	0	0	0	0	. 0	0			
NNE	0	0	0	0	0	0	0			
NE	0	0	0	0	0	0	0			
ENE	0	0	0	. 0	0	0	0			
E	0	0	0	0	0	0	0			
ESE	0	0	0	0	0	0	0			
SE	0	0	0	0	0	0	0			
SSE	0	0	0	0	0	0	0			
·S	0	0	0	0	0	0	0			
SSW	0	0	0	0	0	0	0			
SW	0	0	0	1	0	0	1			
WSW	0	0	0	0	0 .	0	0			
W	0	0	0	0	0	0	0			
WNW	0	0	0	0	0	0	0			
NW	0	0	0	0	0	0	. 0			
NNW	0	0	0	0	0	0	0			
Variable	. 0	0	0	0	0	0	0			
Total	0	0	0	1	0	0	1			

Hours of calm in this stability class:

Hours of missing stability measurements in all stability classes:

Period of Record: October - December 2007 Stability Class - Moderately Unstable - 200Ft-33Ft Delta-T (F) Winds Measured at 33 Feet

Wind Speed (in mph)

	wind speed (in mpn)								
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total		
N	0	0	1	1	0	0	2		
NNE	0	0	0	0	0	0	0		
NE	0	0	0	0	0	0	0		
ENE	0	0	0	0	0	0	0		
E	0	0	0	0	0	0	0		
ESE	0	0	0	0	0	0	0		
SE	0	0	0	0	0	0	0		
SSE	0	0	0	0	0	0	0		
S	0	0	0	0	0	0	0		
SSW	0	0	1	2	1	1	5		
SW	0	0	0	3	0	0	3		
WSW	0	0	0	1	0	0	1		
W	0	0	0	1	0	0	1		
WNW	0	0	0	0	0	0	0		
NW	0	0 ·	0	0	0	0	0		
NNW	0	0	0	0	0	0	0		
Variable	0	0	0	0	0	0	0		
Total	0	0	2	8	1	1	12		

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: October - December 2007
Stability Class - Slightly Unstable - 200Ft-33Ft Delta-T (F)
Winds Measured at 33 Feet

Wind Speed (in mph)

Wind			_	.			
Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total
N	0	0	2	0	0	0	2
NNE	0	0	1	3	0	0	4
NE	0	0	0	1	0	0	1
ENE	0	0	0	0	1	0	1
E	0	0	0	0	0	0	0
ESE	0	0	0	. 0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	1	0	0	1
S	0	0	0	1	0	0	1
SSW	0	0	6	5	0	1	12
SW	0	0	2	4	0	0	6
WSW	0	0	0	3	0	0	3
W	0	0	.0	0	0	3	3
WNW	0	0	0	0	0	0	0
NW	0	0	0	1	0	0	1
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	0	11	19	1	4	35

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: October - December 2007 Stability Class - Neutral - 200Ft-33Ft Delta-T (F)

Winds Measured at 33 Feet

Wind Speed (in mph)

! -	Willa Speca (III Mpil)									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	2	27	27	23	5	0	84			
NNE	1	. 23	33	10	0	0	67			
NE	0	6	9	8	1	0	24			
ENE	0	6	5	9	2	0	22			
E	0	8	. 8	12	0	0	28			
ESE	1	3	15	10	1	0	30			
SE	0	6	13	5	1	0	25			
SSE	0	4	22	11	6	1.	44			
S	1	4	31	13	0	1	50			
SSW	0	4	30	6	6	3	49			
SW	0	2	37	21	2	3	65			
WSW	1	4	14	5	10	2	36			
W	2	11	35	29	22	16	115			
WNW	0	14	24	37	12	0	87			
NW	1	11	22	40	26	4	104			
NNW	0	3	42	37	11	1	94			
Variable	0	0	0	0	0	0	0			
Total	9	136	367	276	105	31	924			

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: October - December 2007
Stability Class - Slightly Stable - 200Ft-33Ft Delta-T (F)
Winds Measured at 33 Feet

Wind Speed (in mph)

[17] m d											
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total				
N	2	23	7	2	0	0	34				
NNE	2	16	14	0	0	0	32				
NE	0	3	12	3	0	0	18				
ENE	2	2	4	2	0	0	10				
E	0	11	13	2	0	0	26				
ESE	0	17	27	5	0	0	49				
SE	1	10	10	18	1	. 0	40				
SSE	0	9	17	16	4	0	46				
S	0	10	21	21	6	0	58				
SSW	1	12	17	27	5	0	62				
SW	0	15	20	24	3	1	63				
WSW	1	13	11	19	1	0	45				
W	0	13	15	12	5	0	45				
WWW	5	19	16	7	27	12	86				
NW	2	16	26	12	6	0	62				
NNW	0	15	24	1	0	0	40				
Variable	0	0	0	0.	0	0	0				
Total	16	204	254	171	58	13	716				

Hours of calm in this stability class: 0

Hours of missing stability measurements in all stability classes:

Period of Record: October - December 2007
Stability Class - Moderately Stable - 200Ft-33Ft Delta-T (F)
Winds Measured at 33 Feet

Wind Speed (in mph)

	wind speed (in mpn)									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	.1	5	2	0	. 0	0	8			
NNE	1	2	0	0	0	. 0	3			
NE	0	0	0	0	0	0	0			
ENE	0	1	1	0	0	0	2			
E	0	1	5	0	0	0	6			
ESE	2 .	5	5	0	. 0	0	12			
SE	0	3	9	0 .	0	0	12			
SSE	1	5	9	0	. 0	0	15			
S	0	14	19	7	0	0	40			
SSW	0	14	14	14	0	0	42			
SW	0	6	24	11	0	0	41			
WSW	. 1	0	13	1	0	0	15			
W	1	10	8	1	0	0	20			
WNW	0	13	6	0	0	0	19			
JM .	. 0	12	14	0	0	0	26			
NNW	1	0	1	0	0	0	2			
Variable	0,	0	0	. 0	0	0	. 0			
Total	8	91	130	34	0	0	263			

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: October - December 2007
Stability Class - Extremely Stable - 200Ft-33Ft Delta-T (F)
Winds Measured at 33 Feet

Wind Speed (in mph)

	wind speed (in mpn)									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	0	0	0	0	0	0	0			
NNE	0	0	0	0	0	0	0			
NE	0	0	0	0	0	0	0			
ENE	0	0	0	0	0	0	0			
E	0	0	1	0	0	0	. 1			
ESE	0	5	2	0	0	0	7			
SE	0	17	3	0	0	0	20			
SSE	2	34	9	0	0	0	45			
S	0	30	22	1	0	0	53			
SSW	0	15	16	0	0	0	31			
SW	0	8	25	0	0	0	33			
WSW	0	9	12	. 0	0	0	21			
W	0	13	5	0	0	0	18			
WNW	0	10	3	0	0	0	13			
NW	0	5	6	0	0	0	11			
NNW	1	0	0	0	0	0	1			
Variable	0	0	0	0	0	0	0			
Total	3	146	104	1	0	0	254			

Hours of calm in this stability class: 0

Hours of missing stability measurements in all stability classes:

Period of Record: October - December 2007 Stability Class - Extremely Unstable - 375Ft-33Ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

	Willa bpeca (in mpn)									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	0	0	0	0	0	0.	0			
NNE	0	0	0	0	0	0	0			
NE	0	0	0	0	0	0	0			
ENE	0	0	0	0	0	0	0			
E	0	0	0	0	0	0	0			
ESE	0	0	0	0	0	. 0	0			
SE	0	0	0	0	0	0	0			
SSE	0	0	0	0	0	0	0			
S	0	0	0	0	0	0	0			
SSW	0	0	0	0	0	0	0			
SW	0	0	0	0	0	0	0			
WSW	0	0	0	0	0	0	0			
W	0	0	0	0	0	0	0			
WNW	0	0	0	0	0	0	0			
NW	0	0	0	0	0	0	0			
NNW	0	0	0	0	0	0	0			
Variable	0	0	0	0	0	0	0			
Total	0	0	0	0	0	0	0			

Hours of calm in this stability class: 0

Hours of missing stability measurements in all stability classes:

Period of Record: October - December 2007 Stability Class - Moderately Unstable - 375Ft-33Ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

7											
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total				
N	0	0	0	0	0	0	0				
NNE	0	0	0 ·	. 0	0	0	. 0				
NE	0	0	0	0	0	0	0				
ENE	0	0	0	0	0	0	0				
E	0	0	0	. 0	0	0	0				
ESE	0	0	0	0	0	. 0	0				
SE	0	0	0	0	0	0	0				
SSE	0	0	0	0	0	0	0				
S	0	0	0	0	0	0	. 0				
SSW	0	0	0	. 0	0	0	0				
SW	0	0	0	. 0	0	0	0 .				
WSW	0	0	0	0	0	0	. 0				
Ŵ	0	0	0	0	0	0	0				
WNW	0	0	0	. 0	0	0	0				
NW	0	0	0	0	. 0	0	0				
NNW	0	0	0	0	0	0	0				
Variable	0	0	0	0	0	0	0				
Total	0	0	0	0	0	0	0				

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class:

Period of Record: October - December 2007
Stability Class - Slightly Unstable - 375Ft-33Ft Delta-T (F)
Winds Measured at 375 Feet

Wind Speed (in mph)

		***	a spec	~ (-,		
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total
N	0	0	0	1	0	0	1
NNE	0	0	0	0	0	0	0
NE	0	0	0	. 0	0	0	0
ENE	0	0	0	0	0	. 0	0
E	0	0	0	0	0	0	0
ESE	0	0	0	0	0	0	0
SE	0	0	0	0	0	0	0
SSE	0	0	0	0	0	0	0
S	0	0	0	0	0	0	0
SSW	0	0	0	0	0	0	0
SW	0	0	0	0	2	0	2
WSW	0	0	0	0	0	0	0
M	0	0	0	0	0	0	0
WINW	0	0	0	0	0	0	0
NW	0	0	0	0	0	0	0
NNW	0	0	0	0	0	0	0
Variable	0	0	0	0	0	0	0
Total	0	0	0	1	2	0	3

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0 Hours of missing stability measurements in all stability classes:

Period of Record: October - December 2007

Stability Class - Neutral - 375Ft-33Ft Delta-T (F)

Winds Measured at 375 Feet

Wind Speed (in mph)

	wind speed (in mpn)									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	0	10	12	12	25	10	69			
NNE	0	6	16	20	23	4	69			
NE	0	4	3	13	10	5	35			
ENE	0	5	7	12	6	1	31			
E	0	1	7	8	7	1	24			
ESE	0	4	3	12	6	4	29			
SE	0	0	7	9	7	1	24			
SSE	0	0	8	10	6	11	35			
S	0	1	15	26	8	5	55			
SSW	0	2	14	32	13	15	76			
SW	1	6	15	32	15	7	76			
WSW	0	2	14	7	6	38	67			
W	0	2	22	23	23	22	92			
WNW	0	6	11	18	23	31	89			
NW	0	7 .	27	18	39	35	-126			
NNW	2	4	11	23	20	12	72			
Variable	0	0	0	0	0	0	0			
Total	3	60	192	275	237	202	969			

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 5

Period of Record: October - December 2007
Stability Class - Slightly Stable - 375Ft-33Ft Delta-T (F)
Winds Measured at 375 Feet

Wind Speed (in mph)

_	wind speed (in mpn)									
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	0	3	5	6	10	3	27			
NNE	0	4	14	14	2	0	34			
NE	1	2	7	9	3	1	23			
ENE	1	3	8	3	1	0	16			
E	1	2	2 ·	5	3	2	15			
ESE	0	1	1	1	9	3	15			
SE	1	0	2	15	13	15	46			
SSE	0	2	6	21	15	9	53			
S	0	2	6	23	20	25	76			
SSW	0	2	3	21	17	57	100			
SW	0	2	6	14	25	31	78			
WSW	0	2	9	11	. 5	16	43			
W	0	0	9	12	7	18	46			
WNW	1	2	5	9	25	58	100			
NW	0	9	4	32	8	5	58			
NNW	2	2	4	10	13	2	33			
Variable	0	0	0	0	0	0	0			
Total	7	38	91	206	176	245	763			

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 27

Period of Record: October - December 2007 Stability Class - Moderately Stable - 375Ft-33Ft Delta-T (F) Winds Measured at 375 Feet

Wind Speed (in mph)

	wind speed (in mpn)									
Wind Direction 	1-3	4-7	8-12	13-18	19-24	> 24	Total			
N	0	2	1	2	5	. 2	12			
NNE	0	0	3	0	0	0	3			
NE	0	0	2	0	0	0	2			
ENE	0	0	3	0	0	0	3			
E	0	1	0	0	0	0	1			
ESE	0	1	0	1	2	4	8			
SE	0	0	4	1	2	4	11			
SSE	0	1	2	4	2	8	17			
S	1	0	7	7	7	16	38			
SSW	. 0	0	11	15	16	35	77			
SW	0	4	5	6	11	6	32			
WSW	1	2	4	9	12	8	36			
W	0	2	1	7	5	4	19			
WNW	1	2	4	8	5	2	22			
NW	0	3	1	5	4	4	17			
NNW	0 ·	0	2	5	5	1	13			
Variable	0	0	0	. 0	0	0	0			
Total	3	18	50	70	76	94	311			

Hours of calm in this stability class: 0

Hours of missing wind measurements in this stability class: 0

Period of Record: October - December 2007
Stability Class - Extremely Stable - 375Ft-33Ft Delta-T (F)
Winds Measured at 375 Feet

Wind Speed (in mph)

	wind speed (in mpn)						
Wind Direction	1-3	4-7	8-12	13-18	19-24	> 24	Total
N	0	1	1	0	0	0	2
NNE	0	0	1	0	0	0	1
NE	0	0	0	0	0	0	0
ENE	0	0	0	0	0	0	0
E	0	. 0	0	0	0	0	0
ESE	. 0	0	0	0	0	0	0
SE	0	0	0	0	2	3	5
SSE	0	0	1	12	2	4	19
S	0	0	1	9	5	. 5	20
SSW	0	0	1	3	12	13	29
SW	0	0	2	2	19	21	44
WSW	0	0	0	0	0	1	. 1
W	0	0	0	0	1	1	2
WNW	0	0	0	0	0	0	0
NW	0	0	0	0	0	0	0
NNW	0	0	0	1	3	0	4
Variable	0	0	0	0	0	0	0
Total	0	1	7	27	44	48	127

Hours of calm in this stability class: 0