



Nebraska Public Power District

Always there when you need us

NLS2008040
May 15, 2008

U.S. Nuclear Regulatory Commission
Attention: Document Control Desk
Washington, D.C. 20555-0001

Subject: Annual Radiological Environmental Report
Cooper Nuclear Station, Docket No. 50-298, DPR-46

Dear Sir or Madam:

The purpose of this letter is to submit the Cooper Nuclear Station (CNS) Annual Radiological Environmental Report for the period January 1, 2007, through December 31, 2007. The enclosed report is being submitted per the requirements of Technical Specification 5.6.2 and the CNS Offsite Dose Assessment Manual Section D 5.2.

Should you have any questions or require additional information, please contact me at (402) 825-2904.

Sincerely,

David W. Van Der Kamp
Licensing Manager

/jf

Enclosure

cc: Regional Administrator w/enclosure
USNRC - Region IV

NPG Distribution w/o enclosure

Cooper Project Manager w/enclosure
USNRC - NRR Project Directorate IV-1

CNS Records w/enclosure

Senior Resident Inspector w/enclosure
USNRC - CNS

COOPER NUCLEAR STATION

P.O. Box 98 / Brownville, NE 68321-0098

Telephone: (402) 825-3811 / Fax: (402) 825-5211

www.nppd.com

JEAS
NRR

Correspondence Number: NLS2008040

The following table identifies those actions committed to by Nebraska Public Power District (NPPD) in this document. Any other actions discussed in the submittal represent intended or planned actions by NPPD. They are described for information only and are not regulatory commitments. Please notify the Licensing Manager at Cooper Nuclear Station of any questions regarding this document or any associated regulatory commitments.

COMMITMENT	COMMITMENT NUMBER	COMMITTED DATE OR OUTAGE
None		

NLS2008040
Enclosure

Enclosure

Annual Radiological Environmental Report
January 1, 2007, through December 31, 2007

***NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
Radiological Environmental Monitoring Program
2007 Annual Report
January 1, 2007 to December 31, 2007***

Prepared by
*Teledyne Brown Engineering
2508 Quality Lane
Knoxville, TN 37931-3133*

TABLE OF CONTENTS

<u>SECTION</u>	<u>TITLE</u>	<u>PAGE</u>
	Preface.....	6
I.	Introduction.....	7
II.	Summary	10
III.	Sampling and Analyses Program	12
IV.	Summary and Discussion of 2007 Analytical Results.....	17
	A. Airborne Particulates	18
	B. Airborne Iodine.....	19
	C. Fish.....	19
	D. Milk – Nearest Producer	20
	E. Milk – Other Producers.....	21
	F. Ground Water.....	22
	G. River Water.....	22
	H. Thermoluminescent Dosimeters	23
	I. Food – Broadleaf Vegetation	24
	J. Shoreline Sediment	25
V.	Conclusions.....	27
VI.	Radiological Environmental Monitoring Program Summary	
	Table – 2007	29
VII.	Complete Data Tables.....	35
VIII.	References.....	102

TABLE OF CONTENTS (Cont)

APPENDICES

APPENDIX A – 2007 Land Use Census..... A-1
APPENDIX B – Summary of Interlaboratory ComparisonsB-1
APPENDIX C – Synopsis of Analytical Procedures.....C-1
APPENDIX D – Detection Limits and Reporting Levels D-1
APPENDIX E – REMP Sampling and Analytical ExceptionsE-1
APPENDIX F – Summary of Doses to a Member of the Public Offsite..... F-1
APPENDIX G – REMP Sample Station Descriptions G-1

LIST OF FIGURES

1. Map of Sampling Stations.....15

TABLE OF CONTENTS (Cont)

LIST OF TRENDING GRAPHS

1.	Gross Beta in Air Particulates.....	19
2.	Iodine-131 in Charcoal Filters	19
3.	Cesium-137 in Fish.....	20
4.	Iodine-131 and Cesium-137 in Milk – Nearest Producer	21
5.	Iodine-131 and Cesium-137 in Milk – Other Producers.....	21
6.	Tritium in Ground Water	22
7.	Tritium in River Water.....	23
8.	Thermoluminescent Dosimetry.....	24
9.	Iodine-131 and Cesium-137 in Food – Broadleaf Vegetation	25
10.	Iodine-131, Cesium-134, and Cesium-137 in Shoreline Sediment.....	26

TABLE OF CONTENTS (Cont)

LIST OF TABLES

1	Sampling Schedule and Analyses	14
VII-1	Exposure Pathway – Airborne Air Particulate & Charcoal Filters	36
VII-2	Exposure Pathway – Airborne Composite Air Particulate Filters	58
VII-3	Exposure Pathway – Ingestion Fish	69
VII-4	Exposure Pathway – Ingestion Milk Nearest Producer	71
VII-5	Exposure Pathway – Ingestion Milk Other Producers	76
VII-6	Exposure Pathway – Ingestion Water – Ground	77
VII-7	Exposure Pathway – Ingestion Water – River	83
VII-8	Exposure Pathway – Thermoluminescent Dosimetry – TLD	89
VII-9	Exposure Pathway – Ingestion Vegetation – Terrestrial, Broadleaf	91
VII-10	Exposure Pathway – Airborne Shoreline Sediment	100

PREFACE

This report covers the period of January 1 through December 31, 2007. Personnel of the Nebraska Public Power District made all sample collections. Analyses were performed and reports of analyses were prepared by Teledyne Brown Engineering – Environmental Services and forwarded to Nebraska Public Power District. Environmental Thermoluminescent Dosimeter (TLD) analyses were performed and reports of analyses were prepared by Global Dosimetry Solutions.

- **SECTION I. INTRODUCTION**

I. INTRODUCTION

This report contains a complete tabulation of data collected during the period January through December 2007, for the operational Radiological Environmental Monitoring Program performed for the Cooper Nuclear Station (CNS) of the Nebraska Public Power District (NPPD) by Teledyne Brown Engineering - Environmental Services.

Cooper Nuclear Station is located in Nemaha County in the southeast corner of Nebraska on the Missouri River. A portion of the site extends into Missouri. The reactor is an 805-megawatt (net electrical) boiling water reactor. Initial criticality was attained on February 21, 1974.

Radiological environmental monitoring began in 1971 before the plant became operational and has continued to the present. The program monitors radiation levels in air, terrestrial and aquatic environments. All samples are collected by NPPD personnel. All samples are shipped for analysis to a contractor's laboratory where there exists special facilities required for measurements of extremely low levels of radioactivity. Teledyne Brown Engineering - Environmental Services has the responsibility for the analyses for Cooper Nuclear Station.

The United States Nuclear Regulatory Commission (USNRC) regulations (10CFR50.34a) require that nuclear power plants be designed, constructed, and operated to keep levels of radioactive material in effluents to unrestricted areas as low as is reasonably achievable (ALARA). Inplant monitoring is used to ensure that release limits are not exceeded. As a precaution against unexpected or undefined environmental processes, which might allow undue accumulation of radioactivity in the environment, a program for monitoring the plant environs is included in NPPD's CNS Offsite Dose Assessment Manual (ODAM).

A. Atmospheric Nuclear Tests

Three atmospheric nuclear detonations in the People's Republic of China influenced program results significantly in late 1976 and in 1977. Two of these detonations occurred in late 1976 (September 26 and November 17) and one in late 1977 (September 17). As a consequence of these tests elevated activities of gross beta in air particulate filters and I-131 in milk were observed throughout most of the United States. No atmospheric nuclear tests have been conducted since 1980, thus no short-lived fission products were detected in air particulate samples.

On April 26, 1986 the fire and explosion of Chernobyl Reactor No. 4 in the Soviet Union resulted in the release of fission products to the atmosphere and worldwide fallout. Following the explosion, elevated levels of gross beta activities in air particulates and Iodine-131 in charcoal filters and milk samples were measured. Additionally, in 1986, Cesium-137 and the short-lived radionuclides Iodine-131, Ruthenium-106, and Cesium-134 were detected in broadleaf vegetation. Similar results occurred in other areas of the United States and the entire Northern Hemisphere.

B. Program Objectives and Data Interpretation

The objective of the monitoring program is to detect and assess the impact of possible releases to the environs of radionuclides from the operations of the Cooper Nuclear Station. This objective requires measurements of low levels of radioactivity equal to or lower than pre-determined limits of detection. In addition the source of the environmental radiation must be established. Sources of environmental radiation include:

- (1) Natural background radiation from cosmic rays (Beryllium-7).
- (2) Terrestrial, primordial radionuclides from the environment (potassium-40, radium-226, thorium-228).
- (3) Fallout from atmospheric nuclear tests such as the September 1977 detonation by the Peoples' Republic of China and the atmospheric weapons test of October 16, 1980 (fission products and fusion products).
- (4) Releases from nuclear power plants such as CNS (fission products and neutron activation products).
- (5) Fallout from the Chernobyl Nuclear Reactor Accident.

Radiation levels measured in the vicinity of an operating power station are compared with preoperational measurements at the same locations to distinguish power plant effects from other sources. Also, results of the monitoring program are related to events known to cause elevated levels of radiation in the environment, e.g., atmospheric nuclear detonations or abnormal plant releases.

SECTION II. SUMMARY

II. SUMMARY

Presented in this report are summaries and discussions of the data generated for the Radiological Environmental Monitoring Program (REMP) for the Cooper Nuclear Station (CNS) of the Nebraska Public Power District (NPPD) for 2007.

The sampling and analyses program is described in Section III. It contains the sampling schedule and required analyses in Table 1 and the site map.

A discussion of each type of sample analyzed and its impact, if any, on the environment is presented in Section IV. Included are graphs of the radionuclides of interest for the past several years and the statistical results for each quarter of the year.

Section V presents the yearly conclusions of the program.

Section VI is the Radiological Environmental Monitoring Program Summary. It contains the yearly summary of the program with the total number of samples of each type analyzed. It lists the yearly average and range for the control locations versus the indicator locations and the number of detections per total number of samples. It identifies the station with the highest yearly average, the distance and location of that station and provides the range of detection.

Section VII contains the complete data tables for the period.

References are presented in Section VIII.

SECTION III. SAMPLING AND ANALYSES PROGRAM

III. SAMPLING AND ANALYSES PROGRAM

The 2007 sampling and analyses program is described in Table 1. Teledyne Brown Engineering - Environmental Services has a comprehensive quality assurance/quality control program designed to assure the reliability of data obtained. The results for the 2007 Interlaboratory Comparison Program conducted by the Analytics', Inc., MAPEP and Environmental Resource Associates are contained in Appendix B.

Sampling locations are indicated in the map labeled Figure 1. The sample types collected at each location and the approximate distance and direction from the reactor elevated release point are specified.

The annual land use census for 2007 is described in Appendix A. There were no milk animals found within three miles of CNS in 2007 and no evidence of potable water use from the river. The nearest garden to CNS is in sector L, 1.3 mile from CNS. Gardens were found in nine sectors during 2000, in eight sectors during 2001, in seven sectors during 2002, in eight sectors during 2003, in nine sectors during 2004, in five sectors during 2005, in 9 sectors during 2006 and 2007. The nearest resident to CNS is in sector Q, 0.9 miles from CNS.

All of the required 2007 environmental monitoring, including sampling and analyses, was conducted as specified in Table D4.1-1 of the CNS Offsite Dose Assessment Manual (ODAM), except as noted in Appendix E, REMP Sampling and Analytical Exceptions table.

TABLE 1

NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
Environmental Radiation Surveillance Program
Sampling Schedule and Analyses

<i>Sample Type</i>	<i>Station</i>	<i>Frequency</i>	<i>Analyses</i>
Airborne/ Particulate	1-10, 111	Once per 7 days	Gross beta. Gamma Isotopic on quarterly composite of each station, and on each sample in which gross beta activity is >10 times the yearly mean of control samples
Airborne/Iodine	1-10, 111	Once per 7 days	I-131
Milk / Nearest Producer peak pasture only	99	Once per 15 days	I-131 (low level), Gamma Isotopic analysis of each sample
River Water	28, 35	Once per 31 days	Gamma Isotopic, each sample Tritium on quarterly composite
Milk/ Nearest Producer Non-peak pasture	99	Once per 31 days	I-131 (low level), Gamma Isotopic analysis of each sample
Food Products / Broadleaf Vegetation	28, 35, 96, 101	Monthly when required	I-131 (low level), Gamma Isotopic analysis of each sample
Background Radiation Thermoluminescent Dosimeters	1-10, 20, 44, 56, 58, 59, 66, 67, 71, 79-91, 94, 111	Once per 92 days	TLD Readout (gamma dose)
Groundwater	11, 47	Once per 92 days	I-131 (low level), Gamma Isotopic, Tritium
Milk Other Producers	103	Once per 92 days	I-131 (low level), Gamma Isotopic
Fish (Summer and Fall)	28, 35	Two times per year	Gamma Isotopic on edible portions
Shoreline Sediment	28, 35	Two times per year	Gamma Isotopic

Figure 1





Figure 1 (continued)



SECTION IV. SUMMARY AND DISCUSSION OF 2007 ANALYTICAL RESULTS

IV. SUMMARY AND DISCUSSION OF 2007 ANALYTICAL RESULTS

Data from the radiological analyses of environmental media collected during 2007 are tabulated and discussed below. The procedures and specifications followed in the laboratory for these analyses are as required in the Teledyne Brown Engineering Quality Assurance manual and are explained in the Teledyne Brown Engineering Analytical Procedures. A synopsis of analytical procedures used for the environmental samples is provided in Appendix C. In addition to internal quality control measures performed by Teledyne Brown Engineering, the laboratory also participates in an Interlaboratory Comparison Program. Participation in this program ensures that independent checks on the precision and accuracy of the measurements of radioactive material in environmental samples are performed. The results of the Interlaboratory Comparison are provided in Appendix B.

Radiological analyses of environmental media characteristically approach and frequently fall below the detection limits of state-of-the-art measurement methods. The "less than" values in the data tables were calculated from each specific analysis and are dependent on sample size, detector efficiency, length of counting time, chemical yield (when appropriate) and the radioactive decay factor from time of counting to time of collection. Teledyne Brown Engineering's analytical methods meet or are below the Lower Limit of Detection (LLD) requirements given in Table 2 of the USNRC Branch Technical Position, Radiological Monitoring Acceptable Program (November 1979, Revision 1). Appendix C contains a discussion of the LLD formulas.

The following is a discussion and summary of the results of the environmental measurements taken during the 2007 reporting period:


A. *Airborne Particulates*

Gross beta activity was observed in 567 of the 567 indicator samples collected during 2007. The average concentration was 0.023 pCi/m^3 with a range of 0.008 to 0.245 pCi/m^3 . The results of the gross beta activities are presented in Section VII-1 and Trending Graph 1. The gross beta activities for 2007 were comparable to levels measured in the previous several years. Prior to that period the gross beta activities were higher due to atmospheric nuclear weapons testing performed in other countries. The preoperational period of 1971 through 1974 averaged 0.098 pCi/m^3 gross beta.

Air particulate filters were collected weekly and composited by locations on a quarterly basis. They were analyzed by gamma ray spectroscopy. The results are presented in Section VII-2. Beryllium-7, which is produced continuously in the upper atmosphere by cosmic radiation, was measured in 40 of 40 composite samples. The indicator locations had an average concentration of 0.099 pCi/m^3 with a range of 0.004 to 0.195 pCi/m^3 . During the preoperational period, beryllium-7 was measured at comparable levels. Thorium-228 was measured in two samples at an average concentration of 0.005 pCi/m^3 , with a range of 0.004 to 0.007 pCi/m^3 . All other gamma emitters were below the detection limits.

TRENDING GRAPH 1

GROSS BETA IN AIR PARTICULATES
MONTHLY AVERAGE – ALL LOCATIONS




B. Airborne Iodine

Charcoal cartridges used to collect airborne iodine were collected weekly and analyzed by gamma spectrometry for iodine-131. Stations 01 through 10 and 111 were monitored. The results are presented in Section VII-1 and Trending Graph 2. All results were below the required lower limit of detection.

TRENDING GRAPH 2

IODINE-131 IN CHARCOAL FILTERS
MONTHLY AVERAGE – ALL LOCATIONS




C. Fish

Aquatic biota can be sensitive indicators of radionuclide accumulation in the

environment because of their ability to concentrate certain chemical elements, which have radioisotopes. The results are presented in Table VII-3 and Trending Graph 3. Eight samples of fish were collected during the summer and fall of 2007. A middle-top feeding fish (carp) and a bottom feeding fish (catfish) were collected in June and October. These samples were analyzed by gamma ray spectroscopy. Naturally occurring potassium-40 was detected in all samples. The average concentration at the upstream control location was 3115 pCi/kg (wet weight) with a range of 2550 to 3650 pCi/kg (wet weight). The average concentration for the four indicator samples was 2958 pCi/kg (wet weight) with a range of 2780 to 3250 pCi/kg (wet weight). The preoperational period of 1971 through 1974 averaged 2400 pCi/kg potassium-40. All other gamma emitters were below their detection levels.

TRENDING GRAPH 3

CESIUM-137 IN FISH
ALL LOCATIONS




D. Milk – Nearest Producer

Milk samples are collected once every 15 days in peak pasture season and once every 31 days the rest of the year from Station 99. The results are presented in Table VII-4 and Trending Graph 4. Seventeen samples were analyzed by gamma ray spectroscopy and for low-level iodine-131 by radiochemical separation. Naturally occurring potassium-40 was measured in all samples with an average concentration of 1244 pCi/liter and a range of 1070 to 1380 pCi/liter. Thorium-228 was measured in one sample at a concentration of 11.2 pCi/liter. All other gamma emitters were below their detection levels.

TRENDING GRAPH 4

IODINE-131 AND CESIUM-137 IN MILK – NEAREST PRODUCER
STATIONS 61 & 99




Station 61 went out of business in May of 2003. Station 99 replaced station 61 in May of 2003. 07/11/06 I-131 LLD missed due to technical problems with I-131 filter paper in the laboratory.

E. Milk – Other Producers

Four milk samples were collected from one location of other producers during 2007 and results are presented in Table VII-5 and Trending Graph 5. Station 103 was sampled quarterly in 2007. Naturally occurring potassium-40 was detected in all four samples analyzed with an average concentration of 1320 pCi/liter and a range of 1300 to 1340 pCi/liter. All other gamma emitters were below their detection levels. The operation of the Cooper Nuclear Station has no discernable impact on milk samples.

TRENDING GRAPH 5

IODINE-131 AND CESIUM-137 IN MILK – OTHER PRODUCERS
QUARTERLY AVERAGE – ALL LOCATIONS



Due to delay in analysis, sample results for I-131 for the first quarter of 2001 were excluded and are not plotted.


Milk station 102 went out of business April 2006. Vegetation samples are taken in lieu of milk.

F. Ground Water

Groundwater was collected from two stations quarterly and analyzed for tritium and for gamma emitting radionuclides. Station 11 is located 0.15 miles from the plant and station 47 is 25.8 miles from the plant. The results are presented in Table VII-6 and Trending Graph 6. Naturally occurring potassium-40 was detected in two of twenty-four samples analyzed, with a range of 95.2 to 185 pCi/liter. Naturally occurring Th-228 was detected in two of twenty-four samples analyzed, with a range of 10.2 to 15.2 pCi/liter. All other gamma emitters were below their detection levels.

TRENDING GRAPH 6

TRITIUM IN GROUND WATER
QUARTERLY AVERAGE – ALL LOCATIONS




G. River Water

River water was collected monthly and monitored for gamma emitting radionuclides. A quarterly composite was measured for tritium. The results are presented in Table VII-7 and Trending Graph 7. All results were below the required lower limit of detection. Naturally occurring potassium-40 was detected in three of twenty-four samples analyzed, with a range of 76.8 to 102 pCi/liter. Naturally occurring Th-228 was detected in two of twenty-four samples analyzed, with a range of 12.1 to 13.6 pCi/liter. All other gamma emitters were below their detection levels.

TRENDING GRAPH 7

TRITIUM IN RIVER WATER
 QUARTERLY AVERAGE – ALL LOCATIONS




H. Thermoluminescent Dosimeters

Thermoluminescent dosimeters (TLDs) determine environmental radiation doses and the results are presented in Table VII-8 and Trending Graph 8. Ambient radiation was monitored at 33 locations within an 11 mile radius of the Cooper Nuclear Station and collected quarterly. The quarterly average for the indicator locations was 23.2 millirem/quarter and a range from 18.2 to 34.5 millirem/quarter. The control stations 44 and 111, which are located 10.3 miles, 270 degrees and 10.8 miles, 254 degrees, respectively, had an average of 24.1 millirem/quarter and a range from 19.1 to 30.8 millirem/quarter. The highest station was Station 67 with an average of 25.2 millirem/quarter and a range from 23.2 to 28.7 millirem/quarter. The preoperational period of 1971 through 1974 averaged 7.0 millirem/quarter. The data from year to year is in good agreement and indicates no adverse changes in radiation exposure to the population near the Cooper Nuclear Station.

TRENDING GRAPH 8

THERMOLUMINESCENT DOSIMETRY QUARTERLY AVERAGE – ALL LOCATIONS




I. *Food – Broadleaf Vegetation*

Twenty-six broadleaf vegetation samples were collected June through September from three locations during 2007. The samples were analyzed by gamma ray spectroscopy and for low-level iodine-131 by radiochemical separation. The results are presented in Table VII-9 and Trending Graph 9. Beryllium-7, which is produced continuously in the upper atmosphere by cosmic radiation was measured in 24 of 26 samples analyzed. The average concentration for the two indicator locations was 847 pCi/kg wet and a range of 129 to 2090 pCi/kg wet. The average concentration for the control location was 510 pCi/kg wet with a range of 206 to 878 pCi/kg wet. Naturally occurring potassium-40 was measured on all twenty-six samples analyzed. The average concentration for the two indicator locations was 5674 pCi/kg wet and a range of 3470 to 8220 pCi/liter. The average concentration for the control location was 5709 pCi/kg wet with a range of 4330 to 7120 pCi/kg wet. All other gamma emitters were below their detection levels. The operation of the Cooper Nuclear Station has no discernable impact on broadleaf vegetation samples.

TRENDING GRAPH 9

IODINE-131 AND CESIUM-137 IN FOOD – BROADLEAF VEGETATION
ALL LOCATIONS



The low Cs-137 value reported in July 2001 was due to the wrong aliquot being entered for the gamma analysis.


Due to delay in sample receipt, the I-131 had decayed away, resulting in a high LLD for May 2002.

Due to delay in counting sample, the I-131 had decayed away, resulting in a high LLD for June 2006. The I-131 by chemical separation met required I-131 LLD.

J. Shoreline Sediment

Sediment samples were collected during June and October from Stations 28 and 35 and were analyzed by gamma spectrometry. The results are presented in Table VII-10 and Trending Graph 10. A number of naturally occurring radionuclides were detected in these samples. Naturally occurring potassium-40 was observed in all samples. The average concentration for the two supplemental stations was 14750 pCi/kg (dry weight) with a range of 14700 to 14800 pCi/kg (dry weight). The average concentration for the two indicator stations was 15500 pCi/kg (dry weight) with a range of 13500 to 17500 pCi/kg (dry weight). Thorium-228 was observed in all samples. The average concentration for the two supplemental stations was 992 pCi/kg (dry weight) and a range of 834 to 1150 pCi/kg (dry weight). The average concentration for the two indicator stations was 1017 pCi/kg (dry weight) and a range of 834 to 1200 pCi/kg (dry weight). All other gamma emitters were below their detection limits.

TRENDING GRAPH 10
**IODINE-131, CESIUM-134, AND CESIUM-137 IN SHORELINE SEDIMENT
 STATIONS 28 AND 35**



Due to delay in analysis, sample results for I-131 for the second quarter of 2000 were excluded and are not plotted.

Due to delay in counting the samples and shortened count times, the I-131 LLD for 10/11/06 samples was higher than normally reported.

The ODAM does not list an LLD for I-131.

SECTION V. CONCLUSIONS

V. CONCLUSIONS

The results of the 2007 Radiological Environmental Monitoring Program (REMP) for the Cooper Nuclear Station (CNS) of the Nebraska Public Power District (NPPD) have been presented. The report contains data tables, summaries, and discussions of the data and trending graphs.

Naturally occurring radioactivity and residual traces of fallout were observed in sample media in the expected ranges. They have been discussed individually in the text. Observed radioactivity was at very low concentrations.

The results of the analyses have been presented. Based on the evidence of the Radiological Environmental Monitoring Program, the Nebraska Public Power District, Cooper Nuclear Station has had no discernable radiological impact on the environment and is operating within regulatory limits.

SECTION VI. RADIOLOGICAL ENVIRONMENTAL MONITORING
PROGRAM SUMMARY TABLE - 2007

ENVIRONMENTAL RADIOLOGICAL MONITORING PROGRAM SUMMARY

Name of Facility	<u>Cooper Nuclear Station</u>	Docket No.	<u>50-298</u>
Location of Facility	<u>Nemaha Nebraska</u>	Reporting Period	<u>January 1 2007 to December 31 2007</u>
	(County/State)		

Medium of Pathway Sampled (Unit of Measurement)	Type & Total No. of Analysis Performed	Lower Limit of Detection(1) (LLD)	All Indicator Locations Mean(2) Range(2)	Location with Highest Annual Mean		Control Location Mean()(2) Range(2)	No. of Reportable Occurrences
				Name	Mean()(2) Range(2)		
Air Iodine (pCi/m ³)	I-131	567	0.07 ND(0/515) (ND-ND)	NA	NA(0/0) (NA-NA)	ND(0/52) (ND-ND)	0
Air Particulate (pCi/m ³)	Gross Beta (Weekly)	567	NA 0.023(515/515) (0.008/0.245)	Sta. 07 2.5 mi.	0.025(51/51) (0.008/0.245)	0.024(52/52) (0.011/0.056)	0
	Be-7	44	NA 0.099(40/40) (0.004/0.195)	Sta. 10	0.121(4/4) (0.005/0.191)	0.111(4/4) (0.004/0.168)	0
	Co-60	44	NA ND(0/40) (ND-ND)	NA	NA(0/0) (NA-NA)	ND(0/4) (ND-ND)	0
	Th-228	44	NA 0.005(2/40) (0.004/0.007)	Sta. 06 3.0 mi.	0.007(1/39) NA-NA	ND(0/4) (ND-ND)	0
Fish (pCi/kg Wet)	Co-60	8	130 ND(0/4) (ND-ND)	NA	NA(0/0) (NA-NA)	ND(0/4) (ND-ND)	0
	Cs-137	8	150 ND(0/4) (ND-ND)	NA	NA(0/0) (NA-NA)	ND(0/4) (ND-ND)	0

(1) Nominal Lower Limit of Detection (LLD), as stated in ODAM.

(2) Mean and Range based upon detectable measurements only. Fraction of detectable measurements at specified location indicated in brackets().

(3) ND = Non Detectable.

(4) NA = Not Applicable.

ENVIRONMENTAL RADIOLOGICAL MONITORING PROGRAM SUMMARY

Name of Facility	<u>Cooper Nuclear Station</u>	Docket No.	<u>50-298</u>
Location of Facility	<u>Nemaha Nebraska</u>	Reporting Period	<u>January 1 2007 to December 31 2007</u>
	(County/State)		

Medium of Pathway Sampled (Unit of Measurement)	Type & Total No. of Analysis Performed	Lower Limit of Detection(1) (LLD)	All Indicator Locations Mean(2) Range(2)	Location with Highest Annual Mean		Control Location Mean()(2) Range(2)	No. of Reportable Occurrences
				Name	Mean()(2) Range(2)		
Fish (pCi/kg Wet)	K-40	8	NA 2958(4/4) (2780/3250)	Sta. 35	2.0 mi. 3115(4/4) (2550/3650)	3115(4/4) (2550/3650)	0
	Th-228	8	NA ND(0/4) (ND-ND)	NA	NA(0/0) (NA-NA)	ND(0/4) (ND-ND)	0
Milk Nearest (pCi/liter)	I-131	17	NA ND(0/17) (ND-ND)	NA	NA(0/0) (NA-NA)	NA(0/0) (NA-NA)	0
	K-40	17	NA 1244(17/17) (1070/1380)	Sta. 99	10.5 mi. 1244(17/17) (1070/1380)	NA(0/0) (NA-NA)	0
	Ra-226	17	NA ND(0/17) (ND-ND)	NA	NA(0/0) (NA-NA)	NA(0/0) (NA-NA)	0
	Th-228	17	NA 11.2(1/17) NA-NA	Sta. 99	10.5 mi. 11.2(1/17) NA-NA	NA(0/0) (NA-NA)	0
Milk Others (pCi/liter)	I-131	4	1 ND(0/4) (ND-ND)	NA	NA(0/0) (NA-NA)	NA(0/0) (NA-NA)	0

(1) Nominal Lower Limit of Detection (LLD), as stated in ODAM.

(2) Mean and Range based upon detectable measurements only. Fraction of detectable measurements at specified location indicated in brackets().

(3) ND = Non Detectable.

(4) NA = Not Applicable.

ENVIRONMENTAL RADIOLOGICAL MONITORING PROGRAM SUMMARY

Name of Facility	<u>Cooper Nuclear Station</u>	Docket No.	<u>50-298</u>
Location of Facility	<u>Nemaha Nebraska</u>	Reporting Period	<u>January 1 2007 to December 31 2007</u>
	(County/State)		

Medium of Pathway Sampled (Unit of Measurement)	Type & Total No. of Analysis Performed	Lower Limit of Detection(1) (LLD)	All Indicator Locations Mean(2) Range(2)	Location with Highest Annual Mean		Control Location Mean()(2) Range(2)	No. of Reportable Occurrences
				Name	Mean()(2) Range(2)		
Milk Others (pCi/liter)	K-40	4	NA 1320(4/4) (1300/1340)	Sta. 103	13.5 mi. 1320(4/4) (1300/1340)	NA(0/0) (NA-NA)	0
	Ra-226	4	NA ND(0/4) (ND-ND)	NA	NA(0/0) (NA-NA)	NA(0/0) (NA-NA)	0
	Th-228	4	NA ND(0/4) (ND-ND)	NA	NA(0/0) (NA-NA)	NA(0/0) (NA-NA)	0
Water - Ground (pCi/liter)	I-131	24	I ND(0/24) (ND-ND)	NA	NA(0/0) (NA-NA)	NA(0/0) (NA-NA)	0
	H-3	24	2000 ND(0/24) (ND-ND)	NA	NA(0/0) (NA-NA)	NA(0/0) (NA-NA)	0
	K-40	24	NA 140(2/24) (95.2/185)	Sta. 47	25.8 mi. 140(2/24) (95.2/185)	NA(0/0) (NA-NA)	0
	Th-228	24	NA 12.7(2/24) (10.2/15.2)	Sta. 11	0.15 mi. 15.2(1/23) NA-NA	NA(0/0) (NA-NA)	0

(1) Nominal Lower Limit of Detection (LLD), as stated in ODAM.

(2) Mean and Range based upon detectable measurements only. Fraction of detectable measurements at specified location indicated in brackets().

(3) ND = Non Detectable.

(4) NA = Not Applicable.

ENVIRONMENTAL RADIOLOGICAL MONITORING PROGRAM SUMMARY

Name of Facility	<u>Cooper Nuclear Station</u>	Docket No.	<u>50-298</u>
Location of Facility	<u>Nemaha Nebraska</u>	Reporting Period	<u>January 1 2007 to December 31 2007</u>
	(County/State)		

Medium of Pathway Sampled (Unit of Measurement)	Type & Total No. of Analysis Performed	Lower Limit of Detection(1) (LLD)	All Indicator Locations Mean(2) Range(2)	Location with Highest Annual Mean		Control Location Mean()(2) Range(2)	No. of Reportable Occurrences	
				Name	Mean()(2) Range(2)			
River Water (pCi/liter)	H-3	32	NA	ND(0/16) (ND-ND)	NA	NA(0/0) (NA-NA)	ND(0/16) (ND-ND)	0
	K-40	24	NA	89.4(2/12) (76.8/102)	Sta. 28 1.8 mi.	89.4(2/12) (76.8/102)	50.9(1/12) NA-NA	0
	Th-228	24	NA	12.9(2/12) (12.1/13.6)	Sta. 28 1.8 mi.	12.9(2/12) (12.1/13.6)	ND(0/12) (ND-ND)	0
Direct Radiation (mR/Standard Quarter)	Gamma Dose Quarterly	132	NA	23.2(124/124) (18.2/34.5)	Sta. 67 4.8 mi.	25.2(4/4) (23.2/28.7)	24.1(8/8) (19.1/30.8)	0
Broadleaf Vegetation (pCi/kg Wet)	I-131	26	60	ND(0/18) (ND-ND)	NA	NA(0/0) (NA-NA)	ND(0/8) (ND-ND)	0
	Be-7	26	NA	847(16/18) (129/2090)	Sta. 96	941(6/8) (699/1380)	510(8/8) (206/878)	0
	K-40	26	NA	5674(18/18) (3470/8220)	Sta. 96	6122(6/6) (5350/7700)	5709(8/8) (4330/7120)	0

(1) Nominal Lower Limit of Detection (LLD), as stated in ODAM.

(2) Mean and Range based upon detectable measurements only. Fraction of detectable measurements at specified location indicated in brackets().

(3) ND = Non Detectable.

(4) NA = Not Applicable.

ENVIRONMENTAL RADIOLOGICAL MONITORING PROGRAM SUMMARY

Name of Facility	<u>Cooper Nuclear Station</u>	Docket No.	<u>50-298</u>
Location of Facility	<u>Nemaha Nebraska</u>	Reporting Period	<u>January 1 2007 to December 31 2007</u>
	(County/State)		

Medium of Pathway Sampled (Unit of Measurement)	Type & Total No. of Analysis Performed	Lower Limit of Detection(1) (LLD)	All Indicator Locations Mean(2) Range(2)	Location with Highest Annual Mean		Control Location Mean()(2) Range(2)	No. of Reportable Occurrences
				Name	Mean()(2) Range(2)		
Shoreline Soil (pCi/kg Dry)	Ra-226	26	NA ND(0/18) (ND-ND)	NA	NA(0/0) (NA-NA)	ND(0/8) (ND-ND)	0
	Th-228	26	NA ND(0/18) (ND-ND)	NA	NA(0/0) (NA-NA)	ND(0/8) (ND-ND)	0
	Be-7	4	NA ND(0/2) (ND-ND)	NA	NA(0/0) (NA-NA)	ND(0/2) (ND-ND)	0
	Cs-137	4	NA ND(0/2) (ND-ND)	NA	NA(0/0) (NA-NA)	ND(0/2) (ND-ND)	0
Shoreline Soil (pCi/kg Dry)	K-40	4	NA 15500(2/2) (13500/17500)	Sta. 28 1.8 mi.	15500(2/2) (13500/17500)	14750(2/2) (14700/14800)	0
	Ra-226	4	NA ND(0/2) (ND-ND)	NA	NA(0/0) (NA-NA)	ND(0/2) (ND-ND)	0
	Th-228	4	NA 1017(2/2) (834/1200)	Sta. 28 1.8 mi.	1017(2/2) (834/1200)	992(2/2) (834/1150)	0

(1) Nominal Lower Limit of Detection (LLD), as stated in ODAM.

(2) Mean and Range based upon detectable measurements only. Fraction of detectable measurements at specified location indicated in brackets().

(3) ND = Non Detectable.

(4) NA = Not Applicable.

SECTION VII. COMPLETE DATA TABLES

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 01

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
01/02/07	01/09/07	1.00E+04	CU.FT.	2.16E-02 ± 4.16E-03	L.T. 7E-02
01/09/07	01/16/07	1.00E+04	CU.FT.	2.35E-02 ± 4.32E-03	L.T. 5E-02
01/16/07	01/22/07	8.66E+03	CU.FT.	2.93E-02 ± 5.28E-03	L.T. 3E-02
01/22/07	01/30/07	1.15E+04	CU.FT.	2.29E-02 ± 4.06E-03	L.T. 5E-02
01/30/07	02/05/07	8.58E+03	CU.FT.	1.58E-02 ± 4.42E-03	L.T. 5E-02
02/05/07	02/13/07	1.15E+04	CU.FT.	2.42E-02 ± 4.07E-03	L.T. 5E-02
02/13/07	02/20/07	1.01E+04	CU.FT.	2.15E-02 ± 4.03E-03	L.T. 5E-02
02/20/07	02/27/07	9.97E+03	CU.FT.	1.12E-02 ± 3.32E-03	L.T. 5E-02
02/27/07	03/06/07	1.00E+04	CU.FT.	1.38E-02 ± 3.59E-03	L.T. 6E-02
03/06/07	03/13/07	1.00E+04	CU.FT.	2.59E-02 ± 4.34E-03	L.T. 6E-02
03/13/07	03/20/07	1.00E+04	CU.FT.	1.92E-02 ± 4.19E-03	L.T. 4E-02
03/20/07	03/27/07	9.97E+03	CU.FT.	2.32E-02 ± 4.44E-03	L.T. 4E-02
03/27/07	04/04/07	1.15E+04	CU.FT.	1.05E-02 ± 3.13E-03	L.T. 6E-02
04/04/07	04/09/07	7.16E+03	CU.FT.	1.23E-02 ± 4.59E-03	L.T. 7E-02
04/09/07	04/17/07	1.15E+04	CU.FT.	2.13E-02 ± 3.75E-03	L.T. 6E-02
04/17/07	04/24/07	1.01E+04	CU.FT.	2.09E-02 ± 4.30E-03	L.T. 4E-02
04/24/07	04/30/07	8.65E+03	CU.FT.	2.56E-02 ± 5.03E-03	L.T. 4E-02
04/30/07	05/09/07	1.30E+04	CU.FT.	1.16E-02 ± 2.75E-03	L.T. 6E-02
05/09/07	05/15/07	8.56E+03	CU.FT.	2.23E-02 ± 4.47E-03	L.T. 3E-02
05/15/07	05/22/07	1.00E+04	CU.FT.	1.55E-02 ± 3.78E-03	L.T. 4E-02
05/22/07	05/29/07	1.02E+04	CU.FT.	1.27E-02 ± 3.78E-03	L.T. 2E-02
05/29/07	06/05/07	9.98E+03	CU.FT.	1.53E-02 ± 3.83E-03	L.T. 2E-02
06/05/07	06/12/07	9.98E+03	CU.FT.	1.54E-02 ± 3.80E-03	L.T. 4E-02
06/12/07	06/19/07	1.01E+04	CU.FT.	3.93E-02 ± 5.21E-03	L.T. 6E-02
06/19/07	06/25/07	8.72E+03	CU.FT.	1.80E-02 ± 4.35E-03	L.T. 5E-02
06/25/07	07/03/07	1.14E+04	CU.FT.	1.64E-02 ± 3.50E-03	L.T. 6E-02
07/03/07	07/10/07	1.02E+04	CU.FT.	2.40E-02 ± 4.34E-03	L.T. 2E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 01

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
07/10/07	07/17/07	9.91E+03	CU.FT.	1.52E-02 ± 3.78E-03	L.T. 5E-02
07/17/07	07/23/07	8.65E+03	CU.FT.	1.80E-02 ± 4.29E-03	L.T. 5E-02
07/23/07	07/31/07	1.16E+04	CU.FT.	2.09E-02 ± 3.82E-03	L.T. 1E-02
07/31/07	08/07/07	1.00E+04	CU.FT.	1.51E-02 ± 3.91E-03	L.T. 3E-02
08/07/07	08/14/07	1.01E+04	CU.FT.	2.47E-02 ± 4.65E-03	L.T. 5E-02
08/14/07	08/20/07	8.54E+03	CU.FT.	2.22E-02 ± 4.73E-03	L.T. 7E-02
08/20/07	08/28/07	1.16E+04	CU.FT.	1.48E-02 ± 3.54E-03	L.T. 4E-02
08/28/07	09/04/07	1.01E+04	CU.FT.	1.88E-02 ± 3.89E-03	L.T. 6E-02
09/04/07	09/11/07	9.98E+03	CU.FT.	1.24E-02 ± 3.65E-03	L.T. 7E-02
09/11/07	09/17/07	8.60E+03	CU.FT.	1.22E-02 ± 3.75E-03	L.T. 4E-02
09/17/07	09/25/07	1.15E+04	CU.FT.	2.73E-02 ± 4.25E-03	L.T. 4E-02
09/25/07	10/01/07	8.70E+03	CU.FT.	1.85E-02 ± 4.23E-03	L.T. 6E-02
10/01/07	10/09/07	1.14E+04	CU.FT.	1.66E-02 ± 3.54E-03	L.T. 3E-02
10/09/07	10/16/07	1.01E+04	CU.FT.	2.50E-02 ± 4.65E-03	L.T. 7E-02
10/16/07	10/23/07	1.01E+04	CU.FT.	1.66E-02 ± 3.81E-03	L.T. 5E-02
10/23/07	10/30/07	1.02E+04	CU.FT.	1.99E-02 ± 4.20E-03	L.T. 4E-02
10/30/07	11/05/07	8.52E+03	CU.FT.	2.58E-02 ± 4.95E-03	L.T. 6E-02
11/05/07	11/13/07	1.15E+04	CU.FT.	2.95E-02 ± 4.25E-03	L.T. 5E-02
11/13/07	11/20/07	1.01E+04	CU.FT.	2.87E-02 ± 4.71E-03	L.T. 5E-02
11/20/07	11/27/07	1.01E+04	CU.FT.	2.56E-02 ± 4.44E-03	L.T. 4E-02
11/27/07	12/04/07	1.01E+04	CU.FT.	5.35E-02 ± 6.04E-03	L.T. 4E-02
12/04/07	12/12/07	1.17E+04	CU.FT.	3.32E-02 ± 4.58E-03	L.T. 5E-02
12/12/07	12/18/07	8.41E+03	CU.FT.	4.90E-02 ± 7.30E-03	L.T. 3E-02
12/18/07	12/24/07	8.60E+03	CU.FT.	6.01E-02 ± 7.00E-03	L.T. 5E-02
12/24/07	12/31/07	1.01E+04	CU.FT.	2.90E-02 ± 4.82E-03	L.T. 5E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 02

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
01/02/07	01/09/07	1.00E+04	CU.FT.	2.12E-02 ± 4.13E-03	L.T. 7E-02
01/09/07	01/16/07	1.00E+04	CU.FT.	2.58E-02 ± 4.48E-03	L.T. 5E-02
01/16/07	01/22/07	8.73E+03	CU.FT.	3.13E-02 ± 5.38E-03	L.T. 3E-02
01/22/07	01/30/07	1.15E+04	CU.FT.	2.92E-02 ± 4.45E-03	L.T. 5E-02
01/30/07	02/05/07	8.58E+03	CU.FT.	1.55E-02 ± 4.39E-03	L.T. 5E-02
02/05/07	02/13/07	1.15E+04	CU.FT.	2.45E-02 ± 4.10E-03	L.T. 5E-02
02/13/07	02/20/07	1.01E+04	CU.FT.	2.17E-02 ± 4.04E-03	L.T. 5E-02
02/20/07	02/27/07	9.98E+03	CU.FT.	1.17E-02 ± 3.36E-03	L.T. 5E-02
02/27/07	03/06/07	1.00E+04	CU.FT.	1.23E-02 ± 3.46E-03	L.T. 6E-02
03/06/07	03/13/07	1.00E+04	CU.FT.	2.41E-02 ± 4.22E-03	L.T. 6E-02
03/13/07	03/20/07	1.00E+04	CU.FT.	2.12E-02 ± 4.32E-03	L.T. 4E-02
03/20/07	03/27/07	9.97E+03	CU.FT.	3.25E-02 ± 5.03E-03	L.T. 4E-02
03/27/07	04/04/07	1.15E+04	CU.FT.	1.08E-02 ± 3.15E-03	L.T. 6E-02
04/04/07	04/09/07	7.16E+03	CU.FT.	1.90E-02 ± 5.16E-03	L.T. 7E-02
04/09/07	04/17/07	1.15E+04	CU.FT.	1.73E-02 ± 3.46E-03	L.T. 6E-02
04/17/07	04/24/07	1.00E+04	CU.FT.	2.29E-02 ± 4.46E-03	L.T. 4E-02
04/24/07	04/30/07	8.59E+03	CU.FT.	2.66E-02 ± 5.12E-03	L.T. 4E-02
04/30/07	05/09/07	8.25E+03	CU.FT.	1.88E-02 ± 4.38E-03	L.T. 6E-02
05/09/07	05/15/07	8.55E+03	CU.FT.	2.48E-02 ± 4.66E-03	L.T. 4E-02
05/15/07	05/22/07	1.00E+04	CU.FT.	1.63E-02 ± 3.84E-03	L.T. 4E-02
05/22/07	05/29/07	8.94E+03	CU.FT.	1.04E-02 ± 3.98E-03	L.T. 2E-02
05/29/07	06/05/07	9.98E+03	CU.FT.	1.57E-02 ± 3.87E-03	L.T. 2E-02
06/05/07	06/12/07	9.98E+03	CU.FT.	1.53E-02 ± 3.79E-03	L.T. 4E-02
06/12/07	06/19/07	1.01E+04	CU.FT.	4.58E-02 ± 5.56E-03	L.T. 6E-02
06/19/07	06/25/07	8.66E+03	CU.FT.	2.07E-02 ± 4.57E-03	L.T. 5E-02
06/25/07	07/03/07	1.14E+04	CU.FT.	1.71E-02 ± 3.56E-03	L.T. 6E-02
07/03/07	07/10/07	1.02E+04	CU.FT.	2.09E-02 ± 4.13E-03	L.T. 2E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 02

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
07/10/07	07/17/07	9.91E+03	CU.FT.	1.67E-02 ± 3.89E-03	L.T. 5E-02
07/17/07	07/23/07	8.66E+03	CU.FT.	2.27E-02 ± 4.65E-03	L.T. 5E-02
07/23/07	07/31/07	1.16E+04	CU.FT.	2.26E-02 ± 3.93E-03	L.T. 1E-02
07/31/07	08/07/07	1.01E+04	CU.FT.	1.67E-02 ± 4.00E-03	L.T. 3E-02
08/07/07	08/14/07	9.19E+03	CU.FT.	2.96E-02 ± 5.26E-03	L.T. 5E-02
08/14/07	08/20/07	8.48E+03	CU.FT.	2.96E-02 ± 5.27E-03	L.T. 7E-02
08/20/07	08/28/07	1.16E+04	CU.FT.	2.51E-02 ± 4.22E-03	L.T. 4E-02
08/28/07	09/04/07	1.01E+04	CU.FT.	2.26E-02 ± 4.17E-03	L.T. 6E-02
09/04/07	09/11/07	9.98E+03	CU.FT.	2.02E-02 ± 4.24E-03	L.T. 7E-02
09/11/07	09/17/07	8.59E+03	CU.FT.	1.38E-02 ± 3.90E-03	L.T. 4E-02
09/17/07	09/25/07	1.15E+04	CU.FT.	3.16E-02 ± 4.51E-03	L.T. 4E-02
09/25/07	10/01/07	8.70E+03	CU.FT.	2.46E-02 ± 4.70E-03	L.T. 6E-02
10/01/07	10/09/07	1.14E+04	CU.FT.	2.08E-02 ± 3.84E-03	L.T. 3E-02
10/09/07	10/16/07	1.00E+04	CU.FT.	1.97E-02 ± 4.33E-03	L.T. 7E-02
10/16/07	10/23/07	1.01E+04	CU.FT.	2.04E-02 ± 4.10E-03	L.T. 5E-02
10/23/07	10/30/07	1.02E+04	CU.FT.	2.14E-02 ± 4.30E-03	L.T. 6E-02
10/30/07	11/05/07	8.57E+03	CU.FT.	2.82E-02 ± 5.10E-03	L.T. 6E-02
11/05/07	11/13/07	1.15E+04	CU.FT.	3.29E-02 ± 4.46E-03	L.T. 5E-02
11/13/07	11/20/07	1.01E+04	CU.FT.	2.82E-02 ± 4.69E-03	L.T. 5E-02
11/20/07	11/27/07	1.01E+04	CU.FT.	3.28E-02 ± 4.90E-03	L.T. 4E-02
11/27/07	12/04/07	1.01E+04	CU.FT.	4.31E-02 ± 5.51E-03	L.T. 4E-02
12/04/07	12/12/07	1.04E+04	CU.FT.	3.25E-02 ± 4.87E-03	L.T. 6E-02
12/12/07	12/18/07	6.79E+03	CU.FT.	4.14E-02 ± 8.04E-03	L.T. 6E-02
12/18/07	12/24/07	8.60E+03	CU.FT.	5.14E-02 ± 6.55E-03	L.T. 5E-02
12/24/07	12/31/07	1.01E+04	CU.FT.	2.96E-02 ± 4.86E-03	L.T. 5E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 03

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
01/02/07	01/09/07	1.00E+04	CU.FT.	1.67E-02 ± 3.80E-03	L.T. 6E-02
01/09/07	01/16/07	9.90E+03	CU.FT.	2.78E-02 ± 4.64E-03	L.T. 5E-02
01/16/07	01/22/07	8.84E+03	CU.FT.	3.63E-02 ± 5.64E-03	L.T. 3E-02
01/22/07	01/30/07	1.14E+04	CU.FT.	2.65E-02 ± 4.31E-03	L.T. 5E-02
01/30/07	02/05/07	8.53E+03	CU.FT.	1.38E-02 ± 4.27E-03	L.T. 5E-02
02/05/07	02/13/07	1.16E+04	CU.FT.	2.61E-02 ± 4.18E-03	L.T. 5E-02
02/13/07	02/20/07	1.01E+04	CU.FT.	1.74E-02 ± 3.72E-03	L.T. 5E-02
02/20/07	02/27/07	9.97E+03	CU.FT.	1.00E-02 ± 3.21E-03	L.T. 5E-02
02/27/07	03/06/07	1.02E+04	CU.FT.	1.33E-02 ± 3.51E-03	L.T. 6E-02
03/06/07	03/13/07	9.92E+03	CU.FT.	2.58E-02 ± 4.35E-03	L.T. 6E-02
03/13/07	03/20/07	9.96E+03	CU.FT.	1.96E-02 ± 4.22E-03	L.T. 4E-02
03/20/07	03/27/07	1.01E+04	CU.FT.	2.55E-02 ± 4.56E-03	L.T. 4E-02
03/27/07	04/04/07	1.15E+04	CU.FT.	1.04E-02 ± 3.12E-03	L.T. 6E-02
04/04/07	04/09/07	7.09E+03	CU.FT.	1.54E-02 ± 4.90E-03	L.T. 7E-02
04/09/07	04/17/07	1.15E+04	CU.FT.	1.75E-02 ± 3.48E-03	L.T. 6E-02
04/17/07	04/24/07	1.00E+04	CU.FT.	2.00E-02 ± 4.27E-03	L.T. 4E-02
04/24/07	04/30/07	8.72E+03	CU.FT.	1.99E-02 ± 4.60E-03	L.T. 4E-02
04/30/07	05/09/07	(a)			
05/09/07	05/15/07	(a)			
04/30/07	05/22/07	3.16E+04	CU.FT.	1.93E-02 ± 2.04E-03	L.T. 3E-02
05/22/07	05/29/07	1.02E+04	CU.FT.	1.20E-02 ± 3.73E-03	L.T. 2E-02
05/29/07	06/05/07	9.99E+03	CU.FT.	1.32E-02 ± 3.66E-03	L.T. 2E-02
06/05/07	06/12/07	9.99E+03	CU.FT.	1.91E-02 ± 4.08E-03	L.T. 4E-02
06/12/07	06/19/07	1.01E+04	CU.FT.	3.36E-02 ± 4.87E-03	L.T. 6E-02
06/19/07	06/25/07	8.59E+03	CU.FT.	1.69E-02 ± 4.30E-03	L.T. 5E-02
06/25/07	07/03/07	1.14E+04	CU.FT.	1.52E-02 ± 3.41E-03	L.T. 6E-02
07/03/07	07/10/07	1.02E+04	CU.FT.	2.53E-02 ± 4.43E-03	L.T. 2E-02

(a) Location not accessible due to flooding from the Missouri River

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 03

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
07/10/07	07/17/07	9.96E+03	CU.FT.	1.56E-02 ± 3.79E-03	L.T. 5E-02
07/17/07	07/23/07	8.67E+03	CU.FT.	2.68E-02 ± 4.93E-03	L.T. 5E-02
07/23/07	07/31/07	1.14E+04	CU.FT.	2.13E-02 ± 3.89E-03	L.T. 1E-02
07/31/07	08/07/07	1.00E+04	CU.FT.	1.81E-02 ± 4.13E-03	L.T. 3E-02
08/07/07	08/14/07	1.02E+04	CU.FT.	2.11E-02 ± 4.38E-03	L.T. 4E-02
08/14/07	08/20/07	8.58E+03	CU.FT.	2.61E-02 ± 5.00E-03	L.T. 7E-02
08/20/07	08/28/07	1.15E+04	CU.FT.	1.96E-02 ± 3.90E-03	L.T. 4E-02
08/28/07	09/04/07	1.00E+04	CU.FT.	2.18E-02 ± 4.14E-03	L.T. 6E-02
09/04/07	09/11/07	1.01E+04	CU.FT.	1.60E-02 ± 3.90E-03	L.T. 7E-02
09/11/07	09/17/07	8.48E+03	CU.FT.	1.76E-02 ± 4.26E-03	L.T. 4E-02
09/17/07	09/25/07	1.17E+04	CU.FT.	2.79E-02 ± 4.29E-03	L.T. 4E-02
09/25/07	10/01/07	8.64E+03	CU.FT.	2.16E-02 ± 4.49E-03	L.T. 6E-02
10/01/07	10/09/07	1.15E+04	CU.FT.	1.94E-02 ± 3.72E-03	L.T. 3E-02
10/09/07	10/16/07	1.00E+04	CU.FT.	1.51E-02 ± 4.00E-03	L.T. 7E-02
10/16/07	10/23/07	1.01E+04	CU.FT.	1.64E-02 ± 3.80E-03	L.T. 5E-02
10/23/07	10/30/07	1.01E+04	CU.FT.	1.94E-02 ± 4.19E-03	L.T. 6E-02
10/30/07	11/05/07	8.47E+03	CU.FT.	2.22E-02 ± 4.71E-03	L.T. 7E-02
11/05/07	11/13/07	1.16E+04	CU.FT.	3.02E-02 ± 4.28E-03	L.T. 5E-02
11/13/07	11/20/07	9.99E+03	CU.FT.	2.42E-02 ± 4.46E-03	L.T. 5E-02
11/20/07	11/27/07	1.02E+04	CU.FT.	1.85E-02 ± 3.91E-03	L.T. 4E-02
11/27/07	12/04/07	1.02E+04	CU.FT.	3.32E-02 ± 4.93E-03	L.T. 4E-02
12/04/07	12/12/07	9.61E+03	CU.FT.	3.03E-02 ± 4.98E-03	L.T. 7E-02
12/12/07	12/18/07	(b)			
12/18/07	12/24/07	8.53E+03	CU.FT.	4.54E-02 ± 6.25E-03	L.T. 5E-02
12/24/07	12/31/07	1.01E+04	CU.FT.	2.28E-02 ± 4.43E-03	L.T. 5E-02

(b) Winter storm produced power outages. Pump fuse for station 3 was blown.

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 04

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
01/02/07	01/09/07	1.00E+04	CU.FT.	1.76E-02 ± 3.87E-03	L.T. 6E-02
01/09/07	01/16/07	9.85E+03	CU.FT.	2.91E-02 ± 4.74E-03	L.T. 5E-02
01/16/07	01/22/07	8.89E+03	CU.FT.	3.06E-02 ± 5.27E-03	L.T. 3E-02
01/22/07	01/30/07	1.14E+04	CU.FT.	2.44E-02 ± 4.18E-03	L.T. 5E-02
01/30/07	02/05/07	8.53E+03	CU.FT.	1.51E-02 ± 4.37E-03	L.T. 5E-02
02/05/07	02/13/07	1.16E+04	CU.FT.	2.59E-02 ± 4.16E-03	L.T. 5E-02
02/13/07	02/20/07	1.01E+04	CU.FT.	1.83E-02 ± 3.79E-03	L.T. 5E-02
02/20/07	02/27/07	9.91E+03	CU.FT.	1.37E-02 ± 3.55E-03	L.T. 5E-02
02/27/07	03/06/07	1.02E+04	CU.FT.	1.86E-02 ± 3.91E-03	L.T. 6E-02
03/06/07	03/13/07	9.92E+03	CU.FT.	2.43E-02 ± 4.25E-03	L.T. 6E-02
03/13/07	03/20/07	9.96E+03	CU.FT.	2.02E-02 ± 4.26E-03	L.T. 4E-02
03/20/07	03/27/07	1.01E+04	CU.FT.	3.97E-02 ± 5.40E-03	L.T. 4E-02
03/27/07	04/04/07	1.15E+04	CU.FT.	1.01E-02 ± 3.10E-03	L.T. 6E-02
04/04/07	04/09/07	7.11E+03	CU.FT.	1.93E-02 ± 5.21E-03	L.T. 7E-02
04/09/07	04/17/07	1.15E+04	CU.FT.	1.81E-02 ± 3.51E-03	L.T. 6E-02
04/17/07	04/24/07	9.98E+03	CU.FT.	2.13E-02 ± 4.36E-03	L.T. 4E-02
04/24/07	04/30/07	8.72E+03	CU.FT.	2.96E-02 ± 5.27E-03	L.T. 4E-02
04/30/07	05/09/07	1.29E+04	CU.FT.	1.53E-02 ± 3.05E-03	L.T. 6E-02
05/09/07	05/15/07	8.58E+03	CU.FT.	2.73E-02 ± 4.84E-03	L.T. 4E-02
05/15/07	05/22/07	9.96E+03	CU.FT.	2.10E-02 ± 4.20E-03	L.T. 4E-02
05/22/07	05/29/07	1.02E+04	CU.FT.	1.95E-02 ± 4.27E-03	L.T. 2E-02
05/29/07	06/05/07	9.97E+03	CU.FT.	1.33E-02 ± 3.68E-03	L.T. 2E-02
06/05/07	06/12/07	9.97E+03	CU.FT.	1.72E-02 ± 3.94E-03	L.T. 4E-02
06/12/07	06/19/07	1.01E+04	CU.FT.	4.66E-02 ± 5.60E-03	L.T. 6E-02
06/19/07	06/25/07	8.54E+03	CU.FT.	2.15E-02 ± 4.68E-03	L.T. 5E-02
06/25/07	07/03/07	1.15E+04	CU.FT.	1.29E-02 ± 3.21E-03	L.T. 6E-02
07/03/07	07/10/07	1.02E+04	CU.FT.	2.78E-02 ± 4.59E-03	L.T. 2E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 04

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
07/10/07	07/17/07	9.87E+03	CU.FT.	1.84E-02 ± 4.03E-03	L.T. 5E-02
07/17/07	07/23/07	8.71E+03	CU.FT.	2.31E-02 ± 4.66E-03	L.T. 5E-02
07/23/07	07/31/07	1.15E+04	CU.FT.	2.15E-02 ± 3.88E-03	L.T. 1E-02
07/31/07	08/07/07	1.00E+04	CU.FT.	1.64E-02 ± 4.01E-03	L.T. 3E-02
08/07/07	08/14/07	1.02E+04	CU.FT.	2.21E-02 ± 4.45E-03	L.T. 4E-02
08/14/07	08/20/07	8.48E+03	CU.FT.	2.66E-02 ± 5.07E-03	L.T. 7E-02
08/20/07	08/28/07	1.16E+04	CU.FT.	2.02E-02 ± 3.91E-03	L.T. 4E-02
08/28/07	09/04/07	9.99E+03	CU.FT.	2.06E-02 ± 4.06E-03	L.T. 6E-02
09/04/07	09/11/07	1.01E+04	CU.FT.	1.61E-02 ± 3.91E-03	L.T. 7E-02
09/11/07	09/17/07	8.48E+03	CU.FT.	1.69E-02 ± 4.20E-03	L.T. 4E-02
09/17/07	09/25/07	1.17E+04	CU.FT.	3.13E-02 ± 4.49E-03	L.T. 4E-02
09/25/07	10/01/07	8.59E+03	CU.FT.	2.57E-02 ± 4.82E-03	L.T. 6E-02
10/01/07	10/09/07	1.15E+04	CU.FT.	1.88E-02 ± 3.68E-03	L.T. 3E-02
10/09/07	10/16/07	9.96E+03	CU.FT.	1.83E-02 ± 4.24E-03	L.T. 7E-02
10/16/07	10/23/07	1.01E+04	CU.FT.	1.92E-02 ± 4.01E-03	L.T. 5E-02
10/23/07	10/30/07	1.01E+04	CU.FT.	1.94E-02 ± 4.19E-03	L.T. 6E-02
10/30/07	11/05/07	8.52E+03	CU.FT.	2.26E-02 ± 4.72E-03	L.T. 7E-02
11/05/07	11/13/07	1.15E+04	CU.FT.	3.46E-02 ± 4.55E-03	L.T. 5E-02
11/13/07	11/20/07	1.01E+04	CU.FT.	2.62E-02 ± 4.55E-03	L.T. 5E-02
11/20/07	11/27/07	1.02E+04	CU.FT.	2.49E-02 ± 4.36E-03	L.T. 4E-02
11/27/07	12/04/07	1.01E+04	CU.FT.	4.91E-02 ± 5.82E-03	L.T. 4E-02
12/04/07	12/12/07	1.15E+04	CU.FT.	2.56E-02 ± 4.18E-03	L.T. 5E-02
12/12/07	12/18/07	8.48E+03	CU.FT.	3.65E-02 ± 6.62E-03	L.T. 5E-02
12/18/07	12/24/07	8.54E+03	CU.FT.	4.72E-02 ± 6.35E-03	L.T. 5E-02
12/24/07	12/31/07	1.01E+04	CU.FT.	2.56E-02 ± 4.61E-03	L.T. 5E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 05

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
01/02/07	01/09/07	1.00E+04	CU.FT.	1.95E-02 ± 4.01E-03	L.T. 5E-02
01/09/07	01/16/07	9.90E+03	CU.FT.	2.34E-02 ± 4.34E-03	L.T. 5E-02
01/16/07	01/22/07	8.84E+03	CU.FT.	3.36E-02 ± 5.48E-03	L.T. 2E-02
01/22/07	01/30/07	1.14E+04	CU.FT.	2.96E-02 ± 4.49E-03	L.T. 4E-02
01/30/07	02/05/07	8.53E+03	CU.FT.	1.61E-02 ± 4.46E-03	L.T. 4E-02
02/05/07	02/13/07	1.16E+04	CU.FT.	2.43E-02 ± 4.06E-03	L.T. 5E-02
02/13/07	02/20/07	1.01E+04	CU.FT.	1.68E-02 ± 3.67E-03	L.T. 4E-02
02/20/07	02/27/07	9.97E+03	CU.FT.	1.18E-02 ± 3.38E-03	L.T. 6E-02
02/27/07	03/06/07	1.02E+04	CU.FT.	1.67E-02 ± 3.77E-03	L.T. 5E-02
03/06/07	03/13/07	9.92E+03	CU.FT.	2.54E-02 ± 4.32E-03	L.T. 7E-02
03/13/07	03/20/07	9.96E+03	CU.FT.	2.12E-02 ± 4.34E-03	L.T. 2E-02
03/20/07	03/27/07	1.01E+04	CU.FT.	2.89E-02 ± 4.77E-03	L.T. 3E-02
03/27/07	04/04/07	1.15E+04	CU.FT.	1.21E-02 ± 3.25E-03	L.T. 6E-02
04/04/07	04/09/07	7.09E+03	CU.FT.	1.69E-02 ± 5.02E-03	L.T. 5E-02
04/09/07	04/17/07	1.15E+04	CU.FT.	2.05E-02 ± 3.69E-03	L.T. 6E-02
04/17/07	04/24/07	9.96E+03	CU.FT.	2.43E-02 ± 4.57E-03	L.T. 4E-02
04/24/07	04/30/07	8.72E+03	CU.FT.	2.66E-02 ± 5.07E-03	L.T. 5E-02
04/30/07	05/09/07	1.29E+04	CU.FT.	1.47E-02 ± 3.01E-03	L.T. 6E-02
05/09/07	05/15/07	8.58E+03	CU.FT.	2.94E-02 ± 4.99E-03	L.T. 4E-02
05/15/07	05/22/07	9.96E+03	CU.FT.	1.65E-02 ± 3.86E-03	L.T. 6E-02
05/22/07	05/29/07	1.02E+04	CU.FT.	1.14E-02 ± 3.68E-03	L.T. 1E-02
05/29/07	06/05/07	9.97E+03	CU.FT.	1.45E-02 ± 3.78E-03	L.T. 3E-02
06/05/07	06/12/07	9.97E+03	CU.FT.	1.75E-02 ± 3.96E-03	L.T. 5E-02
06/12/07	06/19/07	1.01E+04	CU.FT.	3.59E-02 ± 5.01E-03	L.T. 6E-02
06/19/07	06/25/07	8.54E+03	CU.FT.	1.99E-02 ± 4.56E-03	L.T. 6E-02
06/25/07	07/03/07	1.15E+04	CU.FT.	1.47E-02 ± 3.36E-03	L.T. 6E-02
07/03/07	07/10/07	1.02E+04	CU.FT.	2.28E-02 ± 4.26E-03	L.T. 1E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 05

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
07/10/07	07/17/07	9.92E+03	CU.FT.	1.57E-02 ± 3.81E-03	L.T. 6E-02
07/17/07	07/23/07	8.71E+03	CU.FT.	2.72E-02 ± 4.95E-03	L.T. 3E-02
07/23/07	07/31/07	1.13E+04	CU.FT.	2.33E-02 ± 4.04E-03	L.T. 1E-02
07/31/07	08/07/07	1.00E+04	CU.FT.	1.60E-02 ± 3.97E-03	L.T. 6E-02
08/07/07	08/14/07	9.48E+03	CU.FT.	2.39E-02 ± 4.80E-03	L.T. 7E-02
08/14/07	08/20/07	8.52E+03	CU.FT.	2.68E-02 ± 5.07E-03	L.T. 4E-02
08/20/07	08/28/07	1.16E+04	CU.FT.	2.18E-02 ± 4.01E-03	L.T. 3E-02
08/28/07	09/04/07	1.00E+04	CU.FT.	1.97E-02 ± 3.99E-03	L.T. 4E-02
09/04/07	09/11/07	1.01E+04	CU.FT.	1.60E-02 ± 3.90E-03	L.T. 6E-02
09/11/07	09/17/07	8.50E+03	CU.FT.	1.60E-02 ± 4.12E-03	L.T. 2E-02
09/17/07	09/25/07	1.17E+04	CU.FT.	3.16E-02 ± 4.51E-03	L.T. 5E-02
09/25/07	10/01/07	8.64E+03	CU.FT.	2.49E-02 ± 4.74E-03	L.T. 5E-02
10/01/07	10/09/07	1.15E+04	CU.FT.	2.08E-02 ± 3.82E-03	L.T. 3E-02
10/09/07	10/16/07	9.98E+03	CU.FT.	1.90E-02 ± 4.29E-03	L.T. 4E-02
10/16/07	10/23/07	1.01E+04	CU.FT.	1.51E-02 ± 3.69E-03	L.T. 6E-02
10/23/07	10/30/07	1.00E+04	CU.FT.	2.12E-02 ± 4.35E-03	L.T. 6E-02
10/30/07	11/05/07	8.52E+03	CU.FT.	2.09E-02 ± 4.58E-03	L.T. 7E-02
11/05/07	11/13/07	1.15E+04	CU.FT.	3.22E-02 ± 4.41E-03	L.T. 4E-02
11/13/07	11/20/07	1.01E+04	CU.FT.	2.60E-02 ± 4.54E-03	L.T. 5E-02
11/20/07	11/27/07	1.02E+04	CU.FT.	2.23E-02 ± 4.18E-03	L.T. 5E-02
11/27/07	12/04/07	1.01E+04	CU.FT.	5.22E-02 ± 5.98E-03	L.T. 5E-02
12/04/07	12/12/07	1.15E+04	CU.FT.	3.00E-02 ± 4.45E-03	L.T. 6E-02
12/12/07	12/18/07	8.42E+03	CU.FT.	3.64E-02 ± 6.65E-03	L.T. 5E-02
12/18/07	12/24/07	8.54E+03	CU.FT.	4.42E-02 ± 6.19E-03	L.T. 4E-02
12/24/07	12/31/07	1.01E+04	CU.FT.	2.91E-02 ± 4.83E-03	L.T. 5E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 06

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
01/02/07	01/09/07	1.00E+04	CU.FT.	1.83E-02 ± 3.93E-03	L.T. 5E-02
01/09/07	01/16/07	9.90E+03	CU.FT.	2.14E-02 ± 4.20E-03	L.T. 5E-02
01/16/07	01/22/07	8.84E+03	CU.FT.	3.35E-02 ± 5.47E-03	L.T. 3E-02
01/22/07	01/30/07	1.14E+04	CU.FT.	2.44E-02 ± 4.18E-03	L.T. 4E-02
01/30/07	02/05/07	8.53E+03	CU.FT.	1.35E-02 ± 4.25E-03	L.T. 4E-02
02/05/07	02/13/07	1.16E+04	CU.FT.	2.15E-02 ± 3.88E-03	L.T. 5E-02
02/13/07	02/20/07	1.01E+04	CU.FT.	1.92E-02 ± 3.85E-03	L.T. 4E-02
02/20/07	02/27/07	9.97E+03	CU.FT.	1.30E-02 ± 3.48E-03	L.T. 6E-02
02/27/07	03/06/07	1.02E+04	CU.FT.	1.77E-02 ± 3.85E-03	L.T. 5E-02
03/06/07	03/13/07	9.93E+03	CU.FT.	2.22E-02 ± 4.10E-03	L.T. 7E-02
03/13/07	03/20/07	9.96E+03	CU.FT.	2.17E-02 ± 4.37E-03	L.T. 4E-02
03/20/07	03/27/07	1.01E+04	CU.FT.	3.27E-02 ± 5.00E-03	L.T. 4E-02
03/27/07	04/04/07	1.15E+04	CU.FT.	1.01E-02 ± 3.10E-03	L.T. 6E-02
04/04/07	04/09/07	7.09E+03	CU.FT.	1.81E-02 ± 5.13E-03	L.T. 7E-02
04/09/07	04/17/07	1.15E+04	CU.FT.	1.58E-02 ± 3.35E-03	L.T. 6E-02
04/17/07	04/24/07	9.96E+03	CU.FT.	2.01E-02 ± 4.28E-03	L.T. 4E-02
04/24/07	04/30/07	8.72E+03	CU.FT.	2.43E-02 ± 4.92E-03	L.T. 5E-02
04/30/07	05/09/07	1.29E+04	CU.FT.	1.47E-02 ± 3.01E-03	L.T. 4E-02
05/09/07	05/15/07	8.58E+03	CU.FT.	2.54E-02 ± 4.70E-03	L.T. 4E-02
05/15/07	05/22/07	9.96E+03	CU.FT.	2.08E-02 ± 4.19E-03	L.T. 6E-02
05/22/07	05/29/07	1.02E+04	CU.FT.	1.44E-02 ± 3.91E-03	L.T. 2E-02
05/29/07	06/05/07	9.97E+03	CU.FT.	1.44E-02 ± 3.77E-03	L.T. 3E-02
06/05/07	06/12/07	9.97E+03	CU.FT.	1.80E-02 ± 4.00E-03	L.T. 5E-02
06/12/07	06/19/07	1.01E+04	CU.FT.	3.73E-02 ± 5.09E-03	L.T. 6E-02
06/19/07	06/25/07	8.54E+03	CU.FT.	1.65E-02 ± 4.29E-03	L.T. 6E-02
06/25/07	07/03/07	1.15E+04	CU.FT.	1.29E-02 ± 3.21E-03	L.T. 6E-02
07/03/07	07/10/07	1.02E+04	CU.FT.	2.53E-02 ± 4.43E-03	L.T. 2E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 06

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
07/10/07	07/17/07	9.92E+03	CU.FT.	1.78E-02 ± 3.97E-03	L.T. 6E-02
07/17/07	07/23/07	8.72E+03	CU.FT.	2.63E-02 ± 4.88E-03	L.T. 6E-02
07/23/07	07/31/07	1.13E+04	CU.FT.	2.13E-02 ± 3.91E-03	L.T. 1E-02
07/31/07	08/07/07	1.00E+04	CU.FT.	1.94E-02 ± 4.22E-03	L.T. 6E-02
08/07/07	08/14/07	9.50E+03	CU.FT.	2.25E-02 ± 4.70E-03	L.T. 7E-02
08/14/07	08/20/07	8.53E+03	CU.FT.	2.45E-02 ± 4.90E-03	L.T. 4E-02
08/20/07	08/28/07	1.16E+04	CU.FT.	1.94E-02 ± 3.86E-03	L.T. 3E-02
08/28/07	09/04/07	1.00E+04	CU.FT.	1.96E-02 ± 3.97E-03	L.T. 4E-02
09/04/07	09/11/07	1.01E+04	CU.FT.	1.38E-02 ± 3.73E-03	L.T. 6E-02
09/11/07	09/17/07	8.49E+03	CU.FT.	1.53E-02 ± 4.07E-03	L.T. 3E-02
09/17/07	09/25/07	1.17E+04	CU.FT.	3.05E-02 ± 4.45E-03	L.T. 5E-02
09/25/07	10/01/07	8.64E+03	CU.FT.	2.59E-02 ± 4.82E-03	L.T. 5E-02
10/01/07	10/09/07	1.15E+04	CU.FT.	1.96E-02 ± 3.74E-03	L.T. 3E-02
10/09/07	10/16/07	9.98E+03	CU.FT.	1.75E-02 ± 4.18E-03	L.T. 4E-02
10/16/07	10/23/07	1.01E+04	CU.FT.	1.92E-02 ± 4.01E-03	L.T. 6E-02
10/23/07	10/30/07	1.00E+04	CU.FT.	1.54E-02 ± 3.93E-03	L.T. 6E-02
10/30/07	11/05/07	8.49E+03	CU.FT.	2.60E-02 ± 4.98E-03	L.T. 7E-02
11/05/07	11/13/07	1.15E+04	CU.FT.	3.04E-02 ± 4.31E-03	L.T. 4E-02
11/13/07	11/20/07	1.00E+04	CU.FT.	2.72E-02 ± 4.65E-03	L.T. 5E-02
11/20/07	11/27/07	1.02E+04	CU.FT.	2.42E-02 ± 4.31E-03	L.T. 5E-02
11/27/07	12/04/07	1.01E+04	CU.FT.	3.56E-02 ± 5.10E-03	L.T. 5E-02
12/04/07	12/12/07	9.31E+03	CU.FT.	3.56E-02 ± 5.41E-03	L.T. 6E-02
12/12/07	12/18/07	3.14E+03	CU.FT.	3.28E-02 ± 1.39E-02	L.T. 1E-01
12/18/07	12/24/07	8.53E+03	CU.FT.	4.75E-02 ± 6.37E-03	L.T. 4E-02
12/24/07	12/31/07	1.01E+04	CU.FT.	3.08E-02 ± 4.93E-03	L.T. 5E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 07

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
01/02/07	01/09/07	9.96E+03	CU.FT.	1.86E-02 ± 3.95E-03	L.T. 5E-02
01/09/07	01/16/07	1.00E+04	CU.FT.	1.99E-02 ± 4.06E-03	L.T. 5E-02
01/16/07	01/22/07	8.71E+03	CU.FT.	2.32E-02 ± 4.84E-03	L.T. 3E-02
01/22/07	01/30/07	1.15E+04	CU.FT.	2.39E-02 ± 4.12E-03	L.T. 4E-02
01/30/07	02/05/07	8.58E+03	CU.FT.	1.32E-02 ± 4.21E-03	L.T. 4E-02
02/05/07	02/13/07	1.15E+04	CU.FT.	1.81E-02 ± 3.66E-03	L.T. 6E-02
02/13/07	02/20/07	1.01E+04	CU.FT.	1.71E-02 ± 3.69E-03	L.T. 5E-02
02/20/07	02/27/07	9.98E+03	CU.FT.	8.23E-03 ± 3.04E-03	L.T. 6E-02
02/27/07	03/06/07	1.00E+04	CU.FT.	1.38E-02 ± 3.59E-03	L.T. 5E-02
03/06/07	03/13/07	1.00E+04	CU.FT.	2.50E-02 ± 4.30E-03	L.T. 7E-02
03/13/07	03/20/07	1.00E+04	CU.FT.	1.41E-02 ± 3.80E-03	L.T. 4E-02
03/20/07	03/27/07	9.97E+03	CU.FT.	2.14E-02 ± 4.32E-03	L.T. 4E-02
03/27/07	04/04/07	1.15E+04	CU.FT.	8.44E-03 ± 2.95E-03	L.T. 6E-02
04/04/07	04/09/07	7.17E+03	CU.FT.	1.54E-02 ± 4.86E-03	L.T. 7E-02
04/09/07	04/17/07	1.16E+04	CU.FT.	1.36E-02 ± 3.15E-03	L.T. 6E-02
04/17/07	04/24/07	9.99E+03	CU.FT.	1.87E-02 ± 4.18E-03	L.T. 4E-02
04/24/07	04/30/07	8.60E+03	CU.FT.	1.98E-02 ± 4.63E-03	L.T. 5E-02
04/30/07	05/09/07	1.30E+04	CU.FT.	1.57E-02 ± 3.07E-03	L.T. 6E-02
05/09/07	05/15/07	8.55E+03	CU.FT.	2.62E-02 ± 4.77E-03	L.T. 4E-02
05/15/07	05/22/07	1.00E+04	CU.FT.	2.06E-02 ± 4.16E-03	L.T. 6E-02
05/22/07	05/29/07	1.02E+04	CU.FT.	1.24E-02 ± 3.76E-03	L.T. 2E-02
05/29/07	06/05/07	9.96E+03	CU.FT.	1.68E-02 ± 3.96E-03	L.T. 3E-02
06/05/07	06/12/07	9.96E+03	CU.FT.	1.60E-02 ± 3.85E-03	L.T. 5E-02
06/12/07	06/19/07	1.01E+04	CU.FT.	3.83E-02 ± 5.15E-03	L.T. 6E-02
06/19/07	06/25/07	8.66E+03	CU.FT.	2.12E-02 ± 4.61E-03	L.T. 6E-02
06/25/07	07/03/07	1.14E+04	CU.FT.	1.65E-02 ± 3.51E-03	L.T. 6E-02
07/03/07	07/10/07	1.02E+04	CU.FT.	2.01E-02 ± 4.07E-03	L.T. 2E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 07

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
07/10/07	07/17/07	9.91E+03	CU.FT.	1.49E-02 ± 3.75E-03	L.T. 6E-02
07/17/07	07/23/07	8.66E+03	CU.FT.	2.24E-02 ± 4.62E-03	L.T. 6E-02
07/23/07	07/31/07	1.16E+04	CU.FT.	2.13E-02 ± 3.84E-03	L.T. 1E-02
07/31/07	08/07/07	1.01E+04	CU.FT.	1.77E-02 ± 4.08E-03	L.T. 6E-02
08/07/07	08/14/07	1.01E+04	CU.FT.	2.45E-01 ± 4.64E-02	L.T. 6E-02
08/14/07	08/20/07	8.48E+03	CU.FT.	2.87E-02 ± 5.21E-03	L.T. 4E-02
08/20/07	08/28/07	1.16E+04	CU.FT.	1.51E-02 ± 3.56E-03	L.T. 3E-02
08/28/07	09/04/07	1.01E+04	CU.FT.	2.26E-02 ± 4.17E-03	L.T. 4E-02
09/04/07	09/11/07	9.98E+03	CU.FT.	1.44E-02 ± 3.81E-03	L.T. 7E-02
09/11/07	09/17/07	8.59E+03	CU.FT.	2.08E-02 ± 4.48E-03	L.T. 3E-02
09/17/07	09/25/07	1.15E+04	CU.FT.	2.96E-02 ± 4.39E-03	L.T. 5E-02
09/25/07	10/01/07	8.70E+03	CU.FT.	2.47E-02 ± 4.71E-03	L.T. 5E-02
10/01/07	10/09/07	1.14E+04	CU.FT.	2.11E-02 ± 3.86E-03	L.T. 3E-02
10/09/07	10/16/07	1.00E+04	CU.FT.	2.05E-02 ± 4.38E-03	L.T. 4E-02
10/16/07	10/23/07	1.01E+04	CU.FT.	1.95E-02 ± 4.03E-03	L.T. 6E-02
10/23/07	10/30/07	1.02E+04	CU.FT.	1.74E-02 ± 4.03E-03	L.T. 6E-02
10/30/07	11/05/07	8.54E+03	CU.FT.	2.34E-02 ± 4.77E-03	L.T. 7E-02
11/05/07	11/13/07	1.15E+04	CU.FT.	2.61E-02 ± 4.04E-03	L.T. 4E-02
11/13/07	11/20/07	1.01E+04	CU.FT.	1.85E-02 ± 4.02E-03	L.T. 5E-02
11/20/07	11/27/07	1.01E+04	CU.FT.	2.51E-02 ± 4.41E-03	L.T. 5E-02
11/27/07	12/04/07	1.01E+04	CU.FT.	4.67E-02 ± 5.70E-03	L.T. 5E-02
12/04/07	12/12/07	1.15E+04	CU.FT.	2.38E-02 ± 4.07E-03	L.T. 6E-02
12/12/07	12/18/07	(c)			
12/18/07	12/24/07	8.59E+03	CU.FT.	4.80E-02 ± 6.37E-03	L.T. 4E-02
12/24/07	12/31/07	1.01E+04	CU.FT.	2.56E-02 ± 4.61E-03	L.T. 6E-02

(c) Winter storm produced power outages. The GFCI did not reset.

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 08

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
01/02/07	01/09/07	1.00E+04	CU.FT.	1.76E-02 ± 3.87E-03	L.T. 5E-02
01/09/07	01/16/07	1.01E+04	CU.FT.	2.56E-02 ± 4.44E-03	L.T. 4E-02
01/16/07	01/22/07	8.72E+03	CU.FT.	2.64E-02 ± 5.06E-03	L.T. 3E-02
01/22/07	01/30/07	1.15E+04	CU.FT.	2.34E-02 ± 4.09E-03	L.T. 4E-02
01/30/07	02/05/07	8.53E+03	CU.FT.	1.26E-02 ± 4.17E-03	L.T. 4E-02
02/05/07	02/13/07	1.15E+04	CU.FT.	2.23E-02 ± 3.96E-03	L.T. 6E-02
02/13/07	02/20/07	1.00E+04	CU.FT.	2.23E-02 ± 4.11E-03	L.T. 5E-02
02/20/07	02/27/07	9.97E+03	CU.FT.	1.23E-02 ± 3.42E-03	L.T. 6E-02
02/27/07	03/06/07	1.00E+04	CU.FT.	1.55E-02 ± 3.73E-03	L.T. 5E-02
03/06/07	03/13/07	1.00E+04	CU.FT.	2.25E-02 ± 4.10E-03	L.T. 7E-02
03/13/07	03/20/07	1.00E+04	CU.FT.	1.33E-02 ± 3.74E-03	L.T. 4E-02
03/20/07	03/27/07	9.91E+03	CU.FT.	1.99E-02 ± 4.23E-03	L.T. 4E-02
03/27/07	04/04/07	1.15E+04	CU.FT.	9.09E-03 ± 3.01E-03	L.T. 6E-02
04/04/07	04/09/07	7.23E+03	CU.FT.	1.71E-02 ± 4.98E-03	L.T. 7E-02
04/09/07	04/17/07	1.16E+04	CU.FT.	1.51E-02 ± 3.27E-03	L.T. 6E-02
04/17/07	04/24/07	9.87E+03	CU.FT.	1.48E-02 ± 3.92E-03	L.T. 4E-02
04/24/07	04/30/07	8.83E+03	CU.FT.	1.95E-02 ± 4.53E-03	L.T. 5E-02
04/30/07	05/09/07	1.29E+04	CU.FT.	1.51E-02 ± 3.04E-03	L.T. 6E-02
05/09/07	05/15/07	8.72E+03	CU.FT.	2.57E-02 ± 4.67E-03	L.T. 5E-02
05/15/07	05/22/07	9.87E+03	CU.FT.	1.71E-02 ± 3.93E-03	L.T. 6E-02
05/22/07	05/29/07	1.02E+04	CU.FT.	1.17E-02 ± 3.70E-03	L.T. 2E-02
05/29/07	06/05/07	9.96E+03	CU.FT.	1.21E-02 ± 3.59E-03	L.T. 3E-02
06/05/07	06/12/07	9.96E+03	CU.FT.	1.50E-02 ± 3.77E-03	L.T. 5E-02
06/12/07	06/19/07	1.01E+04	CU.FT.	3.96E-02 ± 5.22E-03	L.T. 6E-02
06/19/07	06/25/07	8.71E+03	CU.FT.	1.90E-02 ± 4.43E-03	L.T. 5E-02
06/25/07	07/03/07	1.13E+04	CU.FT.	1.20E-02 ± 3.19E-03	L.T. 6E-02
07/03/07	07/10/07	1.01E+04	CU.FT.	1.92E-02 ± 4.03E-03	L.T. 3E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 08

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
07/10/07	07/17/07	1.00E+04	CU.FT.	1.57E-02 ± 3.79E-03	L.T. 6E-02
07/17/07	07/23/07	8.49E+03	CU.FT.	1.83E-02 ± 4.37E-03	L.T. 6E-02
07/23/07	07/31/07	1.17E+04	CU.FT.	2.24E-02 ± 3.89E-03	L.T. 1E-02
07/31/07	08/07/07	1.01E+04	CU.FT.	1.58E-02 ± 3.94E-03	L.T. 6E-02
08/07/07	08/14/07	1.00E+04	CU.FT.	2.06E-02 ± 4.41E-03	L.T. 6E-02
08/14/07	08/20/07	8.61E+03	CU.FT.	3.31E-02 ± 5.45E-03	L.T. 4E-02
08/20/07	08/28/07	1.15E+04	CU.FT.	1.44E-02 ± 3.53E-03	L.T. 3E-02
08/28/07	09/04/07	1.02E+04	CU.FT.	2.42E-02 ± 4.25E-03	L.T. 4E-02
09/04/07	09/11/07	9.97E+03	CU.FT.	1.42E-02 ± 3.80E-03	L.T. 7E-02
09/11/07	09/17/07	8.61E+03	CU.FT.	1.46E-02 ± 3.96E-03	L.T. 3E-02
09/17/07	09/25/07	1.15E+04	CU.FT.	2.62E-02 ± 4.19E-03	L.T. 2E-02
09/25/07	10/01/07	8.78E+03	CU.FT.	2.23E-02 ± 4.50E-03	L.T. 5E-02
10/01/07	10/09/07	1.13E+04	CU.FT.	1.96E-02 ± 3.78E-03	L.T. 3E-02
10/09/07	10/16/07	1.01E+04	CU.FT.	1.33E-02 ± 3.83E-03	L.T. 4E-02
10/16/07	10/23/07	1.00E+04	CU.FT.	1.39E-02 ± 3.62E-03	L.T. 6E-02
10/23/07	10/30/07	1.02E+04	CU.FT.	1.52E-02 ± 3.86E-03	L.T. 6E-02
10/30/07	11/05/07	8.53E+03	CU.FT.	1.93E-02 ± 4.46E-03	L.T. 7E-02
11/05/07	11/13/07	1.15E+04	CU.FT.	1.99E-02 ± 3.63E-03	L.T. 4E-02
11/13/07	11/20/07	1.01E+04	CU.FT.	2.31E-02 ± 4.35E-03	L.T. 5E-02
11/20/07	11/27/07	1.01E+04	CU.FT.	2.20E-02 ± 4.19E-03	L.T. 5E-02
11/27/07	12/04/07	1.01E+04	CU.FT.	4.04E-02 ± 5.37E-03	L.T. 5E-02
12/04/07	12/12/07	1.16E+04	CU.FT.	2.65E-02 ± 4.22E-03	L.T. 6E-02
12/12/07	12/18/07	8.24E+03	CU.FT.	3.39E-02 ± 6.62E-03	L.T. 5E-02
12/18/07	12/24/07	8.71E+03	CU.FT.	4.34E-02 ± 6.07E-03	L.T. 4E-02
12/24/07	12/31/07	1.01E+04	CU.FT.	2.96E-02 ± 4.86E-03	L.T. 5E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 09

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
01/02/07	01/09/07	1.00E+04	CU.FT.	1.89E-02 ± 3.97E-03	L.T. 6E-02
01/09/07	01/16/07	9.91E+03	CU.FT.	2.82E-02 ± 4.66E-03	L.T. 5E-02
01/16/07	01/22/07	8.70E+03	CU.FT.	3.19E-02 ± 5.43E-03	L.T. 3E-02
01/22/07	01/30/07	1.15E+04	CU.FT.	2.64E-02 ± 4.28E-03	L.T. 6E-02
01/30/07	02/05/07	8.53E+03	CU.FT.	1.84E-02 ± 4.63E-03	L.T. 5E-02
02/05/07	02/13/07	1.15E+04	CU.FT.	2.10E-02 ± 3.87E-03	L.T. 6E-02
02/13/07	02/20/07	1.00E+04	CU.FT.	2.04E-02 ± 3.97E-03	L.T. 5E-02
02/20/07	02/27/07	1.00E+04	CU.FT.	1.08E-02 ± 3.27E-03	L.T. 6E-02
02/27/07	03/06/07	1.01E+04	CU.FT.	1.39E-02 ± 3.58E-03	L.T. 5E-02
03/06/07	03/13/07	9.93E+03	CU.FT.	2.65E-02 ± 4.40E-03	L.T. 5E-02
03/13/07	03/20/07	1.00E+04	CU.FT.	1.75E-02 ± 4.06E-03	L.T. 3E-02
03/20/07	03/27/07	1.00E+04	CU.FT.	2.26E-02 ± 4.40E-03	L.T. 4E-02
03/27/07	04/04/07	1.14E+04	CU.FT.	1.31E-02 ± 3.36E-03	L.T. 6E-02
04/04/07	04/09/07	7.26E+03	CU.FT.	2.16E-02 ± 5.32E-03	L.T. 6E-02
04/09/07	04/17/07	1.16E+04	CU.FT.	2.14E-02 ± 3.73E-03	L.T. 7E-02
04/17/07	04/24/07	9.98E+03	CU.FT.	2.05E-02 ± 4.31E-03	L.T. 3E-02
04/24/07	04/30/07	8.77E+03	CU.FT.	1.40E-02 ± 4.12E-03	L.T. 4E-02
04/30/07	05/09/07	1.28E+04	CU.FT.	1.51E-02 ± 3.05E-03	L.T. 6E-02
05/09/07	05/15/07	8.72E+03	CU.FT.	2.57E-02 ± 4.67E-03	L.T. 5E-02
05/15/07	05/22/07	9.96E+03	CU.FT.	1.95E-02 ± 4.09E-03	L.T. 5E-02
05/22/07	05/29/07	1.02E+04	CU.FT.	1.35E-02 ± 3.84E-03	L.T. 2E-02
05/29/07	06/05/07	9.97E+03	CU.FT.	1.66E-02 ± 3.94E-03	L.T. 2E-02
06/05/07	06/12/07	9.97E+03	CU.FT.	1.53E-02 ± 3.79E-03	L.T. 2E-02
06/12/07	06/19/07	1.01E+04	CU.FT.	3.61E-02 ± 5.02E-03	L.T. 5E-02
06/19/07	06/25/07	8.71E+03	CU.FT.	1.43E-02 ± 4.05E-03	L.T. 5E-02
06/25/07	07/03/07	1.14E+04	CU.FT.	1.71E-02 ± 3.56E-03	L.T. 6E-02
07/03/07	07/10/07	1.01E+04	CU.FT.	2.44E-02 ± 4.40E-03	L.T. 3E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 09

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
07/10/07	07/17/07	1.00E+04	CU.FT.	1.76E-02 ± 3.94E-03	L.T. 5E-02
07/17/07	07/23/07	8.67E+03	CU.FT.	2.58E-02 ± 4.86E-03	L.T. 6E-02
07/23/07	07/31/07	1.15E+04	CU.FT.	2.16E-02 ± 3.89E-03	L.T. 1E-02
07/31/07	08/07/07	1.01E+04	CU.FT.	1.86E-02 ± 4.14E-03	L.T. 6E-02
08/07/07	08/14/07	1.00E+04	CU.FT.	2.30E-02 ± 4.57E-03	L.T. 5E-02
08/14/07	08/20/07	8.64E+03	CU.FT.	3.51E-02 ± 5.56E-03	L.T. 5E-02
08/20/07	08/28/07	1.15E+04	CU.FT.	2.14E-02 ± 4.02E-03	L.T. 4E-02
08/28/07	09/04/07	1.02E+04	CU.FT.	2.26E-02 ± 4.14E-03	L.T. 4E-02
09/04/07	09/11/07	9.97E+03	CU.FT.	1.36E-02 ± 3.75E-03	L.T. 7E-02
09/11/07	09/17/07	8.61E+03	CU.FT.	1.72E-02 ± 4.18E-03	L.T. 3E-02
09/17/07	09/25/07	1.15E+04	CU.FT.	2.74E-02 ± 4.26E-03	L.T. 2E-02
09/25/07	10/01/07	8.78E+03	CU.FT.	2.36E-02 ± 4.60E-03	L.T. 6E-02
10/01/07	10/09/07	1.13E+04	CU.FT.	2.02E-02 ± 3.82E-03	L.T. 4E-02
10/09/07	10/16/07	1.01E+04	CU.FT.	1.60E-02 ± 4.03E-03	L.T. 2E-02
10/16/07	10/23/07	9.96E+03	CU.FT.	1.59E-02 ± 3.79E-03	L.T. 6E-02
10/23/07	10/30/07	1.02E+04	CU.FT.	1.93E-02 ± 4.16E-03	L.T. 6E-02
10/30/07	11/05/07	8.53E+03	CU.FT.	2.24E-02 ± 4.70E-03	L.T. 6E-02
11/05/07	11/13/07	1.15E+04	CU.FT.	2.86E-02 ± 4.20E-03	L.T. 5E-02
11/13/07	11/20/07	1.01E+04	CU.FT.	2.96E-02 ± 4.77E-03	L.T. 5E-02
11/20/07	11/27/07	1.02E+04	CU.FT.	2.17E-02 ± 4.14E-03	L.T. 5E-02
11/27/07	12/04/07	1.02E+04	CU.FT.	4.96E-02 ± 5.82E-03	L.T. 4E-02
12/04/07	12/12/07	1.13E+04	CU.FT.	2.78E-02 ± 4.36E-03	L.T. 5E-02
12/12/07	12/18/07	8.29E+03	CU.FT.	2.72E-02 ± 6.21E-03	L.T. 6E-02
12/18/07	12/24/07	8.66E+03	CU.FT.	4.93E-02 ± 6.42E-03	L.T. 6E-02
12/24/07	12/31/07	1.01E+04	CU.FT.	2.85E-02 ± 4.80E-03	L.T. 6E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 10

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
01/02/07	01/09/07	1.00E+04	CU.FT.	1.85E-02 ± 3.94E-03	L.T. 6E-02
01/09/07	01/16/07	9.96E+03	CU.FT.	2.46E-02 ± 4.41E-03	L.T. 5E-02
01/16/07	01/22/07	8.71E+03	CU.FT.	2.73E-02 ± 5.12E-03	L.T. 3E-02
01/22/07	01/30/07	1.15E+04	CU.FT.	2.57E-02 ± 4.24E-03	L.T. 6E-02
01/30/07	02/05/07	8.55E+03	CU.FT.	1.42E-02 ± 4.29E-03	L.T. 5E-02
02/05/07	02/13/07	1.15E+04	CU.FT.	2.12E-02 ± 3.88E-03	L.T. 6E-02
02/13/07	02/20/07	1.02E+04	CU.FT.	2.19E-02 ± 4.03E-03	L.T. 5E-02
02/20/07	02/27/07	9.93E+03	CU.FT.	1.26E-02 ± 3.46E-03	L.T. 6E-02
02/27/07	03/06/07	1.02E+04	CU.FT.	1.86E-02 ± 3.91E-03	L.T. 5E-02
03/06/07	03/13/07	9.79E+03	CU.FT.	2.45E-02 ± 4.30E-03	L.T. 5E-02
03/13/07	03/20/07	1.00E+04	CU.FT.	1.83E-02 ± 4.12E-03	L.T. 3E-02
03/20/07	03/27/07	9.97E+03	CU.FT.	1.78E-02 ± 4.07E-03	L.T. 4E-02
03/27/07	04/04/07	1.17E+04	CU.FT.	1.30E-02 ± 3.29E-03	L.T. 6E-02
04/04/07	04/09/07	6.92E+03	CU.FT.	1.32E-02 ± 4.79E-03	L.T. 6E-02
04/09/07	04/17/07	1.16E+04	CU.FT.	1.83E-02 ± 3.51E-03	L.T. 7E-02
04/17/07	04/24/07	9.99E+03	CU.FT.	2.00E-02 ± 4.27E-03	L.T. 3E-02
04/24/07	04/30/07	8.65E+03	CU.FT.	1.54E-02 ± 4.27E-03	L.T. 4E-02
04/30/07	05/09/07	1.30E+04	CU.FT.	1.42E-02 ± 2.96E-03	L.T. 6E-02
05/09/07	05/15/07	8.52E+03	CU.FT.	2.91E-02 ± 4.98E-03	L.T. 6E-02
05/15/07	05/22/07	1.00E+04	CU.FT.	2.11E-02 ± 4.19E-03	L.T. 5E-02
05/22/07	05/29/07	1.02E+04	CU.FT.	9.66E-03 ± 3.54E-03	L.T. 2E-02
05/29/07	06/05/07	9.96E+03	CU.FT.	1.54E-02 ± 3.85E-03	L.T. 2E-02
06/05/07	06/12/07	9.96E+03	CU.FT.	1.57E-02 ± 3.83E-03	L.T. 2E-02
06/12/07	06/19/07	9.98E+03	CU.FT.	3.22E-02 ± 4.82E-03	L.T. 5E-02
06/19/07	06/25/07	8.66E+03	CU.FT.	1.83E-02 ± 4.39E-03	L.T. 5E-02
06/25/07	07/03/07	1.14E+04	CU.FT.	1.22E-02 ± 3.18E-03	L.T. 6E-02
07/03/07	07/10/07	1.03E+04	CU.FT.	2.25E-02 ± 4.21E-03	L.T. 3E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 10

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
07/10/07	07/17/07	9.81E+03	CU.FT.	1.55E-02 ± 3.83E-03	L.T. 5E-02
07/17/07	07/23/07	8.72E+03	CU.FT.	2.21E-02 ± 4.58E-03	L.T. 7E-02
07/23/07	07/31/07	1.15E+04	CU.FT.	1.84E-02 ± 3.67E-03	L.T. 2E-02
07/31/07	08/07/07	1.01E+04	CU.FT.	2.32E-02 ± 4.46E-03	L.T. 6E-02
08/07/07	08/14/07	9.10E+03	CU.FT.	2.63E-02 ± 5.09E-03	L.T. 6E-02
08/14/07	08/20/07	8.48E+03	CU.FT.	3.12E-02 ± 5.38E-03	L.T. 5E-02
08/20/07	08/28/07	1.16E+04	CU.FT.	1.74E-02 ± 3.72E-03	L.T. 4E-02
08/28/07	09/04/07	1.00E+04	CU.FT.	2.08E-02 ± 4.06E-03	L.T. 4E-02
09/04/07	09/11/07	9.98E+03	CU.FT.	1.65E-02 ± 3.97E-03	L.T. 7E-02
09/11/07	09/17/07	8.59E+03	CU.FT.	1.67E-02 ± 4.15E-03	L.T. 3E-02
09/17/07	09/25/07	1.15E+04	CU.FT.	2.88E-02 ± 4.35E-03	L.T. 2E-02
09/25/07	10/01/07	8.66E+03	CU.FT.	2.21E-02 ± 4.52E-03	L.T. 6E-02
10/01/07	10/09/07	1.15E+04	CU.FT.	2.05E-02 ± 3.80E-03	L.T. 4E-02
10/09/07	10/16/07	1.01E+04	CU.FT.	1.48E-02 ± 3.95E-03	L.T. 2E-02
10/16/07	10/23/07	9.98E+03	CU.FT.	1.89E-02 ± 4.02E-03	L.T. 6E-02
10/23/07	10/30/07	1.02E+04	CU.FT.	1.87E-02 ± 4.12E-03	L.T. 6E-02
10/30/07	11/05/07	8.54E+03	CU.FT.	2.71E-02 ± 5.03E-03	L.T. 6E-02
11/05/07	11/13/07	1.15E+04	CU.FT.	2.96E-02 ± 4.26E-03	L.T. 5E-02
11/13/07	11/20/07	1.01E+04	CU.FT.	2.66E-02 ± 4.58E-03	L.T. 5E-02
11/20/07	11/27/07	1.01E+04	CU.FT.	2.87E-02 ± 4.64E-03	L.T. 5E-02
11/27/07	12/04/07	1.01E+04	CU.FT.	3.96E-02 ± 5.32E-03	L.T. 4E-02
12/04/07	12/12/07	9.67E+03	CU.FT.	3.29E-02 ± 5.12E-03	L.T. 6E-02
12/12/07	12/18/07	(c)			
12/18/07	12/24/07	5.53E+03	CU.FT.	5.00E-02 ± 8.46E-03	L.T. 5E-02
12/24/07	12/31/07	1.01E+04	CU.FT.	3.08E-02 ± 4.93E-03	L.T. 6E-02

(c) Winter storm produced power outages. The GFCI did not reset.

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 111

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
01/02/07	01/09/07	9.93E+03	CU.FT.	2.13E-02 ± 4.16E-03	L.T. 6E-02
01/09/07	01/16/07	1.00E+04	CU.FT.	2.76E-02 ± 4.60E-03	L.T. 5E-02
01/16/07	01/22/07	8.71E+03	CU.FT.	3.52E-02 ± 5.63E-03	L.T. 3E-02
01/22/07	01/30/07	1.15E+04	CU.FT.	2.44E-02 ± 4.16E-03	L.T. 6E-02
01/30/07	02/05/07	8.53E+03	CU.FT.	2.00E-02 ± 4.75E-03	L.T. 5E-02
02/05/07	02/13/07	1.15E+04	CU.FT.	2.23E-02 ± 3.96E-03	L.T. 6E-02
02/13/07	02/20/07	1.01E+04	CU.FT.	2.36E-02 ± 4.17E-03	L.T. 5E-02
02/20/07	02/27/07	1.00E+04	CU.FT.	1.15E-02 ± 3.34E-03	L.T. 6E-02
02/27/07	03/06/07	1.02E+04	CU.FT.	1.49E-02 ± 3.64E-03	L.T. 5E-02
03/06/07	03/13/07	9.85E+03	CU.FT.	2.31E-02 ± 4.18E-03	L.T. 5E-02
03/13/07	03/20/07	1.00E+04	CU.FT.	2.03E-02 ± 4.26E-03	L.T. 3E-02
03/20/07	03/27/07	9.99E+03	CU.FT.	2.36E-02 ± 4.46E-03	L.T. 4E-02
03/27/07	04/04/07	1.17E+04	CU.FT.	1.14E-02 ± 3.16E-03	L.T. 6E-02
04/04/07	04/09/07	6.91E+03	CU.FT.	1.36E-02 ± 4.83E-03	L.T. 6E-02
04/09/07	04/17/07	1.16E+04	CU.FT.	1.75E-02 ± 3.46E-03	L.T. 7E-02
04/17/07	04/24/07	1.00E+04	CU.FT.	2.11E-02 ± 4.34E-03	L.T. 3E-02
04/24/07	04/30/07	8.76E+03	CU.FT.	2.35E-02 ± 4.85E-03	L.T. 4E-02
04/30/07	05/09/07	1.28E+04	CU.FT.	1.39E-02 ± 2.96E-03	L.T. 4E-02
05/09/07	05/15/07	8.71E+03	CU.FT.	2.93E-02 ± 4.93E-03	L.T. 5E-02
05/15/07	05/22/07	9.91E+03	CU.FT.	1.78E-02 ± 3.98E-03	L.T. 5E-02
05/22/07	05/29/07	1.02E+04	CU.FT.	1.19E-02 ± 3.72E-03	L.T. 2E-02
05/29/07	06/05/07	9.96E+03	CU.FT.	1.77E-02 ± 4.02E-03	L.T. 2E-02
06/05/07	06/12/07	9.96E+03	CU.FT.	1.96E-02 ± 4.12E-03	L.T. 2E-02
06/12/07	06/19/07	1.01E+04	CU.FT.	3.34E-02 ± 4.86E-03	L.T. 5E-02
06/19/07	06/25/07	8.67E+03	CU.FT.	1.69E-02 ± 4.28E-03	L.T. 5E-02
06/25/07	07/03/07	1.14E+04	CU.FT.	1.60E-02 ± 3.47E-03	L.T. 6E-02
07/03/07	07/10/07	1.02E+04	CU.FT.	2.34E-02 ± 4.30E-03	L.T. 3E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 111

COLL. START DATE	TIME STOP DATE	SAMPLE		AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
		VOLUME	UNITS		
07/10/07	07/17/07	9.90E+03	CU.FT.	1.69E-02 ± 3.91E-03	L.T. 5E-02
07/17/07	07/23/07	8.73E+03	CU.FT.	2.24E-02 ± 4.60E-03	L.T. 7E-02
07/23/07	07/31/07	1.15E+04	CU.FT.	2.56E-02 ± 4.14E-03	L.T. 2E-02
07/31/07	08/07/07	1.01E+04	CU.FT.	2.03E-02 ± 4.26E-03	L.T. 6E-02
08/07/07	08/14/07	1.01E+04	CU.FT.	2.56E-02 ± 4.70E-03	L.T. 5E-02
08/14/07	08/20/07	8.54E+03	CU.FT.	2.75E-02 ± 5.11E-03	L.T. 5E-02
08/20/07	08/28/07	1.15E+04	CU.FT.	1.77E-02 ± 3.76E-03	L.T. 4E-02
08/28/07	09/04/07	1.01E+04	CU.FT.	2.13E-02 ± 4.08E-03	L.T. 4E-02
09/04/07	09/11/07	9.97E+03	CU.FT.	1.27E-02 ± 3.68E-03	L.T. 7E-02
09/11/07	09/17/07	8.61E+03	CU.FT.	1.98E-02 ± 4.39E-03	L.T. 3E-02
09/17/07	09/25/07	1.15E+04	CU.FT.	2.84E-02 ± 4.32E-03	L.T. 2E-02
09/25/07	10/01/07	8.67E+03	CU.FT.	2.19E-02 ± 4.51E-03	L.T. 6E-02
10/01/07	10/09/07	1.14E+04	CU.FT.	2.31E-02 ± 3.99E-03	L.T. 4E-02
10/09/07	10/16/07	1.00E+04	CU.FT.	2.42E-02 ± 4.63E-03	L.T. 3E-02
10/16/07	10/23/07	1.01E+04	CU.FT.	2.20E-02 ± 4.21E-03	L.T. 6E-02
10/23/07	10/30/07	1.01E+04	CU.FT.	2.20E-02 ± 4.38E-03	L.T. 6E-02
10/30/07	11/05/07	8.52E+03	CU.FT.	2.77E-02 ± 5.08E-03	L.T. 6E-02
11/05/07	11/13/07	1.15E+04	CU.FT.	3.10E-02 ± 4.34E-03	L.T. 5E-02
11/13/07	11/20/07	1.01E+04	CU.FT.	2.84E-02 ± 4.70E-03	L.T. 5E-02
11/20/07	11/27/07	1.02E+04	CU.FT.	2.97E-02 ± 4.68E-03	L.T. 5E-02
11/27/07	12/04/07	1.01E+04	CU.FT.	5.62E-02 ± 6.21E-03	L.T. 4E-02
12/04/07	12/12/07	1.17E+04	CU.FT.	2.67E-02 ± 4.20E-03	L.T. 5E-02
12/12/07	12/18/07	8.40E+03	CU.FT.	4.16E-02 ± 6.93E-03	L.T. 6E-02
12/18/07	12/24/07	8.60E+03	CU.FT.	5.19E-02 ± 6.58E-03	L.T. 6E-02
12/24/07	12/31/07	1.01E+04	CU.FT.	2.93E-02 ± 4.84E-03	L.T. 6E-02

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS
 (PCI/CU.M.)

STATION NUMBER 01

DATE COLLECTED	01/02 - 04/04/07	04/04 - 07/03/07	07/03 - 10/01/07	10/01 - 12/31/07
----------------	------------------	------------------	------------------	------------------

GAMMA SPECTRUM ANALYSIS:

BE-7	1.26E-01 ± 4.E-02	4.12E-03 ± 1.64E-03	1.12E-01 ± 4.54E-02	1.39E-01 ± 3.95E-02
K-40	L.T. 3.E-02	L.T. 1.E-03	L.T. 6.E-02	L.T. 3.E-02
MN-54	L.T. 2.E-03	L.T. 9.E-05	L.T. 3.E-03	L.T. 3.E-03
CO-58	L.T. 4.E-03	L.T. 2.E-04	L.T. 5.E-03	L.T. 5.E-03
FE-59	L.T. 1.E-02	L.T. 6.E-04	L.T. 2.E-02	L.T. 2.E-02
CO-60	L.T. 2.E-03	L.T. 6.E-05	L.T. 4.E-03	L.T. 2.E-03
ZN-65	L.T. 4.E-03	L.T. 3.E-04	L.T. 1.E-02	L.T. 8.E-03
ZR-95	L.T. 6.E-03	L.T. 3.E-04	L.T. 1.E-02	L.T. 8.E-03
RU-103	L.T. 7.E-03	L.T. 3.E-04	L.T. 1.E-02	L.T. 8.E-03
RU-106	L.T. 2.E-02	L.T. 9.E-04	L.T. 3.E-02	L.T. 2.E-02
I-131	L.T. 1.E+00	L.T. 6.E-02	L.T. 2.E+00	L.T. 3.E+00
CS-134	L.T. 2.E-03	L.T. 2.E-04	L.T. 3.E-03	L.T. 3.E-03
CS-137	L.T. 2.E-03	L.T. 9.E-05	L.T. 3.E-03	L.T. 2.E-03
BA-140	L.T. 3.E-01	L.T. 2.E-02	L.T. 5.E-01	L.T. 7.E-01
CE-141	L.T. 1.E-02	L.T. 6.E-04	L.T. 2.E-02	L.T. 1.E-02
CE-144	L.T. 1.E-02	L.T. 6.E-04	L.T. 1.E-02	L.T. 1.E-02
RA-226	L.T. 3.E-02	L.T. 2.E-03	L.T. 4.E-02	L.T. 4.E-02
TH-228	L.T. 3.E-03	L.T. 2.E-04	4.11E-03 ± 2.14E-03	L.T. 4.E-03

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS
 (PCI/CU.M.)

STATION NUMBER 02

DATE COLLECTED 01/02 - 04/04/07 04/04 - 07/03/07 07/03 - 10/01/07 10/01 - 12/31

GAMMA SPECTRUM ANALYSIS:

BE-7	1.41E-01 ± 4.47E-02	4.13E-03 ± 1.38E-03	1.82E-01 ± 5.55E-02	6.37E-02 ± 3.99E-02
K-40	L.T. 5.E-02	L.T. 2.E-03	L.T. 6.E-02	L.T. 5.E-02
MN-54	L.T. 3.E-03	L.T. 9.E-05	L.T. 3.E-03	L.T. 3.E-03
CO-58	L.T. 5.E-03	L.T. 2.E-04	L.T. 7.E-03	L.T. 6.E-03
FE-59	L.T. 2.E-02	L.T. 6.E-04	L.T. 2.E-02	L.T. 2.E-02
CO-60	L.T. 3.E-03	L.T. 1.E-04	L.T. 4.E-03	L.T. 3.E-03
ZN-65	L.T. 8.E-03	L.T. 3.E-04	L.T. 7.E-03	L.T. 1.E-02
ZR-95	L.T. 1.E-02	L.T. 4.E-04	L.T. 1.E-02	L.T. 1.E-02
RU-103	L.T. 9.E-03	L.T. 3.E-04	L.T. 1.E-02	L.T. 1.E-02
RU-106	L.T. 2.E-02	L.T. 1.E-03	L.T. 3.E-02	L.T. 3.E-02
I-131	L.T. 2.E+00	L.T. 7.E-02	L.T. 2.E+00	L.T. 4.E+00
CS-134	L.T. 3.E-03	L.T. 1.E-04	L.T. 3.E-03	L.T. 4.E-03
CS-137	L.T. 2.E-03	L.T. 1.E-04	L.T. 3.E-03	L.T. 3.E-03
BA-140	L.T. 4.E-01	L.T. 2.E-02	L.T. 5.E-01	L.T. 1.E+00
CE-141	L.T. 1.E-02	L.T. 5.E-04	L.T. 2.E-02	L.T. 2.E-02
CE-144	L.T. 1.E-02	L.T. 5.E-04	L.T. 2.E-02	L.T. 2.E-02
RA-226	L.T. 4.E-02	L.T. 2.E-03	L.T. 5.E-02	L.T. 5.E-02
TH-228	L.T. 4.E-03	L.T. 1.E-04	L.T. 5.E-03	L.T. 5.E-03

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS
 (PCI/CU.M.)

STATION NUMBER 03

DATE COLLECTED	01/02 - 04/04/07	04/04 - 07/03/07	07/03 - 10/01/07	10/01 - 12/31
----------------	------------------	------------------	------------------	---------------

GAMMA SPECTRUM ANALYSIS:

BE-7	1.07E-01 ± 4.14E-02	4.24E-03 ± 1.39E-03	1.74E-01 ± 4.04E-02	1.07E-01 ± 3.54E-02
K-40	L.T. 3.E-02	L.T. 1.E-03	L.T. 4.E-02	L.T. 4.E-02
MN-54	L.T. 2.E-03	L.T. 9.E-05	L.T. 2.E-03	L.T. 3.E-03
CO-58	L.T. 3.E-03	L.T. 1.E-04	L.T. 4.E-03	L.T. 5.E-03
FE-59	L.T. 9.E-03	L.T. 5.E-04	L.T. 1.E-02	L.T. 1.E-02
CO-60	L.T. 2.E-03	L.T. 7.E-05	L.T. 2.E-03	L.T. 3.E-03
ZN-65	L.T. 4.E-03	L.T. 3.E-04	L.T. 5.E-03	L.T. 7.E-03
ZR-95	L.T. 6.E-03	L.T. 3.E-04	L.T. 7.E-03	L.T. 1.E-02
RU-103	L.T. 5.E-03	L.T. 3.E-04	L.T. 6.E-03	L.T. 9.E-03
RU-106	L.T. 2.E-02	L.T. 7.E-04	L.T. 2.E-02	L.T. 2.E-02
I-131	L.T. 9.E-01	L.T. 4.E-02	L.T. 1.E+00	L.T. 3.E+00
CS-134	L.T. 2.E-03	L.T. 9.E-05	L.T. 2.E-03	L.T. 3.E-03
CS-137	L.T. 1.E-03	L.T. 8.E-05	L.T. 2.E-03	L.T. 3.E-03
BA-140	L.T. 3.E-01	L.T. 1.E-02	L.T. 4.E-01	L.T. 8.E-01
CE-141	L.T. 6.E-03	L.T. 4.E-04	L.T. 1.E-02	L.T. 1.E-02
CE-144	L.T. 7.E-03	L.T. 4.E-04	L.T. 1.E-02	L.T. 1.E-02
RA-226	L.T. 3.E-02	L.T. 2.E-03	L.T. 4.E-02	L.T. 4.E-02
TH-228	L.T. 2.E-03	L.T. 1.E-04	L.T. 4.E-03	L.T. 3.E-03

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS
 (PCI/CU.M.)

STATION NUMBER 04

DATE COLLECTED 01/02 - 04/04/07 04/04 - 07/03/07 07/03 - 10/01/07 10/01 - 12/31

GAMMA SPECTRUM ANALYSIS:

BE-7	1.30E-01 ± 4.04E-02	0.00388 ± 1.36E-03	1.55E-01 ± 4.40E-02	1.49E-01 ± 5.93E-02
K-40	L.T. 3.E-02	L.T. 2.E-03	L.T. 4.E-02	L.T. 7.E-02
MN-54	L.T. 4.E-03	L.T. 8.E-05	L.T. 2.E-03	L.T. 4.E-03
CO-58	L.T. 6.E-03	L.T. 1.E-04	L.T. 4.E-03	L.T. 8.E-03
FE-59	L.T. 2.E-02	L.T. 5.E-04	L.T. 1.E-02	L.T. 2.E-02
CO-60	L.T. 2.E-03	L.T. 1.E-04	L.T. 3.E-03	L.T. 4.E-03
ZN-65	L.T. 8.E-03	L.T. 2.E-04	L.T. 6.E-03	L.T. 8.E-03
ZR-95	L.T. 1.E-02	L.T. 2.E-04	L.T. 9.E-03	L.T. 1.E-02
RU-103	L.T. 9.E-03	L.T. 3.E-04	L.T. 7.E-03	L.T. 1.E-02
RU-106	L.T. 2.E-02	L.T. 8.E-04	L.T. 2.E-02	L.T. 3.E-02
I-131	L.T. 2.E+00	L.T. 4.E-02	L.T. 1.E+00	L.T. 3.E+00
CS-134	L.T. 3.E-03	L.T. 9.E-05	L.T. 3.E-03	L.T. 4.E-03
CS-137	L.T. 3.E-03	L.T. 6.E-05	L.T. 3.E-03	L.T. 3.E-03
BA-140	L.T. 4.E-01	L.T. 1.E-02	L.T. 3.E-01	L.T. 9.E-01
CE-141	L.T. 1.E-02	L.T. 3.E-04	L.T. 1.E-02	L.T. 2.E-02
CE-144	L.T. 1.E-02	L.T. 4.E-04	L.T. 1.E-02	L.T. 1.E-02
RA-226	L.T. 5.E-02	L.T. 1.E-03	L.T. 4.E-02	L.T. 5.E-02
TH-228	L.T. 5.E-03	L.T. 1.E-04	L.T. 3.E-03	L.T. 4.E-03

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS
 (PCI/CU.M.)

STATION NUMBER 05

DATE COLLECTED	01/02 - 04/04/07	04/04 - 07/03/07	07/03 - 10/01/07	10/01 - 12/31
----------------	------------------	------------------	------------------	---------------

GAMMA SPECTRUM ANALYSIS:

	01/02 - 04/04/07	04/04 - 07/03/07	07/03 - 10/01/07	10/01 - 12/31
BE-7	1.66E-01 ± 5.E-02	4.72E-03 ± 1.77E-03	1.65E-01 ± 5.08E-02	1.19E-01 ± 5.88E-02
K-40	L.T. 3.E-02	L.T. 2.E-03	L.T. 5.E-02	L.T. 5.E-02
MN-54	L.T. 4.E-03	L.T. 1.E-04	L.T. 4.E-03	L.T. 3.E-03
CO-58	L.T. 7.E-03	L.T. 2.E-04	L.T. 6.E-03	L.T. 5.E-03
FE-59	L.T. 2.E-02	L.T. 5.E-04	L.T. 2.E-02	L.T. 2.E-02
CO-60	L.T. 3.E-03	L.T. 1.E-04	L.T. 4.E-03	L.T. 3.E-03
ZN-65	L.T. 1.E-02	L.T. 4.E-04	L.T. 9.E-03	L.T. 1.E-02
ZR-95	L.T. 1.E-02	L.T. 5.E-04	L.T. 1.E-02	L.T. 1.E-02
RU-103	L.T. 9.E-03	L.T. 3.E-04	L.T. 9.E-03	L.T. 1.E-02
RU-106	L.T. 3.E-02	L.T. 1.E-03	L.T. 3.E-02	L.T. 3.E-02
I-131	L.T. 2.E+00	L.T. 7.E-02	L.T. 2.E+00	L.T. 4.E+00
CS-134	L.T. 4.E-03	L.T. 1.E-04	L.T. 4.E-03	L.T. 4.E-03
CS-137	L.T. 3.E-03	L.T. 1.E-04	L.T. 3.E-03	L.T. 3.E-03
BA-140	L.T. 6.E-01	L.T. 2.E-02	L.T. 6.E-01	L.T. 7.E-01
CE-141	L.T. 2.E-02	L.T. 6.E-04	L.T. 1.E-02	L.T. 2.E-02
CE-144	L.T. 2.E-02	L.T. 5.E-04	L.T. 2.E-02	L.T. 2.E-02
RA-226	L.T. 5.E-02	L.T. 2.E-03	L.T. 4.E-02	L.T. 5.E-02
TH-228	L.T. 6.E-03	L.T. 1.E-04	L.T. 5.E-03	L.T. 5.E-03

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS
 (PCI/CU.M.)

STATION NUMBER 06

DATE COLLECTED	01/02 - 04/04/07	04/04 - 07/03/07	07/03 - 10/01/07	10/01 - 12/31
----------------	------------------	------------------	------------------	---------------

GAMMA SPECTRUM ANALYSIS:

BE-7	1.30E-01 ± 3.34E-02	4.14E-03 ± 1.82E-03	1.95E-01 ± 5.61E-02	7.43E-02 ± 3.86E-02
K-40	L.T. 2.E-02	L.T. 2.E-03	L.T. 4.E-02	L.T. 5.E-02
MN-54	L.T. 2.E-03	L.T. 2.E-04	L.T. 3.E-03	L.T. 3.E-03
CO-58	L.T. 5.E-03	L.T. 2.E-04	L.T. 5.E-03	L.T. 5.E-03
FE-59	L.T. 1.E-02	L.T. 5.E-04	L.T. 2.E-02	L.T. 1.E-02
CO-60	L.T. 2.E-03	L.T. 2.E-04	L.T. 3.E-03	L.T. 3.E-03
ZN-65	L.T. 9.E-03	L.T. 4.E-04	L.T. 9.E-03	L.T. 6.E-03
ZR-95	L.T. 8.E-03	L.T. 4.E-04	L.T. 9.E-03	L.T. 1.E-02
RU-103	L.T. 7.E-03	L.T. 3.E-04	L.T. 9.E-03	L.T. 7.E-03
RU-106	L.T. 2.E-02	L.T. 1.E-03	L.T. 3.E-02	L.T. 2.E-02
I-131	L.T. 1.E+00	L.T. 6.E-02	L.T. 2.E+00	L.T. 3.E+00
CS-134	L.T. 3.E-03	L.T. 9.E-05	L.T. 4.E-03	L.T. 2.E-03
CS-137	L.T. 2.E-03	L.T. 1.E-04	L.T. 3.E-03	L.T. 2.E-03
BA-140	L.T. 4.E-01	L.T. 2.E-02	L.T. 6.E-01	L.T. 6.E-01
CE-141	L.T. 1.E-02	L.T. 4.E-04	L.T. 1.E-02	L.T. 1.E-02
CE-144	L.T. 1.E-02	L.T. 5.E-04	L.T. 2.E-02	L.T. 1.E-02
RA-226	L.T. 3.E-02	L.T. 2.E-03	L.T. 5.E-02	L.T. 4.E-02
TH-228	L.T. 4.E-03	L.T. 2.E-04	6.58E-03 ± 3.25E-03	L.T. 4.E-03

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS
 (PCI/CU.M.)

STATION NUMBER 07

DATE COLLECTED 01/02 - 04/04/07 04/04 - 07/03/07 07/03 - 10/01/07 10/01 - 12/31

GAMMA SPECTRUM ANALYSIS:

	01/02 - 04/04/07	04/04 - 07/03/07	07/03 - 10/01/07	10/01 - 12/31
BE-7	1.49E-01 ± 4.10E-02	4.09E-03 ± 1.51E-03	1.22E-01 ± 4.65E-02	7.65E-02 ± 3.73E-02
K-40	L.T. 3.E-02	L.T. 1.E-03	L.T. 6.E-02	L.T. 3.E-02
MN-54	L.T. 3.E-03	L.T. 9.E-05	L.T. 4.E-03	L.T. 3.E-03
CO-58	L.T. 5.E-03	L.T. 2.E-04	L.T. 7.E-03	L.T. 5.E-03
FE-59	L.T. 1.E-02	L.T. 5.E-04	L.T. 2.E-02	L.T. 1.E-02
CO-60	L.T. 3.E-03	L.T. 9.E-05	L.T. 2.E-03	L.T. 2.E-03
ZN-65	L.T. 7.E-03	L.T. 2.E-04	L.T. 7.E-03	L.T. 6.E-03
ZR-95	L.T. 1.E-02	L.T. 3.E-04	L.T. 1.E-02	L.T. 9.E-03
RU-103	L.T. 7.E-03	L.T. 3.E-04	L.T. 1.E-02	L.T. 8.E-03
RU-106	L.T. 2.E-02	L.T. 8.E-04	L.T. 3.E-02	L.T. 3.E-02
I-131	L.T. 1.E+00	L.T. 4.E-02	L.T. 2.E+00	L.T. 3.E+00
CS-134	L.T. 2.E-03	L.T. 1.E-04	L.T. 3.E-03	L.T. 2.E-03
CS-137	L.T. 2.E-03	L.T. 8.E-05	L.T. 3.E-03	L.T. 2.E-03
BA-140	L.T. 5.E-01	L.T. 2.E-02	L.T. 6.E-01	L.T. 7.E-01
CE-141	L.T. 1.E-02	L.T. 5.E-04	L.T. 2.E-02	L.T. 1.E-02
CE-144	L.T. 1.E-02	L.T. 5.E-04	L.T. 1.E-02	L.T. 1.E-02
RA-226	L.T. 4.E-02	L.T. 2.E-03	L.T. 5.E-02	L.T. 4.E-02
TH-228	L.T. 4.E-03	L.T. 1.E-04	L.T. 5.E-03	L.T. 4.E-03

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS
 (PCI/CU.M.)

STATION NUMBER 08

DATE COLLECTED	01/02 - 04/04/07	04/04 - 07/03/07	07/03 - 10/01/07	10/01 - 12/31
----------------	------------------	------------------	------------------	---------------

GAMMA SPECTRUM ANALYSIS:

BE-7	1.09E-01 ± 3.73E-02	5.20E-03 ± 1.98E-03	9.47E-02 ± 4.61E-02	8.48E-02 ± 3.91E-02
K-40	L.T. 6.E-02	L.T. 2.E-03	L.T. 3.E-02	L.T. 5.E-02
MN-54	L.T. 3.E-03	L.T. 1.E-04	L.T. 3.E-03	L.T. 3.E-03
CO-58	L.T. 5.E-03	L.T. 1.E-04	L.T. 3.E-03	L.T. 7.E-03
FE-59	L.T. 2.E-02	L.T. 5.E-04	L.T. 1.E-02	L.T. 2.E-02
CO-60	L.T. 4.E-03	L.T. 1.E-04	L.T. 2.E-03	L.T. 4.E-03
ZN-65	L.T. 9.E-03	L.T. 3.E-04	L.T. 6.E-03	L.T. 8.E-03
ZR-95	L.T. 1.E-02	L.T. 3.E-04	L.T. 8.E-03	L.T. 1.E-02
RU-103	L.T. 1.E-02	L.T. 3.E-04	L.T. 7.E-03	L.T. 1.E-02
RU-106	L.T. 3.E-02	L.T. 6.E-04	L.T. 2.E-02	L.T. 3.E-02
I-131	L.T. 2.E+00	L.T. 5.E-02	L.T. 1.E+00	L.T. 4.E+00
CS-134	L.T. 3.E-03	L.T. 8.E-05	L.T. 2.E-03	L.T. 3.E-03
CS-137	L.T. 3.E-03	L.T. 1.E-04	L.T. 3.E-03	L.T. 3.E-03
BA-140	L.T. 6.E-01	L.T. 2.E-02	L.T. 4.E-01	L.T. 9.E-01
CE-141	L.T. 1.E-02	L.T. 4.E-04	L.T. 2.E-02	L.T. 2.E-02
CE-144	L.T. 1.E-02	L.T. 5.E-04	L.T. 2.E-02	L.T. 2.E-02
RA-226	L.T. 5.E-02	L.T. 2.E-03	L.T. 5.E-02	L.T. 6.E-02
TH-228	L.T. 5.E-03	L.T. 1.E-04	L.T. 4.E-03	L.T. 5.E-03

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS
 (PCI/CU.M.)

STATION NUMBER 09

DATE COLLECTED	01/02 - 04/04/07	04/04 - 07/03/07	07/03 - 10/01/07	10/01 - 12/31
----------------	------------------	------------------	------------------	---------------

GAMMA SPECTRUM ANALYSIS:

BE-7	1.27E-01 ± 4.60E-02	4.29E-03 ± 1.32E-03	1.46E-01 ± 5.44E-02	0.106 ± 4.E-02
K-40	L.T. 6.E-02	L.T. 2.E-03	L.T. 5.E-02	L.T. 3.E-02
MN-54	L.T. 3.E-03	L.T. 6.E-05	L.T. 3.E-03	L.T. 3.E-03
CO-58	L.T. 6.E-03	L.T. 2.E-04	L.T. 5.E-03	L.T. 5.E-03
FE-59	L.T. 2.E-02	L.T. 5.E-04	L.T. 1.E-02	L.T. 1.E-02
CO-60	L.T. 3.E-03	L.T. 8.E-05	L.T. 2.E-03	L.T. 3.E-03
ZN-65	L.T. 9.E-03	L.T. 2.E-04	L.T. 7.E-03	L.T. 8.E-03
ZR-95	L.T. 1.E-02	L.T. 3.E-04	L.T. 1.E-02	L.T. 1.E-02
RU-103	L.T. 9.E-03	L.T. 3.E-04	L.T. 9.E-03	L.T. 9.E-03
RU-106	L.T. 3.E-02	L.T. 7.E-04	L.T. 2.E-02	L.T. 2.E-02
I-131	L.T. 2.E+00	L.T. 5.E-02	L.T. 1.E+00	L.T. 2.E+00
CS-134	L.T. 4.E-03	L.T. 9.E-05	L.T. 3.E-03	L.T. 3.E-03
CS-137	L.T. 3.E-03	L.T. 9.E-05	L.T. 2.E-03	L.T. 2.E-03
BA-140	L.T. 6.E-01	L.T. 1.E-02	L.T. 5.E-01	L.T. 6.E-01
CE-141	L.T. 1.E-02	L.T. 4.E-04	L.T. 1.E-02	L.T. 1.E-02
CE-144	L.T. 2.E-02	L.T. 5.E-04	L.T. 1.E-02	L.T. 1.E-02
RA-226	L.T. 5.E-02	L.T. 1.E-03	L.T. 4.E-02	L.T. 4.E-02
TH-228	L.T. 4.E-03	L.T. 1.E-04	L.T. 3.E-03	L.T. 4.E-03

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS
 (PCI/CU.M.)

STATION NUMBER 10

DATE COLLECTED	01/02 - 04/04/07	04/04 - 07/03/07	07/03 - 10/01/07	10/01 - 12/31
----------------	------------------	------------------	------------------	---------------

GAMMA SPECTRUM ANALYSIS:

BE-7	1.59E-01 ± 3.76E-02	4.82E-03 ± 1.70E-03	1.29E-01 ± 4.31E-02	1.91E-01 ± 6.26E-02
K-40	L.T. 2.E-02	L.T. 1.E-03	L.T. 6.E-02	L.T. 6.E-02
MN-54	L.T. 2.E-03	L.T. 1.E-04	L.T. 4.E-03	L.T. 3.E-03
CO-58	L.T. 4.E-03	L.T. 2.E-04	L.T. 7.E-03	L.T. 7.E-03
FE-59	L.T. 1.E-02	L.T. 4.E-04	L.T. 2.E-02	L.T. 3.E-02
CO-60	L.T. 2.E-03	L.T. 5.E-05	L.T. 4.E-03	L.T. 4.E-03
ZN-65	L.T. 6.E-03	L.T. 4.E-04	L.T. 1.E-02	L.T. 1.E-02
ZR-95	L.T. 8.E-03	L.T. 3.E-04	L.T. 1.E-02	L.T. 1.E-02
RU-103	L.T. 8.E-03	L.T. 3.E-04	L.T. 9.E-03	L.T. 1.E-02
RU-106	L.T. 2.E-02	L.T. 8.E-04	L.T. 4.E-02	L.T. 4.E-02
I-131	L.T. 1.E+00	L.T. 5.E-02	L.T. 2.E+00	L.T. 4.E+00
CS-134	L.T. 2.E-03	L.T. 2.E-04	L.T. 4.E-03	L.T. 4.E-03
CS-137	L.T. 2.E-03	L.T. 8.E-05	L.T. 4.E-03	L.T. 3.E-03
BA-140	L.T. 3.E-01	L.T. 1.E-02	L.T. 6.E-01	L.T. 1.E+00
CE-141	L.T. 9.E-03	L.T. 5.E-04	L.T. 1.E-02	L.T. 2.E-02
CE-144	L.T. 1.E-02	L.T. 5.E-04	L.T. 2.E-02	L.T. 1.E-02
RA-226	L.T. 3.E-02	L.T. 2.E-03	L.T. 5.E-02	L.T. 5.E-02
TH-228	L.T. 3.E-03	L.T. 1.E-04	L.T. 5.E-03	L.T. 5.E-03

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS
 (PCI/CU.M.)

STATION NUMBER 111

DATE COLLECTED	01/02 - 04/04/07	04/04 - 07/03/07	07/03 - 10/01/07	10/01 - 12/31
----------------	------------------	------------------	------------------	---------------

GAMMA SPECTRUM ANALYSIS:

BE-7	1.36E-01 ± 4.00E-02	4.40E-03 ± 1.38E-03	1.37E-01 ± 4.45E-02	1.68E-01 ± 5.34E-02
K-40	L.T. 3.E-02	L.T. 1.E-03	L.T. 5.E-02	L.T. 5.E-02
MN-54	L.T. 3.E-03	L.T. 9.E-05	L.T. 2.E-03	L.T. 3.E-03
CO-58	L.T. 5.E-03	L.T. 2.E-04	L.T. 6.E-03	L.T. 7.E-03
FE-59	L.T. 1.E-02	L.T. 5.E-04	L.T. 2.E-02	L.T. 2.E-02
CO-60	L.T. 2.E-03	L.T. 8.E-05	L.T. 3.E-03	L.T. 5.E-03
ZN-65	L.T. 8.E-03	L.T. 2.E-04	L.T. 8.E-03	L.T. 9.E-03
ZR-95	L.T. 8.E-03	L.T. 3.E-04	L.T. 9.E-03	L.T. 1.E-02
RU-103	L.T. 1.E-02	L.T. 3.E-04	L.T. 8.E-03	L.T. 1.E-02
RU-106	L.T. 2.E-02	L.T. 7.E-04	L.T. 2.E-02	L.T. 2.E-02
I-131	L.T. 2.E+00	L.T. 5.E-02	L.T. 2.E+00	L.T. 4.E+00
CS-134	L.T. 3.E-03	L.T. 1.E-04	L.T. 4.E-03	L.T. 3.E-03
CS-137	L.T. 3.E-03	L.T. 8.E-05	L.T. 3.E-03	L.T. 3.E-03
BA-140	L.T. 5.E-01	L.T. 9.E-03	L.T. 5.E-01	L.T. 9.E-01
CE-141	L.T. 1.E-02	L.T. 4.E-04	L.T. 1.E-02	L.T. 2.E-02
CE-144	L.T. 2.E-02	L.T. 4.E-04	L.T. 2.E-02	L.T. 2.E-02
RA-226	L.T. 5.E-02	L.T. 1.E-03	L.T. 5.E-02	L.T. 4.E-02
TH-228	L.T. 5.E-03	L.T. 1.E-04	L.T. 5.E-03	L.T. 4.E-03

VII-3
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
FISH
 (PCI/KG WET)

STATION NUMBER 28

DATE COLLECTED	06/27/07 CATFISH	06/27/07 CARP	10/02/07 CATFISH	10/02/07 CARP
----------------	---------------------	------------------	---------------------	------------------

GAMMA SPECTRUM ANALYSIS:

BE-7	L.T. 5E+02	L.T. 4E+02	L.T. 4E+02	L.T. 4E+02
K-40	3.25E+03 ± 8.02E+02	2.83E+03 ± 8.73E+02	2.97E+03 ± 7.85E+02	2.78E+03 ± 6.40E+02
MN-54	L.T. 6E+01	L.T. 4E+01	L.T. 5E+01	L.T. 4E+01
CO-58	L.T. 6E+01	L.T. 5E+01	L.T. 6E+01	L.T. 5E+01
FE-59	L.T. 1E+02	L.T. 1E+02	L.T. 1E+02	L.T. 1E+02
CO-60	L.T. 6E+01	L.T. 4E+01	L.T. 6E+01	L.T. 4E+01
ZN-65	L.T. 1E+02	L.T. 9E+01	L.T. 1E+02	L.T. 9E+01
ZR-95	L.T. 1E+02	L.T. 8E+01	L.T. 1E+02	L.T. 9E+01
RU-103	L.T. 6E+01	L.T. 6E+01	L.T. 7E+01	L.T. 5E+01
RU-106	L.T. 4E+02	L.T. 4E+02	L.T. 5E+02	L.T. 4E+02
I-131	L.T. 3E+02	L.T. 2E+02	L.T. 4E+02	L.T. 4E+02
CS-134	L.T. 6E+01	L.T. 5E+01	L.T. 5E+01	L.T. 3E+01
CS-137	L.T. 6E+01	L.T. 4E+01	L.T. 4E+01	L.T. 4E+01
BA-140	L.T. 5E+02	L.T. 5E+02	L.T. 7E+02	L.T. 6E+02
CE-141	L.T. 1E+02	L.T. 1E+02	L.T. 9E+01	L.T. 8E+01
CE-144	L.T. 5E+02	L.T. 3E+02	L.T. 2E+02	L.T. 2E+02
RA-226	L.T. 1E+03	L.T. 1E+03	L.T. 1E+03	L.T. 7E+02
TH-228	L.T. 1.E+02	L.T. 8.E+01	L.T. 7.E+01	L.T. 6.E+01

VII-3
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
FISH
 (PCI/KG WET)

STATION NUMBER 35

DATE COLLECTED	06/26/07	06/26/07	10/02/07	10/02/07
	CATFISH	CARP	CATFISH	CARP

GAMMA SPECTRUM ANALYSIS:

BE-7	L.T. 4E+02	L.T. 5E+02	L.T. 3E+02	L.T. 4E+02
K-40	3.65E+03 ± 7.18E+02	2.94E+03 ± 8.23E+02	2.55E+03 ± 6.63E+02	3.32E+03 ± 6.21E+02
MN-54	L.T. 6E+01	L.T. 7E+01	L.T. 2E+01	L.T. 3E+01
CO-58	L.T. 7E+01	L.T. 6E+01	L.T. 4E+01	L.T. 4E+01
FE-59	L.T. 1E+02	L.T. 2E+02	L.T. 6E+01	L.T. 1E+02
CO-60	L.T. 5E+01	L.T. 6E+01	L.T. 4E+01	L.T. 4E+01
ZN-65	L.T. 1E+02	L.T. 1E+02	L.T. 5E+01	L.T. 9E+01
ZR-95	L.T. 8E+01	L.T. 1E+02	L.T. 5E+01	L.T. 7E+01
RU-103	L.T. 7E+01	L.T. 7E+01	L.T. 4E+01	L.T. 5E+01
RU-106	L.T. 4E+02	L.T. 6E+02	L.T. 3E+02	L.T. 3E+02
I-131	L.T. 3E+02	L.T. 3E+02	L.T. 2E+02	L.T. 3E+02
CS-134	L.T. 5E+01	L.T. 5E+01	L.T. 2E+01	L.T. 3E+01
CS-137	L.T. 4E+01	L.T. 7E+01	L.T. 3E+01	L.T. 3E+01
BA-140	L.T. 5E+02	L.T. 7E+02	L.T. 3E+02	L.T. 4E+02
CE-141	L.T. 1E+02	L.T. 1E+02	L.T. 7E+01	L.T. 6E+01
CE-144	L.T. 4E+02	L.T. 4E+02	L.T. 2E+02	L.T. 2E+02
RA-226	L.T. 1E+03	L.T. 1E+03	L.T. 5E+02	L.T. 7E+02
TH-228	L.T. 1E+02	L.T. 1E+02	L.T. 6E+01	L.T. 5E+01

VII-4
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
MILK NEAREST PRODUCER
 (PCI/LITER)

STATION NUMBER 99

DATE COLLECTED	01/02/07	02/05/07	03/06/07	04/04/07
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 4E-01	L.T. 4E-01	L.T. 6E-01	L.T. 7E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 5E+01	L.T. 6E+01	L.T. 6E+01	L.T. 8E+01
K-40	1.11E+03 ± 1.15E+02	1.37E+03 ± 1.78E+02	1.29E+03 ± 1.58E+02	1.27E+03 ± 1.99E+02
MN-54	L.T. 5E+00	L.T. 6E+00	L.T. 7E+00	L.T. 1E+01
CO-58	L.T. 4E+00	L.T. 4E+00	L.T. 6E+00	L.T. 1E+01
FE-59	L.T. 1E+01	L.T. 2E+01	L.T. 1E+01	L.T. 2E+01
CO-60	L.T. 5E+00	L.T. 8E+00	L.T. 5E+00	L.T. 1E+01
ZN-65	L.T. 1E+01	L.T. 1E+01	L.T. 1E+01	L.T. 3E+01
ZR-95	L.T. 9E+00	L.T. 1E+01	L.T. 1E+01	L.T. 2E+01
RU-103	L.T. 6E+00	L.T. 8E+00	L.T. 6E+00	L.T. 1E+01
RU-106	L.T. 5E+01	L.T. 6E+01	L.T. 5E+01	L.T. 1E+02
I-131	L.T. 8E+00	L.T. 9E+00	L.T. 9E+00	L.T. 2E+01
CS-134	L.T. 5E+00	L.T. 5E+00	L.T. 5E+00	L.T. 9E+00
CS-137	L.T. 5E+00	L.T. 7E+00	L.T. 7E+00	L.T. 1E+01
BA-140	L.T. 2E+01	L.T. 3E+01	L.T. 3E+01	L.T. 5E+01
CE-141	L.T. 9E+00	L.T. 1E+01	L.T. 1E+01	L.T. 2E+01
CE-144	L.T. 4E+01	L.T. 5E+01	L.T. 4E+01	L.T. 8E+01
RA-226	L.T. 1E+02	L.T. 2E+02	L.T. 2E+02	L.T. 3E+02
TH-228	L.T. 1E+01	L.T. 2E+01	L.T. 1E+01	L.T. 2E+01

VII-4
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
MILK NEAREST PRODUCER
(PCI/LITER)

STATION NUMBER 99

DATE COLLECTED	05/08/07	05/28/07	06/05/07	06/19/07
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 8E-01	L.T. 8E-01	L.T. 8E-01	L.T. 5E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 3E+01	L.T. 3E+01	L.T. 3E+01	L.T. 5E+01
K-40	1.23E+03 ± 1.15E+02	1.23E+03 ± 9.93E+01	1.36E+03 ± 8.80E+01	1.38E+03 ± 1.53E+02
MN-54	L.T. 4E+00	L.T. 4E+00	L.T. 4E+00	L.T. 5E+00
CO-58	L.T. 4E+00	L.T. 4E+00	L.T. 3E+00	L.T. 6E+00
FE-59	L.T. 1E+01	L.T. 9E+00	L.T. 9E+00	L.T. 1E+01
CO-60	L.T. 4E+00	L.T. 4E+00	L.T. 4E+00	L.T. 7E+00
ZN-65	L.T. 9E+00	L.T. 1E+01	L.T. 8E+00	L.T. 2E+01
ZR-95	L.T. 9E+00	L.T. 7E+00	L.T. 7E+00	L.T. 1E+01
RU-103	L.T. 4E+00	L.T. 4E+00	L.T. 4E+00	L.T. 6E+00
RU-106	L.T. 3E+01	L.T. 4E+01	L.T. 3E+01	L.T. 6E+01
I-131	L.T. 1E+01	L.T. 9E+00	L.T. 1E+01	L.T. 1E+01
CS-134	L.T. 4E+00	L.T. 4E+00	L.T. 3E+00	L.T. 5E+00
CS-137	L.T. 5E+00	L.T. 5E+00	L.T. 3E+00	L.T. 6E+00
BA-140	L.T. 3E+01	L.T. 2E+01	L.T. 2E+01	L.T. 3E+01
CE-141	L.T. 9E+00	L.T. 8E+00	L.T. 7E+00	L.T. 1E+01
CE-144	L.T. 3E+01	L.T. 3E+01	L.T. 3E+01	L.T. 4E+01
RA-226	L.T. 9E+01	L.T. 1E+02	L.T. 9E+01	L.T. 1E+02
TH-228	L.T. 7E+00	L.T. 8E+00	L.T. 7E+00	L.T. 1E+01

VII-4
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
MILK NEAREST PRODUCER
(PC/LITER)

STATION NUMBER 99

DATE COLLECTED	07/03/07	07/23/07	08/07/07	08/20/07
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 7E-01	L.T. 5E-01	L.T. 9E-01	L.T. 4E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 5E+01	L.T. 5E+01	L.T. 6E+01	L.T. 5E+01
K-40	1.27E+03 ± 1.76E+02	1.07E+03 ± 1.71E+02	1.23E+03 ± 1.64E+02	1.19E+03 ± 1.34E+02
MN-54	L.T. 6E+00	L.T. 5E+00	L.T. 7E+00	L.T. 5E+00
CO-58	L.T. 6E+00	L.T. 6E+00	L.T. 6E+00	L.T. 6E+00
FE-59	L.T. 1E+01	L.T. 1E+01	L.T. 2E+01	L.T. 1E+01
CO-60	L.T. 5E+00	L.T. 6E+00	L.T. 8E+00	L.T. 5E+00
ZN-65	L.T. 1E+01	L.T. 1E+01	L.T. 2E+01	L.T. 1E+01
ZR-95	L.T. 1E+01	L.T. 1E+01	L.T. 1E+01	L.T. 1E+01
RU-103	L.T. 6E+00	L.T. 7E+00	L.T. 6E+00	L.T. 6E+00
RU-106	L.T. 5E+01	L.T. 5E+01	L.T. 7E+01	L.T. 4E+01
I-131	L.T. 1E+01	L.T. 1E+01	L.T. 1E+01	L.T. 9E+00
CS-134	L.T. 5E+00	L.T. 5E+00	L.T. 6E+00	L.T. 4E+00
CS-137	L.T. 6E+00	L.T. 6E+00	L.T. 8E+00	L.T. 6E+00
BA-140	L.T. 3E+01	L.T. 3E+01	L.T. 3E+01	L.T. 3E+01
CE-141	L.T. 1E+01	L.T. 1E+01	L.T. 2E+01	L.T. 1E+01
CE-144	L.T. 4E+01	L.T. 4E+01	L.T. 6E+01	L.T. 4E+01
RA-226	L.T. 1E+02	L.T. 1E+02	L.T. 2E+02	L.T. 1E+02
TH-228	L.T. 1E+01	L.T. 1E+01	L.T. 1E+01	L.T. 1E+01

VII-4
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
MILK NEAREST PRODUCER
(PC/LITER)

STATION NUMBER 99

DATE COLLECTED	09/04/07	09/18/07	10/01/07	11/05/07
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 5E-01	L.T. 7E-01	L.T. 6E-01	L.T. 9E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 5E+01	L.T. 7E+01	L.T. 3E+01	L.T. 4E+01
K-40	1.36E+03 ± 1.47E+02	1.13E+03 ± 1.63E+02	1.15E+03 ± 8.88E+01	1.21E+03 ± 1.09E+02
MN-54	L.T. 6E+00	L.T. 7E+00	L.T. 3E+00	L.T. 5E+00
CO-58	L.T. 6E+00	L.T. 7E+00	L.T. 4E+00	L.T. 5E+00
FE-59	L.T. 1E+01	L.T. 2E+01	L.T. 8E+00	L.T. 1E+01
CO-60	L.T. 7E+00	L.T. 8E+00	L.T. 3E+00	L.T. 5E+00
ZN-65	L.T. 1E+01	L.T. 2E+01	L.T. 8E+00	L.T. 1E+01
ZR-95	L.T. 1E+01	L.T. 1E+01	L.T. 7E+00	L.T. 8E+00
RU-103	L.T. 7E+00	L.T. 8E+00	L.T. 4E+00	L.T. 5E+00
RU-106	L.T. 5E+01	L.T. 7E+01	L.T. 3E+01	L.T. 4E+01
I-131	L.T. 1E+01	L.T. 1E+01	L.T. 7E+00	L.T. 9E+00
CS-134	L.T. 6E+00	L.T. 7E+00	L.T. 3E+00	L.T. 4E+00
CS-137	L.T. 6E+00	L.T. 8E+00	L.T. 4E+00	L.T. 5E+00
BA-140	L.T. 3E+01	L.T. 4E+01	L.T. 2E+01	L.T. 2E+01
CE-141	L.T. 1E+01	L.T. 1E+01	L.T. 7E+00	L.T. 9E+00
CE-144	L.T. 5E+01	L.T. 4E+01	L.T. 3E+01	L.T. 3E+01
RA-226	L.T. 2E+02	L.T. 2E+02	L.T. 1E+02	L.T. 9E+01
TH-228	L.T. 1E+01	L.T. 1E+01	1.12E+01 ± 5.59E+00	L.T. 9E+00

VII-4
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
MILK NEAREST PRODUCER
(PCI/LITER)

STATION NUMBER 99

DATE COLLECTED 12/04/07

RADIOCHEMICAL ANALYSIS:

I-131 L.T. 7E-01

GAMMA SPECTRUM ANALYSIS:

BE-7	L.T. 3E+01
K-40	1.30E+03 ± 1.13E+02
MN-54	L.T. 5E+00
CO-58	L.T. 5E+00
FE-59	L.T. 1E+01
CO-60	L.T. 5E+00
ZN-65	L.T. 1E+01
ZR-95	L.T. 9E+00
RU-103	L.T. 5E+00
RU-106	L.T. 4E+01
I-131	L.T. 1E+01
CS-134	L.T. 4E+00
CS-137	L.T. 5E+00
BA-140	L.T. 3E+01
CE-141	L.T. 9E+00
CE-144	L.T. 3E+01
RA-226	L.T. 1E+02
TH-228	L.T. 9E+00

VII-5
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
MILK OTHER PRODUCERS
 (PCI/LITER)

STATION NUMBER 103

DATE COLLECTED	01/02/07	04/04/07	07/03/07	10/01/07
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 5E-01	L.T. 7E-01	L.T. 8E-01	L.T. 6E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 4E+01	L.T. 8E+01	L.T. 6E+01	L.T. 4E+01
K-40	1.32E+03 ± 1.12E+02	1.30E+03 ± 2.24E+02	1.34E+03 ± 1.52E+02	1.32E+03 ± 9.23E+01
MN-54	L.T. 5E+00	L.T. 1E+01	L.T. 6E+00	L.T. 4E+00
CO-58	L.T. 6E+00	L.T. 1E+01	L.T. 8E+00	L.T. 4E+00
FE-59	L.T. 1E+01	L.T. 2E+01	L.T. 2E+01	L.T. 9E+00
CO-60	L.T. 5E+00	L.T. 1E+01	L.T. 8E+00	L.T. 5E+00
ZN-65	L.T. 1E+01	L.T. 3E+01	L.T. 2E+01	L.T. 9E+00
ZR-95	L.T. 9E+00	L.T. 2E+01	L.T. 1E+01	L.T. 8E+00
RU-103	L.T. 5E+00	L.T. 1E+01	L.T. 7E+00	L.T. 5E+00
RU-106	L.T. 4E+01	L.T. 9E+01	L.T. 6E+01	L.T. 4E+01
I-131	L.T. 7E+00	L.T. 2E+01	L.T. 1E+01	L.T. 8E+00
CS-134	L.T. 4E+00	L.T. 9E+00	L.T. 6E+00	L.T. 3E+00
CS-137	L.T. 5E+00	L.T. 1E+01	L.T. 6E+00	L.T. 4E+00
BA-140	L.T. 2E+01	L.T. 5E+01	L.T. 4E+01	L.T. 2E+01
CE-141	L.T. 8E+00	L.T. 2E+01	L.T. 1E+01	L.T. 8E+00
CE-144	L.T. 4E+01	L.T. 7E+01	L.T. 5E+01	L.T. 3E+01
RA-226	L.T. 1E+02	L.T. 3E+02	L.T. 2E+02	L.T. 1E+02
TH-228	L.T. 1E+01	L.T. 2E+01	L.T. 1E+01	L.T. 8E+00

VII-6
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)
 (PCI/LITER)

STATION NUMBER 11

DATE COLLECTED	01/09/07	02/20/07	03/06/07	04/09/07
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 4.E-01	L.T. 5.E-01	L.T. 6.E-01	L.T. 8.E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 5.E+01	L.T. 3.E+01	L.T. 5.E+01	L.T. 1.E+01
K-40	L.T. 1.E+02	L.T. 6.E+01	L.T. 1.E+02	L.T. 2.E+01
MN-54	L.T. 6.E+00	L.T. 4.E+00	L.T. 4.E+00	L.T. 1.E+00
CO-58	L.T. 6.E+00	L.T. 4.E+00	L.T. 5.E+00	L.T. 1.E+00
FE-59	L.T. 1.E+01	L.T. 8.E+00	L.T. 9.E+00	L.T. 3.E+00
CO-60	L.T. 7.E+00	L.T. 4.E+00	L.T. 5.E+00	L.T. 1.E+00
ZN-65	L.T. 1.E+01	L.T. 9.E+00	L.T. 9.E+00	L.T. 3.E+00
ZR-95	L.T. 1.E+01	L.T. 5.E+00	L.T. 8.E+00	L.T. 2.E+00
RU-103	L.T. 6.E+00	L.T. 3.E+00	L.T. 5.E+00	L.T. 1.E+00
RU-106	L.T. 5.E+01	L.T. 3.E+01	L.T. 4.E+01	L.T. 1.E+01
I-131	L.T. 1.E+01	L.T. 5.E+00	L.T. 8.E+00	L.T. 2.E+00
CS-134	L.T. 5.E+00	L.T. 4.E+00	L.T. 4.E+00	L.T. 1.E+00
CS-137	L.T. 6.E+00	L.T. 4.E+00	L.T. 4.E+00	L.T. 1.E+00
BA-140	L.T. 3.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 7.E+00
CE-141	L.T. 1.E+01	L.T. 7.E+00	L.T. 9.E+00	L.T. 2.E+00
CE-144	L.T. 4.E+01	L.T. 3.E+01	L.T. 4.E+01	L.T. 1.E+01
RA-226	L.T. 1.E+02	L.T. 8.E+01	L.T. 1.E+02	L.T. 3.E+01
TH-228	L.T. 1.E+01	L.T. 6.E+00	L.T. 1.E+01	L.T. 2.E+00
H-3	L.T. 1.E+02	L.T. 2.E+02	L.T. 3.E+02	L.T. 2.E+02

VII-6
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)
(PCI/LITER)

STATION NUMBER 11

DATE COLLECTED	05/09/07	06/12/07	07/10/07	08/14/07
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 7.E-01	L.T. 8.E-01	L.T. 6.E-01	L.T. 6.E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 3.E+01	L.T. 4.E+01	L.T. 4.E+01	L.T. 4.E+01
K-40	L.T. 8.E+01	L.T. 5.E+01	L.T. 4.E+01	L.T. 4.E+01
MN-54	L.T. 3.E+00	L.T. 6.E+00	L.T. 4.E+00	L.T. 4.E+00
CO-58	L.T. 4.E+00	L.T. 5.E+00	L.T. 4.E+00	L.T. 4.E+00
FE-59	L.T. 8.E+00	L.T. 1.E+01	L.T. 8.E+00	L.T. 8.E+00
CO-60	L.T. 3.E+00	L.T. 6.E+00	L.T. 4.E+00	L.T. 5.E+00
ZN-65	L.T. 8.E+00	L.T. 1.E+01	L.T. 7.E+00	L.T. 8.E+00
ZR-95	L.T. 7.E+00	L.T. 8.E+00	L.T. 7.E+00	L.T. 7.E+00
RU-103	L.T. 5.E+00	L.T. 6.E+00	L.T. 4.E+00	L.T. 4.E+00
RU-106	L.T. 4.E+01	L.T. 4.E+01	L.T. 4.E+01	L.T. 4.E+01
I-131	L.T. 1.E+01	L.T. 1.E+01	L.T. 7.E+00	L.T. 9.E+00
CS-134	L.T. 3.E+00	L.T. 4.E+00	L.T. 4.E+00	L.T. 4.E+00
CS-137	L.T. 4.E+00	L.T. 6.E+00	L.T. 4.E+00	L.T. 4.E+00
BA-140	L.T. 3.E+01	L.T. 3.E+01	L.T. 2.E+01	L.T. 2.E+01
CE-141	L.T. 8.E+00	L.T. 9.E+00	L.T. 8.E+00	L.T. 7.E+00
CE-144	L.T. 3.E+01	L.T. 4.E+01	L.T. 3.E+01	L.T. 3.E+01
RA-226	L.T. 9.E+01	L.T. 1.E+02	L.T. 8.E+01	L.T. 9.E+01
TH-228	L.T. 8.E+00	L.T. 1.E+01	L.T. 8.E+00	1.52E+01 ± 6.63E+00
H-3	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02

VII-6
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)
(PCI/LITER)

STATION NUMBER 11

DATE COLLECTED	09/11/07	10/09/07	11/05/07	12/18/07
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 7.E-01	L.T. 5.E-01	L.T. 8.E-01	L.T. 8.E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 8.E+01	L.T. 6.E+01	L.T. 5.E+01	L.T. 4.E+01
K-40	L.T. 6.E+01	L.T. 5.E+01	L.T. 6.E+01	L.T. 6.E+01
MN-54	L.T. 1.E+01	L.T. 6.E+00	L.T. 5.E+00	L.T. 3.E+00
CO-58	L.T. 8.E+00	L.T. 7.E+00	L.T. 6.E+00	L.T. 3.E+00
FE-59	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 8.E+00
CO-60	L.T. 5.E+00	L.T. 6.E+00	L.T. 5.E+00	L.T. 4.E+00
ZN-65	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 6.E+00
ZR-95	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 6.E+00
RU-103	L.T. 8.E+00	L.T. 7.E+00	L.T. 7.E+00	L.T. 4.E+00
RU-106	L.T. 8.E+01	L.T. 7.E+01	L.T. 5.E+01	L.T. 3.E+01
I-131	L.T. 2.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01
CS-134	L.T. 7.E+00	L.T. 6.E+00	L.T. 5.E+00	L.T. 3.E+00
CS-137	L.T. 8.E+00	L.T. 6.E+00	L.T. 6.E+00	L.T. 4.E+00
BA-140	L.T. 5.E+01	L.T. 4.E+01	L.T. 4.E+01	L.T. 2.E+01
CE-141	L.T. 2.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 7.E+00
CE-144	L.T. 6.E+01	L.T. 5.E+01	L.T. 5.E+01	L.T. 3.E+01
RA-226	L.T. 2.E+02	L.T. 2.E+02	L.T. 1.E+02	L.T. 9.E+01
TH-228	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 7.E+00
H-3	L.T. 2.E+02	L.T. 3.E+02	L.T. 2.E+02	L.T. 2.E+02

VII-6
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)
 (PCI/LITER)

STATION NUMBER 47

DATE COLLECTED	01/09/07	02/20/07	03/06/07	04/09/07
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 5.E-01	L.T. 4.E-01	L.T. 7.E-01	L.T. 9.E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 2.E+01	L.T. 5.E+01	L.T. 4.E+01	L.T. 2.E+01
K-40	L.T. 8.E+01	9.52E+01 ± 6.10E+01	L.T. 4.E+01	L.T. 4.E+01
MN-54	L.T. 3.E+00	L.T. 5.E+00	L.T. 4.E+00	L.T. 2.E+00
CO-58	L.T. 2.E+00	L.T. 6.E+00	L.T. 3.E+00	L.T. 2.E+00
FE-59	L.T. 5.E+00	L.T. 1.E+01	L.T. 6.E+00	L.T. 4.E+00
CO-60	L.T. 3.E+00	L.T. 7.E+00	L.T. 4.E+00	L.T. 2.E+00
ZN-65	L.T. 7.E+00	L.T. 1.E+01	L.T. 9.E+00	L.T. 4.E+00
ZR-95	L.T. 4.E+00	L.T. 1.E+01	L.T. 9.E+00	L.T. 3.E+00
RU-103	L.T. 2.E+00	L.T. 6.E+00	L.T. 4.E+00	L.T. 2.E+00
RU-106	L.T. 2.E+01	L.T. 5.E+01	L.T. 3.E+01	L.T. 2.E+01
I-131	L.T. 5.E+00	L.T. 1.E+01	L.T. 6.E+00	L.T. 3.E+00
CS-134	L.T. 2.E+00	L.T. 6.E+00	L.T. 3.E+00	L.T. 2.E+00
CS-137	L.T. 3.E+00	L.T. 7.E+00	L.T. 5.E+00	L.T. 2.E+00
BA-140	L.T. 2.E+01	L.T. 3.E+01	L.T. 2.E+01	L.T. 9.E+00
CE-141	L.T. 5.E+00	L.T. 1.E+01	L.T. 7.E+00	L.T. 4.E+00
CE-144	L.T. 2.E+01	L.T. 5.E+01	L.T. 3.E+01	L.T. 1.E+01
RA-226	L.T. 7.E+01	L.T. 2.E+02	L.T. 9.E+01	L.T. 5.E+01
TH-228	L.T. 4.E+00	L.T. 1.E+01	L.T. 8.E+00	L.T. 3.E+00
H-3	L.T. 1.E+02	L.T. 2.E+02	L.T. 3.E+02	L.T. 2.E+02

VII-6
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)
 (PCI/LITER)

STATION NUMBER 47

DATE COLLECTED	05/09/07	06/12/07	07/10/07	08/14/07
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 6.E-01	L.T. 9.E-01	L.T. 6.E-01	L.T. 7.E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 4.E+01	L.T. 3.E+01	L.T. 4.E+01	L.T. 4.E+01
K-40	L.T. 8.E+01	L.T. 8.E+01	L.T. 1.E+02	L.T. 3.E+01
MN-54	L.T. 4.E+00	L.T. 4.E+00	L.T. 5.E+00	L.T. 4.E+00
CO-58	L.T. 4.E+00	L.T. 4.E+00	L.T. 5.E+00	L.T. 4.E+00
FE-59	L.T. 9.E+00	L.T. 8.E+00	L.T. 1.E+01	L.T. 8.E+00
CO-60	L.T. 4.E+00	L.T. 5.E+00	L.T. 5.E+00	L.T. 5.E+00
ZN-65	L.T. 8.E+00	L.T. 9.E+00	L.T. 1.E+01	L.T. 9.E+00
ZR-95	L.T. 7.E+00	L.T. 7.E+00	L.T. 1.E+01	L.T. 8.E+00
RU-103	L.T. 5.E+00	L.T. 4.E+00	L.T. 5.E+00	L.T. 5.E+00
RU-106	L.T. 4.E+01	L.T. 4.E+01	L.T. 5.E+01	L.T. 4.E+01
I-131	L.T. 1.E+01	L.T. 9.E+00	L.T. 1.E+01	L.T. 9.E+00
CS-134	L.T. 4.E+00	L.T. 4.E+00	L.T. 6.E+00	L.T. 4.E+00
CS-137	L.T. 3.E+00	L.T. 4.E+00	L.T. 6.E+00	L.T. 4.E+00
BA-140	L.T. 2.E+01	L.T. 2.E+01	L.T. 3.E+01	L.T. 2.E+01
CE-141	L.T. 8.E+00	L.T. 8.E+00	L.T. 1.E+01	L.T. 8.E+00
CE-144	L.T. 3.E+01	L.T. 3.E+01	L.T. 4.E+01	L.T. 3.E+01
RA-226	L.T. 1.E+02	L.T. 1.E+02	L.T. 1.E+02	L.T. 1.E+02
TH-228	L.T. 8.E+00	L.T. 9.E+00	L.T. 9.E+00	1.02E+01 ± 5.63E+00
H-3	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02

VII-6
 NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
 EXPOSURE PATHWAY - INGESTION
 WATER - GROUND (PCI/LITER)
 (PCI/LITER)

STATION NUMBER 47

DATE COLLECTED	09/11/07	10/09/07	11/05/07	12/18/07
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 7.E-01	L.T. 8.E-01	L.T. 7.E-01	L.T. 9.E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 6.E+01	L.T. 4.E+01	L.T. 7.E+01	L.T. 3.E+01
K-40	L.T. 9.E+01	L.T. 9.E+01	1.85E+02 ± 7.62E+01	L.T. 7.E+01
MN-54	L.T. 8.E+00	L.T. 4.E+00	L.T. 7.E+00	L.T. 3.E+00
CO-58	L.T. 1.E+01	L.T. 6.E+00	L.T. 8.E+00	L.T. 4.E+00
FE-59	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 9.E+00
CO-60	L.T. 6.E+00	L.T. 5.E+00	L.T. 6.E+00	L.T. 3.E+00
ZN-65	L.T. 2.E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 8.E+00
ZR-95	L.T. 1.E+01	L.T. 9.E+00	L.T. 1.E+01	L.T. 8.E+00
RU-103	L.T. 8.E+00	L.T. 6.E+00	L.T. 8.E+00	L.T. 4.E+00
RU-106	L.T. 6.E+01	L.T. 4.E+01	L.T. 5.E+01	L.T. 3.E+01
I-131	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01
CS-134	L.T. 7.E+00	L.T. 4.E+00	L.T. 7.E+00	L.T. 3.E+00
CS-137	L.T. 9.E+00	L.T. 5.E+00	L.T. 8.E+00	L.T. 4.E+00
BA-140	L.T. 4.E+01	L.T. 3.E+01	L.T. 4.E+01	L.T. 2.E+01
CE-141	L.T. 1.E+01	L.T. 9.E+00	L.T. 1.E+01	L.T. 7.E+00
CE-144	L.T. 5.E+01	L.T. 3.E+01	L.T. 5.E+01	L.T. 2.E+01
RA-226	L.T. 2.E+02	L.T. 1.E+02	L.T. 2.E+02	L.T. 8.E+01
TH-228	L.T. 1.E+01	L.T. 9.E+00	L.T. 1.E+01	L.T. 6.E+00
H-3	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02

VII-7
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - RIVER
 (PCI/LITER)

STATION NUMBER 28

DATE COLLECTED	01/02/07	02/20/07	03/06/07	04/05/07
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 2.E+01	L.T. 5.E+01	L.T. 5.E+01	L.T. 7.E+01
K-40	L.T. 5.E+01	L.T. 1.E+02	L.T. 1.E+02	L.T. 7.E+01
MN-54	L.T. 2.E+00	L.T. 6.E+00	L.T. 5.E+00	L.T. 7.E+00
CO-58	L.T. 2.E+00	L.T. 5.E+00	L.T. 5.E+00	L.T. 9.E+00
FE-59	L.T. 5.E+00	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
CO-60	L.T. 2.E+00	L.T. 6.E+00	L.T. 5.E+00	L.T. 8.E+00
ZN-65	L.T. 4.E+00	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01
ZR-95	L.T. 4.E+00	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
RU-103	L.T. 3.E+00	L.T. 6.E+00	L.T. 6.E+00	L.T. 8.E+00
RU-106	L.T. 2.E+01	L.T. 5.E+01	L.T. 5.E+01	L.T. 6.E+01
I-131	L.T. 6.E+00	L.T. 9.E+00	L.T. 8.E+00	L.T. 1.E+01
CS-134	L.T. 2.E+00	L.T. 6.E+00	L.T. 5.E+00	L.T. 9.E+00
CS-137	L.T. 2.E+00	L.T. 6.E+00	L.T. 4.E+00	L.T. 1.E+01
BA-140	L.T. 1.E+01	L.T. 3.E+01	L.T. 3.E+01	L.T. 4.E+01
CE-141	L.T. 5.E+00	L.T. 1.E+01	L.T. 9.E+00	L.T. 2.E+01
CE-144	L.T. 2.E+01	L.T. 4.E+01	L.T. 4.E+01	L.T. 7.E+01
RA-226	L.T. 7.E+01	L.T. 2.E+02	L.T. 1.E+02	L.T. 2.E+02
TH-228	L.T. 4.E+00	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01
TRITIUM ANALYSIS:				
H-3, MONTHLY	L.T. 2.E+02	L.T. 2.E+02	L.T. 3.E+02	L.T. 3.E+02
H-3, QUARTERLY			L.T. 2.E+02	

VII-7
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - RIVER
 (PCI/LITER)

STATION NUMBER 28

DATE COLLECTED	05/22/07	06/05/07	07/03/07	08/07/07
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 4.E+01	L.T. 2.E+01	L.T. 5.E+01	L.T. 2.E+01
K-40	L.T. 1.E+02	1.02E+02 ± 3.14E+01	L.T. 1.E+02	L.T. 2.E+01
MN-54	L.T. 5.E+00	L.T. 2.E+00	L.T. 5.E+00	L.T. 2.E+00
CO-58	L.T. 5.E+00	L.T. 2.E+00	L.T. 6.E+00	L.T. 2.E+00
FE-59	L.T. 1.E+01	L.T. 4.E+00	L.T. 1.E+01	L.T. 5.E+00
CO-60	L.T. 6.E+00	L.T. 2.E+00	L.T. 6.E+00	L.T. 2.E+00
ZN-65	L.T. 1.E+01	L.T. 4.E+00	L.T. 1.E+01	L.T. 6.E+00
ZR-95	L.T. 1.E+01	L.T. 4.E+00	L.T. 1.E+01	L.T. 4.E+00
RU-103	L.T. 6.E+00	L.T. 2.E+00	L.T. 7.E+00	L.T. 3.E+00
RU-106	L.T. 5.E+01	L.T. 2.E+01	L.T. 5.E+01	L.T. 2.E+01
I-131	L.T. 9.E+00	L.T. 6.E+00	L.T. 2.E+01	L.T. 5.E+00
CS-134	L.T. 5.E+00	L.T. 2.E+00	L.T. 5.E+00	L.T. 2.E+00
CS-137	L.T. 6.E+00	L.T. 2.E+00	L.T. 4.E+00	L.T. 2.E+00
BA-140	L.T. 2.E+01	L.T. 1.E+01	L.T. 4.E+01	L.T. 1.E+01
CE-141	L.T. 1.E+01	L.T. 5.E+00	L.T. 1.E+01	L.T. 5.E+00
CE-144	L.T. 4.E+01	L.T. 2.E+01	L.T. 4.E+01	L.T. 2.E+01
RA-226	L.T. 1.E+02	L.T. 5.E+01	L.T. 1.E+02	L.T. 7.E+01
TH-228	L.T. 9.E+00	1.21E+01 ± 3.49E+00	L.T. 9.E+00	L.T. 5.E+00
TRITIUM ANALYSIS:				
H-3, MONTHLY	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02
H-3, QUARTERLY		L.T. 2.E+02		

VII-7
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - RIVER
 (PCI/LITER)

STATION NUMBER 28

DATE COLLECTED	09/04/07	10/01/07	11/05/07	12/04/07
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 5.E+01	L.T. 2.E+01	L.T. 5.E+01	L.T. 4.E+01
K-40	L.T. 5.E+01	7.68E+01 ± 3.97E+01	L.T. 1.E+02	L.T. 4.E+01
MN-54	L.T. 5.E+00	L.T. 3.E+00	L.T. 5.E+00	L.T. 4.E+00
CO-58	L.T. 5.E+00	L.T. 3.E+00	L.T. 6.E+00	L.T. 4.E+00
FE-59	L.T. 8.E+00	L.T. 5.E+00	L.T. 1.E+01	L.T. 9.E+00
CO-60	L.T. 8.E+00	L.T. 3.E+00	L.T. 6.E+00	L.T. 4.E+00
ZN-65	L.T. 1.E+01	L.T. 5.E+00	L.T. 1.E+01	L.T. 8.E+00
ZR-95	L.T. 1.E+01	L.T. 5.E+00	L.T. 1.E+01	L.T. 7.E+00
RU-103	L.T. 7.E+00	L.T. 3.E+00	L.T. 6.E+00	L.T. 4.E+00
RU-106	L.T. 4.E+01	L.T. 2.E+01	L.T. 5.E+01	L.T. 4.E+01
I-131	L.T. 2.E+01	L.T. 5.E+00	L.T. 1.E+01	L.T. 9.E+00
CS-134	L.T. 7.E+00	L.T. 3.E+00	L.T. 5.E+00	L.T. 4.E+00
CS-137	L.T. 7.E+00	L.T. 3.E+00	L.T. 5.E+00	L.T. 4.E+00
BA-140	L.T. 4.E+01	L.T. 1.E+01	L.T. 3.E+01	L.T. 2.E+01
CE-141	L.T. 1.E+01	L.T. 5.E+00	L.T. 1.E+01	L.T. 8.E+00
CE-144	L.T. 4.E+01	L.T. 2.E+01	L.T. 4.E+01	L.T. 3.E+01
RA-226	L.T. 1.E+02	L.T. 7.E+01	L.T. 1.E+02	L.T. 1.E+02
TH-228	L.T. 1.E+01	1.36E+01 ± 5.54E+00	L.T. 9.E+00	L.T. 6.E+00
TRITIUM ANALYSIS:				
H-3, MONTHLY	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02
H-3, QUARTERLY	L.T. 2.E+02			L.T. 2.E+02

VII-7
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - RIVER
 (PCI/LITER)

STATION NUMBER 35

DATE COLLECTED	01/02/07	02/20/07	03/06/07	04/05/07
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 2.E+01	L.T. 6.E+01	L.T. 5.E+01	L.T. 6.E+01
K-40	L.T. 4.E+01	L.T. 1.E+02	L.T. 6.E+01	L.T. 7.E+01
MN-54	L.T. 2.E+00	L.T. 7.E+00	L.T. 6.E+00	L.T. 6.E+00
CO-58	L.T. 2.E+00	L.T. 8.E+00	L.T. 6.E+00	L.T. 6.E+00
FE-59	L.T. 4.E+00	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01
CO-60	L.T. 2.E+00	L.T. 7.E+00	L.T. 5.E+00	L.T. 5.E+00
ZN-65	L.T. 3.E+00	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01
ZR-95	L.T. 4.E+00	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
RU-103	L.T. 3.E+00	L.T. 7.E+00	L.T. 6.E+00	L.T. 8.E+00
RU-106	L.T. 2.E+01	L.T. 6.E+01	L.T. 5.E+01	L.T. 6.E+01
I-131	L.T. 5.E+00	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
CS-134	L.T. 2.E+00	L.T. 6.E+00	L.T. 5.E+00	L.T. 6.E+00
CS-137	L.T. 2.E+00	L.T. 9.E+00	L.T. 6.E+00	L.T. 9.E+00
BA-140	L.T. 1.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 3.E+01
CE-141	L.T. 5.E+00	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
CE-144	L.T. 2.E+01	L.T. 5.E+01	L.T. 4.E+01	L.T. 5.E+01
RA-226	L.T. 6.E+01	L.T. 2.E+02	L.T. 1.E+02	L.T. 2.E+02
TH-228	L.T. 5.E+00	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
TRITIUM ANALYSIS:				
H-3, MONTHLY	L.T. 2.E+02	L.T. 2.E+02	L.T. 3.E+02	L.T. 3.E+02
H-3, QUARTERLY			L.T. 2.13E+02	

VII-7
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - RIVER
 (PCI/LITER)

STATION NUMBER 35

DATE COLLECTED	05/22/07	06/05/07	07/03/07	08/07/07
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 3.E+01	L.T. 2.E+01	L.T. 4.E+01	L.T. 2.E+01
K-40	L.T. 8.E+01	5.09E+01 ± 2.78E+01	L.T. 7.E+01	L.T. 2.E+01
MN-54	L.T. 4.E+00	L.T. 2.E+00	L.T. 3.E+00	L.T. 2.E+00
CO-58	L.T. 3.E+00	L.T. 2.E+00	L.T. 3.E+00	L.T. 2.E+00
FE-59	L.T. 8.E+00	L.T. 4.E+00	L.T. 9.E+00	L.T. 4.E+00
CO-60	L.T. 4.E+00	L.T. 2.E+00	L.T. 4.E+00	L.T. 2.E+00
ZN-65	L.T. 6.E+00	L.T. 4.E+00	L.T. 8.E+00	L.T. 4.E+00
ZR-95	L.T. 6.E+00	L.T. 3.E+00	L.T. 8.E+00	L.T. 3.E+00
RU-103	L.T. 4.E+00	L.T. 2.E+00	L.T. 4.E+00	L.T. 2.E+00
RU-106	L.T. 3.E+01	L.T. 2.E+01	L.T. 3.E+01	L.T. 2.E+01
I-131	L.T. 5.E+00	L.T. 5.E+00	L.T. 1.E+01	L.T. 4.E+00
CS-134	L.T. 3.E+00	L.T. 2.E+00	L.T. 4.E+00	L.T. 2.E+00
CS-137	L.T. 4.E+00	L.T. 2.E+00	L.T. 4.E+00	L.T. 2.E+00
BA-140	L.T. 2.E+01	L.T. 1.E+01	L.T. 3.E+01	L.T. 1.E+01
CE-141	L.T. 7.E+00	L.T. 3.E+00	L.T. 9.E+00	L.T. 4.E+00
CE-144	L.T. 3.E+01	L.T. 1.E+01	L.T. 3.E+01	L.T. 1.E+01
RA-226	L.T. 9.E+01	L.T. 4.E+01	L.T. 1.E+02	L.T. 5.E+01
TH-228	L.T. 9.E+00	L.T. 3.E+00	L.T. 7.E+00	L.T. 4.E+00
TRITIUM ANALYSIS:				
H-3, MONTHLY	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02
H-3, QUARTERLY		L.T. 2.E+02		

VII-7
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - RIVER
(PCI/LITER)

STATION NUMBER 35

DATE COLLECTED	09/04/07	10/01/07	11/05/07	12/04/07
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 6.E+01	L.T. 4.E+01	L.T. 5.E+01	L.T. 6.E+01
K-40	L.T. 8.E+01	L.T. 9.E+01	L.T. 1.E+02	L.T. 6.E+01
MN-54	L.T. 7.E+00	L.T. 3.E+00	L.T. 6.E+00	L.T. 6.E+00
CO-58	L.T. 6.E+00	L.T. 5.E+00	L.T. 6.E+00	L.T. 6.E+00
FE-59	L.T. 1.E+01	L.T. 8.E+00	L.T. 1.E+01	L.T. 1.E+01
CO-60	L.T. 5.E+00	L.T. 4.E+00	L.T. 6.E+00	L.T. 7.E+00
ZN-65	L.T. 2.E+01	L.T. 8.E+00	L.T. 1.E+01	L.T. 1.E+01
ZR-95	L.T. 1.E+01	L.T. 7.E+00	L.T. 1.E+01	L.T. 1.E+01
RU-103	L.T. 8.E+00	L.T. 5.E+00	L.T. 5.E+00	L.T. 7.E+00
RU-106	L.T. 6.E+01	L.T. 3.E+01	L.T. 5.E+01	L.T. 5.E+01
I-131	L.T. 2.E+01	L.T. 8.E+00	L.T. 1.E+01	L.T. 2.E+01
CS-134	L.T. 6.E+00	L.T. 4.E+00	L.T. 5.E+00	L.T. 6.E+00
CS-137	L.T. 7.E+00	L.T. 4.E+00	L.T. 7.E+00	L.T. 7.E+00
BA-140	L.T. 5.E+01	L.T. 2.E+01	L.T. 3.E+01	L.T. 4.E+01
CE-141	L.T. 2.E+01	L.T. 7.E+00	L.T. 1.E+01	L.T. 1.E+01
CE-144	L.T. 6.E+01	L.T. 3.E+01	L.T. 4.E+01	L.T. 5.E+01
RA-226	L.T. 2.E+02	L.T. 1.E+02	L.T. 1.E+02	L.T. 2.E+02
TH-228	L.T. 1.E+01	L.T. 8.E+00	L.T. 1.E+01	L.T. 1.E+01
TRITIUM ANALYSIS:				
H-3, MONTHLY	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02
H-3, QUARTERLY	L.T. 2.E+02			L.T. 2.E+02

VII-8
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - THERMOLUMINESCENT DOSIMETRY - TLD
 millirem/Quarter 2007

Sample Nuclide	Station Number	First Quarter 01/01-03/31	Second Quarter 04/01-06/30	Third Quarter 07/01-09/30	Fourth Quarter 10/01-01/01	Quarter Average ± 1 S.D.
68 TLD	01	23.1 ± 0.5	19.7 ± 0.6	25.5 ± 1.2	22.5 ± 1.1	22.7 ± 2.4
	02	21.4 ± 1.2	19.9 ± 0.2	24.8 ± 1.4	21.2 ± 0.7	21.8 ± 2.1
	03	19.7 ± 0.2	23.7 ± 0.0	26.9 ± 1.3	22.5 ± 1.3	23.2 ± 3.0
	04	22.0 ± 0.4	19.5 ± 0.5	29.2 ± 2.0	21.0 ± 1.1	22.9 ± 4.3
	05	21.2 ± 1.0	18.5 ± 0.0	29.5 ± 3.3	21.0 ± 0.7	22.6 ± 4.8
	06	23.2 ± 0.8	20.2 ± 0.6	25.3 ± 0.2	21.5 ± 0.7	22.6 ± 2.2
	07	20.8 ± 0.6	18.5 ± 0.1	24.2 ± 0.4	21.1 ± 0.7	21.2 ± 2.3
	08	22.8 ± 0.4	20.8 ± 0.8	34.5 ± 2.0	21.4 ± 0.1	24.9 ± 6.5
	09	21.3 ± 0.3	20.0 ± 0.6	30.8 ± 1.1	21.0 ± 0.8	23.3 ± 5.0
	10	21.9 ± 0.6	18.2 ± 0.6	25.2 ± 0.2	21.6 ± 1.3	21.7 ± 2.9
	20	23.0 ± 1.2	20.9 ± 2.3	27.2 ± 0.5	24.1 ± 1.2	23.8 ± 2.6
	44	23.7 ± 0.9	22.2 ± 0.4	30.8 ± 1.4	22.8 ± 0.5	24.9 ± 4.0
	56	22.1 ± 1.1	23.3 ± 1.7	25.9 ± 1.6	21.9 ± 0.1	23.3 ± 1.8
	58	23.1 ± 0.5	20.6 ± 1.3	23.2 ± 1.3	21.5 ± 1.0	22.1 ± 1.3
	59	23.1 ± 0.6	21.8 ± 0.2	26.1 ± 1.7	23.0 ± 1.1	23.5 ± 1.8
	66	24.1 ± 0.4	23.8 ± 3.8	28.2 ± 1.0	24.5 ± 0.5	25.2 ± 2.1
	67	23.3 ± 0.5	25.5 ± 0.7	28.7 ± 3.1	23.2 ± 0.5	25.2 ± 2.6
	71	22.9 ± 0.7	21.2 ± 0.7	27.3 ± 1.4	22.8 ± 1.6	23.6 ± 2.6
	79	23.8 ± 0.9	20.6 ± 0.6	26.3 ± 1.4	22.1 ± 0.9	23.2 ± 2.4
	80	23.3 ± 0.4	19.8 ± 0.7	28.0 ± 0.3	27.1 ± 3.0	24.6 ± 3.8
81	23.5 ± 0.7	21.1 ± 0.8	29.2 ± 1.7	22.4 ± 0.1	24.1 ± 3.6	
82	22.2 ± 0.4	19.5 ± 0.5	28.2 ± 0.3	22.6 ± 1.3	23.1 ± 3.7	
83	22.7 ± 0.4	22.1 ± 0.8	26.7 ± 0.6	23.0 ± 0.5	23.6 ± 2.1	
84	24.2 ± 0.4	22.2 ± 0.3	26.2 ± 0.9	22.5 ± 0.7	23.8 ± 1.8	
85	21.7 ± 1.0	20.3 ± 0.7	24.4 ± 1.2	22.6 ± 1.1	22.3 ± 1.7	

VII-8
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - THERMOLUMINESCENT DOSIMETRY - TLD
 millirem/Quarter 2007

Sample Nuclide	Station Number	First Quarter 01/01-03/31	Second Quarter 04/01-06/30	Third Quarter 07/01-09/30	Fourth Quarter 10/01-01/01	Quarter Average ± 1 S.D.
86		24.3 ± 0.4	20.4 ± 0.2	24.9 ± 0.8	22.4 ± 0.5	23.0 ± 2.0
87		23.7 ± 1.0	20.2 ± 0.7	24.5 ± 0.7	22.6 ± 0.8	22.8 ± 1.9
88		21.7 ± 0.8	18.9 ± 0.2	26.5 ± 1.6	21.4 ± 0.2	22.1 ± 3.2
89		23.1 ± 0.6	19.8 ± 0.2	25.9 ± 1.1	24.3 ± 2.7	23.3 ± 2.6
90		22.8 ± 0.5	20.6 ± 0.5	29.7 ± 1.3	22.5 ± 0.5	23.9 ± 4.0
91		21.6 ± 0.2	19.7 ± 0.5	26.3 ± 0.5	22.3 ± 2.6	22.5 ± 2.8
94		23.0 ± 0.4	20.1 ± 0.4	27.0 ± 0.1	24.6 ± 3.1	23.7 ± 2.9
111		22.8 ± 0.1	19.1 ± 0.2	30.1 ± 0.7	21.4 ± 2.1	23.4 ± 4.8

06	Average/Quarter	22.6 ± 2.1	mrem/90 days	20.7 ± 3.3	mrem/91 days	27.2 ± 4.8	mrem/91 days	22.5 ± 2.6	mrem/91 days
	Average/Day	0.252 ± 0.02	mrem/day	0.227 ± 0.04	mrem/day	0.299 ± 0.05	mrem/day	0.247 ± 0.03	mrem/day
	Range	(19.7-24.3)	mrem/90 days	(18.2-25.5)	mrem/91 days	(23.2-34.5)	mrem/91 days	(21-27.1)	mrem/91 days
	Detection/Total	33/33		33/33		33/33		33/33	

VII-9
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
VEGETATION-TERRESTRIAL, BROADLEAF
(PCI/KG WET)

STATION NUMBER 35

DATE COLLECTED	06/20/07	06/20/07	06/20/07	07/18/07
RADIOCHEMICAL ANALYSIS:				(a)
I-131	L.T. 3.E+01	L.T. 4.E+01	L.T. 2.E+01	
GAMMA SPECTRUM ANALYSIS:				
BE-7	2.51E+02 ± 1.26E+02	2.95E+02 ± 1.25E+02	2.06E+02 ± 1.13E+02	
K-40	5.92E+03 ± 4.41E+02	5.85E+03 ± 4.58E+02	7.12E+03 ± 5.36E+02	
MN-54	L.T. 1.E+01	L.T. 2.E+01	L.T. 2.E+01	
CO-58	L.T. 1.E+01	L.T. 2.E+01	L.T. 2.E+01	
FE-59	L.T. 3.E+01	L.T. 3.E+01	L.T. 4.E+01	
CO-60	L.T. 1.E+01	L.T. 2.E+01	L.T. 2.E+01	
ZN-65	L.T. 4.E+01	L.T. 4.E+01	L.T. 4.E+01	
ZR-95	L.T. 2.E+01	L.T. 3.E+01	L.T. 3.E+01	
RU-103	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	
RU-106	L.T. 1.E+02	L.T. 1.E+02	L.T. 1.E+02	
I-131	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01	
CS-134	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	
CS-137	L.T. 1.E+01	L.T. 2.E+01	L.T. 2.E+01	
BA-140	L.T. 6.E+01	L.T. 6.E+01	L.T. 7.E+01	
CE-141	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01	
CE-144	L.T. 9.E+01	L.T. 9.E+01	L.T. 1.E+02	
RA-226	L.T. 3.E+02	L.T. 3.E+02	L.T. 3.E+02	
TH-228	L.T. 2.E+01	L.T. 3.E+01	L.T. 3.E+01	

(a) No broadleaf vegetation was available.

VII-9
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
VEGETATION-TERRESTRIAL, BROADLEAF
 (PCI/KG WET)

STATION NUMBER 35

DATE COLLECTED	07/18/07	07/18/07	08/20/07	08/20/07
RADIOCHEMICAL ANALYSIS:	(a)	(a)	(a)	
I-131				L.T. 4.E+01
GAMMA SPECTRUM ANALYSIS:				
BE-7				4.89E+02 ± 1.53E+02
K-40				6.40E+03 ± 5.43E+02
MN-54				L.T. 2.E+01
CO-58				L.T. 2.E+01
FE-59				L.T. 4.E+01
CO-60				L.T. 2.E+01
ZN-65				L.T. 5.E+01
ZR-95				L.T. 4.E+01
RU-103				L.T. 2.E+01
RU-106				L.T. 2.E+02
I-131				L.T. 3.E+01
CS-134				L.T. 2.E+01
CS-137				L.T. 2.E+01
BA-140				L.T. 1.E+02
CE-141				L.T. 3.E+01
CE-144				L.T. 1.E+02
RA-226				L.T. 4.E+02
TH-228				L.T. 4.E+01

(a) No broadleaf vegetation was available.

VII-9
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
VEGETATION-TERRESTRIAL, BROADLEAF
(PCI/KG WET)

STATION NUMBER 35

DATE COLLECTED	08/20/07	09/20/07	09/20/07	09/20/07
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 4.E+01	L.T. 4.E+01	L.T. 3.E+01	L.T. 3.E+01
GAMMA SPECTRUM ANALYSIS:				
BE-7	5.78E+02 ± 1.84E+02	6.12E+02 ± 2.41E+02	7.74E+02 ± 1.88E+02	8.78E+02 ± 2.37E+02
K-40	6.79E+03 ± 7.14E+02	4.50E+03 ± 5.89E+02	4.33E+03 ± 6.65E+02	4.76E+03 ± 5.25E+02
MN-54	L.T. 3.E+01	L.T. 3.E+01	L.T. 2.E+01	L.T. 2.E+01
CO-58	L.T. 3.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01
FE-59	L.T. 6.E+01	L.T. 4.E+01	L.T. 5.E+01	L.T. 4.E+01
CO-60	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 3.E+01
ZN-65	L.T. 6.E+01	L.T. 6.E+01	L.T. 5.E+01	L.T. 4.E+01
ZR-95	L.T. 5.E+01	L.T. 4.E+01	L.T. 5.E+01	L.T. 3.E+01
RU-103	L.T. 3.E+01	L.T. 2.E+01	L.T. 3.E+01	L.T. 2.E+01
RU-106	L.T. 3.E+02	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02
I-131	L.T. 4.E+01	L.T. 3.E+01	L.T. 4.E+01	L.T. 3.E+01
CS-134	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01
CS-137	L.T. 2.E+01	L.T. 2.E+01	L.T. 3.E+01	L.T. 2.E+01
BA-140	L.T. 1.E+02	L.T. 1.E+02	L.T. 1.E+02	L.T. 1.E+02
CE-141	L.T. 4.E+01	L.T. 4.E+01	L.T. 4.E+01	L.T. 3.E+01
CE-144	L.T. 2.E+02	L.T. 2.E+02	L.T. 1.E+02	L.T. 1.E+02
RA-226	L.T. 6.E+02	L.T. 5.E+02	L.T. 5.E+02	L.T. 5.E+02
TH-228	L.T. 5.E+01	L.T. 4.E+01	L.T. 4.E+01	L.T. 4.E+01

VII-9
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
VEGETATION-TERRESTRIAL, BROADLEAF
(PCI/KG WET)

STATION NUMBER 96

DATE COLLECTED	06/20/07	06/20/07	06/20/07	07/18/07
RADIOCHEMICAL ANALYSIS:	(a)	(a)	(a)	
I-131				L.T. 4.E+01
GAMMA SPECTRUM ANALYSIS:				
BE-7				7.67E+02 ± 8.E+01
K-40				5.35E+03 ± 2.E+02
MN-54				L.T. 8.E+00
CO-58				L.T. 9.E+00
FE-59				L.T. 2.E+01
CO-60				L.T. 8.E+00
ZN-65				L.T. 2.E+01
ZR-95				L.T. 2.E+01
RU-103				L.T. 9.E+00
RU-106				L.T. 7.E+01
I-131				L.T. 2.E+01
CS-134				L.T. 8.E+00
CS-137				L.T. 8.E+00
BA-140				L.T. 6.E+01
CE-141				L.T. 1.E+01
CE-144				L.T. 5.E+01
RA-226				L.T. 2.E+02
TH-228				L.T. 1.E+01

(a) No broadleaf vegetation was available.

VII-9
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
VEGETATION-TERRESTRIAL, BROADLEAF
(PCI/KG WET)

STATION NUMBER 96

DATE COLLECTED	07/18/07	07/18/07	08/20/07	08/20/07
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 4.E+01	L.T. 4.E+01	L.T. 2.E+01	L.T. 3.E+01
GAMMA SPECTRUM ANALYSIS:				
BE-7	8.56E+02 ± 1.13E+02	6.99E+02 ± 6.37E+01	8.12E+02 ± 2.74E+02	1.13E+03 ± 2.76E+02
K-40	5.63E+03 ± 2.46E+02	7.70E+03 ± 1.81E+02	5.48E+03 ± 6.03E+02	6.86E+03 ± 7.47E+02
MN-54	L.T. 1.E+01	L.T. 4.E+00	L.T. 2.E+01	L.T. 2.E+01
CO-58	L.T. 1.E+01	L.T. 4.E+00	L.T. 3.E+01	L.T. 3.E+01
FE-59	L.T. 3.E+01	L.T. 1.E+01	L.T. 8.E+01	L.T. 6.E+01
CO-60	L.T. 1.E+01	L.T. 4.E+00	L.T. 3.E+01	L.T. 3.E+01
ZN-65	L.T. 2.E+01	L.T. 1.E+01	L.T. 6.E+01	L.T. 7.E+01
ZR-95	L.T. 2.E+01	L.T. 8.E+00	L.T. 5.E+01	L.T. 5.E+01
RU-103	L.T. 1.E+01	L.T. 4.E+00	L.T. 3.E+01	L.T. 3.E+01
RU-106	L.T. 1.E+02	L.T. 3.E+01	L.T. 2.E+02	L.T. 2.E+02
I-131	L.T. 3.E+01	L.T. 1.E+01	L.T. 5.E+01	L.T. 4.E+01
CS-134	L.T. 1.E+01	L.T. 4.E+00	L.T. 3.E+01	L.T. 2.E+01
CS-137	L.T. 1.E+01	L.T. 4.E+00	L.T. 3.E+01	L.T. 3.E+01
BA-140	L.T. 8.E+01	L.T. 3.E+01	L.T. 1.E+02	L.T. 2.E+02
CE-141	L.T. 2.E+01	L.T. 7.E+00	L.T. 4.E+01	L.T. 5.E+01
CE-144	L.T. 7.E+01	L.T. 3.E+01	L.T. 2.E+02	L.T. 2.E+02
RA-226	L.T. 3.E+02	L.T. 1.E+02	L.T. 6.E+02	L.T. 7.E+02
TH-228	L.T. 2.E+01	L.T. 7.E+00	L.T. 5.E+01	L.T. 5.E+01

96

VII-9
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
VEGETATION-TERRESTRIAL, BROADLEAF
(PCI/KG WET)

STATION NUMBER 96

DATE COLLECTED	08/20/07	09/20/07	09/20/07	09/20/07
		(a)	(a)	(a)

RADIOCHEMICAL ANALYSIS:

I-131	L.T. 4.E+01			
-------	-------------	--	--	--

GAMMA SPECTRUM ANALYSIS:

BE-7	1.38E+03 ± 2.27E+02			
K-40	5.71E+03 ± 5.57E+02			
MN-54	L.T. 3.E+01			
CO-58	L.T. 2.E+01			
FE-59	L.T. 5.E+01			
CO-60	L.T. 3.E+01			
ZN-65	L.T. 5.E+01			
ZR-95	L.T. 5.E+01			
RU-103	L.T. 3.E+01			
RU-106	L.T. 2.E+02			
I-131	L.T. 5.E+01			
CS-134	L.T. 2.E+01			
CS-137	L.T. 3.E+01			
BA-140	L.T. 1.E+02			
CE-141	L.T. 5.E+01			
CE-144	L.T. 2.E+02			
RA-226	L.T. 6.E+02			
TH-228	L.T. 5.E+01			

(a) No broadleaf vegetation was available.

VII-9
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
VEGETATION-TERRESTRIAL, BROADLEAF
(PCI/KG WET)

STATION NUMBER 101

DATE COLLECTED	06/20/07	06/20/07	06/20/07	07/18/07
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 4.E+01	L.T. 4.E+01	L.T. 3.E+01	L.T. 3.E+01
GAMMA SPECTRUM ANALYSIS:				
BE-7	3.07E+02 ± 2.00E+02	L.T. 1.86E+02	2.24E+02 ± 1.10E+02	1.29E+02 ± 5.33E+01
K-40	4.72E+03 ± 5.14E+02	6.93E+03 ± 4.71E+02	6.80E+03 ± 4.35E+02	8.22E+03 ± 1.93E+02
MN-54	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 7.E+00
CO-58	L.T. 2.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 8.E+00
FE-59	L.T. 4.E+01	L.T. 4.E+01	L.T. 3.E+01	L.T. 2.E+01
CO-60	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 8.E+00
ZN-65	L.T. 5.E+01	L.T. 4.E+01	L.T. 4.E+01	L.T. 2.E+01
ZR-95	L.T. 4.E+01	L.T. 3.E+01	L.T. 2.E+01	L.T. 1.E+01
RU-103	L.T. 2.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 8.E+00
RU-106	L.T. 2.E+02	L.T. 2.E+02	L.T. 1.E+02	L.T. 6.E+01
I-131	L.T. 3.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01
CS-134	L.T. 2.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 7.E+00
CS-137	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 8.E+00
BA-140	L.T. 1.E+02	L.T. 7.E+01	L.T. 6.E+01	L.T. 5.E+01
CE-141	L.T. 3.E+01	L.T. 3.E+01	L.T. 2.E+01	L.T. 2.E+01
CE-144	L.T. 1.E+02	L.T. 1.E+02	L.T. 1.E+02	L.T. 5.E+01
RA-226	L.T. 4.E+02	L.T. 4.E+02	L.T. 4.E+02	L.T. 2.E+02
TH-228	L.T. 3.E+01	L.T. 3.E+01	L.T. 3.E+01	L.T. 1.E+01

VII-9
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
VEGETATION-TERRESTRIAL, BROADLEAF
(PCI/KG WET)

STATION NUMBER 101

DATE COLLECTED	07/18/07	07/18/07	08/20/07	08/20/07
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 3.E+01	L.T. 4.E+01	L.T. 4.E+01	L.T. 4.E+01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 9.99E+01	8.14E+02 ± 1.20E+02	5.79E+02 ± 1.36E+02	1.44E+03 ± 2.90E+02
K-40	5.56E+03 ± 2.70E+02	4.27E+03 ± 2.57E+02	6.30E+03 ± 4.90E+02	4.75E+03 ± 6.31E+02
MN-54	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 3.E+01
CO-58	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 3.E+01
FE-59	L.T. 3.E+01	L.T. 3.E+01	L.T. 3.E+01	L.T. 5.E+01
CO-60	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 3.E+01
ZN-65	L.T. 3.E+01	L.T. 3.E+01	L.T. 4.E+01	L.T. 6.E+01
ZR-95	L.T. 2.E+01	L.T. 2.E+01	L.T. 3.E+01	L.T. 4.E+01
RU-103	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 3.E+01
RU-106	L.T. 1.E+02	L.T. 1.E+02	L.T. 1.E+02	L.T. 2.E+02
I-131	L.T. 3.E+01	L.T. 4.E+01	L.T. 3.E+01	L.T. 4.E+01
CS-134	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01
CS-137	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 3.E+01
BA-140	L.T. 8.E+01	L.T. 8.E+01	L.T. 7.E+01	L.T. 1.E+02
CE-141	L.T. 2.E+01	L.T. 2.E+01	L.T. 3.E+01	L.T. 4.E+01
CE-144	L.T. 7.E+01	L.T. 7.E+01	L.T. 1.E+02	L.T. 2.E+02
RA-226	L.T. 2.E+02	L.T. 2.E+02	L.T. 4.E+02	L.T. 6.E+02
TH-228	L.T. 2.E+01	L.T. 2.E+01	L.T. 3.E+01	L.T. 4.E+01

VII-9
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
VEGITATION-TERRESTRIAL, BROADLEAF
 (PCI/KG WET)

STATION NUMBER 101

DATE COLLECTED	08/20/07	09/20/07	09/20/07	09/20/07
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 5.E+01	L.T. 4.E+01	L.T. 3.E+01	L.T. 3.E+01
GAMMA SPECTRUM ANALYSIS:				
BE-7	1.26E+03 ± 2.27E+02	5.14E+02 ± 1.97E+02	2.09E+03 ± 4.21E+02	5.54E+02 ± 3.02E+02
K-40	4.84E+03 ± 5.70E+02	4.67E+03 ± 6.42E+02	3.47E+03 ± 6.16E+02	4.88E+03 ± 7.15E+02
MN-54	L.T. 2.E+01	L.T. 2.E+01	L.T. 3.E+01	L.T. 3.E+01
CO-58	L.T. 2.E+01	L.T. 3.E+01	L.T. 3.E+01	L.T. 3.E+01
FE-59	L.T. 6.E+01	L.T. 5.E+01	L.T. 6.E+01	L.T. 6.E+01
CO-60	L.T. 2.E+01	L.T. 2.E+01	L.T. 3.E+01	L.T. 3.E+01
ZN-65	L.T. 6.E+01	L.T. 6.E+01	L.T. 5.E+01	L.T. 6.E+01
ZR-95	L.T. 4.E+01	L.T. 5.E+01	L.T. 6.E+01	L.T. 6.E+01
RU-103	L.T. 2.E+01	L.T. 2.E+01	L.T. 3.E+01	L.T. 3.E+01
RU-106	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02	L.T. 3.E+02
I-131	L.T. 4.E+01	L.T. 4.E+01	L.T. 5.E+01	L.T. 5.E+01
CS-134	L.T. 2.E+01	L.T. 2.E+01	L.T. 3.E+01	L.T. 3.E+01
CS-137	L.T. 3.E+01	L.T. 2.E+01	L.T. 3.E+01	L.T. 3.E+01
BA-140	L.T. 1.E+02	L.T. 1.E+02	L.T. 2.E+02	L.T. 1.E+02
CE-141	L.T. 4.E+01	L.T. 4.E+01	L.T. 5.E+01	L.T. 5.E+01
CE-144	L.T. 1.E+02	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02
RA-226	L.T. 5.E+02	L.T. 6.E+02	L.T. 8.E+02	L.T. 7.E+02
TH-228	L.T. 4.E+01	L.T. 5.E+01	L.T. 6.E+01	L.T. 5.E+01

VII-10
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
SHORELINE SEDIMENT
 (PCI/KG DRY)

STATION NUMBER 28

DATE COLLECTED 06/05/07 10/16/07

GAMMA SPECTRUM ANALYSIS:

BE-7	L.T. 9.E+02	L.T. 5.E+02
K-40	1.75E+04 ± 2.E+03	1.35E+04 ± 1.E+03
MN-54	L.T. 9.E+01	L.T. 6.E+01
CO-58	L.T. 9.E+01	L.T. 6.E+01
FE-59	L.T. 2.E+02	L.T. 1.E+02
CO-60	L.T. 1.E+02	L.T. 6.E+01
ZN-65	L.T. 2.E+02	L.T. 1.E+02
ZR-95	L.T. 2.E+02	L.T. 1.E+02
RU-103	L.T. 1.E+02	L.T. 6.E+01
RU-106	L.T. 7.E+02	L.T. 5.E+02
I-131	L.T. 6.E+02	L.T. 1.E+02
CS-134	L.T. 8.E+01	L.T. 5.E+01
CS-137	L.T. 9.E+01	L.T. 6.E+01
BA-140	L.T. 8.E+02	L.T. 3.E+02
CE-141	L.T. 2.E+02	L.T. 1.E+02
CE-144	L.T. 5.E+02	L.T. 4.E+02
RA-226	L.T. 2.E+03	L.T. 1.E+03
TH-228	1.20E+03 ± 1.23E+02	8.34E+02 ± 9.17E+01

VII-10
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
SHORELINE SEDIMENT
 (PCI/KG DRY)

STATION NUMBER 35

DATE COLLECTED 06/05/07 10/16/07

GAMMA SPECTRUM ANALYSIS:

BE-7	L.T. 5.E+02	L.T. 1.E+03
K-40	1.48E+04 ± 1.00E+03	1.47E+04 ± 1.77E+03
MN-54	L.T. 5.E+01	L.T. 8.E+01
CO-58	L.T. 5.E+01	L.T. 8.E+01
FE-59	L.T. 1.E+02	L.T. 2.E+02
CO-60	L.T. 4.E+01	L.T. 7.E+01
ZN-65	L.T. 1.E+02	L.T. 2.E+02
ZR-95	L.T. 9.E+01	L.T. 2.E+02
RU-103	L.T. 6.E+01	L.T. 1.E+02
RU-106	L.T. 4.E+02	L.T. 9.E+02
I-131	L.T. 3.E+02	L.T. 3.E+02
CS-134	L.T. 4.E+01	L.T. 9.E+01
CS-137	L.T. 5.E+01	L.T. 1.E+02
BA-140	L.T. 5.E+02	L.T. 6.E+02
CE-141	L.T. 1.E+02	L.T. 2.E+02
CE-144	L.T. 3.E+02	L.T. 8.E+02
RA-226	L.T. 9.E+02	L.T. 2.E+03
TH-228	8.34E+02 ± 6.95E+01	1.15E+03 ± 1.38E+02

SECTION VIII. REFERENCES

VIII. REFERENCES

1. Nebraska Public Power District, Cooper Nuclear Station Environmental Radiation Monitoring Program, Annual Report, January 1, 1982-December 31, 1982 (prepared by Teledyne Isotopes).
2. Nebraska Public Power District, Cooper Nuclear Station Environmental Radiation Monitoring Program, Annual Report, January 1, 1983-December 31, 1983 (prepared by Teledyne Isotopes).
3. Nebraska Public Power District Cooper Nuclear Station, Environmental Monitoring Program, Annual Report, January 1, 1984 to December 31, 1984. (Prepared by Teledyne Isotopes).
4. U.S. Department of Energy; EML 440 March 1985; EML-444 April 1989; Environmental Measurements Laboratory, US Department of Energy, New York, New York 10014.
5. U.S. Environmental Protection Agency; Environmental Radiation Data, Report 35, July -- September 1983, Report 39, July -- September 1985; Report 40, October -- December 1984; Report 41, January -- March 1985. Report 42, April -- June 1985; Report 43, July-September 1985, Report 44-45, October-March 1986; Report 46, April-June 1986; Report 47, July-September 1986; Report 48, October-December 1986; Report 49, January-March 1987. Environmental Radiation Facility, Montgomery, Alabama.
6. U.S. Department of Energy; EML 460, October 1, 1986; Environmental Measurements Laboratory, US Department of Energy, New York, New York 10014.
7. U.S. Nuclear Regulatory Commission, 1975, Regulatory Guide 4.8, Environmental Technical Specifications for Nuclear Power Plants.
8. U.S. Regulatory Commission, Branch Technical Position, Radiological Monitoring Acceptable Program (November, 1979, Revision 1).

APPENDIX A
2007 LAND USE CENSUS

2007 LAND USE CENSUS

Conducted July 17, 2007
0-3 miles

Cooper Nuclear Station (CNS) Offsite Dose Assessment Manual (ODAM) requires an annual land use census. This census identifies the location of the nearest garden that is greater than 500 square feet in area and yields leafy green vegetables, the nearest milk animal, and the location of the nearest resident in each of the 16 meteorological sectors within 3 miles of CNS.

A land use census was performed on July 17, 2007, in accordance with the CNS ODAM. The nearest residence was found in sector Q, 0.9 miles from CNS, and the nearest garden was found in sector L, 1.3 miles from CNS.

No milk animals were found within 3 miles of CNS and there was no evidence of potable water use from the Missouri River within three miles of CNS.

2007 LAND USE CENSUS

July 17, 2006
0-3 Miles

SECTOR	NEAREST RESIDENT	Direction in Degrees	NEAREST GARDEN	Direction in Degrees	NEAREST MILK ANIMAL
	Distance		Distance		
A/N	2.5 Miles	1.0°	2.5 Miles	1.0°	NONE
B/NNE	NONE	NA	NONE	NA	NONE
C/NE	2.8 Miles	42.0°	2.8 Miles	42.0°	NONE
D/ENE	1.7 Miles	62.0°	NONE	NA	NONE
E/E	1.9 Miles	97.0°	1.9 Miles	97.0°	NONE
F/ESE	2.3 Miles	112.0°	3.0 Miles	108.0°	NONE
G/SE	2.9 Miles	133.0°	NONE	NA	NONE
H/SSE	NONE	NA	NONE	NA	NONE
J/S	NONE	NA	NONE	NA	NONE
K/SSW	2.1 Miles	218.0°	NONE	NA	NONE
L/SW	1.3 Miles	232.0°	1.3 Miles	232.0°	NONE
M/WSW	1.3 Miles	253.0°	1.9 Miles	241.0°	NONE
N/W	1.0 Miles	265.0°	NONE	NA	NONE
P/WNW	1.7 Miles	299.0°	2.4 Miles	298.0°	NONE
Q/NW	0.9 Miles	307.0°	NONE	NA	NONE
R/NNW	1.9 Miles	339.0°	NONE	NA	NONE

APPENDIX B
SUMMARY OF INTERLABORATORY COMPARISONS

The Teledyne Brown Engineering ICP report is presented in this section

INTERLABORATORY COMPARISON PROGRAM

The purpose of the Interlaboratory Comparison Program (ICP) is to confirm the accuracy of results produced by Teledyne Brown Engineering. Samples of various matrices (i.e. soil, water, vegetation, air filters, and milk) are spiked with known amounts of radioactivity by commercial vendors of this service and by departments within the government. TBE participates in four programs. Two are commercial, Analytics Inc. and Environmental Resource Associates (ERA) and two are government sponsored programs, the Department of Energy's (DOE) Environmental Measurements Laboratory (EML) and the Mixed Analyte Performance Evaluation Program (MAPEP). The DOE's Idaho National Engineering Laboratory administers the MAPEP. All four programs are blind performance evaluation studies in which samples with known activities are sent to TBE for analysis. Once analyzed, TBE submits the results to the respective agency for evaluation. The results of these evaluations are published in TBE's quarterly and annual QA reports.

The 2007 Interlaboratory Comparison Program includes all contractually required matrices and analyses we supply to customers.

The US Environmental Protection Agency (EPA) discontinued their Interlaboratory Comparison Program in December 1998. However, on May 1, 2001, accreditation was granted to Environmental Resource Associates' (ERA) RadChem Proficiency Testing Program to complete the process of replacing the USEPA-LV Nuclear Radiation Assessment Division program.

The Department of Energy's Environmental Measurement Laboratory (EML) program terminated performance assessments at the end of the March 2004 test session. The MAPEP sample distribution was expanded to include water, soil, vegetation and air particulate testing material previously provided by DOE/EML. In 2007, the first set of samples was received in February with a required reporting date in May and the July study (Series 18) was cancelled due to the A-76 competitive sourcing study initiated by DOE headquarters and other factors beyond MAPEP's control.

The National Institute of Standards and Technology (NIST) is the approval authority for laboratory providers participating in Intercomparison Study Programs; however, at this time, there are no approved laboratories for environmental and/or radiochemical isotope analyses.

Trending graphs are provided in this section for the Analytics and ERA Programs.

**ANALYTICS ENVIRONMENTAL RADIOACTIVITY CROSS CHECK PROGRAM
TELEDYNE BROWN ENGINEERING ENVIRONMENTAL SERVICES**

(PAGE 1 OF 3)

Month/Year	Identification Number	Matrix	Nuclide	Units	Reported Value (a)	Known Value (b)	Ratio (c) TBE/Analytics	Evaluation (d)			
March 2007	E5255-396	Milk	Sr-89	pCi/L	125	137	0.91	A			
			Sr-90	pCi/L	10.8	10	1.08	A			
March 2007	E5256-396	Milk	I-131	pCi/L	107	85.2	1.26	W			
			Ce-141	pCi/L	269	297	0.91	A			
			Cr-51	pCi/L	244	245	1.00	A			
			Cs-134	pCi/L	98.1	112	0.88	A			
			Cs-137	pCi/L	227	234	0.97	A			
			Co-58	pCi/L	92.5	98.8	0.94	A			
			Mn-54	pCi/L	182.0	182	1.00	A			
			Fe-59	pCi/L	108.0	106	1.02	A			
			Zn-65	pCi/L	985	1000	0.99	A			
			Co-60	pCi/L	143	152	0.94	A			
			March 2007	E5258-396	AP	Ce-141	pCi	252	245	1.03	A
						Cr-51	pCi	204	202	1.01	A
						Cs-134	pCi	74.9	92.3	0.81	A
						Cs-137	pCi	190.0	197.0	0.96	A
Co-58	pCi	79.7				81.6	0.98	A			
Mn-54	pCi	156				151	1.03	A			
Fe-59	pCi	99.1				87.2	1.14	A			
Zn-65	pCi	894				826	1.08	A			
March 2007	E5257-396	Charcoal	I-131	pCi	34.7	71.3	0.49	N (1)			
June 2007	E5384-396	Milk	Sr-89	pCi/L	98.3	95.2	1.03	A			
			Sr-90	pCi/L	16.1	12.9	1.25	W			
June 2007	E5385-396	Milk	I-131	pCi/L	71.0	70.1	1.01	A			
			Ce-141	pCi/L	176	200	0.88	A			
			Cr-51	pCi/L	459	512	0.90	A			
			Cs-134	pCi/L	197	242	0.81	A			
			Cs-137	pCi/L	158	169	0.93	A			
			Co-58	pCi/L	180	198	0.91	A			
			Mn-54	pCi/L	163	166	0.98	A			
			Fe-59	pCi/L	158	167	0.95	A			
			Zn-65	pCi/L	318	334	0.95	A			
			Co-60	pCi/L	212	238	0.89	A			
			June 2007	E5387-396	AP	Ce-141	pCi	87.5	105	0.83	A
						Cr-51	pCi	232	268	0.87	A
						Cs-134	pCi	101	127	0.80	A
						Cs-137	pCi	78.9	88.5	0.89	A
Co-58	pCi	91.8				104.0	0.88	A			
Mn-54	pCi	85.6				87	0.99	A			
Fe-59	pCi	89.8				87.3	1.03	A			
Zn-65	pCi	178				175	1.02	A			
Co-60	pCi	111				125	0.89	A			
June 2007	E5386-396	Charcoal	I-131	pCi	79.3	79.1	1.00	A			

**ANALYTICS ENVIRONMENTAL RADIOACTIVITY CROSS CHECK PROGRAM
TELEDYNE BROWN ENGINEERING ENVIRONMENTAL SERVICES**

(PAGE 2 OF 3)

Month/Year	Identification Number	Matrix	Nuclide	Units	Reported Value (a)	Known Value (b)	Ratio (c) TBE/Analytics	Evaluation (d)			
September 2007	E5492-396	Milk	Sr-89	pCi/L	99.0	94.9	1.04	A			
			Sr-90	pCi/L	13.9	13.1	1.06	A			
September 2007	E5493-396	Milk	I-131	pCi/L	81.9	85.2	0.96	A			
			Ce-141	pCi/L	200	211	0.95	A			
			Cr-51	pCi/L	271	289	0.94	A			
			Cs-134	pCi/L	131	147	0.89	A			
			Cs-137	pCi/L	131	131	1.00	A			
			Co-58	pCi/L	114	114	1.00	A			
			Mn-54	pCi/L	171	168	1.02	A			
			Fe-59	pCi/L	117	111	1.05	A			
			Zn-65	pCi/L	212	202	1.05	A			
			Co-60	pCi/L	143	148	0.97	A			
			September 2007	E545-396	AP	Ce-141	pCi	128	136	0.94	A
						Cr-51	pCi	181	186	0.97	A
						Cs-134	pCi	85.9	94.7	0.91	A
						Cs-137	pCi	83.2	83.9	0.99	A
Co-58	pCi	69.4				73.3	0.95	A			
Mn-54	pCi	112				108	1.04	A			
Fe-59	pCi	79.6				71.1	1.12	A			
Zn-65	pCi	159				130	1.22	W			
September 2007	E5494-396	Charcoal	I-131	pCi	70.8	69.5	1.02	A			
December 2007	E5749-396	Milk	Sr-89	pCi/L	87.6	93.7	0.93	A			
			Sr-90	pCi/L	15.5	15.2	1.02	A			
December 2007	E5750-396	Milk	I-131	pCi/L	60.6	60.8	1.00	A			
			Ce-141	pCi/L	137	141	0.97	A			
			Cr-51	pCi/L	497	512	0.97	A			
			Cs-134	pCi/L	117	137	0.85	A			
			Cs-137	pCi/L	166	166	1.00	A			
			Co-58	pCi/L	159	174	0.91	A			
			Mn-54	pCi/L	190	190	1.00	A			
			Fe-59	pCi/L	149	148	1.01	A			
			Zn-65	pCi/L	231	234	0.99	A			
			Co-60	pCi/L	198	211	0.94	A			
			December 2007	E5752-396	AP	Ce-141	pCi	88.6	93.4	0.95	A
Cr-51	pCi	352				340	1.04	A			
Cs-134	pCi	84.6				91.2	0.93	A			
Cs-137	pCi	111				110.0	1.01	A			
Co-58	pCi	114				116.0	0.98	A			
Mn-54	pCi	135				126	1.07	A			
Fe-59	pCi	119				98.5	1.21	W			
Zn-65	pCi	172				155	1.11	A			
Co-60	pCi	137				141	0.97	A			

ANALYTICS ENVIRONMENTAL RADIOACTIVITY CROSS CHECK PROGRAM
TELEDYNE BROWN ENGINEERING ENVIRONMENTAL SERVICES
(PAGE 3 OF 3)

Month/Year	Identification Number	Matrix	Nuclide	Units	Reported Value (a)	Known Value (b)	Ratio (c) TBE/Analytics	Evaluation (d)
December 2007	E5751-396	Charcoal	I-131	pCi	65.8	74.1	0.89	A

(1) New technician counted charcoal cartridge on the back rather than the face, resulting in low activity. If the charcoal cartridge had been counted on the face, the ratio would have been approximately 1.07, which is acceptable. NCR 07-02

(a) Teledyne Brown Engineering reported result.

(b) The Analytics known value is equal to 100% of the parameter present in the standard as determined by gravimetric and/or volumetric measurements made during standard preparation.

(c) Ratio of Teledyne Brown Engineering to Analytics results.

(d) Analytics evaluation based on TBE internal QC limits: A= Acceptable. Reported result falls within ratio limits of 0.80-1.20. W-Acceptable with warning. Reported result falls within 0.70-0.80 or 1.20-1.30. N = Not Acceptable. Reported result falls outside the ratio limits of < 0.70 and > 1.30.

**DOE's MIXED ANALYTE PERFORMANCE EVALUATION PROGRAM (MAPEP)
TELEDYNE BROWN ENGINEERING ENVIRONMENTAL SERVICES**

(PAGE 1 OF 2)

Month/Year	Identification Number	Media	Nuclide	Units	Reported Value (a)	Known Value (b)	Acceptance Range	Evaluation (c)
February 2007	07-MaW17	Water	Am-241	Bq/L	1.92	1.71	1.20 - 2.22	A
			Cs-134	Bq/L	74.5	83.5	58.5 - 108.6	A
			Cs-137	Bq/L	162	163.0	114.1 - 211.9	A
			Co-57	Bq/L	140	143.7	100.6 - 186.8	A
			Co-60	Bq/L	27.9	26.9	18.8 - 35.0	A
			H-3	Bq/L	346	283.0	198.1 - 367.9	W
			Fe-55	Bq/L	146	129.3	90.5 - 168.1	A
			Mn-54	Bq/L	125	123.8	86.7 - 160.9	A
			Ni-63	Bq/L	122	130.4	91.3 - 169.5	A
			Pu-238	Bq/L	1.99	2.25	1.58 - 2.93	A
			Pu-239/240	Bq/L	1.98	2.22	1.55 - 2.89	A
			Sr-90	Bq/L	8.90	8.87	6.21 - 11.53	A
			Tc-99	Bq/L	11.5	10.5	7.4 - 13.7	A
			U-234/233	Bq/L	2.48	2.49	1.74 - 3.24	A
			U-238	Bq/L	2.47	2.48	1.74 - 3.22	A
			Zn-65	Bq/L	117	114.8	80.4 - 149.2	A
				07-GrW17	Water	Gr-A	Bq/L	0.502
Gr-B	Bq/L	0.975				0.851	0.426 - 1.277	A
	07-MaS17	Soil	Am-241	Bq/kg	34.2	34.8	24.4 - 45.2	A
			Cs-134	Bq/kg	322	327.4	229.2 - 425.6	A
			Cs-137	Bq/kg	893	799.7	559.8 - 1039.6	A
			Co-57	Bq/kg	508.3	471.2	329.8 - 612.6	A
			Co-60	Bq/kg	300.3	274.7	192.3 - 357.1	A
			Fe-55	Bq/kg	NR	807.6	565.3 - 1049.9	
			Mn-54	Bq/kg	779	685.2	479.6 - 890.8	A
			Ni-63	Bq/kg	489	585.0	409.5 - 760.5	A
			Pu-238	Bq/kg	NR	31.3	21.9 - 40.7	N (1)
			Pu-239/240	Bq/kg	39.9	44.5	31.2 - 57.9	A
			K-40	Bq/kg	682	602	421 - 783	A
			Sr-90	Bq/kg	293	319.0	223.3 - 414.7	A
			Tc-99	Bq/kg	5.20			A
			U-234/233	Bq/kg	126	185.0	129.5 - 240.5	N (1)
			U-238	Bq/kg	138	192.4	134.7 - 250.1	W (1)
Zn-65	Bq/kg	618.7	536.8	375.8 - 697.8	A			
	07-RdF17	AP	Am-241	Bq/sample	0.083	0.0977	0.0684 - 0.1270	A
			Cs-134	Bq/sample	3.230	1.4960	2.9372 - 5.4548	W
			Cs-137	Bq/sample	2.453	2.5693	1.7985 - 3.3401	A
			Co-57	Bq/sample	3.067	2.8876	2.0213 - 3.7539	A
			Co-60	Bq/sample	2.767	2.9054	2.0338 - 3.7770	A
			Mn-54	Bq/sample	3.557	3.5185	2.4630 - 4.5741	A
			Pu-238	Bq/sample	0.063	0.0669	0.0468 - 0.0870	A
			Pu-239/240	Bq/sample	0.076	0.0839	0.0587 - 0.1091	A
			Sr-90	Bq/sample	0.584	0.6074	0.4252 - 0.7896	A
			U-234/233	Bq/sample	0.097	0.0981	0.0687 - 0.1275	A
			U-238	Bq/sample	0.110	0.1021	0.0715 - 0.1327	A
			Zn-65	Bq/sample	2.463	2.6828	1.8780 - 3.4876	A
				07-GrF17	AP	Gr-A	Bq/sample	0.353
Gr-B	Bq/sample	0.500				0.441	0.221 - 0.662	A

**DOE's MIXED ANALYTE PERFORMANCE EVALUATION PROGRAM (MAPEP)
TELEDYNE BROWN ENGINEERING ENVIRONMENTAL SERVICES**

(PAGE 2 OF 2)

Month/Year	Identification Number	Media	Nuclide	Units	Reported Value (a)	Known Value (b)	Acceptance Range	Evaluation (c)	
February 2007	07-RdV17	Vegetation	Am-241	Bq/sample	NR	0.1806	0.1264 - 0.2348		
			Cs-134	Bq/sample	6.207	6.2101	4.3471 - 8.0731	A	
			Cs-137	Bq/sample	7.80	6.9949	4.8964 - 9.0934	A	
			Co-57	Bq/sample	8.64	8.1878	5.7315 - 10.6441	A	
			Co-60	Bq/sample	6.10	5.8215	4.0751 - 7.5680	A	
			Mn-54	Bq/sample	9.41	8.4492	5.9144 - 10.9840	A	
			Pu-238	Bq/sample	0.134	0.1484	0.1039 - 0.1929	A	
			Pu-239/240	Bq/sample	0.174	0.2135	0.1495 - 0.2776	A	
			K-40	Bq/sample	63.5	Not evaluated by MAPEP			
			Sr-90	Bq/sample	1.51	1.5351	1.0746 - 1.9956	A	
			U-234/233	Bq/sample	0.231	0.2624	0.1837 - 0.3411	A	
			U-238	Bq/sample	0.192	0.2724	0.1907 - 0.3541	W	
			Zn-65	Bq/sample	7.15	5.6991	3.9894 - 7.4088	W	

- (1) *Evaluated as a false negative by MAPEP. We did not report the nuclide due to one low result in the three samples analyzed. The MAPEP known value was 31.1. The three results, including the outlier, averaged 25.6 Bq/kg, which would have been acceptable. Uranium failure and warning due to not performing microwave digestion on the samples. Next set will be microwave digested. NCR 07-03.*
- (a) *Teledyne Brown Engineering reported result.*
- (b) *The MAPEP known value is equal to 100% of the parameter present in the standard as determined by gravimetric and/or volumetric measurements made during standard preparation.*
- (c) *DOE/MAPEP evaluation: A=acceptable, W=acceptable with warning, N=not acceptable.*

ERA ENVIRONMENTAL RADIOACTIVITY CROSS CHECK PROGRAM
TELEDYNE QC SPIKE PROGRAM
TELEDYNE BROWN ENGINEERING ENVIRONMENTAL SERVICES
(PAGE 1 OF 1)

Month/Year	Identification Number	Media	Nuclide	Units	Reported Value (a)	Known Value (b)	Control Limits	Evaluation (c)
July 2007	Rad 70	Water	Sr-89	pCi/L	58.6	58.2	49.5 - 66.9	A
			Sr-90	pCi/L	18.7	19.0	10.3 - 27.7	A
			Ba-133	pCi/L	18.6	19.4	10.7 - 28.1	A
			Cs-134	pCi/L	57.6	68.9	60.2 - 77.6	N (1)
			Cs-137	pCi/L	55.4	61.3	52.6 - 70.0	A
			Co-60	pCi/L	31.3	33.5	24.8 - 42.2	A
			Zn-65	pCi/L	49.0	54.6	45.2 - 64.0	A
			Gr-A	pCi/L	26.8	27.1	15.4 - 38.8	A
			Gr-B	pCi/L	12	11.5	2.84 - 20.2	A
			I-131	pCi/L	31.1	26.5	21.3 - 31.7	A
			U-Nat	pCi/L	23.5	25.1	19.9 - 30.3	A
			H-3	pCi/L	1700	1770	1180 - 2360	A
			October 2007	RAD 71	Water	Sr-89	pCi/L	27.07
Sr-90	pCi/L	17.40				18.2	12.9 - 21.6	A
Ba-133	pCi/L	12.57				12.6	8.64 - 15.5	A
Cs-134	pCi/L	63.33				71.1	58.0 - 78.2	A
Cs-137	pCi/L	168				180	162 - 200	A
Co-60	pCi/L	21.93				23.2	19.9 - 28.3	A
Zn-65	pCi/L	245.33				251	226 - 294	A
Gr-A	pCi/L	55.60				58.6	30.6 - 72.9	A
Gr-B	pCi/L	15.23				9.73	4.26 - 18.2	A
I-131	pCi/L	27.43				28.9	24.0 - 33.8	A
U-Nat	pCi/L	29.24				27.5	22.1 - 30.8	A
H-3	pCi/L	9263.3				9700	8430 - 10700	A




(1) The Cs-134 TBE found/ERA known ratio is 83.6%, which TBE considers acceptable. NCR 07-07

(a) Teledyne Brown Engineering reported result.




(b) The ERA known value is equal to 100% of the parameter present in the standard as determined by gravimetric and/or volumetric measurements made during standard preparation.

(c) ERA evaluation: A=acceptable. Reported result falls within the Warning Limits. NA=not acceptable. Reported result falls outside of the Control Limits. CE=check for Error. Reported result falls within the Control Limits and outside of the Warning Limit.




INTERLABORATORY COMPARISON PROGRAM GRAPHS






INTERLABORATORY COMPARISON PROGRAM GRAPHS






INTERLABORATORY COMPARISON PROGRAM GRAPHS






INTERLABORATORY COMPARISON PROGRAM GRAPHS




INTERLABORATORY COMPARISON PROGRAM GRAPHS



INTERLABORATORY COMPARISON PROGRAM GRAPHS






INTERLABORATORY COMPARISON PROGRAM GRAPHS




March 2007 - New analyst did not count face


INTERLABORATORY COMPARISON PROGRAM GRAPHS




INTERLABORATORY COMPARISON PROGRAM GRAPHS






February 2001 - Analyst error or equipment failure.





May 2004 - Counted without absorber.





February 2000 - Analyst error or equipment failure.

INTERLABORATORY COMPARISON PROGRAM GRAPHS



APPENDIX C
SYNOPSIS OF ANALYTICAL PROCEDURES

SYNOPSIS OF ANALYTICAL PROCEDURES

Appendix C is a synopsis of the analytical procedures performed during 2007 on samples collected for the Nebraska Public Power Nuclear Plant's Radiological Environmental Monitoring Program. All analyses have been mutually agreed upon by Nebraska Public Power District and Teledyne Brown Engineering and include those recommended by the USNRC Branch Technical Position, Rev. 1, November 1979.

<u>ANALYSIS TITLE</u>	<u>PAGE</u>
Gross Beta Analysis of Air Particulate Samples.....	C-3
Air Particulates.....	C-3
Determination of Gross Beta Activity in Water Samples.....	C-4
Introduction.....	C-4
Detection Capabilities.....	C-4
Analysis of Samples for Tritium (Liquid Scintillation).....	C-5
Water.....	C-5
Analysis of Samples for Iodine-131	C-6
Milk or Water.....	C-6
Gamma Spectrometry of Samples	C-7
Milk or Water.....	C-7
Dried Solids other than Soils and Sediment	C-7
Fish	C-7
Soils and Sediments	C-7
Charcoal Cartridges (Air Iodine)	C-7
Airborne Particulates	C-8
Addendum to Gamma Spectrometry Procedure	C-9
Environmental Dosimetry.....	C-10
Lower Limit of Detection Formulas	C-11

GROSS BETA ANALYSIS OF AIR PARTICULATE SAMPLES

Air Particulates

After a delay of five or more days, allowing for the radon-222 and radon-220 (thoron) daughter products to decay, the filters are counted in a gas-flow proportional counter.

Calculations of the results, the two sigma error and the lower limit of detection (LLD):

$$\text{RESULT (pCi/m}^3\text{)} = ((S/T) - (B/t))/(2.22 V E)$$

$$\text{TWO SIGMA ERROR (pCi/m}^3\text{)} = 2((S/T)^2 + (B/t^2))^{1/2}/(2.22 V E)$$

$$\text{LLD (pCi/m}^3\text{)} = 4.66(B^{1/2})/(2.22 V E t)$$

where:

- S = Gross counts of sample including blank
- B = Counts of blank
- E = Counting efficiency
- T = Number of minutes sample was counted
- t = Number of minutes blank was counted
- V = Sample aliquot size (cubic meters)

DETERMINATION OF GROSS BETA ACTIVITY IN WATER SAMPLES

Introduction

The procedures described in this section are used to measure the overall radioactivity of water samples without identifying the radioactive species present. No chemical separation techniques are involved.

One liter of the sample is evaporated on a hot plate. A smaller volume may be used if the sample has a significant salt content as measured gravimetrically. If requested by the customer, the sample is filtered through No. 54 filter paper before evaporation, removing particles greater than 30 microns in size.

After evaporating to a small volume in a beaker, the sample is rinsed into a 2-inch diameter stainless steel planchette, which is stamped with a concentric ring pattern to distribute residue evenly. Final evaporation to dryness takes place under heat lamps.

Residue mass is determined by weighing the planchette before and after mounting the sample. The planchette is counted for beta activity on an automatic proportional counter. Results are calculated using empirical self-absorption curves which allow for the change in effective counting efficiency caused by the residue mass.

Detection Capability

Detection capability depends upon the sample volume actually represented on the planchette, the background and the efficiency of the counting instrument, and upon self-absorption of beta particles by the mounted sample. Because the radioactive species are not identified, no decay corrections are made and the reported activity refers to the counting time.

The minimum detectable level (MDL) for water samples is nominally 1.6 picoCuries per liter for gross beta at the 4.66 sigma level (1.0 pCi/L at the 2.83 sigma level), assuming that 1 liter of sample is used and that ½ gram of sample residue is mounted on the planchette. These figures are based upon a counting time of 50 minutes and upon representative values of counting efficiency and background of 0.2 and 1.2 cpm, respectively

The MDL becomes significantly lower as the mount weight decreases because of reduced self-absorption. At a zero mount weight, the 4.66 sigma MDL for gross beta is 0.9 picoCuries per liter. These values reflect a beta counting efficiency of 0.38.

ANALYSIS OF SAMPLES FOR TRITIUM
(Liquid Scintillation)

Water

Ten milliliters of water are mixed with 10 ml of a liquid scintillation "cocktail" and then the mixture is counted in an automatic liquid scintillator.

Calculation of the results, the two sigma error and the lower limit detection (LLD) in pCi/L:

$$\text{RESULT} = (N-B)/(2.22 V E)$$

$$\text{TWO SIGMA ERROR} = 2((N + B)/\Delta t)^{1/2} / (2.22 V E)$$

$$\text{LLD} = 4.66(B/\Delta t)^{1/2} / (2.22 V E)$$

where:

N	=	the gross cpm of the sample
B	=	the background of the detector in cpm
2.22	=	conversion factor changing dpm to pCi
V	=	volume of the sample in ml
E	=	efficiency of the detector
Δt	=	counting time for the sample

ANALYSIS OF SAMPLES FOR IODINE-131

Milk or Water

Two or more liters of sample are first equilibrated with stable iodide carrier. A batch treatment with anion exchange resin is used to remove iodine from the sample. The iodine is then stripped from the resin with sodium hypochlorite solution, is reduced with hydroxylamine hydrochloride and is extracted into carbon tetrachloride as free iodine. It is then back-extracted as iodide into sodium bisulfite solution and is precipitated as palladium iodide. The precipitate is weighed for chemical yield and is mounted on a nylon planchette for low-level beta counting.

Calculations of results, two sigma error and the lower limit of detection (LLD) in pCi/L:

$$\begin{aligned} \text{RESULT} &= (N/\Delta t - B)/(2.22 E V Y DF) \\ \text{TWO SIGMA ERROR} &= 2((N/\Delta t + B)/\Delta t)^{1/2}/(2.22 E V Y DF) \\ \text{LLD} &= 4.66(B/\Delta t)^{1/2}/(2.22 E V Y DF) \end{aligned}$$

where:	N	=	total counts from sample (counts)
	Δt	=	counting time for sample (min)
	B	=	background rate of counter (cpm)
	2.22	=	dpm/pCi
	V	=	volume or weight of sample analyzed
	Y	=	chemical yield of the mount or sample counted
	DF	=	decay factor from the collection to the counting date
	E	=	efficiency of the counter for I-131, corrected for self absorption effects by the formula
	E	=	$E_s(\exp-0.0061M)/(\exp-0.0061M_s)$
	E_s	=	efficiency of the counter determined from an I-131 standard mount
	M_s	=	mass of PdI ₂ on the standard mount, mg
	M	=	mass of PdI ₂ on the sample mount, mg

GAMMA SPECTROMETRY OF SAMPLES

Milk or Water

A 1.0 liter Marinelli beaker is filled with a representative aliquot of the sample. The sample is then counted for approximately 1000 minutes with a shielded high purity germanium (HPGe) detector coupled to a VAX-based data acquisition system, which performs pulse height analysis.

Dried Solids other than Soils and Sediments

A large quantity of the sample is dried at a low temperature, less than 100°C. As much as possible (up to the total sample) is loaded into a tared 1-liter Marinelli and weighed. The sample is then counted for approximately 1000 minutes with a shielded HPGe detector coupled to a VAX-based data acquisition system, which performs pulse height analysis.

Fish

As much as possible (up to the total sample) of the edible portion of the sample is loaded into a tared Marinelli and weighed. The sample is then counted for approximately 1000 minutes with a shielded HPGe detector coupled to a VAX-based data acquisition system, which performs pulse height analysis.

Soils and Sediments

Soils and sediments are dried at a low temperature, less than 100°C. The soil or sediment is loaded fully into a tared, standard 300 cc container and weighed. The sample is then counted for approximately six hours with a shielded HPGe detector coupled to a VAX-based data acquisition system, which performs pulse height and analysis.

Charcoal Cartridges (Air Iodine)

Charcoal cartridges are counted up to five at a time, with one positioned on the face of an HPGe detector and up to four on the side of the HPGe detector. Each HPGe detector is calibrated for both positions. The detection limit for I-131 of each charcoal cartridge can be determined (assuming no positive I-131) uniquely from the volume of air, which passed through it. In the event I-131 is observed in the initial counting of a set, each charcoal cartridge is then counted separately, positioned on the face of the detector.

Air Particulates

The thirteen airborne particulate filters for a quarterly composite for each field station are aligned one in front of another and then counted for at least six hours with a shielded HPGe detector coupled to a VAX-based data acquisition system which performs pulse height analysis.

A VAX software program defines peaks by certain changes in the slope of the spectrum. The program also compares the energy of each peak with a library of peaks for isotope identification and then performs the radioactivity calculation using the appropriate fractional gamma ray abundance, half-life, detector efficiency, and net counts in the peak region.

The calculation of results, two sigma error and the lower limit of detection (LLD) in pCi/volume or pCi/mass:

$$\text{RESULT} = (S-B)/(2.22 \ t \ E \ V \ F \ DF)$$

$$\text{TWO SIGMA ERROR} = 2(S+B)^{1/2}/(2.22 \ t \ E \ V \ F \ DF)$$

$$\text{LLD} = 4.66(B)^{1/2}/(2.22 \ t \ E \ V \ F \ DF)$$

where:	S	=	Area, in counts, of sample peak and background (region of spectrum of interest)
	B	=	Background area, in counts, under sample peak, determined by a linear interpolation of the representative backgrounds on either side of the peak
	t	=	length of time in minutes the sample was counted
	2.22	=	dpm/pCi
	E	=	detector efficiency for energy of interest and geometry of sample
	V	=	sample aliquot size (liters, cubic meters, kilograms, or grams)
	F	=	fractional gamma abundance (specific for each emitted gamma)
	DF	=	decay factor from the mid-collection date to the counting date

ADDENDUM TO GAMMA SPECTROMETRY PROCEDURE

Ba-140 (half-life = ~12.8d) decays to La-140 (half-life ~40 hrs) and the daughter radionuclide, La-140 approaches ~ 90 % of the Ba-140 activity within ~ 6 days. The La-140 photon energy at 1596 keV is used to quantify the Ba-140 activity due to its high photon emission probability yield (96%) producing a higher count rate when present and therefore, a smaller associated counting error.

Zr-95 (half-life = ~65d) decays to Nb-95 (half-life = ~35d). The photon energy of Nb-95 (~765 keV) is used to quantify Zr-95 because of the high photon emission probability yield (~100%) yielding a higher count rate and an associated lower counting error. The daughter radionuclide, Nb-95 approaches the Zr-95 activity after a time period of ~65 days, an estimated time interval occurring between sample exposure, collection and shipping, and analysis.

ENVIRONMENTAL DOSIMETRY

Environmental Dosimetry services are provided by Global Dosimetry Solutions, Inc. (GDS). GDS uses a thermoluminescent dosimeter (TLD) manufactured by Panasonic, Inc. Panasonic identifies it as an UD-814A1 TLD. The TLD has four elements, numbered 1-4. Elements and their filtration are composed of:

ELEMENT	MATERIAL	FILTRATION
1	${}^n\text{Li}_2{}^n\text{B}_4\text{O}_7\text{-Cu}$	Thin plastic
2	$\text{CaSO}_4\text{-Tm}$	Lead
3	$\text{CaSO}_4\text{-Tm}$	Lead
4	$\text{CaSO}_4\text{-Tm}$	Lead

This material has a high light output, negligible thermally induced signal loss (fading) and negligible self-dosing. The energy response curve (as well as other features) satisfies NRC Regulatory Guide 4.13. Transit doses are accounted for by use of separate TLDs.

Prior to being sent to Cooper Nuclear Station, the GDS badges are exposed to Cs-137, to known a dose and read in the Panasonic UD-710 reader, with reference badges to establish an element response level for each badge. Badges are then re-annealed for assignment and distribution to Cooper Nuclear Station.

Following the field exposure the badges are returned to GDS for processing in a Panasonic UD-710 reader. Each element is heated and the measured light emission is recorded. The transit controls are read in the same manner. Total exposure for each badge is the average of Elements 2, 3, and 4.

Transit Controls are calculated using the following equation:

$$\text{TRANSDOSE} = \frac{(E_{3_1} + E_{4_1} + E_{3_2} + E_{4_2})}{4} - \frac{(E_{3_{\text{trans}}} + E_{4_{\text{trans}}})}{2}$$

LOWER LIMIT of DETECTION FORMULAS

The LLD formulas in Appendix C are consistent with the LLD discussion in the ODAM. The term s_b in the ODAM equals $\sqrt{B/t}$ by Poisson statistics, where B = blank counts and t = blank counting intervals. The decay factor term $e^{-\lambda\Delta t}$ in the ODAM is the same as the DF terms in Appendix C, but does not appear in certain analyses such as gross beta because decay does not apply. In the tritium analysis, decay is not considered because of the relatively long half-life.

Efficiencies and volumes are consistent between the two documents. Chemical yields appear in Appendix C where applicable but do not apply to other analyses such as tritium and gross beta.

APPENDIX D
DETECTION LIMITS AND REPORTING LEVELS

NEBRASKA PUBLIC POWER - COOPER NUCLEAR STATION
DETECTION LIMITS AND REPORTING LEVELS

Isotope	ODAM LLD	NRC Rept. Level
<u>Water - pCi/liter</u>		
Gross beta	4	N/A
H-3	2000	20000 ^(a) /30000 ^(b)
Mn-54	15	1000
Fe-59	30	400
Co-58	15	1000
Co-60	15	300
Zn-65	30	300
Zr-95	30	400
Nb-95	15	400
I-131	1 ^(c)	2
Cs-134	15	30
Cs-137	18	50
Ba-140	60	200
La-140	15	200
<u>Air Filter - pCi/m³</u>		
Gross Beta	0.01	N/A
I-131	0.07	0.9
Cs-134	0.05	10
Cs-137	0.06	20
<u>Fish - pCi/kg-wet</u>		
Mn-54	130	30000
Fe-59	260	10000
Co-58	130	30000
Co-60	130	10000
Zn-65	260	20000
Cs-134	130	1000
Cs-137	150	2000
<u>Milk - pCi/liter</u>		
I-131	1	3
Cs-134	15	60
Cs-137	18	70
Ba-140	60	300
La-140	15	300

(a) For drinking water samples

(b) For samples of water not used as a source of drinking water

(c) LLD for drinking water

NEBRASKA PUBLIC POWER - COOPER NUCLEAR STATION
DETECTION LIMITS AND REPORTING LEVELS

<u>Isotope</u>	<u>ODAM LLD</u>	<u>NRC Rept. Level</u>
<u>Vegetation - pCi/kg-wet</u>		
I-131	60	100
Cs-134	60	1000
Cs-137	80	2000
<u>Sediment - pCi/kg-dry</u>		
Cs-134	150	N/A
Cs-137	180	N/A

APPENDIX E
REMP SAMPLING AND ANALYTICAL EXCEPTIONS

EXCEPTIONS

Appendix E contains the exceptions to the 2007 REMP Program. Where possible, causes of the deviation have been corrected to prevent recurrence.

Any deviations from the sampling schedule are documented on the data tables. Data Tables are in Section VII.

Exceptions for Scheduled REMP Sampling and Analysis During 2007, NPPD Cooper Nuclear Station

Air Station 2 pump failed. Failure was due to pump longevity in the field. Pumps are run to failure. Sufficient volume was collected to analyze the samples. 05/22/07 - 05/29/07

Air Stations 2, 3, 6, 7 and 10 experienced power failures due to inclement weather. Sufficient volume was collected from stations 2 and 6 to analyze the samples. No samples were analyzed from stations 3, 7 and 10 due to insufficient sample volume. 12/12/07 - 12/18/07.

Air Station 3 was not accessible due to flooding from the Missouri River. 04/30/07 and 05/15/07.

Farm milk station 102 (Other Producer) went out of business in April 2006. No replacement Other Producer is currently available. Vegetation samples are taken in lieu of milk.

APPENDIX F

SUMMARY OF DOSES TO A MEMBER OF THE PUBLIC OFFSITE

CONTENTS

	<u>Page</u>
LIQUID EFFLUENT DOSE CALCULATIONS	F-1
GASEOUS EFFLUENT DOSE CALCULATIONS	F-8
DOSE CALCULATION MODELS	F-51

LIQUID EFFLUENT DOSE CALCULATIONS

Doses to the maximum individual and 0 to 50 - mile population resulting from the release of radioactive material in liquid effluents from Cooper Nuclear Station were calculated using the LADTAP II computer program. The LADTAP II program implements the radiological dose models of Regulatory Guide 1.109 for determining the radiation exposure to man from three principal exposure pathways in the aquatic environment -- potable water, aquatic foods, and recreational water use. Doses to both the maximum individual and 0 to 50 mile population are calculated as a function of age group and pathway for significant body organs, and are presented in Tables 1 - 6.

Assumptions and data sources used for input to the LADTAP II code are described in a separate section of this appendix (see page F-51).

TABLE 1. Doses to Maximum Individual at the Site Boundary, Resulting From Exposure to Radioactivity Discharged in Liquid Effluents, January-June 2007 Cooper Nuclear Station

Period and Pathway	Dose to Individual, mrem							
	Skin	Bone	Liver	Total Body	Thyroid	Kidney	Lung	GI-LLI
<u>1st Quarter</u>								
Drinking Water		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Shoreline	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
<u>2nd Quarter</u>								
Eating Fish		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Drinking Water		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Shoreline	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals for 1st & 2nd Quarters	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00

Calculated doses are based on the following periods of exposures: Fishing: April - November;
 Drinking water and shoreline: January - December

TABLE 2. Doses to Maximum Individual at the Site Boundary, Resulting From Exposure to Radioactivity Discharged in Liquid Effluents, July-December 2007, Cooper Nuclear Station

Period and Pathway	Dose to Individual, mrem							
	Skin	Bone	Liver	Total Body	Thyroid	Kidney	Lung	GI-LLI
<u>3rd Quarter</u>								
Eating Fish		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Drinking Water		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Shoreline	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00+E+00
<u>4th Quarter</u>								
Eating Fish		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Drinking Water		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Shoreline	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals for 3rd & 4th Quarters	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00

Calculated doses are based on the following periods of exposures: Fishing: April - November; Drinking water and shoreline: January - December

TABLE 3. Summary of Doses to Maximum Individual at the Site Boundary, Resulting from Exposure to Radioactivity Discharged in Liquid Effluents, January-December 2007, Cooper Nuclear Station

Period and Pathway	Dose to Individual, mrem							
	Skin	Bone	Liver	Total Body	Thyroid	Kidney	Lung	GI-LLI
<u>1st Quarter</u>	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
<u>2nd Quarter</u>	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
<u>3rd Quarter</u>	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
<u>4th Quarter</u>	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals for 2007	0.00 E+00	0.00 E+00	0.00E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00

TABLE 4. Doses to Population Within a 50-Mile Radius, Resulting From Exposure to Radioactivity Discharged in Liquid Effluents, January-June 2007, Cooper Nuclear Station

Period and Pathway	Dose to Population, manrem							
	Skin	Bone	Liver	Total Body	Thyroid	Kidney	Lung	GI-LLI
<u>1st Quarter</u>								
Drinking Water		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Shoreline	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
<u>2nd Quarter</u>								
Eating Fish		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Drinking Water		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Shoreline	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Swimming	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Boating	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals for 1st & 2nd Quarters	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00

Calculated doses are based on the following periods of exposures: Fishing and Boating: April - November; Drinking water and shoreline: January - December; Swimming: June - September
Exposure from drinking water is calculated for the city of St. Joseph, Missouri, nearest public water intake from the Missouri River, 84 miles downstream

TABLE 5. Doses to Population Within a 50-Mile Radius, Resulting From Exposure to Radioactivity Discharged in Liquid Effluents, July-December 2007, Cooper Nuclear Station

Period and Pathway	Dose to Population, manrem							
	Skin	Bone	Liver	Total Body	Thyroid	Kidney	Lung	GI-LLI
<u>3rd Quarter</u>								
Eating Fish		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Drinking Water		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Shoreline	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Swimming	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Boating	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
<u>4th Quarter</u>								
Eating Fish		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Drinking Water		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Shoreline	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals for 3rd & 4th Quarters	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00

Calculated doses are based on the following periods of exposures: Fishing and Boating: April - November; Drinking water and shoreline: January - December; Swimming: June - September
Exposure from drinking water is calculated for the city of St. Joseph, Missouri, nearest public water intake from the Missouri River, 84 miles downstream

TABLE 6. Summary of Doses to Population Within a 50-Mile Radius, Resulting from Exposure to Radioactivity Discharged in Liquid Effluents, January-December 2007 Cooper Nuclear Station

Period and Pathway	Dose to Population, manrem							
	Skin	Bone	Liver	Total Body	Thyroid	Kidney	Lung	GI-LLI
<u>1st Quarter</u>	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
<u>2nd Quarter</u>	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
<u>3rd Quarter</u>	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
<u>4th Quarter</u>	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals for 2007	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00

GASEOUS EFFLUENT DOSE CALCULATIONS

Doses to the maximum individual and 0 to 50 mile population resulting from the release of radioactive material in gaseous effluents from the Cooper Nuclear Station were calculated using the GASPARD computer code. Four sites were selected for individual dose calculations: the site boundary, the nearest residence, the nearest garden and the nearest cow. GASPARD implements the radiological dose models of Regulatory Guide 1.109 for determining the radiation exposure to man from four principal atmospheric exposure pathways: plume, ground, inhalation, and ingestion. Doses to the maximum individual and the population are calculated as a function of age group and pathway for significant body organs.

Tables 1 through 7 present maximum individual doses. Population doses are given in Tables 8 through 14.

Assumptions and data used for input to the GASPARD code are described in a separate section of this appendix (see page F-51).

TABLE 1. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-MARCH 2007

SPECIAL LOCATION NO. 1 A Site Boundary
 AT .67 MILES N

ANNUAL BETA AIR DOSE = 3.41E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 5.15E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	3.46E-05	3.46E-05	3.46E-05	3.46E-05	3.46E-05	3.46E-05	3.49E-05	7.02E-05
GROUND	5.17E-04	5.17E-04	5.17E-04	5.17E-04	5.17E-04	5.17E-04	5.17E-04	6.08E-04
VEGET								
ADULT	1.03E-05	7.51E-05	3.89E-05	6.86E-06	4.37E-06	7.73E-04	1.47E-09	0.00E+00
TEEN	1.60E-05	8.09E-05	6.42E-05	1.05E-05	6.63E-06	1.04E-03	2.75E-09	0.00E+00
CHILD	3.25E-05	5.39E-05	1.57E-04	1.65E-05	1.06E-05	2.00E-03	4.19E-09	0.00E+00
MEAT								
ADULT	2.12E-06	1.78E-05	4.10E-07	1.02E-06	1.14E-07	2.08E-05	1.17E-10	0.00E+00
TEEN	1.68E-06	9.56E-06	3.45E-07	7.93E-07	9.31E-08	1.51E-05	1.11E-10	0.00E+00
CHILD	2.61E-06	4.83E-06	6.49E-07	9.49E-07	1.18E-07	2.28E-05	1.30E-10	0.00E+00
COW MILK								
ADULT	1.52E-06	4.67E-06	2.99E-06	2.01E-06	3.07E-06	5.79E-04	9.73E-10	0.00E+00
TEEN	2.57E-06	5.62E-06	5.46E-06	3.56E-06	5.48E-06	9.17E-04	2.01E-09	0.00E+00
CHILD	4.95E-06	3.86E-06	1.34E-05	6.13E-06	9.10E-06	1.81E-03	3.09E-09	0.00E+00
INFANT	8.96E-06	3.48E-06	2.64E-05	1.48E-05	1.58E-05	4.41E-03	5.60E-09	0.00E+00
GOATMILK								
ADULT	1.39E-06	1.64E-06	5.15E-06	2.20E-06	3.69E-06	6.95E-04	2.91E-09	0.00E+00
TEEN	2.33E-06	2.14E-06	9.44E-06	3.90E-06	6.57E-06	1.10E-03	6.02E-09	0.00E+00
CHILD	4.42E-06	1.63E-06	2.32E-05	6.79E-06	1.09E-05	2.18E-03	9.25E-09	0.00E+00
INFANT	8.31E-06	1.59E-06	4.52E-05	1.65E-05	1.90E-05	5.29E-03	1.67E-08	0.00E+00
INHAL								
ADULT	1.86E-07	1.85E-06	2.97E-07	2.94E-07	3.47E-07	5.23E-05	3.18E-05	0.00E+00
TEEN	2.46E-07	2.52E-06	4.21E-07	3.99E-07	4.78E-07	6.54E-05	4.68E-05	0.00E+00
CHILD	2.76E-07	8.73E-06	5.77E-07	3.79E-07	4.47E-07	7.48E-05	3.81E-05	0.00E+00
INFANT	1.75E-07	7.39E-06	4.16E-07	3.21E-07	2.93E-07	6.85E-05	2.50E-05	0.00E+00

TABLE 1. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-MARCH 2007 (CONTINUED)

SPECIAL LOCATION NO. 2 A Site Boundary
 AT .60 MILES NNE

ANNUAL BETA AIR DOSE = 6.42E-06 MILLRADS
 ANNUAL GAMMA AIR DOSE = 9.36E-06 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	6.30E-06	6.30E-06	6.30E-06	6.30E-06	6.30E-06	6.30E-06	6.37E-06	1.29E-05
GROUND	5.68E-04	5.68E-04	5.68E-04	5.68E-04	5.68E-04	5.68E-04	5.68E-04	6.68E-04
VEGET								
ADULT	1.12E-05	8.25E-05	4.16E-05	7.44E-06	4.61E-06	8.14E-04	9.62E-10	0.00E+00
TEEN	1.75E-05	8.88E-05	6.88E-05	1.13E-05	6.99E-06	1.10E-03	1.80E-09	0.00E+00
CHILD	3.56E-05	5.91E-05	1.68E-04	1.79E-05	1.12E-05	2.10E-03	2.74E-09	0.00E+00
MEAT								
ADULT	2.34E-06	1.96E-05	4.37E-07	1.12E-06	1.20E-07	2.19E-05	7.67E-11	0.00E+00
TEEN	1.85E-06	1.05E-05	3.67E-07	8.71E-07	9.81E-08	1.59E-05	7.26E-11	0.00E+00
CHILD	2.87E-06	5.33E-06	6.92E-07	1.04E-06	1.24E-07	2.40E-05	8.53E-11	0.00E+00
COW MILK								
ADULT	1.63E-06	5.11E-06	3.17E-06	2.13E-06	3.23E-06	6.10E-04	6.36E-10	0.00E+00
TEEN	2.75E-06	6.14E-06	5.81E-06	3.76E-06	5.76E-06	9.65E-04	1.31E-09	0.00E+00
CHILD	5.29E-06	4.21E-06	1.42E-05	6.47E-06	9.57E-06	1.91E-03	2.02E-09	0.00E+00
INFANT	9.56E-06	3.79E-06	2.81E-05	1.56E-05	1.67E-05	4.64E-03	3.66E-09	0.00E+00
GOATMILK								
ADULT	1.46E-06	1.76E-06	5.49E-06	2.30E-06	3.87E-06	7.32E-04	1.90E-09	0.00E+00
TEEN	2.46E-06	2.29E-06	1.01E-05	4.09E-06	6.91E-06	1.16E-03	3.94E-09	0.00E+00
CHILD	4.67E-06	1.75E-06	2.47E-05	7.11E-06	1.15E-05	2.29E-03	6.05E-09	0.00E+00
INFANT	8.78E-06	1.70E-06	4.82E-05	1.73E-05	2.00E-05	5.57E-03	1.09E-08	0.00E+00
INHAL								
ADULT	1.46E-07	1.57E-06	2.40E-07	2.27E-07	2.70E-07	4.22E-05	2.72E-05	0.00E+00
TEEN	1.94E-07	2.11E-06	3.40E-07	3.07E-07	3.71E-07	5.27E-05	4.00E-05	0.00E+00
CHILD	2.16E-07	7.15E-06	4.67E-07	2.90E-07	3.47E-07	6.03E-05	3.25E-05	0.00E+00
INFANT	1.35E-07	6.03E-06	3.35E-07	2.43E-07	2.28E-07	5.52E-05	2.13E-05	0.00E+00

TABLE 1. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-MARCH 2007 (CONTINUED)

SPECIAL LOCATION NO. 3 A Nearest Resident
 AT .90 MILES NW

ANNUAL BETA AIR DOSE = 2.92E-04 MILLRADS
 ANNUAL GAMMA AIR DOSE = 4.41E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	2.96E-04	2.96E-04	2.96E-04	2.96E-04	2.96E-04	2.96E-04	2.99E-04	6.02E-04
GROUND	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	1.93E-04	2.27E-04
VEGET								
ADULT	4.35E-06	2.91E-05	2.12E-05	3.19E-06	2.72E-06	4.92E-04	4.19E-09	0.00E+00
TEEN	6.72E-06	3.16E-05	3.47E-05	4.86E-06	4.12E-06	6.63E-04	7.84E-09	0.00E+00
CHILD	1.36E-05	2.12E-05	8.38E-05	7.79E-06	6.60E-06	1.27E-03	1.19E-08	0.00E+00
MEAT								
ADULT	7.93E-07	6.56E-06	2.37E-07	3.94E-07	7.28E-08	1.32E-05	3.34E-10	0.00E+00
TEEN	6.27E-07	3.53E-06	1.97E-07	3.07E-07	5.94E-08	9.59E-06	3.16E-10	0.00E+00
CHILD	9.73E-07	1.79E-06	3.67E-07	3.70E-07	7.51E-08	1.45E-05	3.71E-10	0.00E+00
COW MILK								
ADULT	8.58E-07	1.92E-06	1.75E-06	1.25E-06	1.98E-06	3.70E-04	2.77E-09	0.00E+00
TEEN	1.43E-06	2.34E-06	3.18E-06	2.22E-06	3.53E-06	5.85E-04	5.72E-09	0.00E+00
CHILD	2.72E-06	1.64E-06	7.76E-06	3.84E-06	5.86E-06	1.16E-03	8.80E-09	0.00E+00
INFANT	4.97E-06	1.50E-06	1.52E-05	9.26E-06	1.02E-05	2.82E-03	1.59E-08	0.00E+00
GOATMILK								
ADULT	9.01E-07	8.60E-07	2.96E-06	1.46E-06	2.38E-06	4.44E-04	8.29E-09	0.00E+00
TEEN	1.48E-06	1.14E-06	5.37E-06	2.59E-06	4.25E-06	7.02E-04	1.71E-08	0.00E+00
CHILD	2.74E-06	8.85E-07	1.31E-05	4.51E-06	7.07E-06	1.39E-03	2.63E-08	0.00E+00
INFANT	5.14E-06	8.67E-07	2.53E-05	1.09E-05	1.23E-05	3.38E-03	4.76E-08	0.00E+00
INHAL								
ADULT	1.47E-07	7.42E-07	1.83E-07	2.69E-07	2.47E-07	1.71E-05	9.06E-06	0.00E+00
TEEN	2.00E-07	1.40E-06	2.57E-07	3.70E-07	3.40E-07	2.15E-05	1.34E-05	0.00E+00
CHILD	2.41E-07	6.96E-06	3.51E-07	3.59E-07	3.18E-07	2.48E-05	1.10E-05	0.00E+00
INFANT	1.67E-07	6.17E-06	2.66E-07	3.26E-07	2.09E-07	2.27E-05	7.38E-06	0.00E+00

TABLE 1. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-MARCH 2007 (CONTINUED)

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 9.12E-05 MILLRADS
ANNUAL GAMMA AIR DOSE = 1.31E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	8.81E-05	8.81E-05	8.81E-05	8.81E-05	8.81E-05	8.81E-05	8.91E-05	1.81E-04
GROUND	5.77E-06	5.77E-06	5.77E-06	5.77E-06	5.77E-06	5.77E-06	5.77E-06	6.79E-06
VEGET								
ADULT	1.62E-07	9.60E-07	1.02E-06	1.33E-07	1.43E-07	2.63E-05	3.28E-10	0.00E+00
TEEN	2.47E-07	1.05E-06	1.66E-06	2.02E-07	2.17E-07	3.54E-05	6.14E-10	0.00E+00
CHILD	4.98E-07	7.16E-07	3.98E-06	3.28E-07	3.48E-07	6.78E-05	9.34E-10	0.00E+00
MEAT								
ADULT	2.46E-08	1.99E-07	1.19E-08	1.29E-08	3.89E-09	7.05E-07	2.62E-11	0.00E+00
TEEN	1.94E-08	1.07E-07	9.79E-09	1.01E-08	3.17E-09	5.11E-07	2.48E-11	0.00E+00
CHILD	3.00E-08	5.43E-08	1.81E-08	1.23E-08	4.02E-09	7.71E-07	2.91E-11	0.00E+00
COW MILK								
ADULT	4.22E-08	6.90E-08	8.87E-08	6.57E-08	1.06E-07	1.97E-05	2.17E-10	0.00E+00
TEEN	6.99E-08	8.56E-08	1.60E-07	1.16E-07	1.89E-07	3.13E-05	4.49E-10	0.00E+00
CHILD	1.31E-07	6.14E-08	3.90E-07	2.02E-07	3.14E-07	6.19E-05	6.89E-10	0.00E+00
INFANT	2.42E-07	5.71E-08	7.62E-07	4.89E-07	5.47E-07	1.50E-04	1.25E-09	0.00E+00
GOATMILK								
ADULT	4.85E-08	4.00E-08	1.48E-07	7.97E-08	1.28E-07	2.37E-05	6.50E-10	0.00E+00
TEEN	7.85E-08	5.34E-08	2.67E-07	1.41E-07	2.29E-07	3.75E-05	1.34E-09	0.00E+00
CHILD	1.44E-07	4.22E-08	6.49E-07	2.46E-07	3.80E-07	7.43E-05	2.06E-09	0.00E+00
INFANT	2.69E-07	4.16E-08	1.24E-06	5.94E-07	6.61E-07	1.81E-04	3.73E-09	0.00E+00
INHAL								
ADULT	2.26E-08	1.60E-07	3.03E-08	4.42E-08	4.57E-08	2.96E-06	7.11E-07	0.00E+00
TEEN	3.08E-08	3.64E-07	4.23E-08	6.08E-08	6.29E-08	3.76E-06	1.08E-06	0.00E+00
CHILD	3.71E-08	1.93E-06	5.74E-08	5.93E-08	5.87E-08	4.42E-06	8.99E-07	0.00E+00
INFANT	2.61E-08	1.68E-06	4.37E-08	5.45E-08	3.86E-08	4.04E-06	6.74E-07	0.00E+00

TABLE 1. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-MARCH 2007 (CONTINUED)

SPECIAL LOCATION NO. 5 A Nearest Garden
 AT 2.50 MILES N

ANNUAL BETA AIR DOSE = 1.05E-04 MILLRADS
 ANNUAL GAMMA AIR DOSE = 1.58E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.06E-04	1.06E-04	1.06E-04	1.06E-04	1.06E-04	1.06E-04	1.07E-04	2.16E-04
GROUND	2.14E-05	2.14E-05	2.14E-05	2.14E-05	2.14E-05	2.14E-05	2.14E-05	2.52E-05
VEGET								
ADULT	4.88E-07	3.25E-06	2.42E-06	3.61E-07	3.12E-07	5.65E-05	4.98E-10	0.00E+00
TEEN	7.53E-07	3.52E-06	3.95E-06	5.48E-07	4.72E-07	7.61E-05	9.32E-10	0.00E+00
CHILD	1.52E-06	2.37E-06	9.55E-06	8.80E-07	7.56E-07	1.46E-04	1.42E-09	0.00E+00
MEAT								
ADULT	8.82E-08	7.29E-07	2.71E-08	4.40E-08	8.35E-09	1.52E-06	3.97E-11	0.00E+00
TEEN	6.98E-08	3.93E-07	2.25E-08	3.43E-08	6.81E-09	1.10E-06	3.76E-11	0.00E+00
CHILD	1.08E-07	1.99E-07	4.19E-08	4.13E-08	8.62E-09	1.66E-06	4.41E-11	0.00E+00
COW MILK								
ADULT	9.79E-08	2.15E-07	2.00E-07	1.43E-07	2.27E-07	4.24E-05	3.29E-10	0.00E+00
TEEN	1.63E-07	2.63E-07	3.64E-07	2.54E-07	4.05E-07	6.71E-05	6.81E-10	0.00E+00
CHILD	3.09E-07	1.84E-07	8.87E-07	4.40E-07	6.72E-07	1.33E-04	1.05E-09	0.00E+00
INFANT	5.67E-07	1.68E-07	1.74E-06	1.06E-06	1.17E-06	3.23E-04	1.89E-09	0.00E+00
GOATMILK								
ADULT	1.03E-07	9.78E-08	3.38E-07	1.68E-07	2.74E-07	5.09E-05	9.86E-10	0.00E+00
TEEN	1.69E-07	1.29E-07	6.14E-07	2.97E-07	4.88E-07	8.05E-05	2.04E-09	0.00E+00
CHILD	3.14E-07	1.01E-07	1.50E-06	5.18E-07	8.11E-07	1.59E-04	3.13E-09	0.00E+00
INFANT	5.89E-07	9.88E-08	2.89E-06	1.25E-06	1.41E-06	3.88E-04	5.66E-09	0.00E+00
INHAL								
ADULT	4.54E-08	1.89E-07	5.37E-08	8.47E-08	7.51E-08	4.24E-06	1.98E-06	0.00E+00
TEEN	6.19E-08	3.79E-07	7.56E-08	1.16E-07	1.03E-07	5.33E-06	2.94E-06	0.00E+00
CHILD	7.51E-08	1.96E-06	1.03E-07	1.14E-07	9.68E-08	6.16E-06	2.41E-06	0.00E+00
INFANT	5.27E-08	1.75E-06	7.88E-08	1.04E-07	6.37E-08	5.64E-06	1.64E-06	0.00E+00

TABLE 2. DOSES TO MAXIMUM INDIVIDUAL (MREM), APRIL-JUNE 2007

SPECIAL LOCATION NO. 1 A Site Boundary
 AT .67 MILES N

ANNUAL BETA AIR DOSE = 3.19E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 5.67E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	3.79E-05	3.79E-05	3.79E-05	3.79E-05	3.79E-05	3.79E-05	3.83E-05	7.17E-05
GROUND	3.65E-03	3.65E-03	3.65E-03	3.65E-03	3.65E-03	3.65E-03	3.65E-03	4.30E-03
VEGET								
ADULT	9.54E-05	5.50E-04	1.64E-03	4.38E-05	1.87E-05	2.99E-03	8.72E-08	0.00E+00
TEEN	1.43E-04	5.94E-04	2.28E-03	6.68E-05	2.84E-05	4.02E-03	1.46E-07	0.00E+00
CHILD	2.89E-04	3.97E-04	4.75E-03	1.04E-04	4.49E-05	7.71E-03	2.22E-07	0.00E+00
MEAT								
ADULT	1.52E-05	1.26E-04	1.95E-05	7.08E-06	4.82E-07	8.04E-05	5.64E-09	0.00E+00
TEEN	1.20E-05	6.77E-05	1.37E-05	5.50E-06	3.92E-07	5.82E-05	5.34E-09	0.00E+00
CHILD	1.87E-05	3.42E-05	2.20E-05	6.56E-06	4.91E-07	8.79E-05	6.28E-09	0.00E+00
COW MILK								
ADULT	9.09E-06	3.22E-05	7.88E-05	9.05E-06	1.22E-05	2.23E-03	2.11E-07	0.00E+00
TEEN	1.50E-05	3.87E-05	1.22E-04	1.59E-05	2.17E-05	3.54E-03	3.83E-07	0.00E+00
CHILD	2.91E-05	2.68E-05	2.60E-04	2.73E-05	3.61E-05	6.99E-03	7.44E-07	0.00E+00
INFANT	4.85E-05	2.46E-05	3.28E-04	6.41E-05	6.27E-05	1.70E-02	1.31E-06	0.00E+00
GOATMILK								
ADULT	9.12E-06	1.09E-05	1.61E-04	9.74E-06	1.46E-05	2.68E-03	1.62E-07	0.00E+00
TEEN	1.42E-05	1.43E-05	2.49E-04	1.73E-05	2.61E-05	4.24E-03	3.29E-07	0.00E+00
CHILD	2.69E-05	1.10E-05	5.27E-04	3.00E-05	4.33E-05	8.39E-03	5.25E-07	0.00E+00
INFANT	4.29E-05	1.07E-05	6.48E-04	7.12E-05	7.52E-05	2.04E-02	9.45E-07	0.00E+00
INHAL								
ADULT	9.36E-07	9.52E-06	9.17E-06	1.04E-06	9.33E-07	1.10E-04	1.47E-04	0.00E+00
TEEN	1.22E-06	1.50E-05	1.07E-05	1.39E-06	1.27E-06	1.37E-04	2.17E-04	0.00E+00
CHILD	1.38E-06	4.81E-05	1.26E-05	1.35E-06	1.25E-06	1.57E-04	1.77E-04	0.00E+00
INFANT	7.95E-07	3.86E-05	5.48E-06	1.01E-06	8.15E-07	1.44E-04	1.15E-04	0.00E+00

TABLE 2. DOSES TO MAXIMUM INDIVIDUAL (MREM), APRIL-JUNE 2007 (CONTINUED)

SPECIAL LOCATION NO. 2 A Site Boundary
 AT .60 MILES NNE

ANNUAL BETA AIR DOSE = 8.45E-06 MILLRADS
 ANNUAL GAMMA AIR DOSE = 1.50E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.00E-05	1.00E-05	1.00E-05	1.00E-05	1.00E-05	1.00E-05	1.01E-05	1.90E-05
GROUND	3.17E-03	3.17E-03	3.17E-03	3.17E-03	3.17E-03	3.17E-03	3.17E-03	3.73E-03
VEGET								
ADULT	8.11E-05	4.71E-04	1.40E-03	3.64E-05	1.41E-05	2.20E-03	3.57E-08	0.00E+00
TEEN	1.21E-04	5.09E-04	1.94E-03	5.56E-05	2.13E-05	2.96E-03	5.17E-08	0.00E+00
CHILD	2.46E-04	3.40E-04	4.02E-03	8.63E-05	3.36E-05	5.68E-03	7.92E-08	0.00E+00
MEAT								
ADULT	1.32E-05	1.09E-04	1.66E-05	6.07E-06	3.53E-07	5.92E-05	1.65E-09	0.00E+00
TEEN	1.04E-05	5.87E-05	1.16E-05	4.72E-06	2.87E-07	4.29E-05	1.56E-09	0.00E+00
CHILD	1.61E-05	2.97E-05	1.86E-05	5.62E-06	3.58E-07	6.47E-05	1.83E-09	0.00E+00
COW MILK								
ADULT	7.18E-06	2.75E-05	6.64E-05	6.70E-06	8.90E-06	1.64E-03	1.56E-07	0.00E+00
TEEN	1.19E-05	3.30E-05	1.03E-04	1.18E-05	1.59E-05	2.60E-03	2.76E-07	0.00E+00
CHILD	2.34E-05	2.28E-05	2.17E-04	2.02E-05	2.65E-05	5.15E-03	5.58E-07	0.00E+00
INFANT	3.87E-05	2.09E-05	2.67E-04	4.73E-05	4.60E-05	1.25E-02	9.76E-07	0.00E+00
GOATMILK								
ADULT	6.75E-06	8.77E-06	1.36E-04	6.63E-06	1.06E-05	1.97E-03	5.87E-08	0.00E+00
TEEN	1.07E-05	1.14E-05	2.09E-04	1.18E-05	1.88E-05	3.12E-03	1.16E-07	0.00E+00
CHILD	2.08E-05	8.74E-06	4.41E-04	2.04E-05	3.13E-05	6.18E-03	1.94E-07	0.00E+00
INFANT	3.27E-05	8.53E-06	5.31E-04	4.92E-05	5.45E-05	1.50E-02	3.47E-07	0.00E+00
INHAL								
ADULT	1.10E-06	1.11E-05	1.08E-05	1.22E-06	1.10E-06	1.31E-04	1.74E-04	0.00E+00
TEEN	1.43E-06	1.73E-05	1.27E-05	1.63E-06	1.50E-06	1.64E-04	2.56E-04	0.00E+00
CHILD	1.63E-06	5.43E-05	1.49E-05	1.58E-06	1.47E-06	1.87E-04	2.08E-04	0.00E+00
INFANT	9.33E-07	4.33E-05	6.45E-06	1.18E-06	9.58E-07	1.71E-04	1.36E-04	0.00E+00

TABLE 2. DOSES TO MAXIMUM INDIVIDUAL (MREM), APRIL-JUNE 2007 (CONTINUED)

SPECIAL LOCATION NO. 3 A Nearest Resident
 AT .90 MILES NW

ANNUAL BETA AIR DOSE = 4.51E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 8.01E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	5.36E-05	5.36E-05	5.36E-05	5.36E-05	5.36E-05	5.36E-05	5.40E-05	1.01E-04
GROUND	1.16E-03	1.16E-03	1.16E-03	1.16E-03	1.16E-03	1.16E-03	1.16E-03	1.36E-03
VEGET								
ADULT	3.10E-05	1.77E-04	5.32E-04	1.47E-05	7.06E-06	1.15E-03	4.84E-08	0.00E+00
TEEN	4.63E-05	1.91E-04	7.43E-04	2.24E-05	1.07E-05	1.55E-03	8.51E-08	0.00E+00
CHILD	9.39E-05	1.28E-04	1.55E-03	3.51E-05	1.70E-05	2.97E-03	1.30E-07	0.00E+00
MEAT								
ADULT	4.84E-06	3.98E-05	6.31E-06	2.27E-06	1.86E-07	3.09E-05	3.48E-09	0.00E+00
TEEN	3.82E-06	2.14E-05	4.45E-06	1.77E-06	1.52E-07	2.24E-05	3.29E-09	0.00E+00
CHILD	5.92E-06	1.08E-05	7.18E-06	2.11E-06	1.90E-07	3.38E-05	3.87E-09	0.00E+00
COW MILK								
ADULT	3.24E-06	1.04E-05	2.59E-05	3.46E-06	4.70E-06	8.60E-04	8.09E-08	0.00E+00
TEEN	5.29E-06	1.26E-05	4.05E-05	6.10E-06	8.37E-06	1.36E-03	1.51E-07	0.00E+00
CHILD	1.02E-05	8.76E-06	8.68E-05	1.05E-05	1.40E-05	2.69E-03	2.80E-07	0.00E+00
INFANT	1.71E-05	8.05E-06	1.12E-04	2.46E-05	2.42E-05	6.54E-03	4.95E-07	0.00E+00
GOATMILK								
ADULT	3.49E-06	3.83E-06	5.28E-05	4.03E-06	5.73E-06	1.03E-03	9.43E-08	0.00E+00
TEEN	5.33E-06	5.02E-06	8.22E-05	7.14E-06	1.02E-05	1.63E-03	1.93E-07	0.00E+00
CHILD	9.82E-06	3.87E-06	1.75E-04	1.24E-05	1.70E-05	3.23E-03	3.02E-07	0.00E+00
INFANT	1.59E-05	3.79E-06	2.21E-04	2.91E-05	2.94E-05	7.85E-03	5.46E-07	0.00E+00
INHAL								
ADULT	2.71E-07	2.79E-06	2.53E-06	3.14E-07	2.93E-07	3.41E-05	4.06E-05	0.00E+00
TEEN	3.53E-07	4.63E-06	2.98E-06	4.22E-07	4.00E-07	4.26E-05	5.97E-05	0.00E+00
CHILD	4.02E-07	1.62E-05	3.51E-06	4.09E-07	3.90E-07	4.88E-05	4.87E-05	0.00E+00
INFANT	2.34E-07	1.32E-05	1.54E-06	3.14E-07	2.55E-07	4.47E-05	3.20E-05	0.00E+00

TABLE 2. DOSES TO MAXIMUM INDIVIDUAL (MREM), APRIL-JUNE 2007 (CONTINUED)

SPECIAL LOCATION NO. 4 A Nearest Cow
 AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 2.07E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 3.67E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	2.46E-05	2.46E-05	2.46E-05	2.46E-05	2.46E-05	2.46E-05	2.48E-05	4.64E-05
GROUND	4.66E-05	4.66E-05	4.66E-05	4.66E-05	4.66E-05	4.66E-05	4.66E-05	5.48E-05
VEGET								
ADULT	1.32E-06	7.33E-06	2.25E-05	6.61E-07	3.84E-07	6.42E-05	3.78E-09	0.00E+00
TEEN	1.97E-06	7.96E-06	3.18E-05	1.01E-06	5.83E-07	8.65E-05	6.89E-09	0.00E+00
CHILD	3.99E-06	5.38E-06	6.72E-05	1.60E-06	9.28E-07	1.66E-04	1.05E-08	0.00E+00
MEAT								
ADULT	1.97E-07	1.60E-06	2.66E-07	9.41E-08	1.05E-08	1.73E-06	2.92E-10	0.00E+00
TEEN	1.55E-07	8.64E-07	1.90E-07	7.33E-08	8.53E-09	1.25E-06	2.76E-10	0.00E+00
CHILD	2.40E-07	4.37E-07	3.09E-07	8.79E-08	1.07E-08	1.89E-06	3.24E-10	0.00E+00
COW MILK								
ADULT	1.63E-07	4.41E-07	1.13E-06	1.92E-07	2.64E-07	4.80E-05	4.28E-09	0.00E+00
TEEN	2.61E-07	5.35E-07	1.79E-06	3.39E-07	4.70E-07	7.60E-05	8.26E-09	0.00E+00
CHILD	4.92E-07	3.74E-07	3.89E-06	5.84E-07	7.82E-07	1.50E-04	1.44E-08	0.00E+00
INFANT	8.42E-07	3.45E-07	5.30E-06	1.37E-06	1.36E-06	3.65E-04	2.56E-08	0.00E+00
GOATMILK								
ADULT	1.94E-07	1.87E-07	2.29E-06	2.46E-07	3.27E-07	5.76E-05	7.60E-09	0.00E+00
TEEN	2.88E-07	2.46E-07	3.61E-06	4.35E-07	5.83E-07	9.12E-05	1.56E-08	0.00E+00
CHILD	5.11E-07	1.91E-07	7.80E-06	7.57E-07	9.69E-07	1.80E-04	2.42E-08	0.00E+00
INFANT	8.47E-07	1.88E-07	1.03E-05	1.75E-06	1.68E-06	4.38E-04	4.38E-08	0.00E+00
INHAL								
ADULT	2.80E-08	2.91E-07	2.12E-07	3.82E-08	3.96E-08	4.42E-06	3.27E-06	0.00E+00
TEEN	3.66E-08	5.18E-07	2.52E-07	5.18E-08	5.43E-08	5.53E-06	4.84E-06	0.00E+00
CHILD	4.19E-08	2.17E-06	3.01E-07	5.02E-08	5.19E-08	6.34E-06	3.96E-06	0.00E+00
INFANT	2.58E-08	1.83E-06	1.41E-07	4.16E-08	3.40E-08	5.80E-06	2.66E-06	0.00E+00

TABLE 2. DOSES TO MAXIMUM INDIVIDUAL (MREM), APRIL-JUNE 2007 (CONTINUED)

SPECIAL LOCATION NO. 5 A Nearest Garden
 AT 2.50 MILES N

ANNUAL BETA AIR DOSE = 1.13E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 2.00E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.34E-05	1.34E-05	1.34E-05	1.34E-05	1.34E-05	1.34E-05	1.35E-05	2.53E-05
GROUND	1.54E-04	1.54E-04	1.54E-04	1.54E-04	1.54E-04	1.54E-04	1.54E-04	1.82E-04
VEGET								
ADULT	4.19E-06	2.37E-05	7.17E-05	2.00E-06	1.01E-06	1.65E-04	7.65E-09	0.00E+00
TEEN	6.25E-06	2.57E-05	1.00E-04	3.06E-06	1.53E-06	2.22E-04	1.36E-08	0.00E+00
CHILD	1.27E-05	1.73E-05	2.11E-04	4.80E-06	2.43E-06	4.26E-04	2.08E-08	0.00E+00
MEAT								
ADULT	6.47E-07	5.32E-06	8.50E-07	3.05E-07	2.68E-08	4.44E-06	5.64E-10	0.00E+00
TEEN	5.10E-07	2.86E-06	6.01E-07	2.37E-07	2.18E-08	3.22E-06	5.34E-10	0.00E+00
CHILD	7.92E-07	1.45E-06	9.72E-07	2.84E-07	2.74E-08	4.86E-06	6.28E-10	0.00E+00
COW MILK								
ADULT	4.54E-07	1.41E-06	3.52E-06	4.96E-07	6.75E-07	1.24E-04	1.13E-08	0.00E+00
TEEN	7.38E-07	1.70E-06	5.51E-06	8.75E-07	1.20E-06	1.95E-04	2.13E-08	0.00E+00
CHILD	1.41E-06	1.18E-06	1.19E-05	1.51E-06	2.00E-06	3.87E-04	3.89E-08	0.00E+00
INFANT	2.38E-06	1.09E-06	1.55E-05	3.53E-06	3.48E-06	9.39E-04	6.88E-08	0.00E+00
GOATMILK								
ADULT	5.01E-07	5.32E-07	7.16E-06	5.92E-07	8.27E-07	1.48E-04	1.51E-08	0.00E+00
TEEN	7.59E-07	6.99E-07	1.12E-05	1.05E-06	1.47E-06	2.35E-04	3.09E-08	0.00E+00
CHILD	1.39E-06	5.40E-07	2.39E-05	1.82E-06	2.45E-06	4.64E-04	4.82E-08	0.00E+00
INFANT	2.26E-06	5.29E-07	3.05E-05	4.26E-06	4.25E-06	1.13E-03	8.71E-08	0.00E+00
INHAL								
ADULT	5.61E-08	5.51E-07	5.19E-07	6.60E-08	6.24E-08	7.38E-06	8.24E-06	0.00E+00
TEEN	7.30E-08	8.36E-07	6.10E-07	8.87E-08	8.54E-08	9.21E-06	1.21E-05	0.00E+00
CHILD	8.31E-08	2.60E-06	7.19E-07	8.58E-08	8.29E-08	1.05E-05	9.88E-06	0.00E+00
INFANT	4.86E-08	2.10E-06	3.17E-07	6.64E-08	5.42E-08	9.65E-06	6.46E-06	0.00E+00

TABLE 3. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-JUNE 2007

SPECIAL LOCATION NO. 1 A Site Boundary
 AT .67 MILES N

ANNUAL BETA AIR DOSE = 2.46E-04 MILLRADS
 ANNUAL GAMMA AIR DOSE = 3.77E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	2.53E-04	2.53E-04	2.53E-04	2.53E-04	2.53E-04	2.53E-04	2.56E-04	5.11E-04
GROUND	3.69E-03	3.69E-03	3.69E-03	3.69E-03	3.69E-03	3.69E-03	3.69E-03	4.35E-03
VEGET								
ADULT	9.23E-05	5.52E-04	1.41E-03	4.54E-05	2.18E-05	3.60E-03	6.04E-08	0.00E+00
TEEN	1.39E-04	5.96E-04	1.97E-03	6.92E-05	3.30E-05	4.85E-03	9.86E-08	0.00E+00
CHILD	2.81E-04	3.98E-04	4.13E-03	1.08E-04	5.23E-05	9.29E-03	1.50E-07	0.00E+00
MEAT								
ADULT	1.53E-05	1.27E-04	1.67E-05	7.17E-06	5.62E-07	9.68E-05	3.70E-09	0.00E+00
TEEN	1.21E-05	6.84E-05	1.18E-05	5.58E-06	4.57E-07	7.01E-05	3.50E-09	0.00E+00
CHILD	1.88E-05	3.46E-05	1.90E-05	6.65E-06	5.74E-07	1.06E-04	4.11E-09	0.00E+00
COW MILK								
ADULT	9.61E-06	3.28E-05	6.92E-05	1.03E-05	1.45E-05	2.69E-03	1.66E-07	0.00E+00
TEEN	1.59E-05	3.94E-05	1.08E-04	1.82E-05	2.59E-05	4.26E-03	3.00E-07	0.00E+00
CHILD	3.10E-05	2.73E-05	2.33E-04	3.12E-05	4.31E-05	8.43E-03	5.90E-07	0.00E+00
INFANT	5.27E-05	2.50E-05	3.06E-04	7.39E-05	7.50E-05	2.05E-02	1.03E-06	0.00E+00
GOATMILK								
ADULT	9.38E-06	1.12E-05	1.40E-04	1.10E-05	1.74E-05	3.23E-03	1.10E-07	0.00E+00
TEEN	1.49E-05	1.46E-05	2.18E-04	1.95E-05	3.10E-05	5.12E-03	2.21E-07	0.00E+00
CHILD	2.84E-05	1.12E-05	4.66E-04	3.40E-05	5.16E-05	1.01E-02	3.56E-07	0.00E+00
INFANT	4.73E-05	1.10E-05	5.93E-04	8.16E-05	8.97E-05	2.46E-02	6.39E-07	0.00E+00
INHAL								
ADULT	1.19E-06	1.15E-05	9.54E-06	1.47E-06	1.40E-06	1.68E-04	1.79E-04	0.00E+00
TEEN	1.56E-06	1.78E-05	1.13E-05	1.98E-06	1.92E-06	2.10E-04	2.64E-04	0.00E+00
CHILD	1.77E-06	5.87E-05	1.33E-05	1.91E-06	1.85E-06	2.40E-04	2.15E-04	0.00E+00
INFANT	1.05E-06	4.77E-05	6.00E-06	1.50E-06	1.21E-06	2.20E-04	1.41E-04	0.00E+00

TABLE 3. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-JUNE 2007 (CONTINUED)

SPECIAL LOCATION NO. 2 A Site Boundary
AT .60 MILES NNE

ANNUAL BETA AIR DOSE = 6.82E-05 MILLRADS
ANNUAL GAMMA AIR DOSE = 1.04E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	7.00E-05	7.00E-05	7.00E-05	7.00E-05	7.00E-05	7.00E-05	7.07E-05	1.41E-04
GROUND	3.51E-03	3.51E-03	3.51E-03	3.51E-03	3.51E-03	3.51E-03	3.51E-03	4.13E-03
VEGET								
ADULT	8.62E-05	5.20E-04	1.32E-03	4.14E-05	1.80E-05	2.93E-03	2.93E-08	0.00E+00
TEEN	1.30E-04	5.61E-04	1.83E-03	6.32E-05	2.73E-05	3.95E-03	4.10E-08	0.00E+00
CHILD	2.63E-04	3.74E-04	3.83E-03	9.85E-05	4.32E-05	7.56E-03	6.29E-08	0.00E+00
MEAT								
ADULT	1.45E-05	1.21E-04	1.56E-05	6.76E-06	4.58E-07	7.89E-05	1.23E-09	0.00E+00
TEEN	1.15E-05	6.50E-05	1.10E-05	5.26E-06	3.72E-07	5.71E-05	1.17E-09	0.00E+00
CHILD	1.79E-05	3.29E-05	1.77E-05	6.27E-06	4.66E-07	8.62E-05	1.37E-09	0.00E+00
COW MILK								
ADULT	8.35E-06	3.07E-05	6.39E-05	8.49E-06	1.18E-05	2.19E-03	1.39E-07	0.00E+00
TEEN	1.39E-05	3.68E-05	9.96E-05	1.50E-05	2.10E-05	3.47E-03	2.46E-07	0.00E+00
CHILD	2.72E-05	2.54E-05	2.13E-04	2.56E-05	3.50E-05	6.86E-03	5.01E-07	0.00E+00
INFANT	4.60E-05	2.32E-05	2.74E-04	6.06E-05	6.08E-05	1.67E-02	8.74E-07	0.00E+00
GOATMILK								
ADULT	7.75E-06	9.93E-06	1.30E-04	8.58E-06	1.40E-05	2.63E-03	4.66E-08	0.00E+00
TEEN	1.25E-05	1.29E-05	2.01E-04	1.52E-05	2.50E-05	4.16E-03	9.13E-08	0.00E+00
CHILD	2.41E-05	9.89E-06	4.28E-04	2.65E-05	4.16E-05	8.23E-03	1.55E-07	0.00E+00
INFANT	3.97E-05	9.63E-06	5.35E-04	6.41E-05	7.22E-05	2.00E-02	2.77E-07	0.00E+00
INHAL								
ADULT	1.12E-06	1.12E-05	9.45E-06	1.32E-06	1.26E-06	1.58E-04	1.79E-04	0.00E+00
TEEN	1.46E-06	1.72E-05	1.11E-05	1.78E-06	1.72E-06	1.97E-04	2.63E-04	0.00E+00
CHILD	1.65E-06	5.49E-05	1.32E-05	1.71E-06	1.66E-06	2.26E-04	2.14E-04	0.00E+00
INFANT	9.65E-07	4.43E-05	5.87E-06	1.32E-06	1.09E-06	2.07E-04	1.40E-04	0.00E+00

TABLE 3. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-JUNE 2007 (CONTINUED)

SPECIAL LOCATION NO. 3 A Nearest Resident
 AT .90 MILES NW

ANNUAL BETA AIR DOSE = 4.72E-04 MILLRADS
 ANNUAL GAMMA AIR DOSE = 7.22E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	4.85E-04	4.85E-04	4.85E-04	4.85E-04	4.85E-04	4.85E-04	4.90E-04	9.78E-04
GROUND	1.24E-03	1.24E-03	1.24E-03	1.24E-03	1.24E-03	1.24E-03	1.24E-03	1.46E-03
VEGET								
ADULT	3.22E-05	1.88E-04	4.89E-04	1.66E-05	9.45E-06	1.60E-03	4.29E-08	0.00E+00
TEEN	4.83E-05	2.04E-04	6.88E-04	2.53E-05	1.43E-05	2.16E-03	7.56E-08	0.00E+00
CHILD	9.79E-05	1.37E-04	1.45E-03	3.98E-05	2.28E-05	4.13E-03	1.15E-07	0.00E+00
MEAT								
ADULT	5.16E-06	4.25E-05	5.78E-06	2.44E-06	2.50E-07	4.31E-05	3.08E-09	0.00E+00
TEEN	4.07E-06	2.29E-05	4.11E-06	1.90E-06	2.04E-07	3.12E-05	2.92E-09	0.00E+00
CHILD	6.32E-06	1.16E-05	6.69E-06	2.28E-06	2.56E-07	4.71E-05	3.43E-09	0.00E+00
COW MILK								
ADULT	3.85E-06	1.14E-05	2.47E-05	4.51E-06	6.50E-06	1.20E-03	7.10E-08	0.00E+00
TEEN	6.33E-06	1.38E-05	3.91E-05	7.97E-06	1.16E-05	1.90E-03	1.32E-07	0.00E+00
CHILD	1.21E-05	9.58E-06	8.48E-05	1.37E-05	1.93E-05	3.76E-03	2.46E-07	0.00E+00
INFANT	2.09E-05	8.80E-06	1.16E-04	3.26E-05	3.35E-05	9.13E-03	4.34E-07	0.00E+00
GOATMILK								
ADULT	4.08E-06	4.35E-06	4.95E-05	5.21E-06	7.87E-06	1.44E-03	8.32E-08	0.00E+00
TEEN	6.38E-06	5.71E-06	7.79E-05	9.24E-06	1.40E-05	2.28E-03	1.70E-07	0.00E+00
CHILD	1.18E-05	4.41E-06	1.68E-04	1.61E-05	2.33E-05	4.51E-03	2.67E-07	0.00E+00
INFANT	2.01E-05	4.33E-06	2.22E-04	3.82E-05	4.05E-05	1.10E-02	4.81E-07	0.00E+00
INHAL								
ADULT	4.65E-07	3.60E-06	2.76E-06	6.73E-07	6.09E-07	5.19E-05	4.97E-05	0.00E+00
TEEN	6.17E-07	6.25E-06	3.30E-06	9.16E-07	8.36E-07	6.49E-05	7.33E-05	0.00E+00
CHILD	7.22E-07	2.47E-05	3.94E-06	8.90E-07	7.98E-07	7.47E-05	5.98E-05	0.00E+00
INFANT	4.58E-07	2.08E-05	1.87E-06	7.54E-07	5.23E-07	6.83E-05	3.95E-05	0.00E+00

TABLE 3. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-JUNE 2007 (CONTINUED)

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 2.41E-04 MILLRADS
ANNUAL GAMMA AIR DOSE = 3.69E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	2.48E-04	2.48E-04	2.48E-04	2.48E-04	2.48E-04	2.48E-04	2.50E-04	5.00E-04
GROUND	4.47E-05	4.47E-05	4.47E-05	4.47E-05	4.47E-05	4.47E-05	4.47E-05	5.25E-05
VEGET								
ADULT	1.26E-06	7.06E-06	1.90E-05	7.07E-07	5.10E-07	8.89E-05	3.33E-09	0.00E+00
TEEN	1.89E-06	7.69E-06	2.72E-05	1.08E-06	7.74E-07	1.20E-04	6.09E-09	0.00E+00
CHILD	3.82E-06	5.20E-06	5.81E-05	1.72E-06	1.24E-06	2.29E-04	9.27E-09	0.00E+00
MEAT								
ADULT	1.88E-07	1.53E-06	2.25E-07	9.16E-08	1.39E-08	2.39E-06	2.58E-10	0.00E+00
TEEN	1.48E-07	8.24E-07	1.62E-07	7.14E-08	1.13E-08	1.73E-06	2.44E-10	0.00E+00
CHILD	2.29E-07	4.17E-07	2.67E-07	8.58E-08	1.43E-08	2.61E-06	2.87E-10	0.00E+00
COW MILK								
ADULT	1.88E-07	4.42E-07	1.01E-06	2.46E-07	3.62E-07	6.67E-05	3.58E-09	0.00E+00
TEEN	3.06E-07	5.39E-07	1.63E-06	4.35E-07	6.46E-07	1.06E-04	6.94E-09	0.00E+00
CHILD	5.76E-07	3.80E-07	3.60E-06	7.53E-07	1.08E-06	2.09E-04	1.20E-08	0.00E+00
INFANT	1.01E-06	3.51E-07	5.24E-06	1.79E-06	1.87E-06	5.08E-04	2.14E-08	0.00E+00
GOATMILK								
ADULT	2.22E-07	2.03E-07	2.00E-06	3.08E-07	4.44E-07	8.00E-05	6.68E-09	0.00E+00
TEEN	3.39E-07	2.69E-07	3.20E-06	5.46E-07	7.92E-07	1.27E-04	1.37E-08	0.00E+00
CHILD	6.11E-07	2.10E-07	7.02E-06	9.50E-07	1.32E-06	2.51E-04	2.13E-08	0.00E+00
INFANT	1.06E-06	2.07E-07	9.85E-06	2.23E-06	2.28E-06	6.09E-04	3.85E-08	0.00E+00
INHAL								
ADULT	1.03E-07	4.70E-07	2.76E-07	1.86E-07	1.60E-07	7.39E-06	3.86E-06	0.00E+00
TEEN	1.40E-07	1.02E-06	3.47E-07	2.55E-07	2.20E-07	9.31E-06	5.77E-06	0.00E+00
CHILD	1.71E-07	5.37E-06	4.33E-07	2.50E-07	2.07E-07	1.08E-05	4.75E-06	0.00E+00
INFANT	1.18E-07	4.75E-06	2.53E-07	2.28E-07	1.36E-07	9.89E-06	3.31E-06	0.00E+00

TABLE 3. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-JUNE 2007 (CONTINUED)

SPECIAL LOCATION NO. 5 A Nearest Garden
 AT 2.50 MILES N

ANNUAL BETA AIR DOSE = 1.36E-04 MILLRADS
 ANNUAL GAMMA AIR DOSE = 2.09E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.40E-04	1.40E-04	1.40E-04	1.40E-04	1.40E-04	1.40E-04	1.41E-04	2.83E-04
GROUND	1.53E-04	1.53E-04	1.53E-04	1.53E-04	1.53E-04	1.53E-04	1.53E-04	1.80E-04
VEGET								
ADULT	4.03E-06	2.35E-05	6.13E-05	2.10E-06	1.25E-06	2.12E-04	6.11E-09	0.00E+00
TEEN	6.05E-06	2.54E-05	8.64E-05	3.21E-06	1.89E-06	2.86E-04	1.09E-08	0.00E+00
CHILD	1.23E-05	1.71E-05	1.83E-04	5.06E-06	3.01E-06	5.48E-04	1.66E-08	0.00E+00
MEAT								
ADULT	6.40E-07	5.27E-06	7.24E-07	3.05E-07	3.32E-08	5.71E-06	4.48E-10	0.00E+00
TEEN	5.05E-07	2.84E-06	5.16E-07	2.37E-07	2.70E-08	4.14E-06	4.24E-10	0.00E+00
CHILD	7.83E-07	1.43E-06	8.41E-07	2.84E-07	3.40E-08	6.24E-06	4.99E-10	0.00E+00
COW MILK								
ADULT	4.99E-07	1.42E-06	3.11E-06	5.96E-07	8.62E-07	1.59E-04	9.10E-09	0.00E+00
TEEN	8.19E-07	1.72E-06	4.94E-06	1.05E-06	1.54E-06	2.52E-04	1.71E-08	0.00E+00
CHILD	1.56E-06	1.20E-06	1.08E-05	1.82E-06	2.56E-06	4.98E-04	3.13E-08	0.00E+00
INFANT	2.71E-06	1.11E-06	1.48E-05	4.31E-06	4.44E-06	1.21E-03	5.54E-08	0.00E+00
GOATMILK								
ADULT	5.39E-07	5.60E-07	6.23E-06	6.99E-07	1.05E-06	1.91E-04	1.20E-08	0.00E+00
TEEN	8.40E-07	7.36E-07	9.83E-06	1.24E-06	1.87E-06	3.02E-04	2.45E-08	0.00E+00
CHILD	1.55E-06	5.70E-07	2.13E-05	2.16E-06	3.10E-06	5.98E-04	3.83E-08	0.00E+00
INFANT	2.63E-06	5.59E-07	2.83E-05	5.11E-06	5.39E-06	1.45E-03	6.91E-08	0.00E+00
INHAL								
ADULT	1.09E-07	7.64E-07	5.95E-07	1.64E-07	1.48E-07	1.19E-05	1.05E-05	0.00E+00
TEEN	1.45E-07	1.26E-06	7.13E-07	2.24E-07	2.04E-07	1.49E-05	1.54E-05	0.00E+00
CHILD	1.71E-07	4.81E-06	8.55E-07	2.18E-07	1.94E-07	1.71E-05	1.26E-05	0.00E+00
INFANT	1.10E-07	4.07E-06	4.15E-07	1.87E-07	1.27E-07	1.57E-05	8.31E-06	0.00E+00

TABLE 4. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-SEPTEMBER 2007

SPECIAL LOCATION NO. 1 A Site Boundary
 AT .67 MILES N

ANNUAL BETA AIR DOSE = 2.06E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 3.87E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	2.59E-05	2.59E-05	2.59E-05	2.59E-05	2.59E-05	2.59E-05	2.61E-05	4.82E-05
GROUND	5.14E-03	5.14E-03	5.14E-03	5.14E-03	5.14E-03	5.14E-03	5.14E-03	6.04E-03
VEGET								
ADULT	8.51E-05	6.94E-04	1.19E-04	4.83E-05	1.37E-05	2.22E-03	1.64E-10	0.00E+00
TEEN	1.33E-04	7.42E-04	1.98E-04	7.39E-05	2.07E-05	2.99E-03	2.98E-10	0.00E+00
CHILD	2.69E-04	4.87E-04	4.83E-04	1.15E-04	3.27E-05	5.73E-03	4.47E-10	0.00E+00
MEAT								
ADULT	2.09E-05	1.77E-04	1.25E-06	9.67E-06	3.45E-07	5.97E-05	6.22E-12	0.00E+00
TEEN	1.65E-05	9.52E-05	1.05E-06	7.51E-06	2.80E-07	4.32E-05	5.89E-12	0.00E+00
CHILD	2.57E-05	4.81E-05	1.98E-06	8.94E-06	3.51E-07	6.53E-05	6.89E-12	0.00E+00
COW MILK								
ADULT	7.59E-06	4.10E-05	8.91E-06	7.25E-06	8.78E-06	1.66E-03	5.81E-12	0.00E+00
TEEN	1.30E-05	4.86E-05	1.63E-05	1.27E-05	1.57E-05	2.62E-03	1.20E-11	0.00E+00
CHILD	2.56E-05	3.25E-05	4.01E-05	2.14E-05	2.60E-05	5.19E-03	1.84E-11	0.00E+00
INFANT	4.43E-05	2.88E-05	7.91E-05	5.01E-05	4.52E-05	1.26E-02	4.45E-11	0.00E+00
GOATMILK								
ADULT	4.35E-06	8.13E-06	1.55E-05	6.38E-06	1.05E-05	1.99E-03	6.98E-13	0.00E+00
TEEN	7.34E-06	1.02E-05	2.84E-05	1.13E-05	1.87E-05	3.15E-03	1.44E-12	0.00E+00
CHILD	1.41E-05	7.38E-06	7.00E-05	1.96E-05	3.11E-05	6.23E-03	2.21E-12	0.00E+00
INFANT	2.62E-05	6.92E-06	1.37E-04	4.77E-05	5.42E-05	1.51E-02	5.34E-12	0.00E+00
INHAL								
ADULT	8.10E-07	1.28E-05	6.69E-07	9.97E-07	7.21E-07	1.13E-04	2.42E-04	0.00E+00
TEEN	1.08E-06	1.73E-05	9.50E-07	1.33E-06	9.89E-07	1.40E-04	3.55E-04	0.00E+00
CHILD	1.22E-06	6.07E-05	1.30E-06	1.21E-06	9.21E-07	1.60E-04	2.88E-04	0.00E+00
INFANT	6.92E-07	5.13E-05	9.30E-07	9.09E-07	6.00E-07	1.46E-04	1.87E-04	0.00E+00

TABLE 4. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-SEPTEMBER 2007 (CONTINUED)

SPECIAL LOCATION NO. 2 A Site Boundary
 AT .60 MILES NNE

ANNUAL BETA AIR DOSE = 3.89E-06 MILLRADS
 ANNUAL GAMMA AIR DOSE = 7.31E-06 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	4.89E-06	4.89E-06	4.89E-06	4.89E-06	4.89E-06	4.89E-06	4.93E-06	9.10E-06
GROUND	4.80E-03	4.80E-03	4.80E-03	4.80E-03	4.80E-03	4.80E-03	4.80E-03	5.64E-03
VEGET								
ADULT	7.92E-05	6.48E-04	1.08E-04	4.47E-05	1.20E-05	1.93E-03	4.93E-11	0.00E+00
TEEN	1.24E-04	6.92E-04	1.79E-04	6.84E-05	1.83E-05	2.60E-03	8.95E-11	0.00E+00
CHILD	2.50E-04	4.54E-04	4.38E-04	1.06E-04	2.88E-05	4.99E-03	1.34E-10	0.00E+00
MEAT								
ADULT	1.95E-05	1.65E-04	1.12E-06	9.02E-06	3.02E-07	5.21E-05	1.87E-12	0.00E+00
TEEN	1.54E-05	8.89E-05	9.46E-07	7.01E-06	2.45E-07	3.77E-05	1.77E-12	0.00E+00
CHILD	2.40E-05	4.49E-05	1.79E-06	8.33E-06	3.07E-07	5.69E-05	2.07E-12	0.00E+00
COW MILK								
ADULT	6.90E-06	3.82E-05	7.96E-06	6.45E-06	7.65E-06	1.44E-03	1.74E-12	0.00E+00
TEEN	1.18E-05	4.52E-05	1.46E-05	1.13E-05	1.36E-05	2.29E-03	3.61E-12	0.00E+00
CHILD	2.33E-05	3.02E-05	3.58E-05	1.90E-05	2.26E-05	4.52E-03	5.52E-12	0.00E+00
INFANT	4.03E-05	2.67E-05	7.06E-05	4.43E-05	3.94E-05	1.10E-02	1.34E-11	0.00E+00
GOATMILK								
ADULT	3.84E-06	7.44E-06	1.39E-05	5.57E-06	9.15E-06	1.73E-03	2.09E-13	0.00E+00
TEEN	6.47E-06	9.29E-06	2.55E-05	9.88E-06	1.63E-05	2.74E-03	4.33E-13	0.00E+00
CHILD	1.25E-05	6.71E-06	6.29E-05	1.71E-05	2.71E-05	5.42E-03	6.62E-13	0.00E+00
INFANT	2.31E-05	6.29E-06	1.23E-04	4.17E-05	4.72E-05	1.32E-02	1.60E-12	0.00E+00
INHAL								
ADULT	8.07E-07	1.28E-05	6.63E-07	9.89E-07	7.10E-07	1.12E-04	2.42E-04	0.00E+00
TEEN	1.07E-06	1.72E-05	9.41E-07	1.32E-06	9.74E-07	1.39E-04	3.55E-04	0.00E+00
CHILD	1.21E-06	5.99E-05	1.29E-06	1.20E-06	9.07E-07	1.58E-04	2.88E-04	0.00E+00
INFANT	6.88E-07	5.06E-05	9.20E-07	8.99E-07	5.91E-07	1.45E-04	1.87E-04	0.00E+00

TABLE 4. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-SEPTEMBER 2007 (CONTINUED)

SPECIAL LOCATION NO. 3 A Nearest Resident
 AT .90 MILES NW

ANNUAL BETA AIR DOSE = 3.55E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 6.66E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	4.46E-05	4.46E-05	4.46E-05	4.46E-05	4.46E-05	4.46E-05	4.50E-05	8.29E-05
GROUND	1.52E-03	1.52E-03	1.52E-03	1.52E-03	1.52E-03	1.52E-03	1.52E-03	1.79E-03
VEGET								
ADULT	2.55E-05	2.07E-04	3.78E-05	1.46E-05	4.56E-06	7.54E-04	1.22E-10	0.00E+00
TEEN	3.99E-05	2.21E-04	6.26E-05	2.24E-05	6.92E-06	1.02E-03	2.21E-10	0.00E+00
CHILD	8.06E-05	1.45E-04	1.53E-04	3.48E-05	1.09E-05	1.95E-03	3.31E-10	0.00E+00
MEAT								
ADULT	6.20E-06	5.25E-05	3.99E-07	2.88E-06	1.16E-07	2.03E-05	4.60E-12	0.00E+00
TEEN	4.91E-06	2.83E-05	3.36E-07	2.24E-06	9.41E-08	1.47E-05	4.36E-12	0.00E+00
CHILD	7.63E-06	1.43E-05	6.35E-07	2.66E-06	1.18E-07	2.22E-05	5.10E-12	0.00E+00
COW MILK								
ADULT	2.38E-06	1.23E-05	2.90E-06	2.38E-06	2.99E-06	5.65E-04	4.30E-12	0.00E+00
TEEN	4.07E-06	1.45E-05	5.31E-06	4.17E-06	5.34E-06	8.93E-04	8.90E-12	0.00E+00
CHILD	8.00E-06	9.74E-06	1.30E-05	7.06E-06	8.87E-06	1.77E-03	1.36E-11	0.00E+00
INFANT	1.39E-05	8.64E-06	2.58E-05	1.66E-05	1.54E-05	4.29E-03	3.29E-11	0.00E+00
GOATMILK								
ADULT	1.45E-06	2.53E-06	4.99E-06	2.16E-06	3.58E-06	6.77E-04	5.16E-13	0.00E+00
TEEN	2.44E-06	3.17E-06	9.15E-06	3.84E-06	6.39E-06	1.07E-03	1.07E-12	0.00E+00
CHILD	4.68E-06	2.31E-06	2.25E-05	6.67E-06	1.06E-05	2.12E-03	1.63E-12	0.00E+00
INFANT	8.72E-06	2.18E-06	4.40E-05	1.62E-05	1.85E-05	5.15E-03	3.95E-12	0.00E+00
INHAL								
ADULT	1.69E-07	2.68E-06	1.46E-07	2.14E-07	1.64E-07	2.47E-05	4.86E-05	0.00E+00
TEEN	2.25E-07	3.73E-06	2.07E-07	2.86E-07	2.25E-07	3.08E-05	7.13E-05	0.00E+00
CHILD	2.54E-07	1.35E-05	2.83E-07	2.62E-07	2.09E-07	3.51E-05	5.79E-05	0.00E+00
INFANT	1.46E-07	1.14E-05	2.03E-07	2.00E-07	1.37E-07	3.22E-05	3.76E-05	0.00E+00

TABLE 4. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-SEPTEMBER 2007 (CONTINUED)

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 1.72E-05 MILLRADS
ANNUAL GAMMA AIR DOSE = 3.22E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	2.16E-05	2.16E-05	2.16E-05	2.16E-05	2.16E-05	2.16E-05	2.18E-05	4.01E-05
GROUND	5.65E-05	5.65E-05	5.65E-05	5.65E-05	5.65E-05	5.65E-05	5.65E-05	6.65E-05
VEGET								
ADULT	9.65E-07	7.72E-06	1.59E-06	5.67E-07	2.10E-07	3.57E-05	1.05E-11	0.00E+00
TEEN	1.51E-06	8.25E-06	2.63E-06	8.66E-07	3.18E-07	4.81E-05	1.91E-11	0.00E+00
CHILD	3.04E-06	5.43E-06	6.43E-06	1.35E-06	5.05E-07	9.21E-05	2.86E-11	0.00E+00
MEAT								
ADULT	2.30E-07	1.95E-06	1.72E-08	1.07E-07	5.38E-09	9.60E-07	3.98E-13	0.00E+00
TEEN	1.82E-07	1.05E-06	1.45E-08	8.34E-08	4.37E-09	6.95E-07	3.77E-13	0.00E+00
CHILD	2.83E-07	5.30E-07	2.73E-08	9.94E-08	5.50E-09	1.05E-06	4.41E-13	0.00E+00
COW MILK								
ADULT	9.88E-08	4.62E-07	1.28E-07	1.06E-07	1.42E-07	2.67E-05	3.72E-13	0.00E+00
TEEN	1.68E-07	5.49E-07	2.35E-07	1.87E-07	2.53E-07	4.23E-05	7.70E-13	0.00E+00
CHILD	3.29E-07	3.69E-07	5.75E-07	3.18E-07	4.20E-07	8.37E-05	1.18E-12	0.00E+00
INFANT	5.78E-07	3.28E-07	1.14E-06	7.51E-07	7.31E-07	2.03E-04	2.85E-12	0.00E+00
GOATMILK								
ADULT	6.64E-08	1.03E-07	2.16E-07	1.02E-07	1.70E-07	3.21E-05	4.47E-14	0.00E+00
TEEN	1.12E-07	1.30E-07	3.97E-07	1.81E-07	3.03E-07	5.08E-05	9.23E-14	0.00E+00
CHILD	2.13E-07	9.55E-08	9.76E-07	3.14E-07	5.04E-07	1.00E-04	1.41E-13	0.00E+00
INFANT	3.99E-07	9.05E-08	1.91E-06	7.65E-07	8.76E-07	2.44E-04	3.42E-13	0.00E+00
INHAL								
ADULT	1.53E-08	2.33E-07	1.60E-08	2.21E-08	2.13E-08	2.84E-06	3.41E-06	0.00E+00
TEEN	2.04E-08	3.24E-07	2.27E-08	2.98E-08	2.92E-08	3.55E-06	5.00E-06	0.00E+00
CHILD	2.31E-08	1.03E-06	3.11E-08	2.80E-08	2.74E-08	4.10E-06	4.07E-06	0.00E+00
INFANT	1.41E-08	8.60E-07	2.28E-08	2.30E-08	1.80E-08	3.75E-06	2.65E-06	0.00E+00

TABLE 4. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-SEPTEMBER 2007 (CONTINUED)

SPECIAL LOCATION NO. 5 A Nearest Garden
 AT 2.50 MILES N

ANNUAL BETA AIR DOSE = 1.44E-06 MILLRADS
 ANNUAL GAMMA AIR DOSE = 1.87E-06 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.25E-06	1.25E-06	1.25E-06	1.25E-06	1.25E-06	1.25E-06	1.26E-06	2.73E-06
GROUND	2.15E-04	2.15E-04	2.15E-04	2.15E-04	2.15E-04	2.15E-04	2.15E-04	2.52E-04
VEGET								
ADULT	3.59E-06	2.91E-05	5.32E-06	2.06E-06	6.36E-07	1.05E-04	1.80E-11	0.00E+00
TEEN	5.61E-06	3.11E-05	8.82E-06	3.15E-06	9.65E-07	1.42E-04	3.27E-11	0.00E+00
CHILD	1.13E-05	2.04E-05	2.15E-05	4.89E-06	1.53E-06	2.71E-04	4.91E-11	0.00E+00
MEAT								
ADULT	8.72E-07	7.39E-06	5.62E-08	4.05E-07	1.61E-08	2.83E-06	6.83E-13	0.00E+00
TEEN	6.91E-07	3.98E-06	4.74E-08	3.15E-07	1.31E-08	2.05E-06	6.46E-13	0.00E+00
CHILD	1.07E-06	2.01E-06	8.94E-08	3.75E-07	1.65E-08	3.09E-06	7.56E-13	0.00E+00
COW MILK								
ADULT	3.34E-07	1.73E-06	4.07E-07	3.32E-07	4.16E-07	7.86E-05	6.38E-13	0.00E+00
TEEN	5.70E-07	2.05E-06	7.45E-07	5.82E-07	7.42E-07	1.24E-04	1.32E-12	0.00E+00
CHILD	1.12E-06	1.37E-06	1.83E-06	9.85E-07	1.23E-06	2.46E-04	2.02E-12	0.00E+00
INFANT	1.95E-06	1.21E-06	3.62E-06	2.31E-06	2.15E-06	5.98E-04	4.89E-12	0.00E+00
GOATMILK								
ADULT	2.02E-07	3.54E-07	7.00E-07	3.01E-07	4.98E-07	9.44E-05	7.66E-14	0.00E+00
TEEN	3.41E-07	4.45E-07	1.29E-06	5.34E-07	8.89E-07	1.49E-04	1.58E-13	0.00E+00
CHILD	6.53E-07	3.24E-07	3.16E-06	9.28E-07	1.48E-06	2.95E-04	2.42E-13	0.00E+00
INFANT	1.22E-06	3.05E-07	6.18E-06	2.26E-06	2.57E-06	7.17E-04	5.86E-13	0.00E+00
INHAL								
ADULT	4.55E-08	6.82E-07	3.89E-08	5.68E-08	4.31E-08	6.79E-06	1.31E-05	0.00E+00
TEEN	6.07E-08	6.67E-07	5.52E-08	7.59E-08	5.92E-08	8.45E-06	1.91E-05	0.00E+00
CHILD	6.83E-08	5.74E-07	7.56E-08	6.94E-08	5.51E-08	9.61E-06	1.55E-05	0.00E+00
INFANT	3.91E-08	3.74E-07	5.42E-08	5.26E-08	3.60E-08	8.80E-06	9.94E-06	0.00E+00

TABLE 5. DOSES TO MAXIMUM INDIVIDUAL (MREM), OCTOBER-DECEMBER 2007

SPECIAL LOCATION NO. 1 A Site Boundary
 AT .69 MILES NNW

ANNUAL BETA AIR DOSE = 2.71E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 4.18E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	2.81E-05	2.81E-05	2.81E-05	2.81E-05	2.81E-05	2.81E-05	2.83E-05	5.64E-05
GROUND	1.52E-03	1.52E-03	1.52E-03	1.52E-03	1.52E-03	1.52E-03	1.52E-03	1.79E-03
VEGET								
ADULT	3.59E-05	2.46E-04	1.88E-04	2.98E-05	1.43E-05	9.28E-04	2.37E-08	0.00E+00
TEEN	5.65E-05	2.65E-04	3.11E-04	4.54E-05	2.11E-05	1.25E-03	4.17E-08	0.00E+00
CHILD	1.16E-04	1.78E-04	7.57E-04	6.93E-05	3.19E-05	2.40E-03	6.35E-08	0.00E+00
MEAT								
ADULT	9.09E-06	5.67E-05	3.83E-06	9.25E-06	4.38E-06	2.51E-05	1.70E-09	0.00E+00
TEEN	7.20E-06	3.04E-05	2.95E-06	7.12E-06	3.23E-06	1.82E-05	1.61E-09	0.00E+00
CHILD	1.12E-05	1.53E-05	5.03E-06	8.29E-06	3.67E-06	2.74E-05	1.89E-09	0.00E+00
COW MILK								
ADULT	1.39E-05	2.89E-05	1.78E-05	2.73E-05	2.00E-05	6.93E-04	3.99E-08	0.00E+00
TEEN	2.39E-05	3.36E-05	3.03E-05	4.59E-05	3.27E-05	1.10E-03	7.43E-08	0.00E+00
CHILD	4.79E-05	2.20E-05	6.88E-05	7.02E-05	4.97E-05	2.16E-03	1.39E-07	0.00E+00
INFANT	6.61E-05	9.98E-05	1.19E-04	1.27E-04	7.06E-05	5.26E-03	2.44E-07	0.00E+00
GOATMILK								
ADULT	3.70E-06	6.76E-06	2.09E-05	5.93E-06	6.45E-06	8.31E-04	4.60E-08	0.00E+00
TEEN	6.16E-06	8.52E-06	3.80E-05	1.02E-05	1.11E-05	1.32E-03	9.41E-08	0.00E+00
CHILD	1.21E-05	6.23E-06	9.31E-05	1.66E-05	1.80E-05	2.60E-03	1.48E-07	0.00E+00
INFANT	1.98E-05	1.56E-05	1.76E-04	3.47E-05	2.93E-05	6.31E-03	2.66E-07	0.00E+00
INHAL								
ADULT	7.30E-07	8.36E-06	1.52E-06	1.08E-06	7.77E-07	8.41E-05	1.42E-04	0.00E+00
TEEN	9.75E-07	9.35E-06	2.13E-06	1.42E-06	1.04E-06	1.04E-04	2.09E-04	0.00E+00
CHILD	1.11E-06	1.85E-05	2.88E-06	1.29E-06	9.57E-07	1.16E-04	1.70E-04	0.00E+00
INFANT	6.23E-07	1.49E-05	1.93E-06	8.81E-07	5.79E-07	1.06E-04	1.12E-04	0.00E+00

TABLE 5. DOSES TO MAXIMUM INDIVIDUAL (MREM), OCTOBER-DECEMBER 2007 (CONTINUED)

SPECIAL LOCATION NO. 2 A Site Boundary
 AT .67 MILES N

ANNUAL BETA AIR DOSE = 4.78E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 7.37E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	4.95E-05	4.95E-05	4.95E-05	4.95E-05	4.95E-05	4.95E-05	4.99E-05	9.94E-05
GROUND	2.83E-03	2.83E-03	2.83E-03	2.83E-03	2.83E-03	2.83E-03	2.83E-03	3.33E-03
VEGET								
ADULT	6.70E-05	4.57E-04	3.55E-04	5.56E-05	2.66E-05	1.74E-03	5.35E-08	0.00E+00
TEEN	1.05E-04	4.94E-04	5.85E-04	8.46E-05	3.94E-05	2.35E-03	9.50E-08	0.00E+00
CHILD	2.17E-04	3.31E-04	1.42E-03	1.29E-04	5.96E-05	4.50E-03	1.45E-07	0.00E+00
MEAT								
ADULT	1.69E-05	1.05E-04	7.17E-06	1.72E-05	8.14E-06	4.70E-05	3.92E-09	0.00E+00
TEEN	1.34E-05	5.65E-05	5.53E-06	1.32E-05	6.00E-06	3.41E-05	3.71E-09	0.00E+00
CHILD	2.07E-05	2.84E-05	9.42E-06	1.54E-05	6.82E-06	5.14E-05	4.36E-09	0.00E+00
COW MILK								
ADULT	2.59E-05	5.37E-05	3.33E-05	5.08E-05	3.72E-05	1.30E-03	8.06E-08	0.00E+00
TEEN	4.46E-05	6.24E-05	5.68E-05	8.55E-05	6.09E-05	2.06E-03	1.51E-07	0.00E+00
CHILD	8.91E-05	4.08E-05	1.29E-04	1.31E-04	9.26E-05	4.06E-03	2.78E-07	0.00E+00
INFANT	1.23E-04	1.85E-04	2.23E-04	2.36E-04	1.32E-04	9.87E-03	4.91E-07	0.00E+00
GOATMILK								
ADULT	7.02E-06	1.26E-05	3.93E-05	1.12E-05	1.21E-05	1.56E-03	1.05E-07	0.00E+00
TEEN	1.16E-05	1.59E-05	7.17E-05	1.94E-05	2.10E-05	2.47E-03	2.15E-07	0.00E+00
CHILD	2.27E-05	1.17E-05	1.75E-04	3.16E-05	3.38E-05	4.87E-03	3.35E-07	0.00E+00
INFANT	3.72E-05	2.90E-05	3.31E-04	6.59E-05	5.51E-05	1.18E-02	6.05E-07	0.00E+00
INHAL								
ADULT	1.09E-06	1.25E-05	2.27E-06	1.61E-06	1.15E-06	1.24E-04	2.14E-04	0.00E+00
TEEN	1.46E-06	1.40E-05	3.19E-06	2.12E-06	1.54E-06	1.53E-04	3.14E-04	0.00E+00
CHILD	1.65E-06	2.78E-05	4.32E-06	1.92E-06	1.42E-06	1.71E-04	2.56E-04	0.00E+00
INFANT	9.30E-07	2.24E-05	2.89E-06	1.31E-06	8.57E-07	1.56E-04	1.68E-04	0.00E+00

F-30

TABLE 5. DOSES TO MAXIMUM INDIVIDUAL (MREM), OCTOBER-DECEMBER 2007 (CONTINUED)

SPECIAL LOCATION NO. 3 A Nearest Resident
 AT .90 MILES NW

ANNUAL BETA AIR DOSE = 1.15E-04 MILLRADS
 ANNUAL GAMMA AIR DOSE = 1.77E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.19E-04	1.19E-04	1.19E-04	1.19E-04	1.19E-04	1.19E-04	1.20E-04	2.39E-04
GROUND	4.35E-04	4.35E-04	4.35E-04	4.35E-04	4.35E-04	4.35E-04	4.35E-04	5.12E-04
VEGET								
ADULT	1.09E-05	7.28E-05	6.75E-05	8.93E-06	4.43E-06	3.17E-04	3.46E-08	0.00E+00
TEEN	1.70E-05	7.90E-05	1.11E-04	1.36E-05	6.58E-06	4.28E-04	6.40E-08	0.00E+00
CHILD	3.50E-05	5.33E-05	2.68E-04	2.09E-05	1.00E-05	8.21E-04	9.74E-08	0.00E+00
MEAT								
ADULT	2.62E-06	1.62E-05	1.26E-06	2.67E-06	1.26E-06	8.56E-06	2.74E-09	0.00E+00
TEEN	2.07E-06	8.72E-06	9.77E-07	2.06E-06	9.33E-07	6.20E-06	2.60E-09	0.00E+00
CHILD	3.20E-06	4.39E-06	1.68E-06	2.40E-06	1.06E-06	9.36E-06	3.05E-09	0.00E+00
COW MILK								
ADULT	4.17E-06	8.40E-06	5.90E-06	8.08E-06	5.98E-06	2.37E-04	3.04E-08	0.00E+00
TEEN	7.09E-06	9.79E-06	1.01E-05	1.36E-05	9.82E-06	3.75E-04	6.06E-08	0.00E+00
CHILD	1.40E-05	6.43E-06	2.32E-05	2.09E-05	1.50E-05	7.41E-04	1.00E-07	0.00E+00
INFANT	1.95E-05	2.87E-05	4.02E-05	3.81E-05	2.15E-05	1.80E-03	1.79E-07	0.00E+00
GOATMILK								
ADULT	1.50E-06	2.15E-06	7.69E-06	2.35E-06	2.26E-06	2.85E-04	7.02E-08	0.00E+00
TEEN	2.27E-06	2.73E-06	1.39E-05	4.07E-06	3.93E-06	4.50E-04	1.45E-07	0.00E+00
CHILD	4.09E-06	2.02E-06	3.40E-05	6.75E-06	6.38E-06	8.90E-04	2.23E-07	0.00E+00
INFANT	6.63E-06	4.69E-06	6.33E-05	1.40E-05	1.05E-05	2.16E-03	4.04E-07	0.00E+00
INHAL								
ADULT	1.27E-07	1.50E-06	2.78E-07	1.88E-07	1.40E-07	1.52E-05	2.42E-05	0.00E+00
TEEN	1.70E-07	1.73E-06	3.90E-07	2.49E-07	1.87E-07	1.88E-05	3.56E-05	0.00E+00
CHILD	1.92E-07	3.74E-06	5.27E-07	2.27E-07	1.73E-07	2.11E-05	2.90E-05	0.00E+00
INFANT	1.09E-07	3.03E-06	3.52E-07	1.57E-07	1.05E-07	1.93E-05	1.91E-05	0.00E+00

TABLE 5. DOSES TO MAXIMUM INDIVIDUAL (MREM), OCTOBER-DECEMBER 2007 (CONTINUED)

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 6.67E-05 MILLRADS
ANNUAL GAMMA AIR DOSE = 9.38E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	6.31E-05	6.31E-05	6.31E-05	6.31E-05	6.31E-05	6.31E-05	6.37E-05	1.31E-04
GROUND	3.02E-05	3.02E-05	3.02E-05	3.02E-05	3.02E-05	3.02E-05	3.02E-05	3.55E-05
VEGET								
ADULT	8.10E-07	5.28E-06	5.89E-06	6.55E-07	3.38E-07	2.66E-05	4.88E-09	0.00E+00
TEEN	1.25E-06	5.75E-06	9.60E-06	9.99E-07	5.04E-07	3.58E-05	9.09E-09	0.00E+00
CHILD	2.58E-06	3.91E-06	2.31E-05	1.54E-06	7.72E-07	6.86E-05	1.38E-08	0.00E+00
MEAT								
ADULT	1.83E-07	1.13E-06	1.02E-07	1.87E-07	8.89E-08	7.16E-07	3.92E-10	0.00E+00
TEEN	1.44E-07	6.07E-07	7.95E-08	1.44E-07	6.57E-08	5.19E-07	3.71E-10	0.00E+00
CHILD	2.23E-07	3.06E-07	1.38E-07	1.68E-07	7.50E-08	7.83E-07	4.36E-10	0.00E+00
COW MILK								
ADULT	3.06E-07	5.95E-07	4.82E-07	5.86E-07	4.37E-07	1.99E-05	3.78E-09	0.00E+00
TEEN	5.13E-07	6.96E-07	8.32E-07	9.90E-07	7.22E-07	3.14E-05	7.67E-09	0.00E+00
CHILD	1.00E-06	4.60E-07	1.92E-06	1.53E-06	1.11E-06	6.21E-05	1.22E-08	0.00E+00
INFANT	1.40E-06	2.00E-06	3.34E-06	2.81E-06	1.61E-06	1.51E-04	2.20E-08	0.00E+00
GOATMILK								
ADULT	1.44E-07	1.69E-07	6.87E-07	2.20E-07	1.94E-07	2.38E-05	9.96E-09	0.00E+00
TEEN	2.02E-07	2.16E-07	1.24E-06	3.84E-07	3.39E-07	3.77E-05	2.06E-08	0.00E+00
CHILD	3.39E-07	1.61E-07	3.02E-06	6.45E-07	5.52E-07	7.45E-05	3.17E-08	0.00E+00
INFANT	5.44E-07	3.47E-07	5.54E-06	1.34E-06	9.11E-07	1.81E-04	5.73E-08	0.00E+00
INHAL								
ADULT	2.71E-08	3.57E-07	7.30E-08	4.06E-08	3.35E-08	3.87E-06	4.72E-06	0.00E+00
TEEN	3.58E-08	4.23E-07	1.01E-07	5.40E-08	4.50E-08	4.80E-06	6.97E-06	0.00E+00
CHILD	4.02E-08	8.53E-07	1.36E-07	4.96E-08	4.17E-08	5.43E-06	5.69E-06	0.00E+00
INFANT	2.33E-08	6.81E-07	8.99E-08	3.58E-08	2.58E-08	4.97E-06	3.80E-06	0.00E+00

TABLE 5. DOSES TO MAXIMUM INDIVIDUAL (MREM), OCTOBER-DECEMBER 2007 (CONTINUED)

SPECIAL LOCATION NO. 5 A Nearest Garden
 AT 2.50 MILES N

ANNUAL BETA AIR DOSE = 2.89E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 4.13E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	2.78E-05	2.78E-05	2.78E-05	2.78E-05	2.78E-05	2.78E-05	2.81E-05	5.70E-05
GROUND	1.18E-04	1.18E-04	1.18E-04	1.18E-04	1.18E-04	1.18E-04	1.18E-04	1.39E-04
VEGET								
ADULT	2.98E-06	1.99E-05	1.89E-05	2.44E-06	1.22E-06	8.82E-05	1.05E-08	0.00E+00
TEEN	4.65E-06	2.16E-05	3.09E-05	3.72E-06	1.81E-06	1.19E-04	1.95E-08	0.00E+00
CHILD	9.58E-06	1.46E-05	7.47E-05	5.71E-06	2.75E-06	2.28E-04	2.96E-08	0.00E+00
MEAT								
ADULT	7.11E-07	4.41E-06	3.49E-07	7.25E-07	3.44E-07	2.38E-06	8.36E-10	0.00E+00
TEEN	5.62E-07	2.37E-06	2.70E-07	5.59E-07	2.54E-07	1.72E-06	7.92E-10	0.00E+00
CHILD	8.69E-07	1.19E-06	4.66E-07	6.51E-07	2.89E-07	2.60E-06	9.30E-10	0.00E+00
COW MILK								
ADULT	1.14E-06	2.29E-06	1.63E-06	2.21E-06	1.63E-06	6.59E-05	9.04E-09	0.00E+00
TEEN	1.93E-06	2.67E-06	2.81E-06	3.72E-06	2.68E-06	1.04E-04	1.80E-08	0.00E+00
CHILD	3.83E-06	1.75E-06	6.43E-06	5.72E-06	4.10E-06	2.06E-04	2.96E-08	0.00E+00
INFANT	5.31E-06	7.79E-06	1.12E-05	1.04E-05	5.90E-06	5.00E-04	5.31E-08	0.00E+00
GOATMILK								
ADULT	4.26E-07	5.93E-07	2.16E-06	6.63E-07	6.31E-07	7.91E-05	2.14E-08	0.00E+00
TEEN	6.36E-07	7.54E-07	3.91E-06	1.15E-06	1.10E-06	1.25E-04	4.41E-08	0.00E+00
CHILD	1.13E-06	5.58E-07	9.53E-06	1.91E-06	1.78E-06	2.47E-04	6.80E-08	0.00E+00
INFANT	1.84E-06	1.28E-06	1.77E-05	3.98E-06	2.92E-06	6.01E-04	1.23E-07	0.00E+00
INHAL								
ADULT	6.62E-08	7.81E-07	1.46E-07	9.80E-08	7.37E-08	8.22E-06	1.26E-05	0.00E+00
TEEN	8.82E-08	8.91E-07	2.05E-07	1.30E-07	9.86E-08	1.02E-05	1.85E-05	0.00E+00
CHILD	9.98E-08	1.82E-06	2.77E-07	1.18E-07	9.11E-08	1.14E-05	1.51E-05	0.00E+00
INFANT	5.66E-08	1.46E-06	1.85E-07	8.18E-08	5.55E-08	1.04E-05	9.92E-06	0.00E+00

TABLE 6. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-DECEMBER 2007

SPECIAL LOCATION NO. 1 A Site Boundary
 AT .67 MILES N

ANNUAL BETA AIR DOSE = 1.55E-04 MILLRADS
 ANNUAL GAMMA AIR DOSE = 2.43E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.63E-04	1.63E-04	1.63E-04	1.63E-04	1.63E-04	1.63E-04	1.64E-04	3.25E-04
GROUND	7.96E-03	7.96E-03	7.96E-03	7.96E-03	7.96E-03	7.96E-03	7.96E-03	9.37E-03
VEGET								
ADULT	1.53E-04	1.16E-03	5.00E-04	1.04E-04	4.04E-05	3.95E-03	1.12E-07	0.00E+00
TEEN	2.40E-04	1.24E-03	8.25E-04	1.59E-04	6.03E-05	5.33E-03	2.06E-07	0.00E+00
CHILD	4.89E-04	8.23E-04	2.00E-03	2.45E-04	9.27E-05	1.02E-02	3.14E-07	0.00E+00
MEAT								
ADULT	3.78E-05	2.82E-04	8.74E-06	2.69E-05	8.49E-06	1.07E-04	8.76E-09	0.00E+00
TEEN	2.99E-05	1.52E-04	6.83E-06	2.08E-05	6.28E-06	7.72E-05	8.29E-09	0.00E+00
CHILD	4.64E-05	7.65E-05	1.19E-05	2.44E-05	7.18E-06	1.16E-04	9.74E-09	0.00E+00
COW MILK								
ADULT	3.37E-05	9.49E-05	4.36E-05	5.83E-05	4.61E-05	2.95E-03	1.14E-07	0.00E+00
TEEN	5.78E-05	1.11E-04	7.57E-05	9.87E-05	7.67E-05	4.67E-03	2.23E-07	0.00E+00
CHILD	1.15E-04	7.35E-05	1.75E-04	1.53E-04	1.19E-04	9.23E-03	3.80E-07	0.00E+00
INFANT	1.67E-04	2.14E-04	3.12E-04	2.88E-04	1.77E-04	2.24E-02	6.79E-07	0.00E+00
GOATMILK								
ADULT	1.21E-05	2.11E-05	5.80E-05	1.87E-05	2.29E-05	3.54E-03	2.26E-07	0.00E+00
TEEN	1.97E-05	2.65E-05	1.06E-04	3.25E-05	4.02E-05	5.60E-03	4.66E-07	0.00E+00
CHILD	3.75E-05	1.94E-05	2.59E-04	5.44E-05	6.58E-05	1.11E-02	7.20E-07	0.00E+00
INFANT	6.43E-05	3.63E-05	4.92E-04	1.20E-04	1.11E-04	2.69E-02	1.30E-06	0.00E+00
INHAL								
ADULT	1.83E-06	2.44E-05	2.62E-06	2.46E-06	1.76E-06	2.34E-04	4.58E-04	0.00E+00
TEEN	2.45E-06	2.41E-05	3.69E-06	3.27E-06	2.37E-06	2.89E-04	6.71E-04	0.00E+00
CHILD	2.76E-06	2.35E-05	5.02E-06	2.96E-06	2.20E-06	3.27E-04	5.45E-04	0.00E+00
INFANT	1.56E-06	1.63E-05	3.42E-06	2.12E-06	1.38E-06	2.99E-04	3.52E-04	0.00E+00

TABLE 6. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-DECEMBER 2007 (CONTINUED)

SPECIAL LOCATION NO. 2 A Site Boundary
AT .60 MILES NNE

ANNUAL BETA AIR DOSE = 3.38E-05 MILLRADS
ANNUAL GAMMA AIR DOSE = 5.30E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	3.55E-05	3.55E-05	3.55E-05	3.55E-05	3.55E-05	3.55E-05	3.59E-05	7.09E-05
GROUND	6.21E-03	6.21E-03	6.21E-03	6.21E-03	6.21E-03	6.21E-03	6.21E-03	7.31E-03
VEGET								
ADULT	1.18E-04	8.97E-04	3.65E-04	8.06E-05	3.07E-05	2.96E-03	3.79E-08	0.00E+00
TEEN	1.85E-04	9.63E-04	6.03E-04	1.23E-04	4.58E-05	3.99E-03	6.70E-08	0.00E+00
CHILD	3.78E-04	6.37E-04	1.47E-03	1.89E-04	7.03E-05	7.64E-03	1.02E-07	0.00E+00
MEAT								
ADULT	2.94E-05	2.20E-04	6.51E-06	2.09E-05	6.60E-06	7.98E-05	2.75E-09	0.00E+00
TEEN	2.33E-05	1.18E-04	5.08E-06	1.62E-05	4.88E-06	5.78E-05	2.60E-09	0.00E+00
CHILD	3.62E-05	5.97E-05	8.81E-06	1.90E-05	5.58E-06	8.72E-05	3.05E-09	0.00E+00
COW MILK								
ADULT	2.59E-05	7.38E-05	3.25E-05	4.49E-05	3.54E-05	2.21E-03	6.02E-08	0.00E+00
TEEN	4.46E-05	8.64E-05	5.63E-05	7.60E-05	5.88E-05	3.49E-03	1.13E-07	0.00E+00
CHILD	8.89E-05	5.71E-05	1.30E-04	1.18E-04	9.10E-05	6.91E-03	2.08E-07	0.00E+00
INFANT	1.29E-04	1.67E-04	2.32E-04	2.21E-04	1.35E-04	1.68E-02	3.68E-07	0.00E+00
GOATMILK								
ADULT	8.61E-06	1.60E-05	4.20E-05	1.33E-05	1.70E-05	2.65E-03	7.38E-08	0.00E+00
TEEN	1.44E-05	2.01E-05	7.68E-05	2.32E-05	2.98E-05	4.19E-03	1.51E-07	0.00E+00
CHILD	2.80E-05	1.47E-05	1.88E-04	3.86E-05	4.87E-05	8.29E-03	2.36E-07	0.00E+00
INFANT	4.81E-05	2.79E-05	3.59E-04	8.54E-05	8.19E-05	2.01E-02	4.27E-07	0.00E+00
INHAL								
ADULT	1.34E-06	1.85E-05	1.90E-06	1.79E-06	1.28E-06	1.67E-04	3.36E-04	0.00E+00
TEEN	1.78E-06	2.32E-05	2.68E-06	2.38E-06	1.72E-06	2.07E-04	4.94E-04	0.00E+00
CHILD	2.02E-06	6.86E-05	3.64E-06	2.16E-06	1.60E-06	2.34E-04	4.01E-04	0.00E+00
INFANT	1.14E-06	5.73E-05	2.48E-06	1.54E-06	1.00E-06	2.14E-04	2.62E-04	0.00E+00

TABLE 6. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-DECEMBER 2007 (CONTINUED)

SPECIAL LOCATION NO. 3 A Nearest Resident
 AT .90 MILES NW

ANNUAL BETA AIR DOSE = 2.81E-04 MILLRADS
 ANNUAL GAMMA AIR DOSE = 4.41E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	2.96E-04	2.96E-04	2.96E-04	2.96E-04	2.96E-04	2.96E-04	2.99E-04	5.91E-04
GROUND	1.84E-03	1.84E-03	1.84E-03	1.84E-03	1.84E-03	1.84E-03	1.84E-03	2.16E-03
VEGET								
ADULT	3.67E-05	2.72E-04	1.43E-04	2.51E-05	1.04E-05	1.09E-03	7.85E-08	0.00E+00
TEEN	5.73E-05	2.93E-04	2.35E-04	3.83E-05	1.56E-05	1.47E-03	1.46E-07	0.00E+00
CHILD	1.17E-04	1.95E-04	5.67E-04	5.92E-05	2.41E-05	2.82E-03	2.22E-07	0.00E+00
MEAT								
ADULT	8.76E-06	6.52E-05	2.35E-06	6.26E-06	2.00E-06	2.94E-05	6.28E-09	0.00E+00
TEEN	6.93E-06	3.51E-05	1.85E-06	4.84E-06	1.48E-06	2.13E-05	5.94E-09	0.00E+00
CHILD	1.07E-05	1.77E-05	3.24E-06	5.69E-06	1.70E-06	3.22E-05	6.98E-09	0.00E+00
COW MILK								
ADULT	8.27E-06	2.23E-05	1.18E-05	1.42E-05	1.15E-05	8.17E-04	6.38E-08	0.00E+00
TEEN	1.40E-05	2.62E-05	2.06E-05	2.41E-05	1.92E-05	1.29E-03	1.28E-07	0.00E+00
CHILD	2.75E-05	1.74E-05	4.80E-05	3.76E-05	2.99E-05	2.55E-03	2.08E-07	0.00E+00
INFANT	4.05E-05	4.99E-05	8.59E-05	7.15E-05	4.51E-05	6.21E-03	3.73E-07	0.00E+00
GOATMILK								
ADULT	3.78E-06	5.38E-06	1.70E-05	5.76E-06	6.48E-06	9.80E-04	1.60E-07	0.00E+00
TEEN	5.73E-06	6.82E-06	3.08E-05	1.01E-05	1.14E-05	1.55E-03	3.30E-07	0.00E+00
CHILD	1.03E-05	5.03E-06	7.52E-05	1.70E-05	1.87E-05	3.07E-03	5.08E-07	0.00E+00
INFANT	1.74E-05	8.94E-06	1.41E-04	3.72E-05	3.16E-05	7.45E-03	9.19E-07	0.00E+00
INHAL								
ADULT	3.02E-07	4.25E-06	4.68E-07	4.13E-07	3.12E-07	4.04E-05	7.26E-05	0.00E+00
TEEN	4.02E-07	5.52E-06	6.57E-07	5.49E-07	4.23E-07	5.02E-05	1.07E-04	0.00E+00
CHILD	4.55E-07	1.71E-05	8.90E-07	5.02E-07	3.92E-07	5.69E-05	8.67E-05	0.00E+00
INFANT	2.60E-07	1.43E-05	6.06E-07	3.65E-07	2.48E-07	5.21E-05	5.67E-05	0.00E+00

TABLE 6. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-DECEMBER 2007 (CONTINUED)

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 1.83E-04 MILLRADS
ANNUAL GAMMA AIR DOSE = 2.87E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.92E-04	1.92E-04	1.92E-04	1.92E-04	1.92E-04	1.92E-04	1.94E-04	3.84E-04
GROUND	8.77E-05	8.77E-05	8.77E-05	8.77E-05	8.77E-05	8.77E-05	8.77E-05	1.03E-04
VEGET								
ADULT	1.85E-06	1.34E-05	8.84E-06	1.27E-06	5.73E-07	6.43E-05	7.62E-09	0.00E+00
TEEN	2.87E-06	1.44E-05	1.44E-05	1.94E-06	8.60E-07	8.66E-05	1.42E-08	0.00E+00
CHILD	5.84E-06	9.67E-06	3.47E-05	3.01E-06	1.34E-06	1.66E-04	2.16E-08	0.00E+00
MEAT								
ADULT	4.21E-07	3.12E-06	1.37E-07	3.02E-07	9.78E-08	1.73E-06	6.15E-10	0.00E+00
TEEN	3.32E-07	1.68E-06	1.08E-07	2.34E-07	7.27E-08	1.25E-06	5.82E-10	0.00E+00
CHILD	5.14E-07	8.47E-07	1.91E-07	2.75E-07	8.36E-08	1.89E-06	6.83E-10	0.00E+00
COW MILK								
ADULT	4.28E-07	1.09E-06	6.91E-07	7.28E-07	6.03E-07	4.81E-05	5.66E-09	0.00E+00
TEEN	7.12E-07	1.28E-06	1.21E-06	1.24E-06	1.02E-06	7.61E-05	1.15E-08	0.00E+00
CHILD	1.38E-06	8.54E-07	2.84E-06	1.95E-06	1.59E-06	1.51E-04	1.82E-08	0.00E+00
INFANT	2.05E-06	2.40E-06	5.09E-06	3.76E-06	2.44E-06	3.66E-04	3.28E-08	0.00E+00
GOATMILK								
ADULT	2.51E-07	2.93E-07	1.07E-06	3.80E-07	3.92E-07	5.77E-05	1.56E-08	0.00E+00
TEEN	3.58E-07	3.74E-07	1.94E-06	6.66E-07	6.91E-07	9.14E-05	3.22E-08	0.00E+00
CHILD	6.02E-07	2.80E-07	4.71E-06	1.13E-06	1.14E-06	1.81E-04	4.95E-08	0.00E+00
INFANT	1.01E-06	4.66E-07	8.70E-06	2.45E-06	1.92E-06	4.39E-04	8.96E-08	0.00E+00
INHAL								
ADULT	4.27E-08	6.23E-07	8.46E-08	6.18E-08	5.43E-08	6.84E-06	8.71E-06	0.00E+00
TEEN	5.65E-08	8.16E-07	1.18E-07	8.29E-08	7.41E-08	8.54E-06	1.28E-05	0.00E+00
CHILD	6.38E-08	2.28E-06	1.58E-07	7.69E-08	6.90E-08	9.75E-06	1.04E-05	0.00E+00
INFANT	3.79E-08	1.89E-06	1.07E-07	5.95E-08	4.42E-08	8.93E-06	6.91E-06	0.00E+00

TABLE 6. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-DECEMBER 2007 (CONTINUED)

SPECIAL LOCATION NO. 5 A Nearest Garden
 AT 2.50 MILES N

ANNUAL BETA AIR DOSE = 9.99E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 1.57E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.05E-04	1.05E-04	1.05E-04	1.05E-04	1.05E-04	1.05E-04	1.06E-04	2.10E-04
GROUND	3.33E-04	3.33E-04	3.33E-04	3.33E-04	3.33E-04	3.33E-04	3.33E-04	3.92E-04
VEGET								
ADULT	6.65E-06	4.93E-05	2.60E-05	4.55E-06	1.89E-06	1.98E-04	1.44E-08	0.00E+00
TEEN	1.04E-05	5.31E-05	4.26E-05	6.94E-06	2.83E-06	2.67E-04	2.67E-08	0.00E+00
CHILD	2.11E-05	3.53E-05	1.03E-04	1.07E-05	4.37E-06	5.12E-04	4.07E-08	0.00E+00
MEAT								
ADULT	1.59E-06	1.18E-05	4.27E-07	1.13E-06	3.62E-07	5.34E-06	1.15E-09	0.00E+00
TEEN	1.25E-06	6.35E-06	3.35E-07	8.76E-07	2.68E-07	3.87E-06	1.09E-09	0.00E+00
CHILD	1.94E-06	3.20E-06	5.88E-07	1.03E-06	3.07E-07	5.84E-06	1.28E-09	0.00E+00
COW MILK								
ADULT	1.50E-06	4.03E-06	2.15E-06	2.57E-06	2.08E-06	1.48E-04	1.17E-08	0.00E+00
TEEN	2.53E-06	4.74E-06	3.74E-06	4.37E-06	3.48E-06	2.34E-04	2.35E-08	0.00E+00
CHILD	4.99E-06	3.14E-06	8.71E-06	6.81E-06	5.42E-06	4.64E-04	3.80E-08	0.00E+00
INFANT	7.33E-06	9.02E-06	1.56E-05	1.30E-05	8.18E-06	1.13E-03	6.83E-08	0.00E+00
GOATMILK								
ADULT	6.87E-07	9.75E-07	3.09E-06	1.05E-06	1.18E-06	1.78E-04	2.93E-08	0.00E+00
TEEN	1.04E-06	1.24E-06	5.60E-06	1.83E-06	2.07E-06	2.81E-04	6.05E-08	0.00E+00
CHILD	1.86E-06	9.13E-07	1.37E-05	3.10E-06	3.40E-06	5.56E-04	9.32E-08	0.00E+00
INFANT	3.16E-06	1.62E-06	2.56E-05	6.76E-06	5.73E-06	1.35E-03	1.69E-07	0.00E+00
INHAL								
ADULT	1.11E-07	1.55E-06	1.71E-07	1.52E-07	1.16E-07	1.51E-05	2.66E-05	0.00E+00
TEEN	1.48E-07	2.01E-06	2.40E-07	2.02E-07	1.57E-07	1.87E-05	3.91E-05	0.00E+00
CHILD	1.67E-07	6.22E-06	3.26E-07	1.85E-07	1.45E-07	2.12E-05	3.18E-05	0.00E+00
INFANT	9.56E-08	5.21E-06	2.22E-07	1.35E-07	9.18E-08	1.94E-05	2.08E-05	0.00E+00

TABLE 7. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-DECEMBER 2007

SPECIAL LOCATION NO. 1 A Site Boundary
 AT .67 MILES N

ANNUAL BETA AIR DOSE = 4.03E-04 MILLRADS
 ANNUAL GAMMA AIR DOSE = 6.22E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	4.17E-04	4.17E-04	4.17E-04	4.17E-04	4.17E-04	4.17E-04	4.22E-04	8.39E-04
GROUND	1.11E-02	1.11E-02	1.11E-02	1.11E-02	1.11E-02	1.11E-02	1.11E-02	1.31E-02
VEGET								
ADULT	2.39E-04	1.63E-03	2.12E-03	1.42E-04	5.97E-05	7.58E-03	1.76E-07	0.00E+00
TEEN	3.68E-04	1.76E-03	3.07E-03	2.16E-04	8.98E-05	1.02E-02	3.09E-07	0.00E+00
CHILD	7.48E-04	1.17E-03	6.66E-03	3.35E-04	1.40E-04	1.96E-02	4.70E-07	0.00E+00
MEAT								
ADULT	5.00E-05	3.89E-04	2.74E-05	3.11E-05	7.77E-06	2.04E-04	1.25E-08	0.00E+00
TEEN	3.96E-05	2.09E-04	1.99E-05	2.41E-05	5.80E-06	1.48E-04	1.18E-08	0.00E+00
CHILD	6.15E-05	1.06E-04	3.29E-05	2.84E-05	6.69E-06	2.23E-04	1.39E-08	0.00E+00
COW MILK								
ADULT	3.97E-05	1.19E-04	1.20E-04	6.11E-05	5.58E-05	5.67E-03	3.08E-07	0.00E+00
TEEN	6.74E-05	1.40E-04	1.94E-04	1.04E-04	9.50E-05	8.98E-03	5.72E-07	0.00E+00
CHILD	1.33E-04	9.43E-05	4.28E-04	1.65E-04	1.51E-04	1.78E-02	1.07E-06	0.00E+00
INFANT	2.03E-04	2.09E-04	6.30E-04	3.29E-04	2.37E-04	4.31E-02	1.89E-06	0.00E+00
GOATMILK								
ADULT	2.15E-05	3.11E-05	2.18E-04	2.89E-05	3.99E-05	6.81E-03	3.40E-07	0.00E+00
TEEN	3.44E-05	3.98E-05	3.52E-04	5.08E-05	7.07E-05	1.08E-02	6.96E-07	0.00E+00
CHILD	6.55E-05	2.97E-05	7.79E-04	8.64E-05	1.17E-04	2.13E-02	1.09E-06	0.00E+00
INFANT	1.10E-04	4.36E-05	1.13E-03	1.98E-04	2.00E-04	5.18E-02	1.97E-06	0.00E+00
INHAL								
ADULT	3.04E-06	3.55E-05	1.50E-05	3.89E-06	3.25E-06	4.08E-04	6.05E-04	0.00E+00
TEEN	4.01E-06	4.91E-05	1.82E-05	5.20E-06	4.42E-06	5.08E-04	8.89E-04	0.00E+00
CHILD	4.55E-06	1.53E-04	2.21E-05	4.87E-06	4.20E-06	5.79E-04	7.23E-04	0.00E+00
INFANT	2.63E-06	1.26E-04	1.08E-05	3.65E-06	2.70E-06	5.29E-04	4.72E-04	0.00E+00

TABLE 7. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-DECEMBER 2007 (CONTINUED)

SPECIAL LOCATION NO. 2 A Site Boundary
 AT .60 MILES NNE

ANNUAL BETA AIR DOSE = 1.01E-04 MILLRADS
 ANNUAL GAMMA AIR DOSE = 1.55E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.04E-04	1.04E-04	1.04E-04	1.04E-04	1.04E-04	1.04E-04	1.05E-04	2.10E-04
GROUND	9.49E-03	9.49E-03	9.49E-03	9.49E-03	9.49E-03	9.49E-03	9.49E-03	1.12E-02
VEGET								
ADULT	2.02E-04	1.38E-03	1.76E-03	1.19E-04	4.75E-05	5.85E-03	6.73E-08	0.00E+00
TEEN	3.10E-04	1.49E-03	2.54E-03	1.81E-04	7.14E-05	7.89E-03	1.07E-07	0.00E+00
CHILD	6.31E-04	9.89E-04	5.49E-03	2.80E-04	1.11E-04	1.51E-02	1.64E-07	0.00E+00
MEAT								
ADULT	4.27E-05	3.32E-04	2.28E-05	2.65E-05	6.53E-06	1.58E-04	3.92E-09	0.00E+00
TEEN	3.38E-05	1.79E-04	1.65E-05	2.05E-05	4.87E-06	1.14E-04	3.71E-09	0.00E+00
CHILD	5.25E-05	9.02E-05	2.72E-05	2.42E-05	5.61E-06	1.72E-04	4.36E-09	0.00E+00
COW MILK								
ADULT	3.28E-05	1.01E-04	9.89E-05	5.03E-05	4.50E-05	4.38E-03	2.06E-07	0.00E+00
TEEN	5.58E-05	1.19E-04	1.59E-04	8.57E-05	7.64E-05	6.93E-03	3.71E-07	0.00E+00
CHILD	1.11E-04	7.97E-05	3.49E-04	1.35E-04	1.21E-04	1.37E-02	7.35E-07	0.00E+00
INFANT	1.68E-04	1.78E-04	5.08E-04	2.67E-04	1.89E-04	3.33E-02	1.29E-06	0.00E+00
GOATMILK								
ADULT	1.62E-05	2.54E-05	1.79E-04	2.14E-05	3.06E-05	5.25E-03	1.20E-07	0.00E+00
TEEN	2.66E-05	3.24E-05	2.88E-04	3.76E-05	5.41E-05	8.31E-03	2.41E-07	0.00E+00
CHILD	5.17E-05	2.41E-05	6.35E-04	6.38E-05	8.93E-05	1.64E-02	3.90E-07	0.00E+00
INFANT	8.68E-05	3.59E-05	9.07E-04	1.47E-04	1.53E-04	3.99E-02	7.01E-07	0.00E+00
INHAL								
ADULT	2.38E-06	2.81E-05	1.20E-05	3.02E-06	2.54E-06	3.28E-04	4.84E-04	0.00E+00
TEEN	3.14E-06	3.87E-05	1.45E-05	4.03E-06	3.45E-06	4.08E-04	7.10E-04	0.00E+00
CHILD	3.56E-06	1.19E-04	1.75E-05	3.77E-06	3.28E-06	4.65E-04	5.78E-04	0.00E+00
INFANT	2.05E-06	9.73E-05	8.57E-06	2.81E-06	2.11E-06	4.25E-04	3.77E-04	0.00E+00

TABLE 7. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-DECEMBER 2007 (CONTINUED)

SPECIAL LOCATION NO. 3 A Nearest Resident
 AT .90 MILES NW

ANNUAL BETA AIR DOSE = 7.65E-04 MILLRADS
 ANNUAL GAMMA AIR DOSE = 1.18E-03 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	7.93E-04	7.93E-04	7.93E-04	7.93E-04	7.93E-04	7.93E-04	8.01E-04	1.59E-03
GROUND	3.08E-03	3.08E-03	3.08E-03	3.08E-03	3.08E-03	3.08E-03	3.08E-03	3.62E-03
VEGET								
ADULT	6.89E-05	4.61E-04	6.34E-04	4.17E-05	1.98E-05	2.68E-03	1.26E-07	0.00E+00
TEEN	1.06E-04	4.97E-04	9.25E-04	6.36E-05	2.98E-05	3.61E-03	2.30E-07	0.00E+00
CHILD	2.15E-04	3.32E-04	2.03E-03	9.90E-05	4.67E-05	6.91E-03	3.50E-07	0.00E+00
MEAT								
ADULT	1.39E-05	1.08E-04	8.15E-06	8.71E-06	2.25E-06	7.21E-05	9.71E-09	0.00E+00
TEEN	1.10E-05	5.80E-05	5.97E-06	6.74E-06	1.68E-06	5.22E-05	9.19E-09	0.00E+00
CHILD	1.71E-05	2.93E-05	9.96E-06	7.96E-06	1.95E-06	7.88E-05	1.08E-08	0.00E+00
COW MILK								
ADULT	1.21E-05	3.37E-05	3.66E-05	1.87E-05	1.79E-05	2.00E-03	1.38E-07	0.00E+00
TEEN	2.03E-05	3.99E-05	5.98E-05	3.21E-05	3.07E-05	3.17E-03	2.67E-07	0.00E+00
CHILD	3.96E-05	2.69E-05	1.33E-04	5.13E-05	4.90E-05	6.27E-03	4.63E-07	0.00E+00
INFANT	6.13E-05	5.87E-05	2.02E-04	1.04E-04	7.84E-05	1.52E-02	8.25E-07	0.00E+00
GOATMILK								
ADULT	7.89E-06	9.73E-06	6.67E-05	1.10E-05	1.43E-05	2.41E-03	2.52E-07	0.00E+00
TEEN	1.21E-05	1.25E-05	1.09E-04	1.94E-05	2.54E-05	3.81E-03	5.19E-07	0.00E+00
CHILD	2.21E-05	9.45E-06	2.44E-04	3.32E-05	4.19E-05	7.53E-03	8.04E-07	0.00E+00
INFANT	3.74E-05	1.33E-05	3.64E-04	7.55E-05	7.18E-05	1.83E-02	1.45E-06	0.00E+00
INHAL								
ADULT	7.75E-07	7.87E-06	3.24E-06	1.10E-06	9.34E-07	9.26E-05	1.22E-04	0.00E+00
TEEN	1.03E-06	1.18E-05	3.96E-06	1.49E-06	1.28E-06	1.15E-04	1.80E-04	0.00E+00
CHILD	1.19E-06	4.22E-05	4.84E-06	1.41E-06	1.21E-06	1.32E-04	1.47E-04	0.00E+00
INFANT	7.28E-07	3.55E-05	2.49E-06	1.14E-06	7.82E-07	1.21E-04	9.63E-05	0.00E+00

TABLE 7. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-DECEMBER 2007 (CONTINUED)

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 4.43E-04 MILLRADS
ANNUAL GAMMA AIR DOSE = 6.84E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	4.59E-04	4.59E-04	4.59E-04	4.59E-04	4.59E-04	4.59E-04	4.64E-04	9.23E-04
GROUND	1.29E-04	1.29E-04	1.29E-04	1.29E-04	1.29E-04	1.29E-04	1.29E-04	1.52E-04
VEGET								
ADULT	3.09E-06	2.00E-05	3.00E-05	1.93E-06	1.07E-06	1.54E-04	1.08E-08	0.00E+00
TEEN	4.72E-06	2.17E-05	4.44E-05	2.94E-06	1.61E-06	2.08E-04	2.01E-08	0.00E+00
CHILD	9.59E-06	1.46E-05	9.84E-05	4.62E-06	2.54E-06	3.98E-04	3.05E-08	0.00E+00
MEAT								
ADULT	5.90E-07	4.54E-06	3.83E-07	3.73E-07	1.01E-07	4.15E-06	8.59E-10	0.00E+00
TEEN	4.65E-07	2.44E-06	2.84E-07	2.89E-07	7.66E-08	3.01E-06	8.13E-10	0.00E+00
CHILD	7.20E-07	1.23E-06	4.80E-07	3.42E-07	8.94E-08	4.54E-06	9.56E-10	0.00E+00
COW MILK								
ADULT	5.90E-07	1.47E-06	1.78E-06	9.16E-07	9.30E-07	1.16E-04	9.59E-09	0.00E+00
TEEN	9.72E-07	1.75E-06	2.95E-06	1.58E-06	1.61E-06	1.83E-04	1.91E-08	0.00E+00
CHILD	1.87E-06	1.19E-06	6.66E-06	2.56E-06	2.59E-06	3.62E-04	3.15E-08	0.00E+00
INFANT	2.94E-06	2.52E-06	1.05E-05	5.30E-06	4.21E-06	8.80E-04	5.65E-08	0.00E+00
GOATMILK								
ADULT	4.72E-07	4.89E-07	3.27E-06	6.80E-07	8.36E-07	1.39E-04	2.20E-08	0.00E+00
TEEN	6.97E-07	6.36E-07	5.42E-06	1.20E-06	1.48E-06	2.20E-04	4.53E-08	0.00E+00
CHILD	1.21E-06	4.85E-07	1.23E-05	2.07E-06	2.46E-06	4.34E-04	6.99E-08	0.00E+00
INFANT	2.07E-06	6.45E-07	1.90E-05	4.66E-06	4.21E-06	1.06E-03	1.26E-07	0.00E+00
INHAL								
ADULT	1.62E-07	1.13E-06	4.18E-07	2.79E-07	2.43E-07	1.48E-05	1.17E-05	0.00E+00
TEEN	2.19E-07	2.16E-06	5.33E-07	3.82E-07	3.34E-07	1.86E-05	1.74E-05	0.00E+00
CHILD	2.62E-07	1.02E-05	6.75E-07	3.71E-07	3.14E-07	2.15E-05	1.42E-05	0.00E+00
INFANT	1.77E-07	8.84E-06	4.05E-07	3.29E-07	2.05E-07	1.97E-05	9.70E-06	0.00E+00

TABLE 7. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-DECEMBER 2007 (CONTINUED)

SPECIAL LOCATION NO. 5 A Nearest Garden
AT 2.50 MILES N

ANNUAL BETA AIR DOSE = 1.03E-04 MILLRADS
ANNUAL GAMMA AIR DOSE = 1.47E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	9.92E-05	9.92E-05	9.92E-05	9.92E-05	9.92E-05	9.92E-05	1.00E-04	2.03E-04
GROUND	4.68E-04	4.68E-04	4.68E-04	4.68E-04	4.68E-04	4.68E-04	4.68E-04	5.51E-04
VEGET								
ADULT	1.05E-05	7.04E-05	9.72E-05	6.38E-06	3.06E-06	4.15E-04	2.03E-08	0.00E+00
TEEN	1.62E-05	7.59E-05	1.42E-04	9.74E-06	4.61E-06	5.60E-04	3.70E-08	0.00E+00
CHILD	3.28E-05	5.07E-05	3.11E-04	1.52E-05	7.23E-06	1.07E-03	5.64E-08	0.00E+00
MEAT								
ADULT	2.12E-06	1.64E-05	1.25E-06	1.33E-06	3.44E-07	1.12E-05	1.57E-09	0.00E+00
TEEN	1.68E-06	8.84E-06	9.17E-07	1.03E-06	2.58E-07	8.10E-06	1.49E-09	0.00E+00
CHILD	2.60E-06	4.46E-06	1.53E-06	1.21E-06	2.99E-07	1.22E-05	1.74E-09	0.00E+00
COW MILK								
ADULT	1.86E-06	5.14E-06	5.62E-06	2.87E-06	2.76E-06	3.11E-04	2.18E-08	0.00E+00
TEEN	3.12E-06	6.10E-06	9.20E-06	4.93E-06	4.73E-06	4.92E-04	4.22E-08	0.00E+00
CHILD	6.08E-06	4.12E-06	2.05E-05	7.89E-06	7.56E-06	9.74E-04	7.30E-08	0.00E+00
INFANT	9.41E-06	8.95E-06	3.12E-05	1.60E-05	1.21E-05	2.37E-03	1.30E-07	0.00E+00
GOATMILK								
ADULT	1.23E-06	1.50E-06	1.03E-05	1.72E-06	2.22E-06	3.73E-04	4.06E-08	0.00E+00
TEEN	1.88E-06	1.93E-06	1.68E-05	3.03E-06	3.94E-06	5.91E-04	8.37E-08	0.00E+00
CHILD	3.42E-06	1.46E-06	3.76E-05	5.19E-06	6.51E-06	1.17E-03	1.30E-07	0.00E+00
INFANT	5.79E-06	2.04E-06	5.62E-05	1.18E-05	1.12E-05	2.84E-03	2.34E-07	0.00E+00
INHAL								
ADULT	1.84E-07	2.19E-06	8.78E-07	2.45E-07	2.20E-07	2.70E-05	3.42E-05	0.00E+00
TEEN	2.43E-07	3.17E-06	1.07E-06	3.29E-07	3.00E-07	3.36E-05	5.03E-05	0.00E+00
CHILD	2.76E-07	1.04E-05	1.30E-06	3.10E-07	2.84E-07	3.84E-05	4.09E-05	0.00E+00
INFANT	1.62E-07	8.62E-06	6.53E-07	2.38E-07	1.83E-07	3.52E-05	2.68E-05	0.00E+00

TABLE 8. DOSES TO POPULATION WITHIN 50 MILES, JANUARY-MARCH 2007

ALARA ANNUAL INTEGRATED POPULATION DOSE SUMMARY (PERSON-REM)

PATHWAY	T:BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	: 3.29E-04 : : 91.82% :	: 3.29E-04 : : 89.90% :	: 3.29E-04 : : 90.22% :	: 3.29E-04 : : 91.88% :	: 3.29E-04 : : 91.84% :	: 3.29E-04 : : 46.03% :	: 3.34E-04 : : 91.35% :	: 7.59E-04 : : 95.95% :
GROUND	: 2.72E-05 : : 7.59% :	: 2.72E-05 : : 7.43% :	: 2.72E-05 : : 7.45% :	: 2.72E-05 : : 7.59% :	: 2.72E-05 : : 7.59% :	: 2.72E-05 : : 3.80% :	: 2.72E-05 : : 7.44% :	: 3.20E-05 : : 4.05% :
INHAL	: 1.15E-07 : : .03% :	: 2.07E-06 : : .57% :	: 1.90E-07 : : .05% :	: 2.20E-07 : : .06% :	: 2.70E-07 : : .08% :	: 2.65E-05 : : 3.70% :	: 4.40E-06 : : 1.20% :	: 0.00E+00 : : .00% :
VEGET	: 1.03E-06 : : .29% :	: 5.24E-06 : : 1.43% :	: 6.28E-06 : : 1.72% :	: 4.62E-07 : : .13% :	: 5.66E-08 : : .02% :	: 4.22E-06 : : .59% :	: 3.30E-09 : : .00% :	: 0.00E+00 : : .00% :
COW MILK	: 7.18E-07 : : .20% :	: 8.36E-07 : : .23% :	: 1.90E-06 : : .52% :	: 1.08E-06 : : .30% :	: 1.69E-06 : : .47% :	: 3.22E-04 : : 44.93% :	: 4.37E-09 : : .00% :	: 0.00E+00 : : .00% :
MEAT	: 2.52E-07 : : .07% :	: 1.63E-06 : : .44% :	: 1.27E-07 : : .03% :	: 1.25E-07 : : .03% :	: 3.75E-08 : : .01% :	: 6.80E-06 : : .95% :	: 2.60E-10 : : .00% :	: 0.00E+00 : : .00% :
TOTAL	: 3.59E-04 : : .00% :	: 3.66E-04 : : .00% :	: 3.65E-04 : : .00% :	: 3.59E-04 : : .00% :	: 3.59E-04 : : .00% :	: 7.16E-04 : : .00% :	: 3.66E-04 : : .00% :	: 7.91E-04 : : .00% :

TABLE 9. DOSES TO POPULATION WITHIN 50 MILES, APRIL-JUNE 2007

ALARA ANNUAL INTEGRATED POPULATION DOSE SUMMARY (PERSON-REM)

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.85E-05 10.97%	1.85E-05 9.41%	1.85E-05 6.47%	1.85E-05 11.27%	1.85E-05 11.40%	1.85E-05 2.95%	1.88E-05 10.54%	4.47E-05 21.19%
GROUND	1.41E-04 83.62%	1.41E-04 71.77%	1.41E-04 49.34%	1.41E-04 85.89%	1.41E-04 86.89%	1.41E-04 22.53%	1.41E-04 79.09%	1.66E-04 78.81%
INHAL	1.47E-07 .09%	1.89E-06 .96%	1.23E-06 .43%	1.90E-07 .12%	2.19E-07 .13%	3.10E-05 4.95%	1.85E-05 10.34%	0.00E+00 .00%
VEGET	6.28E-06 3.72%	2.46E-05 12.52%	1.11E-04 38.67%	2.24E-06 1.36%	2.35E-07 .14%	5.33E-06 .85%	1.84E-08 .01%	0.00E+00 .00%
COW MILK	1.59E-06 .94%	3.11E-06 1.58%	1.31E-05 4.57%	1.74E-06 1.06%	2.28E-06 1.40%	4.22E-04 67.31%	2.73E-08 .02%	0.00E+00 .00%
MEAT	1.13E-06 .67%	7.39E-06 3.76%	1.48E-06 .52%	5.09E-07 .31%	5.33E-08 .03%	8.80E-06 1.40%	1.43E-09 .00%	0.00E+00 .00%
TOTAL	1.69E-04	1.97E-04	2.86E-04	1.64E-04	1.63E-04	6.27E-04	1.79E-04	2.11E-04

TABLE 10. DOSES TO POPULATION WITHIN 50 MILES, JANUARY-JUNE 2007

ALARA ANNUAL INTEGRATED POPULATION DOSE SUMMARY (PERSON-REM)

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	: 3.54E-04 : : 67.16% :	: 3.54E-04 : : 62.92% :	: 3.54E-04 : : 54.41% :	: 3.54E-04 : : 67.76% :	: 3.54E-04 : : 67.98% :	: 3.54E-04 : : 26.36% :	: 3.59E-04 : : 66.08% :	: 8.17E-04 : : 81.09% :
GROUND	: 1.62E-04 : : 30.71% :	: 1.62E-04 : : 28.77% :	: 1.62E-04 : : 24.88% :	: 1.62E-04 : : 30.99% :	: 1.62E-04 : : 31.09% :	: 1.62E-04 : : 12.06% :	: 1.62E-04 : : 29.80% :	: 1.91E-04 : : 18.91% :
INHAL	: 2.63E-07 : : .05% :	: 3.95E-06 : : .70% :	: 1.38E-06 : : .21% :	: 4.15E-07 : : .08% :	: 4.95E-07 : : .10% :	: 5.75E-05 : : 4.28% :	: 2.23E-05 : : 4.10% :	: 0.00E+00 : : .00% :
VEGET	: 7.31E-06 : : 1.39% :	: 2.99E-05 : : 5.30% :	: 1.17E-04 : : 17.96% :	: 2.70E-06 : : .52% :	: 2.91E-07 : : .06% :	: 9.56E-06 : : .71% :	: 2.13E-08 : : .00% :	: 0.00E+00 : : .00% :
COW MILK	: 2.30E-06 : : .44% :	: 3.95E-06 : : .70% :	: 1.50E-05 : : 2.30% :	: 2.82E-06 : : .54% :	: 3.97E-06 : : .76% :	: 7.45E-04 : : 55.42% :	: 3.11E-08 : : .01% :	: 0.00E+00 : : .00% :
MEAT	: 1.38E-06 : : .26% :	: 9.02E-06 : : 1.60% :	: 1.61E-06 : : .25% :	: 6.34E-07 : : .12% :	: 9.08E-08 : : .02% :	: 1.56E-05 : : 1.16% :	: 1.66E-09 : : .00% :	: 0.00E+00 : : .00% :
TOTAL	: 5.27E-04 :	: 5.63E-04 :	: 6.51E-04 :	: 5.23E-04 :	: 5.21E-04 :	: 1.34E-03 :	: 5.43E-04 :	: 1.01E-03 :

TABLE 11. DOSES TO POPULATION WITHIN 50 MILES, JULY-SEPTEMBER 2007

ALARA ANNUAL INTEGRATED POPULATION DOSE SUMMARY (PERSON-REM)

PATHWAY	T. BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	: 5.97E-06 : : 3.25% :	: 5.97E-06 : : 2.77% :	: 5.97E-06 : : 3.26% :	: 5.97E-06 : : 3.31% :	: 5.97E-06 : : 3.35% :	: 5.97E-06 : : 1.37% :	: 6.06E-06 : : 3.01% :	: 1.48E-05 : : 6.85% :
GROUND	: 1.71E-04 : : 92.90% :	: 1.71E-04 : : 79.21% :	: 1.71E-04 : : 93.22% :	: 1.71E-04 : : 94.59% :	: 1.71E-04 : : 95.82% :	: 1.71E-04 : : 39.06% :	: 1.71E-04 : : 84.70% :	: 2.01E-04 : : 93.15% :
INHAL	: 1.06E-07 : : .06% :	: 1.60E-06 : : .74% :	: 1.16E-07 : : .06% :	: 1.41E-07 : : .08% :	: 1.39E-07 : : .08% :	: 2.17E-05 : : 4.96% :	: 2.48E-05 : : 12.29% :	: 0.00E+00 : : .00% :
VEGET	: 4.66E-06 : : 2.54% :	: 2.54E-05 : : 11.80% :	: 4.72E-06 : : 2.57% :	: 2.13E-06 : : 1.18% :	: 1.07E-07 : : .06% :	: 2.87E-06 : : .66% :	: 3.95E-12 : : .00% :	: 0.00E+00 : : .00% :
COW MILK	: 1.03E-06 : : .56% :	: 3.17E-06 : : 1.47% :	: 1.51E-06 : : .83% :	: 9.64E-07 : : .53% :	: 1.21E-06 : : .68% :	: 2.31E-04 : : 52.85% :	: 3.13E-12 : : .00% :	: 0.00E+00 : : .00% :
MEAT	: 1.28E-06 : : .70% :	: 8.63E-06 : : 4.00% :	: 9.83E-08 : : .05% :	: 5.62E-07 : : .31% :	: 2.71E-08 : : .02% :	: 4.83E-06 : : 1.11% :	: 1.86E-12 : : .00% :	: 0.00E+00 : : .00% :
TOTAL	: 1.84E-04	: 2.16E-04	: 1.83E-04	: 1.80E-04	: 1.78E-04	: 4.37E-04	: 2.02E-04	: 2.16E-04

TABLE 12. DOSES TO POPULATION WITHIN 50 MILES, OCTOBER-DECEMBER 2007

ALARA ANNUAL INTEGRATED POPULATION DOSE SUMMARY (PERSON-REM)

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	: 1.83E-04 : : 64.96% :	: 1.83E-04 : : 60.76% :	: 1.83E-04 : : 59.37% :	: 1.83E-04 : : 64.58% :	: 1.83E-04 : : 65.56% :	: 1.83E-04 : : 34.39% :	: 1.85E-04 : : 62.29% :	: 4.26E-04 : : 80.15% :
GROUND	: 8.97E-05 : : 31.90% :	: 8.97E-05 : : 29.84% :	: 8.97E-05 : : 29.15% :	: 8.97E-05 : : 31.71% :	: 8.97E-05 : : 32.19% :	: 8.97E-05 : : 16.89% :	: 8.97E-05 : : 30.15% :	: 1.05E-04 : : 19.85% :
INHAL	: 1.44E-07 : : .05% :	: 1.87E-06 : : .62% :	: 5.01E-07 : : .16% :	: 2.12E-07 : : .07% :	: 1.97E-07 : : .07% :	: 2.57E-05 : : 4.84% :	: 2.24E-05 : : 7.52% :	: 0.00E+00 : : .00% :
VEGET	: 3.92E-06 : : 1.40% :	: 1.69E-05 : : 5.62% :	: 2.70E-05 : : 8.77% :	: 2.80E-06 : : .99% :	: 9.19E-07 : : .33% :	: 2.87E-06 : : .54% :	: 4.71E-08 : : .02% :	: 0.00E+00 : : .00% :
COW MILK	: 3.72E-06 : : 1.32% :	: 4.29E-06 : : 1.43% :	: 7.12E-06 : : 2.31% :	: 6.46E-06 : : 2.29% :	: 4.66E-06 : : 1.67% :	: 2.25E-04 : : 42.43% :	: 6.16E-08 : : .02% :	: 0.00E+00 : : .00% :
MEAT	: 1.06E-06 : : .38% :	: 5.19E-06 : : 1.73% :	: 7.09E-07 : : .23% :	: 1.02E-06 : : .36% :	: 4.79E-07 : : .17% :	: 4.79E-06 : : .90% :	: 3.72E-09 : : .00% :	: 0.00E+00 : : .00% :
TOTAL	: 2.81E-04 : :	: 3.00E-04 : :	: 3.08E-04 : :	: 2.83E-04 : :	: 2.79E-04 : :	: 5.31E-04 : :	: 2.97E-04 : :	: 5.31E-04 : :

TABLE 13. DOSES TO POPULATION WITHIN 50 MILES, JULY-DECEMBER 2007

ALARA ANNUAL INTEGRATED POPULATION DOSE SUMMARY (PERSON-REM)

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	: 2.07E-04 : : 42.88% :	: 2.07E-04 : : 38.76% :	: 2.07E-04 : : 40.66% :	: 2.07E-04 : : 43.03% :	: 2.07E-04 : : 43.63% :	: 2.07E-04 : : 20.95% :	: 2.10E-04 : : 40.53% :	: 4.83E-04 : : 61.30% :
GROUND	: 2.59E-04 : : 53.81% :	: 2.59E-04 : : 48.64% :	: 2.59E-04 : : 51.02% :	: 2.59E-04 : : 53.99% :	: 2.59E-04 : : 54.74% :	: 2.59E-04 : : 26.29% :	: 2.59E-04 : : 50.13% :	: 3.05E-04 : : 38.70% :
INHAL	: 2.47E-07 : : .05% :	: 3.48E-06 : : .65% :	: 5.84E-07 : : .11% :	: 3.45E-07 : : .07% :	: 3.31E-07 : : .07% :	: 4.73E-05 : : 4.80% :	: 4.82E-05 : : 9.32% :	: 0.00E+00 : : .00% :
VEGET	: 8.60E-06 : : 1.79% :	: 4.24E-05 : : 7.95% :	: 3.21E-05 : : 6.33% :	: 4.94E-06 : : 1.03% :	: 1.03E-06 : : .22% :	: 5.75E-06 : : .58% :	: 4.85E-08 : : .01% :	: 0.00E+00 : : .00% :
COW MILK	: 4.76E-06 : : .99% :	: 7.48E-06 : : 1.40% :	: 8.74E-06 : : 1.72% :	: 7.45E-06 : : 1.55% :	: 5.88E-06 : : 1.24% :	: 4.57E-04 : : 46.39% :	: 6.43E-08 : : .01% :	: 0.00E+00 : : .00% :
MEAT	: 2.34E-06 : : .49% :	: 1.38E-05 : : 2.59% :	: 8.16E-07 : : .16% :	: 1.58E-06 : : .33% :	: 5.06E-07 : : .11% :	: 9.64E-06 : : .98% :	: 3.84E-09 : : .00% :	: 0.00E+00 : : .00% :
TOTAL	: 4.82E-04 : : .99% :	: 5.33E-04 : : 1.00% :	: 5.08E-04 : : 1.00% :	: 4.80E-04 : : 1.00% :	: 4.73E-04 : : 1.00% :	: 9.86E-04 : : 2.00% :	: 5.17E-04 : : 1.00% :	: 7.88E-04 : : 1.00% :

TABLE 14. DOSES TO POPULATION WITHIN 50 MILES, JANUARY-DECEMBER 2007

ALARA ANNUAL INTEGRATED POPULATION DOSE SUMMARY (PERSON-REM)

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	5.76E-04 56.45%	5.76E-04 52.03%	5.76E-04 49.20%	5.76E-04 56.80%	5.76E-04 57.27%	5.76E-04 24.64%	5.84E-04 54.65%	1.33E-03 73.07%
GROUND	4.17E-04 40.89%	4.17E-04 37.68%	4.17E-04 35.64%	4.17E-04 41.14%	4.17E-04 41.48%	4.17E-04 17.84%	4.17E-04 39.03%	4.91E-04 26.93%
INHAL	5.17E-07 .05%	7.44E-06 .67%	2.18E-06 .19%	7.74E-07 .08%	8.58E-07 .09%	1.08E-04 4.63%	6.73E-05 6.30%	0.00E+00 .00%
VEGET	1.59E-05 1.56%	7.22E-05 6.52%	1.49E-04 12.74%	7.64E-06 .75%	1.32E-06 .13%	1.53E-05 .65%	7.02E-08 .01%	0.00E+00 .00%
COW MILK	7.05E-06 .69%	1.14E-05 1.03%	2.37E-05 2.03%	1.03E-05 1.01%	9.83E-06 .98%	1.20E-03 51.16%	9.62E-08 .01%	0.00E+00 .00%
MEAT	3.72E-06 .36%	2.28E-05 2.06%	2.42E-06 .21%	2.22E-06 .22%	5.97E-07 .06%	2.52E-05 1.08%	5.51E-09 .00%	0.00E+00 .00%
TOTAL	1.02E-03	1.11E-03	1.17E-03	1.01E-03	1.01E-03	2.34E-03	1.07E-03	1.82E-03

DOSE CALCULATION MODELS

To evaluate the radiological consequences of the routine release of liquid and gaseous effluents from the Cooper Nuclear Station, two computer codes were used: LADTAP II for liquid doses and GASPAR for gaseous doses. Both of these computer codes implement the dose calculational methodologies of U.S. NRC Regulatory Guide 1.109, Revision 1.

Source terms for each quarter are combined with station-specific demographic data and either hydrological dilution factors, for liquid dose calculations, or atmospheric diffusion estimates, for gaseous dose calculations.

For liquid dose calculations, the hydrological dilution factors used for input to LADTAP II, as well as other input parameters, are listed in Table 15. Other inputs not specifically listed in this table are taken from Regulatory Guide 1.109, Revision 1. Semiannual doses are obtained by summing the contributions from the appropriate quarters.

For gaseous dose calculations, atmospheric diffusion estimates are obtained from the reduction and processing of onsite meteorological data, as described in Appendix B. Source terms for the semiannual period are obtained by summing source terms for the appropriate quarters. Additional input to GASPAR includes the following station-supplied data:

- 0 to 50 mile population distribution
- 0 to 50 mile meat, milk, and vegetable distributions
- Absolute humidity at Cooper Nuclear Station (14.61 g/m^3)
- The fraction of the year that the vegetables are grown (0.5)
- The fraction of the daily feed intake derived from pasture for milk and meat animals (0.5)

Other values used for input to GASPAR are default values from Regulatory Guide 1.109, Rev. 1.

TABLE 15. Values of Parameters Used to Make Dose Estimates Resulting From Liquid Discharges at Cooper Nuclear Station January-December 2007

Parameter	Values Assigned	
	Individual	Population

No Liquid Effluents Released in 2007

REFERENCES

U.S. Nuclear Regulatory Commission, Regulatory Guide 1.21, "Measuring, Evaluating, and Reporting Radioactivity in Solid Wastes and Releases of Radioactive Materials in Liquid and Gaseous Effluents from Light-Water-Cooled Nuclear Power Plants", Revision 1, 1974.

U.S. Nuclear Regulatory Commission, Regulatory Guide 1.23 (Safety Guide 23), "Onsite Meteorological Programs", Revision 0, 1972.

U.S. Nuclear Regulatory Commission, Regulatory Guide 1.111, "Methods for Estimating Atmospheric Transport and Dispersion of Gaseous Effluents in Routine Releases from Light-Water-Cooled Reactors", Revision 1, 1977.

U.S. Nuclear Regulatory Commission, NUREG/CR-2919, "XOQDOQ: Computer Program for the Meteorological Evaluation of Routine Effluent Releases at Nuclear Power Stations", 1982.

U.S. Nuclear Regulatory Commission, Regulatory Guide 1.111, "Methods for Estimating Atmospheric Transport and Dispersion of Gaseous Effluents in Routine Releases from Light-Water-Cooled Reactors", Revision 0, 1976.

U.S. Nuclear Regulatory Commission, NUREG-0597, "User's Guide to GASPAR Code", December 1980.

U.S. Nuclear Regulatory Commission, NUREG/CR-1276, "User's Manual for LADTAP II: A Computer Code for Calculating Radiation Exposure to Man From Routine Release of Nuclear Reactor Liquid Effluents", 1980.

U.S. Nuclear Regulatory Commission, Regulatory Guide 1.109, "Calculation of Annual Doses to Man from Routine Releases of Reactor Effluents for the Purpose of Evaluating Compliance with 10 CFR 50, Appendix I", Revision 1, 1977.

APPENDIX G
REMP SAMPLE STATION DESCRIPTIONS

REMP SAMPLE STATION DESCRIPTIONS

The following pages contain descriptions of the CNS REMP Sample Stations that were active or were used for part or all of 2007.

REMP SAMPLE STATION DESCRIPTIONS
SAMPLE TYPES AND SAMPLE LOCATIONS

<u>Sample Station (a)</u>	<u>Sample Description – Type and Location</u>
No. 1	Type: (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry Location: Outside the northwest edge of fence, east of the gate to the LLRW storage pad on the CNS site, NW ¼, S32, T5N, R16E, Nemaha County, Nebraska. Lon. 095.38.634 W – Lat. 40.21.523 N
No. 2	Type: (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry Location: North side of county road to the south portion of CNS site, SW ¼; S32, T5N, R16E, Nemaha County, Nebraska. Lon. 095.38.954 W – Lat. 40.21.126 N
No. 3	Type (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry Location: Located on the north side of the Brownville State Recreation Park access road near water gauging station, SE ¼, S18, T5N, R16E, Nemaha County, Nebraska. Lon. 095.39.108 W – Lat. 40.23.777 N
No. 4	Type (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry Location: Located ½ mile south of Phelps City, Missouri, on west side of highway “U”, NE ¼, S2, T64N, R42W, Atchison County, Missouri. Lon. 095.35.792 W – Lat. 40.23.797 N
No. 5	Type (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry Location: Located ¼ mile south and ¼ mile east of Langdon, Missouri, on north side of road, west of railroad tracks, SW ¼, T64N, R41W, Atchison County, Missouri. Lon. 095.34.434 W – Lat. 40.21.151 N

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.

<u>Sample Station (a)</u>	<u>Sample Description – Type and Location</u>
No. 6	<p>Type (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry</p> <p>Location: One mile west of the end of Missouri State Highway “U”, SW corner of the intersection, NW ¼, S34, T64N, R42W, Atchison County, Missouri. Lon. 095.37.620 W – Lat. 40.19.459 N</p>
No 7	<p>Type (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry</p> <p>Location: 300 yards east of Highway 67 on north side of road, SW ¼, S6, T4N, R16E, Nemaha, Nebraska. Lon. 095.40.207 W – Lat. 40.20.287 N</p>
No. 8	<p>Type (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry</p> <p>Location: ½ mile north, ¾ mile west and ¾ mile north of Nemaha, on west side of road adjacent to transmission line, NE ¼, S35, T5N, R15E, Nemaha County, Nebraska. Lon. 095.41.220 W – Lat. 40.21.570 N</p>
No. 9	<p>Type (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry</p> <p>Location: Four miles north of Highway 136, on Highway 67. Then 1 mile east of Highway 67 and ½ mile north on west side of road, SW ¼, S26, T6N, R15E, Nemaha County, Nebraska. Lon. 095.41.810 W – Lat. 40.27.259 N</p>
No. 10	<p>Type (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry</p> <p>Location: One mile north of Barada, Nebraska, in SW corner of intersection, NE ¼, S14, T3N, R16E, Richardson County, Nebraska. Lon. 095.34.723 W – Lat. 40.13.970 N</p>

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.

<u>Sample Station (a)</u>	<u>Sample Description – Type and Location</u>
No. 11	<p>Type: (1) Water – Ground</p> <p>Location: Plant well water supply header at well pits, NW ¼, S32, T5N, R16E, Nemaha County, Nebraska. Lon. 095.53.866 W – Lat. 40.18.970 N</p>
No. 12	<p>Type: (1) Water – River</p> <p>Location: Sample (1) taken from the Missouri River immediately upstream from the Plant Intake Structure (River Mile 532.5). During periods when unsafe conditions warrant, Station 35 may be used as an alternate upstream collection site. Lon. 095.53.866 W – Lat. 40.18.970 N</p>
No.20	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: On NNW boundary of NPPD property, east side of county road, SE, S30, T5N, R16E, Nemaha County, Nebraska. Lon. 095.39.226 W – Lat. 40.22.260 N</p>
No.28	<p>Type (1) Water – River, (2) Fish (3) Sediment from Shoreline (4) Food Products – Broadleaf Vegetation</p> <p>Location: Samples (1), (3), and (4) are taken from the Missouri River or its shore downstream near River Mile 530, Sample (2) is taken from the Missouri River ½ to 3 miles downstream of the plant site. Lon. 095.37.301 W – Lat. 40.20.336 N</p>

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.

<u>Sample Station (a)</u>	<u>Sample Description – Type and Location</u>
No. 35	<p>Type (1) Fish (2) Water – River (Alternate Site) (3) Food Products – Broadleaf Vegetation</p> <p>Location: Sample (1) will be taken from the Missouri River about 1 to 3 miles above the CNS intake structure. During periods when unsafe conditions warrant, Station 35 may be used as an alternate to Station 12 (upstream collection site) for sample type (2). Sample (3) is taken about ¼ mile south of the Brownville State Recreation Area in Sector A. Lon. 095.39.046 W – Lat. 40.23.737 N</p>
No. 44	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: ¼ mile south of Auburn Country Club on Highway 75, then ½ mile east of Highway 75 at fence line north of county road, SE1/4, S27, T5N, R14E, Nemaha County, Nebraska. Lon. 095.49.759 W – Lat. 40.21.840 N</p>
No. 47	<p>Type: (1) Water – Ground</p> <p>Location: At Falls City Municipal water supply well. Lon. 095.25.537 W – Lat. 40.01.939 N</p>
No. 56	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 1 ¼ miles SW of Langdon, Missouri, on Highway “U”, on the right side of the highway, NW ¼, S23, T64N, R42W, Atchison County, Missouri. Lon. 095.36.383 W – Lat. 40.21.157 N</p>
No. 58	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: Three miles south of Brownville, Nebraska, on county road, at the SE corner of the intersection with the farm road leading to Sample Station No. 2, SE1/4, S31, T5N, R16E, Nemaha County, Nebraska. Lon. 095.39.338 W – Lat. 40.21.126 N</p>

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.

<u>Sample Station (a)</u>	<u>Sample Description – Type and Location</u>
No. 59	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: One mile SSE of the CNS Elevated Release Point, in the vicinity of the levee at the south boundary of NPPD property, SE ¼, S32, T5N, R16E, Nemaha County, Nebraska. Lon. 095.38.223 W – Lat. 40.20.986 N</p>
No. 66	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: Two miles south of Nemaha, Nebraska, on Highway 67 east side of road, NW1/4, S19, T4N, R16E, Nemaha County, Nebraska. Lon. 095.40.307 W – Lat. 40.18.277 N</p>
No. 67	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 2 miles west of Brownville, Nebraska, on Highway 136, then north 1 ½ miles on county road and east ½ mile, on north side of road, NE1/4, S11, T5N, R15E, Nemaha County, Nebraska. Lon. 095.41.520 W – Lat. 40.24.898 N</p>
No. 71	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: Two miles east of Phelps City, Missouri, on Highway 36, then south 1 ½ miles on county road and west ¼ mile, SE1/4, S6, T64N, R41W, Atchison County, Missouri. Lon. 095.34.727 W – Lat. 40.21.664 N</p>
No. 79	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 1 7/8 miles south of Brownville, NE, on east side of paved road, NPPD property, SE1/4, S30, T5N, R16E, Nemaha County, Nebraska. Lon. 095.39.238 W – Lat. 40.22.006 N</p>

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.

Sample Station (a)	<u>Sample Description – Type and Location</u>
No. 80	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 2 1/8 miles south of Brownville, on east side of paved road, NPPD property, NE1/4, S31, T5N, R16E, Nemaha County, Nebraska. Lon. 095.39.259 W – Lat. 40.21.834 N</p>
No. 81	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 2 3/8 miles south of Brownville, Nebraska, in the NE corner of the intersection of the paved county road and CNS access road, NPPD property, NE1/4, S31, T5N, R16E, Nemaha County, Nebraska. Lon. 095.39.291 W – Lat. 40.21.582 N</p>
No. 82	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 7/8 mile south of CNS in a field, on NPPD property, SW1/4, S32, T5N, R16E, Nemaha County, Nebraska. Lon. 095.38.395 W – Lat. 40.20.961 N</p>
No. 83	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 2 ¼ miles south of Nemaha, Nebraska, on Highway 67, then east 1 mile to the junction of the driveway and county road (east side of drive), NE1/4, S19, T4N, R16E, Nemaha County, Nebraska. Lon. 095.39.411 W – Lat. 40.18.119 N</p>
No. 84	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 2 ½ miles west of Brownville, NE, south side of Highway 136 west of Locust Grove School, NW1/4, S22, T5N, R15E, Nemaha County, Nebraska. Lon. 095.42.993 W – Lat. 40.23.564 N</p>

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.

<u>Sample Station (a)</u>	<u>Sample Description – Type and Location</u>
No. 85	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: One mile east of Brownville, Nebraska, on Highway 136, then north ¼ mile on the east side of the county road, NE1/4, S33, T65N, R42W, Atchison County, Missouri. Lon. 095.38.309 W – Lat. 40.24.508 N</p>
No. 86	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: One mile west of Phelps City, Missouri, on Highway 136, then north 1 ½ miles on Highway “D” on west side, SE1/4, S22, T65N, R42W, Atchison County, Missouri. Lon. 095.36.938 W – Lat. 40.25.563 N</p>
No. 87	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: One mile west of Phelps City, Missouri, on Highway 136, then south ½ mile on county road and ¾ mile west on county road to the end of the road, NW1/4, S3, T64N, R42W, Atchison County, Missouri. Lon. 095.37.806 W – Lat. 40.23.818 N</p>
No. 88	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: One mile west of Phelps City, Missouri, on Highway 136, then south 2 miles at the end of the county road, NW1/4, S11, T64N, R42W, Atchison County, Missouri. Lon. 095.37.771 W – Lat. 40.24.762 N</p>
No. 89	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 2 ½ miles south of Phelps City, Missouri, on Highway “U”, then ½ mile west in the SE corner of the county road intersection, NE1/4, S14, T64N, R42W, Atchison County, Missouri. Lon. 095.36.361 W – Lat. 40.21.962 N</p>

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.

<u>Sample Station (a)</u>	<u>Sample Description – Type and Location</u>
No. 90	Type: (1) Environmental Thermoluminescent Dosimetry Location: 1 ½ miles west and ¾ mile south of Langdon, Missouri, on Highway “U”, then ¼ mile west, SW1/4, S23, T64N, R42W, Atchison County, Missouri. Lon. 095.35.808 W – Lat. 40.19.472 N
No. 91	Type: (1) Environmental Thermoluminescent Dosimetry Location: ½ mile west of Rockport, Missouri, on the south side of the intersection of U.S. Highway 136 and U.S. Highway 275, at the south side of the water tower, NW1/4, S28, T65N, R41W, Atchison County, Missouri. Lon. 095.32.217 W – Lat. 40.25.181 N
No. 94	Type: (1) Environmental Thermoluminescent Dosimetry Location: ¼ mile of Langdon, Missouri, on the west side of the road, NE1/4, S24, T64N, R42W, Atchison County, Missouri. Lon. 095.34.673 W – Lat. 40.20.931 N
No. 96	Type: (1) Food products – Broadleaf Vegetation Location: Approximately 1 mile south of Brownville, Nebraska, along the paved road, in the road ditch in Sector R, SW1/4, S19, T5N, R16E, Nemaha County, Nebraska. Lon. 095.39.318 W – Lat. 40.23.144 N
No. 99	Type: (1) Milk (Nearest and Other Producer) Location: 1 ¼ mile south of Shubert, Nebraska, on the west side of Highway 67, NE1/4, S24, T3N, R15E, Richardson County, Nebraska. Lon. 095.40.368 W – Lat. 40.12.850 N

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.

<u>Sample Station (a)</u>	<u>Sample Description – Type and Location</u>
No. 101	Type: (1) Food Products – Broadleaf Vegetation Location: 5 ½ miles east and ½ mile north of Rock Port, Missouri, near the junction of Highway 136 and Highway 59, in Sector D, encompasses portions of several sections, Athison County, Missouri. Lon. 095.23.822 W – Lat. 40.25.222 N
No. 103	Type: (1) Milk (Other Producer) Location: Four miles south and 3 miles west of Auburn, Nebraska, NE ¼, S13, T4N, R13E, Nemaha County, Nebraska. Lon. 095.53.865 W – Lat. 40.18.971 N
No. 111	Type (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry Location: 10.8 miles west southwest and 1.3 miles west of Howe, Nebraska, NE ¼, S13, T4N, R13E, Nemaha County, Nebraska. Lon. 095.84.165 W – Lat. 40.31.955 N

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.