



Nebraska Public Power District
Always there when you need us

NLS2012046
May 15, 2012

U.S. Nuclear Regulatory Commission
Attention: Document Control Desk
Washington, D.C. 20555-0001

Subject: Annual Radiological Environmental Report
Cooper Nuclear Station, Docket No. 50-298, DPR-46

Dear Sir or Madam:

The purpose of this letter is to transmit to the Nuclear Regulatory Commission (NRC) the Cooper Nuclear Station (CNS) Annual Radiological Environmental Report for the period January 1, 2011, through December 31, 2011. This report is included as an Enclosure. This document is being submitted for NRC use per the requirements of Technical Specification 5.6.2 and CNS Offsite Dose Assessment Manual Section D 5.2.

This letter contains no regulatory commitments.

Should you have any questions or require additional information, please contact me at (402) 825-2904.

Sincerely,

David W. Van Der Kamp
Licensing Manager

/jf

Enclosure - Annual Radiological Environmental Report January 1, 2011 through December 31, 2011

IE-25
NRR

NLS2012046

Page 2 of 2

cc: Regional Administrator w/ enclosure
USNRC - Region IV

Senior Resident Inspector w/ enclosure
USNRC - CNS

Cooper Project Manager w/ enclosure
USNRC - NRR Project Directorate IV-1

CNS Records w/ enclosure

NPG Distribution w/o enclosure

NLS2012046
Enclosure

Enclosure

Annual Radiological Environmental Report
January 1, 2011 through December 31, 2011



NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
Radiological Environmental Monitoring Program
2011 Annual Report
January 1, 2011 to December 31, 2011

Prepared by
Teledyne Brown Engineering
2508 Quality Lane
Knoxville, TN 37931-3133

TABLE OF CONTENTS

<u>SECTION/TITLE</u>	<u>PAGE</u>
<u>Preface</u>	6
I. Introduction.....	7
II. Summary.....	11
III. Sampling and Analysis Program.....	13
IV. Summary and Discussion of 2011 Analytical Results.....	18
A. Airborne Particulates.....	21
B. Airborne Iodine.....	22
C. Fish.....	23
D. Milk – Nearest Producer.....	24
E. Milk – Other Producers.....	25
F. Ground Water.....	26
G. River Water.....	27
H. Thermoluminescent Dosimeters.....	28
I. Food – Broadleaf Vegetation.....	29
J. Shoreline Sediment.....	30
K. Errata Data.....	31
V. Conclusions.....	32
VI. Radiological Environmental Monitoring Program Summary Table - 2011.....	34
VII. Complete Data Tables.....	40
VIII. References.....	92

TABLE OF CONTENTS (Cont)

APPENDICES

APPENDIX A – 2011 Land Use Census	A-1
APPENDIX B – Summary of Interlaboratory Comparisons	B-1
APPENDIX C – Synopsis of Analytical Procedures	C-1
APPENDIX D – Detection Limits and Reporting Levels	D-1
APPENDIX E – REMP Sampling and Analytical Exceptions.....	E-1
APPENDIX F – Summary of Doses to a Member of the Public Offsite.....	F-1
APPENDIX G – REMP Sample Station Descriptions	G-1
APPENDIX H – Annual Radiological Groundwater Protection Program (ARGPP) Report	H-1
APPENDIX I – Non-ODAM Required Sampling, Supplementary Stations.....	I-1
APPENDIX J – Errata Data.....	J-1
APPENDIX K – Fukushima Data.....	K-1

LIST OF FIGURES

1. Maps of Sampling Stations.....	16
-----------------------------------	----

TABLE OF CONTENTS (Cont)

LIST OF TRENDING GRAPHS

1.	Gross Beta in Air Particulates	21
2.	Iodine-131 in Charcoal Filters.....	22
3.	Cesium-137 in Fish.....	23
4.	Iodine-131 and Cesium-137 in Milk – Nearest Producer.....	24
5.	Iodine-131 and Cesium-137 in Milk – Other Producers	25
6.	Tritium in Ground Water.....	26
7.	Tritium in River Water	27
8.	Thermoluminescent Dosimetry	28
9.	Iodine-131 and Cesium-137 in Food – Broadleaf Vegetation.....	29
10.	Cesium-134 and Cesium-137 in Shoreline Sediment.....	30

TABLE OF CONTENTS (Cont)

LIST OF TABLES

VII-1	Exposure Pathway – Airborne Air Particulate & Charcoal Filters	41
VII-2	Exposure Pathway – Airborne Composite Air Particulate Filters	61
VII-3	Exposure Pathway – Ingestion Fish	71
VII-4	Exposure Pathway – Ingestion Milk Nearest Producer	73
VII-5	Exposure Pathway – Ingestion Milk Other Producer	77
VII-6	Exposure Pathway – Ingestion Water – Ground	78
VII-7	Exposure Pathway – Ingestion Water – River	80
VII-8	Exposure Pathway – Thermoluminescent Dosimetry – TLD	84
VII-9	Exposure Pathway – Ingestion Vegetation – Terrestrial, Broadleaf	86
VII-10	Exposure Pathway – Airborne Shoreline Sediment	90

Preface

This report covers the period of January 1 through December 31, 2011. Personnel of the Nebraska Public Power District made all sample collections. Analyses were performed and reports of analyses were prepared by Teledyne Brown Engineering – Environmental Services and forwarded to Nebraska Public Power District. Environmental Thermoluminescent Dosimeter (TLD) analyses were performed and reports of analyses were prepared by Mirion Technologies.

SECTION I. INTRODUCTION

I. INTRODUCTION

This report contains a complete tabulation of data collected during the period January through December 2011, for the operational Radiological Environmental Monitoring Program performed for the Cooper Nuclear Station (CNS) of the Nebraska Public Power District (NPPD) by Teledyne Brown Engineering - Environmental Services.

Cooper Nuclear Station is located in Nemaha County in the southeast corner of Nebraska on the Missouri River. A portion of the site extends into Missouri. The reactor is an 830-megawatt (net electrical) boiling water reactor. Initial criticality was attained on February 21, 1974.

Radiological environmental monitoring began in 1971 before the plant became operational and has continued to the present. The program monitors radiation levels in air, terrestrial and aquatic environments. All samples are collected by NPPD personnel. All samples are shipped for analysis to a contractor's laboratory where there exists special facilities required for measurements of extremely low levels of radioactivity. Teledyne Brown Engineering - Environmental Services has the responsibility for the analyses for Cooper Nuclear Station.

The United States Nuclear Regulatory Commission (USNRC) regulations (10CFR50.34a) require that nuclear power plants be designed, constructed, and operated to keep levels of radioactive material in effluents to unrestricted areas as low as is reasonably achievable (ALARA). Inplant monitoring is used to ensure that release limits are not exceeded. As a precaution against unexpected or undefined environmental processes, which might allow undue accumulation of radioactivity in the environment, a program for monitoring the plant environs is included in NPPD's CNS Offsite Dose Assessment Manual (ODAM).

A. Atmospheric Nuclear Tests and Nuclear Incidents

Three atmospheric nuclear detonations in the People's Republic of China influenced program results significantly in late 1976 and in 1977. Two of these detonations occurred in late 1976 (September 26 and November 17) and one in late 1977 (September 17). As a consequence of these tests elevated activities of gross beta in air particulate filters and I-131 in milk were observed throughout most of the United States. No atmospheric nuclear tests have been conducted since 1980, thus no short-lived fission products were detected in air particulate samples.

On April 26, 1986 the fire and explosion of Chernobyl Reactor No. 4 in the Soviet Union resulted in the release of fission products to the atmosphere and worldwide fallout. Following the explosion, elevated levels of gross beta activities in air particulates and Iodine-131 in charcoal filters and milk samples were measured. Additionally, in 1986, Cesium-137 and the short-lived radionuclides Iodine-131, Ruthenium-106, and Cesium-134 were detected in broadleaf vegetation. Similar results occurred in other areas of the United States and the entire Northern Hemisphere.

On March 11, 2011 an earthquake off the Japanese islands produced a massive tsunami which caused a nuclear incident at four of the six Fukushima Daiichi reactors. In planning for the potential radioactive plume reaching the United States, CNS increased the sampling frequency, added new air sampling equipment to already existing REMP stations (designated with an N, i.e. N-1, N-2, etc.), and added additional analyses of select media from pathways that were expected to be the most sensitive to any increase in ambient radiation levels. Iodine-131 by chemical separation and gamma spectroscopy analyses were performed on air particulate, air iodine and groundwater samples.

The resulting radioactive plume was first detected in the environs of CNS on week ending March 29, 2011. The final date of positive detection was on week ending April 13, 2011. The radionuclide identified was Iodine-131. Maximum activity levels found by media were 0.311 pCi/m³ for air iodine. Samples collected were compared to offsite control locations to verify that these positive detections were not attributable to licensed activities. All other plant produced radionuclides were below required LLDs.

Iodine-131 detected at ODAM locations are footnoted as being attributed to the Fukushima incident in the Section VII tables and are not included in the Radiological Environmental Monitoring Program Summary Table, 2011. Data results pertaining to the Fukushima incident are discussed in Appendix K.

The radioactive half-life of I-131 is about 8 days. This short half-life allowed the affects of this radioactive plume to subside over about 3 weeks. As of April 13, 2011 no further impact from the Fukushima Daiichi incident was evident.

B. Monitoring Program Objectives and Data Interpretation

The objective of the monitoring program is to detect and assess the impact of possible releases to the environs of radionuclides from the operations of the Cooper Nuclear Station. This objective requires measurements of low levels of radioactivity

equal to or lower than pre-determined limits of detection. In addition the source of the environmental radiation must be established. Sources of environmental radiation include:

- (1) Natural background radiation from cosmic rays (Beryllium-7).
- (2) Terrestrial, primordial radionuclides from the environment (potassium-40, radium-226, thorium-228).
- (3) Fallout from atmospheric nuclear tests such as the September 1977 detonation by the Peoples' Republic of China and the atmospheric weapons test of October 16, 1980 (fission products and fusion products).
- (4) Releases from nuclear power plants such as CNS (fission products and neutron activation products).
- (5) Fallout from the Chernobyl nuclear reactor accident.
- (6) Fallout from the Fukushima Daiichi incident.

Radiation levels measured in the vicinity of an operating power station are compared with preoperational measurements at the same locations to distinguish power plant effects from other sources. Also, results of the monitoring program are related to events known to cause elevated levels of radiation in the environment, e.g., atmospheric nuclear detonations or abnormal plant releases.

SECTION II. SUMMARY

II. SUMMARY

Presented in this report are summaries and discussions of the data generated for the Radiological Environmental Monitoring Program (REMP) for the Cooper Nuclear Station (CNS) of the Nebraska Public Power District (NPPD) for 2011.

The sampling and analyses program is described in Section III. It contains the sampling schedule and required analyses in Table 1 and the site map.

A discussion of each type of sample analyzed and its impact, if any, on the environment is presented in Section IV. Included are graphs of the radionuclides of interest for the past several years and the statistical results for each quarter of the year.

Section V presents the yearly conclusions of the program.

Section VI is the Radiological Environmental Monitoring Program Summary. It contains the yearly summary of the program with the total number of samples of each type analyzed. It lists the yearly average and range for the control locations versus the indicator locations and the number of detections per total number of samples. It identifies the station with the highest yearly average, the distance and location of that station and provides the range of detection.

Section VII contains the complete data tables for the period.

References are presented in Section VIII.

SECTION III. SAMPLING AND ANALYSES PROGRAM

III. SAMPLING AND ANALYSES PROGRAM

The 2011 sampling and analyses program is described in Table 1. Teledyne Brown Engineering - Environmental Services has a comprehensive quality assurance/quality control program designed to assure the reliability of data obtained. The results for the 2011 Interlaboratory Comparison Program conducted by Analytics, Inc., the Department of Energy's (DOE) Mixed Analyte Performance Evaluation Program (MAPEP) and Environmental Resource Associates (ERA) are contained in Appendix B.

Sampling locations are indicated in the map labeled Figure 1. The sample types collected at each location and the approximate distance and direction from the reactor elevated release point are specified.


The annual land use census for 2011 is described in Appendix A. There were no milk animals found within three miles of CNS in 2011 and no evidence of potable water use from the river. The nearest garden to CNS is in sector L, 1.3 miles from CNS. From year to year there is a slight variation in the number of gardens tended. The nearest resident to CNS is in sector Q, 0.9 miles from CNS.


All of the required 2011 environmental monitoring, including sampling and analyses, were conducted as specified in Table D4.1-1 of the CNS Offsite Dose Assessment Manual (ODAM), except as noted in Appendix E, REMP Sampling and Analytical Exceptions table.

TABLE 1

NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
Environmental Radiation Surveillance Program
Sampling Schedule and Analyses

<i>Sample Type</i>	<i>Station</i>	<i>Frequency</i>	<i>Analyses</i>
Airborne/ Particulate	1-10	Once per 7 days	Gross beta. Gamma Isotopic on quarterly composite of each station, and on each sample in which gross beta activity is >10 times the yearly mean of control samples
Airborne/Iodine	1-10	Once per 7 days	I-131
Milk / Nearest Producer peak pasture only	99	Once per 15 days	I-131 (low level), Gamma Isotopic analysis of each sample
River Water	28, 35	Once per 31 days	Gamma Isotopic, each sample Tritium on quarterly composite
Milk/ Nearest Producer Non-peak pasture	99	Once per 31 days	I-131 (low level), Gamma Isotopic analysis of each sample
Food Products / Broadleaf Vegetation	28, 35, 96, 101	Monthly when required	I-131 (low level), Gamma Isotopic analysis of each sample
Background Radiation Thermoluminescent Dosimeters	1-10, 20, 44, 56, 58, 59, 66, 67, 71, 79-91, 94,	Once per 92 days	TLD Readout (gamma dose)
Groundwater	11, 47	Once per 92 days	I-131 (low level), Gamma Isotopic, Tritium
Milk Other Producers	103	Once per 92 days	I-131 (low level), Gamma Isotopic
Fish (Summer and Fall)	28, 35	Two times per year	Gamma Isotopic on edible portions
Shoreline Sediment	28, 35	Two times per year	Gamma Isotopic





SECTION IV. SUMMARY AND DISCUSSION OF 2011 ANALYTICAL RESULTS

IV. SUMMARY AND DISCUSSION OF 2011 ANALYTICAL RESULTS

Data from the radiological analyses of environmental media collected during 2011 are tabulated and discussed below. The procedures and specifications followed in the laboratory for these analyses are as required in the Teledyne Brown Engineering Quality Assurance manual and are explained in the Teledyne Brown Engineering Analytical Procedures. A synopsis of analytical procedures used for the environmental samples is provided in Appendix C. In addition to internal quality control measures performed by Teledyne Brown Engineering, the laboratory also participates in an Interlaboratory Comparison Program. Participation in this program ensures that independent checks on the precision and accuracy of the measurements of radioactive material in environmental samples are performed. The results of the Interlaboratory Comparison are provided in Appendix B.

Radiological analyses of environmental media characteristically approach and frequently fall below the detection limits of state-of-the-art measurement methods. The "less than" values in the data tables were calculated from each specific analysis and are dependent on sample size, detector efficiency, length of counting time, chemical yield (when appropriate) and the radioactive decay factor from time of counting to time of collection. Teledyne Brown Engineering's analytical methods meet or are below the Lower Limit of Detection (LLD) requirements given in Table 2 of the USNRC Branch Technical Position, Radiological Monitoring Acceptable Program (November 1979, Revision 1). Appendix C contains a discussion of the LLD formulas.

Record snowfall (an estimated 212% of normal snowpack) in the Rocky Mountains of Montana and Wyoming along with near record spring rainfall (almost a year's worth of rain) in central and eastern Montana in the second half of May 2011, resulted in six major dams along the Missouri River releasing record amounts of water to prevent overflow. This led to flooding of several towns and cities along the river from Montana to Missouri.

At Cooper Nuclear Station, Nebraska Public Power District's (NPPD) nuclear plant near Brownville, a "Notification of Unusual Event" was issued on June 19 due to the flooding. In preparation for the flood more than 5,000 short tons (4,500,000 kg) of sand and a number of Hesco barriers were brought in to protect the facility. The plant is 13 feet (4.0 m) above natural grade. On June 19, the river was reported 11.5 feet (3.5 m) above flood stage at Brownville. The Cooper plant sits at 903 feet (275 m) above sea level. The river hit 900.56 feet (274.49 m) on June 19, 2011 before dropping slightly to 900.4 feet (274.4 m) on June 20, 2011. At 9:47 a.m., July 12, 2011 the plant ended its emergency status because the river had dropped to 895.8 feet—3 feet lower than the emergency status level.

On June 23, the main levee 3 miles (4.8 km) north of Brownville Bridge breached, prompting an evacuation in Atchison County, MO.

The flooding of the Missouri River prevented collection of air particulate, air

iodine, fish, river water and TLD samples from the environs of Cooper Nuclear Station. Appendix E, REMP Sampling and Analytical Exceptions table, page E-3, lists the locations with missing data.

The following is a discussion and summary of the results of the environmental measurements taken during the 2011 reporting period:


A. Airborne Particulates

Gross beta activity was observed in 383 of the 387 indicator samples collected during 2011. The average concentration was 0.022 pCi/m³ with a range of 0.005 to 0.054 pCi/m³. The results of the gross beta activities are presented in Section VII-1 and Trending Graph 1. The gross beta activities for 2011 were comparable to levels measured in the previous several years. Prior to that period the gross beta activities were higher due to atmospheric nuclear weapons testing performed in other countries. The preoperational period of 1971 through 1974 averaged 0.098 pCi/m³ gross beta.

Air particulate filters were collected weekly and composited by locations on a quarterly basis. They were analyzed by gamma ray spectroscopy. The results are presented in Section VII-2. Beryllium-7, which is produced continuously in the upper atmosphere by cosmic radiation, was measured in 30 of 30 composite samples. The indicator locations had an average concentration of 0.141 pCi/m³ with a range of 0.081 to 0.207 pCi/m³. During the preoperational period, beryllium-7 was measured at comparable levels. Naturally occurring thorium-228 was detected in one of 30 composite samples. The indicator location had a concentration of 0.004 pCi/m³. All other gamma emitters were below the detection limits.

TRENDING GRAPH 1

GROSS BETA IN AIR PARTICULATES
MONTHLY AVERAGE – ALL LOCATIONS




B. Airborne Iodine

Charcoal cartridges used to collect airborne iodine were collected weekly and analyzed by gamma spectrometry for iodine-131. Stations 01 through 10 were monitored. The results are presented in Section VII-1 and Trending Graph 2. All results were below the required lower limit of detection.

TRENDING GRAPH 2

IODINE-131 IN CHARCOAL FILTERS

MONTHLY AVERAGE – ALL LOCATIONS




Trending Graph 2 represents minimum detectable concentration (MDC) results. This graph has the ODAM LLD trend line, showing the MDC results as below the ODAM required LLDs. The upward trend indicates shortened detector count time in order to maximize the number of samples counted each day, and is not an indication that the trend will continue to increase above the LLD limit.

C. Fish

Aquatic biota can be sensitive indicators of radionuclide accumulation in the environment because of their ability to concentrate certain chemical elements, which have radioisotopes. The results are presented in Table VII-3 and Trending Graph 3. Due to flooding of the Missouri River, fish samples were not collected during 2011. The preoperational period of 1971 through 1974 averaged 2400 pCi/kg potassium-40.

TRENDING GRAPH 3

CESIUM-137 IN FISH
ALL LOCATIONS



Trending Graph 3 represents minimum detectable concentration (MDC) results. This graph has the ODAM LLD trend line, showing the MDC results as below the ODAM required LLDs. The upward trend indicates shortened detector count time in order to maximize the number of samples counted each day, and is not an indication that the trend will continue to increase above the LLD limit.

July samples were not collected in July 2010.

Flooding of the Missouri River prevented collection of fish in 2011.


D. Milk – Nearest Producer

Milk samples are collected once every 15 days in peak pasture season and once every 31 days the rest of the year from Station 99. The results are presented in Table VII-4 and Trending Graph 4. Sixteen samples were analyzed by gamma ray spectroscopy and for low-level iodine-131 by radiochemical separation. All iodine-131 results were below the required lower limit of detection. Naturally occurring potassium-40 was measured in all samples with an average concentration of 1192 pCi/liter and a range of 939 to 1360 pCi/liter. All other gamma emitters were below their detection levels.

TRENDING GRAPH 4

IODINE-131 AND CESIUM-137 IN MILK – NEAREST PRODUCER

STATIONS 61 & 99




Station 61 went out of business in May of 2003. Station 99 replaced station 61 in May of 2003. Trending Graph 4 represents minimum detectable concentration (MDC) results. This graph has the ODAM LLD trend line, showing the MDC results as below the ODAM required LLDs. The upward trend indicates shortened detector count time in order to maximize the number of samples counted each day, and is not an indication that the trend will continue to increase above the LLD limit.

E. Milk – Other Producers

Four milk samples were collected from one location of other producers during 2011 and results are presented in Table VII-5 and Trending Graph 5. Station 103 was sampled quarterly in 2011. The milk samples were analyzed by gamma ray spectroscopy and for low-level iodine-131 by radiochemical separation. All iodine-131 results were below the required lower limit of detection. Naturally occurring potassium-40 was detected in all four samples analyzed with an average concentration of 1488 pCi/liter and a range of 1250 to 1740 pCi/liter. All other gamma emitters were below their detection levels. The operation of the Cooper Nuclear Station has no discernable impact on milk samples.

TRENDING GRAPH 5

IODINE-131 AND CESIUM-137 IN MILK – OTHER PRODUCERS
QUARTERLY AVERAGE – ALL LOCATIONS




Due to delay in analysis, sample results for I-131 for the first quarter of 2001 were excluded and are not plotted. Milk station 102 went out of business April 2006. Vegetation samples are taken in lieu of milk. Trending Graph 5 represents minimum detectable concentration (MDC) results. This graph has the ODAM LLD trend line, showing the MDC results as below the ODAM required LLDs. The upward trend indicates shortened detector count time in order to maximize the number of samples counted each day, and is not an indication that the trend will continue to increase above the LLD limit.

F. Ground Water

Groundwater was collected from two stations quarterly and analyzed for tritium and for gamma emitting radionuclides. Station 11 is located 0.15 miles from the plant and station 47 is 25.8 miles from the plant. The results are presented in Table VII-6 and Trending Graph 6. All tritium results were below the required lower limit of detection. Naturally occurring thorium-228 was detected in one sample at location 47 with a concentration of 19 pCi/liter. All other gamma emitters were below their detection levels.

TRENDING GRAPH 6

TRITIUM IN GROUND WATER
QUARTERLY AVERAGE - ALL LOCATIONS




Trending Graph 6 represents minimum detectable concentration (MDC) results. This graph has the ODAM LLD trend line, showing the MDC results as below the ODAM required LLDs. The upward trend indicates shortened detector count time in order to maximize the number of samples counted each day, and is not an indication that the trend will continue to increase above the LLD limit.

G. River Water

River water was collected monthly and monitored for gamma emitting radionuclides and tritium. The results are presented in Table VII-7 and Trending Graph 7. All tritium results were below the required lower limit of detection. Naturally occurring potassium-40 was detected in one sample at location 35 with a concentration of 158 pCi/liter. Naturally occurring thorium-228 was detected in one sample at location 35 with a concentration of 31 pCi/liter. All other gamma emitters were below their detection levels.

TRENDING GRAPH 7

TRITIUM IN RIVER WATER
QUARTERLY AVERAGE – ALL LOCATIONS



Trending Graph 7 represents minimum detectable concentration (MDC) results. This graph has the ODAM LLD trend line, showing the MDC results as below the ODAM required LLDs. The upward trend indicates shortened detector count time in order to maximize the number of samples counted each day, and is not an indication that the trend will continue to increase above the LLD limit.


H. Thermoluminescent Dosimeters

Thermoluminescent dosimeters (TLDs) determine environmental radiation doses and the results are presented in Table VII-8 and Trending Graph 8. Ambient radiation was monitored at 32 locations within an 11 mile radius of the Cooper Nuclear Station and collected quarterly. The quarterly average for the indicator locations was 21.7 millirem/quarter and a range from 14.7 to 62.4 millirem/quarter. The control station 44, which is located 10.3 miles, 270 degrees, had an average of 22.8 millirem/quarter and a range from 19.2 to 25.6 millirem/quarter. The highest station was Station 90 with an average of 28.7 millirem/quarter and a range from 16.4 to 62.4 millirem/quarter. The preoperational period of 1971 through 1974 averaged 37.0 millirem/quarter; which is the preoperational four year average. Current year TLD averages deviate from the preoperational averages due to instrument variations from previous vendors.

The data from year to year is in good agreement and indicates no adverse changes in radiation exposure to the population near the Cooper Nuclear Station.

TRENDING GRAPH 8

THERMOLUMINESCENT DOSIMETRY QUARTERLY AVERAGE - ALL LOCATIONS




First quarter 2001 TLD data low but still within acceptable limits due to possible dry conditions.

I. Food – Broadleaf Vegetation

Broadleaf vegetation samples, normally collected from May through October, were not available for collection during 2011 due to flooding of the Missouri River. Broadleaf Vegetation data are presented in Table VII-9 and Trending graph 9.

TRENDING GRAPH 9

**IODINE-131 AND CESIUM-137 IN FOOD – BROADLEAF VEGETATION
ALL LOCATIONS**



The low Cs-137 value reported in July 2001 was due to the wrong aliquot being entered for the gamma analysis resulted in an invalid analysis and is not reported

Due to delay in sample receipt, the I-131 had decayed away, resulting in an invalid analysis for May 2002 and is not reported.

Milk samples were collected in lieu of broadleaf vegetation samples in 2004 and 2005.

Due to delay in counting sample, the I-131 had decayed away, resulting in an invalid analysis for June 2006 and is not reported. The I-131 by chemical separation met required I-131 LLD.

Trending Graph 9 represents minimum detectable concentration (MDC) results. This graph has the ODAM LLD trend line, showing the MDC results as below the ODAM required LLDs. The upward trend indicates shortened detector count time in order to maximize the number of samples counted each day, and is not an indication that the trend will continue to increase above the LLD limit.


Broadleaf vegetation samples were not available for collection in 2011.

J. Shoreline Sediment

Sediment samples, normally collected during May and October from Stations 28 and 35, were not available to collection in 2011 due to the flooding of the Missouri River. Shoreline sediment data are presented in Table VII-10 and Trending Graph 10.

TRENDING GRAPH 10

**CESIUM-134 AND CESIUM-137 IN SHORELINE SEDIMENT
STATIONS 28 AND 35**



Trending Graph 10 represents minimum detectable concentration (MDC) results. Only one sample was collected in 2008. This graph has the ODAM LLD trend line, showing the MDC results as below the ODAM required LLDs. The upward trend indicates shortened detector count time in order to maximize the number of samples counted each day, and is not an indication that the trend will continue to increase above the LLD limit. Shoreline sediment samples were not available for collection due to flooding of the Missouri River in 2011.

K. Errata Data

There was no errata data in 2011.

SECTION V. CONCLUSIONS

V. CONCLUSIONS

The results of the 2011 Radiological Environmental Monitoring Program (REMP) for the Cooper Nuclear Station (CNS) of the Nebraska Public Power District (NPPD) have been presented. The report contains data tables, summaries, and discussions of the data and trending graphs.

Naturally occurring radioactivity and residual traces of fallout were observed in sample media in the expected ranges. They have been discussed individually in the text. Observed radioactivity was at very low concentrations. Concentrations of Iodine-131 are credibly attributed to the trans-Pacific transport of airborne releases from the March 11, 2011 Fukushima incident were also observed in sample media and have been noted in the tables, as appropriate, and is not related to the operations of Cooper Nuclear Station.

The results of the analyses have been presented. Based on the evidence of the Radiological Environmental Monitoring Program, the Nebraska Public Power District, Cooper Nuclear Station has had no discernable radiological impact on the environment and is operating within regulatory limits.

SECTION VI. RADIOLOGICAL ENVIRONMENTAL MONITORING
PROGRAM SUMMARY TABLE - 2011

ENVIRONMENTAL RADIOLOGICAL MONITORING PROGRAM SUMMARY

Name of Facility Cooper Nuclear Station
 Location of Facility Nemaha Nebraska
 (County/State)

Docket No. 50-298
 Reporting Period January 1, 2011 to December 31, 2011

Medium of Pathway Sampled (Unit of Measurement)	Type & Total No. of Analysis Performed	Lower Limit of Detection(1) (LLD)	All Indicator Locations Mean(2) Range(2)	<u>Location with Highest Annual Mean</u> Name	Mean()(2) Range(2)	Control Location Mean()(2) Range(2)	No. of Reportable Occurrences	
Air Iodine (pCi/m ³)	I-131	387	0.07	ND(0/387) (ND-ND)	NA	NA(0/0) (NA-NA)	NA(0/0) (NA-NA)	0
Air Particulate (pCi/m ³)	GR-B	387	0.01	0.022(383/387) (0.005/0.054)	Sta. 10	0.023(52/53) (0.010/0.047)	NA(0/0) (NA-NA)	0
	BE-7	30	NA	0.141(30/30) (0.081/0.207)	Sta. 10	0.155(4/4) (0.124/0.194)	NA(0/0) (NA-NA)	0
	CO-60	30	NA	ND(0/30) (ND-ND)	NA	NA(0/0) (NA-NA)	NA(0/0) (NA-NA)	0
	K-40	30	NA	ND(0/30) (ND-ND)	NA	NA(0/0) (NA-NA)	NA(0/0) (NA-NA)	0
	TH-228	30	NA	0.004(1/30) NA-NA	Sta. 10	0.004(1/4) NA-NA	NA(0/0) (NA-NA)	0
Fish (pCi/kg Wet)	K-40	0	NA	NA	NA	NA	NA	0
	CO-60	0	130	NA	NA	NA	NA	0

(1) Nominal Lower Limit of Detection (LLD), as stated in ODAM.

(2) Mean and Range based upon detectable measurements only. Fraction of detectable measurements at specified location indicated in brackets().

(3) ND = Non Detectable.

(4) NA = Not Applicable.

ENVIRONMENTAL RADIOLOGICAL MONITORING PROGRAM SUMMARY

Name of Facility Cooper Nuclear Station
 Location of Facility Nemaha Nebraska
 (County/State)

Docket No. 50-298
 Reporting Period January 1, 2011 to December 31, 2011

Medium of Pathway Sampled (Unit of Measurement)	Type & Total No. of Analysis Performed	Lower Limit of Detection(1) (LLD)	All Indicator Locations Mean(2) Range(2)	Location with Highest Annual Mean		Control Location Mean()(2) Range(2)	No. of Reportable Occurrences
				Name	Mean()(2) Range(2)		
Fish (cont'd) (pCi/kg Wet)	CS-137	0	150	NA	NA	NA	0
	TH-228	0	NA	NA	NA	NA	0
Milk Nearest (pCi/L)	I-131	16	NA	ND(0/16) (ND-ND)	NA	NA(0/0) (NA-NA)	0
	K-40	16	NA	1192(16/16) (939/1360)	Sta. 99	1192(16/16) (939/1360)	0
	RA-226	16	NA	ND(0/16) (ND-ND)	NA	NA(0/0) (NA-NA)	0
	TH-228	16	NA	ND(0/16) (ND-ND)	NA	NA(0/0) (NA-NA)	0
Milk Others (pCi/L)	I-131	4	1	ND(0/4) (ND-ND)	NA	NA(0/0) (NA-NA)	0
	K-40	4	NA	1488(4/4) (1250/1740)	Sta. 103 13.5 mi.	1488(4/4) (1250/1740)	0

(1) Nominal Lower Limit of Detection (LLD), as stated in ODAM.

(2) Mean and Range based upon detectable measurements only. Fraction of detectable measurements at specified location indicated in brackets().

(3) ND = Non Detectable.

(4) NA = Not Applicable.

ENVIRONMENTAL RADIOLOGICAL MONITORING PROGRAM SUMMARY

Name of Facility Cooper Nuclear Station
 Location of Facility Nemaha Nebraska
 (County/State)

Docket No. 50-298
 Reporting Period January 1, 2011 to December 31, 2011

Medium of Pathway Sampled (Unit of Measurement)	Type & Total No. of Analysis Performed	Lower Limit of Detection(1) (LLD)	All Indicator Locations Mean(2) Range(2)	<u>Location with Highest Annual Mean</u>		Control Location Mean(2) Range(2)	No. of Reportable Occurrences	
				Name	Mean(2) Range(2)	Mean(2) Range(2)		
Milk Others (cont'd) (pCi/L)	RA-226	4	NA	ND(0/4) (ND-ND)	NA	NA(0/0) (NA-NA)	NA(0/0) (NA-NA)	0
	TH-228	4	NA	ND(0/4) (ND-ND)	NA	NA(0/0) (NA-NA)	NA(0/0) (NA-NA)	0
Water - Ground (pCi/L)	I-131	8	1	ND(0/8) (ND-ND)	NA	NA(0/0) (NA-NA)	NA(0/0) (NA-NA)	0
	H-3	8	2000	ND(0/8) (ND-ND)	NA	NA(0/0) (NA-NA)	NA(0/0) (NA-NA)	0
	K-40	8	NA	ND(0/8) (ND-ND)	NA	NA(0/0) (NA-NA)	NA(0/0) (NA-NA)	0
	TH-228	8	NA	19(1/8) NA-NA	Sta. 47 25.8 mi.	19(1/8) NA-NA	NA(0/0) (NA-NA)	0
River Water (pCi/L)	H-3	9	2000	ND(0/5) (ND-ND)	NA	NA(0/0) (NA-NA)	ND(0/4) (ND-ND)	0
	K-40	7	NA	ND(0/4) (ND-ND)	Sta. 35 2.0 mi.	158(1/3) NA-NA	158(1/3) NA-NA	0

(1) Nominal Lower Limit of Detection (LLD), as stated in ODAM.

(2) Mean and Range based upon detectable measurements only. Fraction of detectable measurements at specified location indicated in brackets().

(3) ND = Non Detectable.

(4) NA = Not Applicable.

ENVIRONMENTAL RADIOLOGICAL MONITORING PROGRAM SUMMARY

Name of Facility Cooper Nuclear Station
 Location of Facility Nemaha Nebraska
 (County/State)

Docket No. 50-298
 Reporting Period January 1, 2011 to December 31, 2011

Medium of Pathway Sampled (Unit of Measurement)	Type & Total No. of Analysis Performed	Lower Limit of Detection(1) (LLD)	All Indicator Locations Mean(2) Range(2)	Location with Highest Annual Mean		Control Location Mean()(2) Range(2)	No. of Reportable Occurrences	
				Name	Mean()(2) Range(2)			
River Water (cont'd) (pCi/L)	TH-228	7	NA	ND(0/4) (ND-ND)	Sta. 35 2.0 mi.	31.1(1/3) NA-NA	31.1(1/3) NA-NA	0
Thermoluminescence Dosimeter (mR/Standard Quarter)	Gamma Dose Quarterly	119	NA	21.7(115/115) (14.7/62.4)	Sta. 90 4.0 Mi. E	28.7(4/4) (16.4/62.4)	22.8(4/4) (19.2/25.6)	0
Broadleaf Vegetation (pCi/kg Wet)	I-131	0	60	NA	NA	NA	NA	0
	BE-7	0	NA	NA	NA	NA	NA	0
	K-40	0	NA	NA	NA	NA	NA	0
	RA-226	0	NA	NA	NA	NA	NA	0
	TH-228	0	NA	NA	NA	NA	NA	0
Shoreline Sediment (pCi/kg Dry)	BE-7	0	NA	NA	NA	NA	NA	0

(1) Nominal Lower Limit of Detection (LLD), as stated in ODAM.

(2) Mean and Range based upon detectable measurements only. Fraction of detectable measurements at specified location indicated in brackets().

(3) ND = Non Detectable.

(4) NA = Not Applicable.

ENVIRONMENTAL RADIOLOGICAL MONITORING PROGRAM SUMMARY

Name of Facility Cooper Nuclear Station
 Location of Facility Nemaha Nebraska
 (County/State)

Docket No. 50-298
 Reporting Period January 1, 2011 to December 31, 2011

Medium of Pathway Sampled (Unit of Measurement)	Type & Total No. of Analysis Performed	Lower Limit of Detection(1) (LLD)	All Indicator Locations Mean(2) Range(2)	<u>Location with Highest Annual Mean</u> Name	Mean()(2) Range(2)	Control Location Mean()(2) Range(2)	No. of Reportable Occurrences
Shoreline Sediment (cont'd) (pCi/kg Dry)	CS-137	0	NA	NA	NA	NA	0
	K-40	0	NA	NA	NA	NA	0
	RA-226	0	NA	NA	NA	NA	0
	TH-228	0	NA	NA	NA	NA	0

(1) Nominal Lower Limit of Detection (LLD), as stated in ODAM.

(2) Mean and Range based upon detectable measurements only. Fraction of detectable measurements at specified location indicated in brackets().

(3) ND = Non Detectable.

(4) NA = Not Applicable.

SECTION VII. COMPLETE DATA TABLES

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 1

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
12/28/10	01/04/11	1.01E+04	CU.FT.	3.40E-02 ± 5.07E-03	L.T. 1.E-02
01/04/11	01/11/11	1.02E+04	CU.FT.	2.01E-02 ± 5.03E-03	L.T. 4.E-02
01/11/11	01/18/11	1.00E+04	CU.FT.	4.73E-02 ± 6.03E-03	L.T. 2.E-02
01/18/11	01/25/11	1.00E+04	CU.FT.	3.36E-02 ± 5.63E-03	L.T. 3.E-02
01/25/11	01/31/11	8.59E+03	CU.FT.	2.64E-02 ± 5.40E-03	L.T. 3.E-02
01/31/11	02/08/11	1.19E+04	CU.FT.	2.01E-02 ± 4.30E-03	L.T. 1.E-02
02/08/11	02/15/11	9.74E+03	CU.FT.	1.40E-02 ± 3.88E-03	L.T. 2.E-02
02/15/11	02/21/11	8.65E+03	CU.FT.	1.16E-02 ± 3.86E-03	L.T. 3.E-02
02/21/11	02/28/11	1.01E+04	CU.FT.	2.44E-02 ± 5.03E-03	L.T. 1.E-02
02/28/11	03/07/11	9.99E+03	CU.FT.	2.33E-02 ± 5.26E-03	L.T. 2.E-02
03/07/11	03/15/11	1.14E+04	CU.FT.	2.08E-02 ± 4.45E-03	L.T. 4.E-02
03/15/11	03/22/11	9.98E+03	CU.FT.	1.70E-02 ± 3.99E-03	L.T. 5.E-02
03/22/11	03/29/11	1.02E+04	CU.FT.	3.60E-02 ± 5.78E-03	1.11E-01 ± 4.42E-02 (a)
03/29/11	04/05/11	9.99E+03	CU.FT.	2.68E-02 ± 5.21E-03	8.81E-02 ± 4.80E-02 (a)
04/05/11	04/13/11	1.15E+04	CU.FT.	1.45E-02 ± 4.30E-03	L.T. 6.E-02
04/13/11	04/19/11	8.63E+03	CU.FT.	1.83E-02 ± 5.38E-03	L.T. 5.E-02
04/19/11	04/26/11	1.01E+04	CU.FT.	1.40E-02 ± 4.15E-03	L.T. 6.E-02
04/26/11	05/03/11	1.01E+04	CU.FT.	1.43E-02 ± 3.54E-03	L.T. 6.E-02
05/03/11	05/10/11	9.96E+03	CU.FT.	2.05E-02 ± 4.83E-03	L.T. 3.E-02
05/10/11	05/17/11	1.02E+04	CU.FT.	1.34E-02 ± 3.52E-03	L.T. 3.E-02
05/17/11	05/24/11	9.73E+03	CU.FT.	1.54E-02 ± 4.39E-03	L.T. 6.E-02
05/24/11	05/31/11	1.00E+04	CU.FT.	9.90E-03 ± 3.42E-03	L.T. 5.E-02
05/31/11	06/07/11	1.01E+04	CU.FT.	1.94E-02 ± 5.01E-03	L.T. 5.E-02
06/07/11	06/14/11	9.96E+03	CU.FT.	1.57E-02 ± 4.01E-03	L.T. 7.E-02
06/14/11	06/21/11	1.02E+04	CU.FT.	1.61E-02 ± 3.72E-03	L.T. 4.E-02
06/21/11	06/28/11	9.99E+03	CU.FT.	1.00E-02 ± 4.53E-03	L.T. 4.E-02

(a) Positive I-131 results attributed to Fukushima accident

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 1

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
06/28/11	07/05/11	1.01E+04	CU.FT.	2.26E-02 ± 4.72E-03	L.T. 5.E-02
07/05/11	07/12/11	1.00E+04	CU.FT.	2.55E-02 ± 5.18E-03	L.T. 6.E-02
07/12/11	07/19/11	1.00E+04	CU.FT.	2.35E-02 ± 4.36E-03	L.T. 7.E-02
07/19/11	07/26/11	1.02E+04	CU.FT.	1.26E-02 ± 4.86E-03	L.T. 6.E-02
07/26/11	08/01/11	8.58E+03	CU.FT.	1.89E-02 ± 5.12E-03	L.T. 6.E-02
08/01/11	08/09/11	1.15E+04	CU.FT.	2.58E-02 ± 4.60E-03	L.T. 4.E-02
08/09/11	08/16/11	1.00E+04	CU.FT.	2.07E-02 ± 4.03E-03	L.T. 6.E-02
08/16/11	08/22/11	8.66E+03	CU.FT.	2.56E-02 ± 5.29E-03	L.T. 6.E-02
08/22/11	08/30/11	1.15E+04	CU.FT.	2.46E-02 ± 4.06E-03	L.T. 7.E-02
08/30/11	09/06/11	1.00E+04	CU.FT.	3.36E-02 ± 5.14E-03	L.T. 4.E-02
09/06/11	09/13/11	9.98E+03	CU.FT.	2.63E-02 ± 4.59E-03	L.T. 4.E-02
09/13/11	09/20/11	1.01E+04	CU.FT.	1.68E-02 ± 4.13E-03	L.T. 6.E-02
09/20/11	09/27/11	1.02E+04	CU.FT.	2.05E-02 ± 4.76E-03	L.T. 6.E-02
09/27/11	10/04/11	9.81E+03	CU.FT.	1.86E-02 ± 4.85E-03	L.T. 7.E-02
10/04/11	10/11/11	1.01E+04	CU.FT.	2.59E-02 ± 4.62E-03	L.T. 7.E-02
10/11/11	10/18/11	1.00E+04	CU.FT.	1.49E-02 ± 4.08E-03	L.T. 5.E-02
10/18/11	10/25/11	9.87E+03	CU.FT.	3.30E-02 ± 5.11E-03	L.T. 7.E-02
10/25/11	11/01/11	1.01E+04	CU.FT.	2.29E-02 ± 5.05E-03	L.T. 2.E-02
11/01/11	11/08/11	9.97E+03	CU.FT.	3.18E-02 ± 5.13E-03	L.T. 6.E-02
11/08/11	11/15/11	1.01E+04	CU.FT.	3.16E-02 ± 5.39E-03	L.T. 7.E-02
11/15/11	11/22/11	1.00E+04	CU.FT.	3.39E-02 ± 5.55E-03	L.T. 5.E-02
11/22/11	11/29/11	1.01E+04	CU.FT.	3.42E-02 ± 5.62E-03	L.T. 3.E-02
11/29/11	12/05/11	8.67E+03	CU.FT.	2.44E-02 ± 4.91E-03	L.T. 7.E-02
12/05/11	12/13/11	3.48E+03	CU.FT.	L.T. 8.E-03	L.T. 2.E-01
12/13/11	12/20/11	1.01E+04	CU.FT.	3.37E-02 ± 5.52E-03	L.T. 3.E-02
12/20/11	12/27/11	9.92E+03	CU.FT.	1.95E-02 ± 4.31E-03	L.T. 6.E-02
12/27/11	01/03/12	1.02E+04	CU.FT.	1.20E-02 ± 4.32E-03	L.T. 5.E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 2

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
12/28/10	01/04/11	1.01E+04	CU.FT.	2.67E-02 ± 4.62E-03	L.T. 2.E-02
01/04/11	01/11/11	1.01E+04	CU.FT.	2.04E-02 ± 5.09E-03	L.T. 4.E-02
01/11/11	01/18/11	1.00E+04	CU.FT.	4.84E-02 ± 6.09E-03	L.T. 2.E-02
01/18/11	01/25/11	9.99E+03	CU.FT.	3.71E-02 ± 5.81E-03	L.T. 5.E-02
01/25/11	01/31/11	8.59E+03	CU.FT.	2.79E-02 ± 5.49E-03	L.T. 5.E-02
01/31/11	02/08/11	1.15E+04	CU.FT.	2.38E-02 ± 4.63E-03	L.T. 3.E-02
02/08/11	02/15/11	1.01E+04	CU.FT.	1.95E-02 ± 4.19E-03	L.T. 4.E-02
02/15/11	02/21/11	8.65E+03	CU.FT.	1.22E-02 ± 3.92E-03	L.T. 5.E-02
02/21/11	02/28/11	1.01E+04	CU.FT.	2.43E-02 ± 5.02E-03	L.T. 3.E-02
02/28/11	03/07/11	9.99E+03	CU.FT.	1.99E-02 ± 5.07E-03	L.T. 3.E-02
03/07/11	03/15/11	1.14E+04	CU.FT.	2.23E-02 ± 4.54E-03	L.T. 6.E-02
03/15/11	03/22/11	1.01E+04	CU.FT.	1.68E-02 ± 3.94E-03	L.T. 5.E-02
03/22/11	03/29/11	1.01E+04	CU.FT.	3.08E-02 ± 5.55E-03	1.12E-01 ± 2.83E-02 (a)
03/29/11	04/05/11	1.00E+04	CU.FT.	2.93E-02 ± 5.34E-03	1.30E-01 ± 4.06E-02 (a)
04/05/11	04/13/11	1.15E+04	CU.FT.	1.60E-02 ± 4.39E-03	4.69E-02 ± 3.01E-02 (a)
04/13/11	04/19/11	8.60E+03	CU.FT.	1.89E-02 ± 5.44E-03	L.T. 4.E-02
04/19/11	04/26/11	1.01E+04	CU.FT.	1.23E-02 ± 4.02E-03	L.T. 6.E-02
04/26/11	05/03/11	1.00E+04	CU.FT.	1.94E-02 ± 3.97E-03	L.T. 6.E-02
05/03/11	05/10/11	9.96E+03	CU.FT.	2.22E-02 ± 4.93E-03	L.T. 3.E-02
05/10/11	05/17/11	1.01E+04	CU.FT.	9.36E-03 ± 3.19E-03	L.T. 3.E-02
05/17/11	05/24/11	1.00E+04	CU.FT.	1.70E-02 ± 4.41E-03	L.T. 6.E-02
05/24/11	05/31/11	1.00E+04	CU.FT.	1.22E-02 ± 3.61E-03	L.T. 5.E-02
05/31/11	06/07/11	1.01E+04	CU.FT.	1.83E-02 ± 4.95E-03	L.T. 5.E-02
06/07/11	06/14/11	1.01E+04	CU.FT.	1.76E-02 ± 4.10E-03	L.T. 7.E-02
06/14/11	06/21/11	1.01E+04	CU.FT.	1.65E-02 ± 3.78E-03	L.T. 4.E-02
06/21/11	06/28/11	1.01E+04	CU.FT.	9.91E-03 ± 4.48E-03	L.T. 4.E-02

(a) Positive I-131 results attributed to Fukushima accident

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 2

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
06/28/11	07/05/11	9.98E+03	CU.FT.	1.65E-02 ± 4.36E-03	L.T. 5.E-02
07/05/11	07/12/11	1.00E+04	CU.FT.	2.18E-02 ± 4.96E-03	L.T. 6.E-02
07/12/11	07/19/11	1.00E+04	CU.FT.	2.53E-02 ± 4.48E-03	L.T. 7.E-02
07/19/11	07/26/11	1.02E+04	CU.FT.	1.22E-02 ± 4.83E-03	L.T. 6.E-02
07/26/11	08/01/11	8.77E+03	CU.FT.	2.14E-02 ± 5.20E-03	L.T. 6.E-02
08/01/11	08/09/11	1.13E+04	CU.FT.	2.25E-02 ± 4.46E-03	L.T. 4.E-02
08/09/11	08/16/11	1.00E+04	CU.FT.	2.23E-02 ± 4.15E-03	L.T. 6.E-02
08/16/11	08/22/11	8.35E+03	CU.FT.	1.99E-02 ± 5.04E-03	L.T. 6.E-02
08/22/11	08/30/11	1.15E+04	CU.FT.	2.13E-02 ± 3.85E-03	L.T. 7.E-02
08/30/11	09/06/11	1.01E+04	CU.FT.	2.73E-02 ± 4.74E-03	L.T. 3.E-02
09/06/11	09/13/11	9.96E+03	CU.FT.	2.56E-02 ± 4.55E-03	L.T. 4.E-02
09/13/11	09/20/11	1.01E+04	CU.FT.	1.83E-02 ± 4.23E-03	L.T. 6.E-02
09/20/11	09/27/11	1.02E+04	CU.FT.	1.36E-02 ± 4.31E-03	L.T. 6.E-02
09/27/11	10/04/11	9.91E+03	CU.FT.	2.50E-02 ± 5.20E-03	L.T. 7.E-02
10/04/11	10/11/11	1.01E+04	CU.FT.	2.15E-02 ± 4.33E-03	L.T. 7.E-02
10/11/11	10/18/11	1.00E+04	CU.FT.	1.54E-02 ± 3.90E-03	L.T. 5.E-02
10/18/11	10/25/11	1.02E+04	CU.FT.	2.52E-02 ± 4.53E-03	L.T. 7.E-02
10/25/11	11/01/11	1.01E+04	CU.FT.	2.04E-02 ± 4.90E-03	L.T. 2.E-02
11/01/11	11/08/11	9.97E+03	CU.FT.	3.42E-02 ± 5.27E-03	L.T. 6.E-02
11/08/11	11/15/11	1.01E+04	CU.FT.	2.77E-02 ± 5.17E-03	L.T. 7.E-02
11/15/11	11/22/11	1.00E+04	CU.FT.	3.03E-02 ± 5.35E-03	L.T. 5.E-02
11/22/11	11/29/11	1.01E+04	CU.FT.	3.98E-02 ± 5.91E-03	L.T. 3.E-02
11/29/11	12/05/11	8.70E+03	CU.FT.	2.10E-02 ± 4.65E-03	L.T. 7.E-02
12/05/11	12/13/11	1.15E+04	CU.FT.	4.27E-02 ± 5.31E-03	L.T. 7.E-02
12/13/11	12/20/11	1.01E+04	CU.FT.	3.68E-02 ± 5.68E-03	L.T. 3.E-02
12/20/11	12/27/11	9.92E+03	CU.FT.	1.94E-02 ± 4.30E-03	L.T. 6.E-02
12/27/11	01/03/12	1.02E+04	CU.FT.	1.46E-02 ± 4.50E-03	L.T. 5.E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 3

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
12/28/10	01/04/11	0.00E+00	CU.FT. (b)		
01/04/11	01/11/11	0.00E+00	CU.FT. (b)		
01/11/11	01/18/11	0.00E+00	CU.FT. (b)		
01/18/11	01/25/11	0.00E+00	CU.FT. (b)		
01/25/11	01/31/11	0.00E+00	CU.FT. (b)		
01/31/11	02/08/11	0.00E+00	CU.FT. (b)		
02/08/11	02/15/11	0.00E+00	CU.FT. (b)		
02/15/11	02/21/11	0.00E+00	CU.FT. (b)		
02/21/11	02/28/11	0.00E+00	CU.FT. (b)		
02/28/11	03/07/11	0.00E+00	CU.FT. (b)		
03/07/11	03/15/11	0.00E+00	CU.FT. (b)		
03/15/11	03/22/11	0.00E+00	CU.FT. (b)		
03/22/11	03/29/11	0.00E+00	CU.FT. (b)		
03/29/11	04/05/11	0.00E+00	CU.FT. (b)		
04/05/11	04/13/11	0.00E+00	CU.FT. (b)		
04/13/11	04/19/11	0.00E+00	CU.FT. (b)		
04/19/11	04/26/11	0.00E+00	CU.FT. (b)		
04/26/11	05/03/11	0.00E+00	CU.FT. (b)		
05/03/11	05/10/11	0.00E+00	CU.FT. (b)		
05/10/11	05/17/11	0.00E+00	CU.FT. (b)		
05/17/11	05/24/11	0.00E+00	CU.FT. (b)		
05/24/11	05/31/11	0.00E+00	CU.FT. (b)		
05/31/11	06/07/11	0.00E+00	CU.FT. (b)		
06/07/11	06/14/11	0.00E+00	CU.FT. (b)		
06/14/11	06/21/11	0.00E+00	CU.FT. (b)		
06/21/11	06/28/11	0.00E+00	CU.FT. (b)		

(b) Sample unavailable due to flooding

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 3

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
06/28/11	07/05/11	0.00E+00	CU.FT. (b)		
07/05/11	07/12/11	0.00E+00	CU.FT. (b)		
07/12/11	07/19/11	0.00E+00	CU.FT. (b)		
07/19/11	07/26/11	0.00E+00	CU.FT. (b)		
07/26/11	08/01/11	0.00E+00	CU.FT. (b)		
08/01/11	08/09/11	0.00E+00	CU.FT. (b)		
08/09/11	08/16/11	0.00E+00	CU.FT. (b)		
08/16/11	08/22/11	0.00E+00	CU.FT. (b)		
08/22/11	08/30/11	0.00E+00	CU.FT. (b)		
08/30/11	09/06/11	0.00E+00	CU.FT. (b)		
09/06/11	09/13/11	0.00E+00	CU.FT. (b)		
09/13/11	09/20/11	0.00E+00	CU.FT. (b)		
09/20/11	09/27/11	0.00E+00	CU.FT. (b)		
09/27/11	10/04/11	0.00E+00	CU.FT. (b)		
10/04/11	10/11/11	0.00E+00	CU.FT. (b)		
10/11/11	10/18/11	0.00E+00	CU.FT. (b)		
10/18/11	10/25/11	0.00E+00	CU.FT. (b)		
10/25/11	11/01/11	0.00E+00	CU.FT. (b)		
11/01/11	11/08/11	0.00E+00	CU.FT. (b)		
11/08/11	11/15/11	0.00E+00	CU.FT. (b)		
11/15/11	11/22/11	0.00E+00	CU.FT. (b)		
11/22/11	11/29/11	0.00E+00	CU.FT. (b)		
11/29/11	12/05/11	0.00E+00	CU.FT. (b)		
12/05/11	12/13/11	0.00E+00	CU.FT. (b)		
12/13/11	12/20/11	0.00E+00	CU.FT. (b)		
12/20/11	12/27/11	0.00E+00	CU.FT. (b)		
12/27/11	01/03/12	0.00E+00	CU.FT. (b)		

(b) Sample unavailable due to flooding

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 4

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
12/28/10	01/04/11	1.02E+04	CU.FT.	2.74E-02 ± 4.63E-03	L.T. 2.E-02
01/04/11	01/11/11	1.02E+04	CU.FT.	1.87E-02 ± 4.95E-03	L.T. 4.E-02
01/11/11	01/18/11	9.97E+03	CU.FT.	5.35E-02 ± 6.36E-03	L.T. 2.E-02
01/18/11	01/25/11	1.01E+04	CU.FT.	3.71E-02 ± 5.77E-03	L.T. 5.E-02
01/25/11	01/31/11	8.54E+03	CU.FT.	2.31E-02 ± 5.19E-03	L.T. 5.E-02
01/31/11	02/08/11	1.16E+04	CU.FT.	2.24E-02 ± 4.52E-03	L.T. 2.E-02
02/08/11	02/15/11	1.00E+04	CU.FT.	1.91E-02 ± 4.19E-03	L.T. 4.E-02
02/15/11	02/21/11	8.61E+03	CU.FT.	1.35E-02 ± 4.04E-03	L.T. 5.E-02
02/21/11	02/28/11	1.02E+04	CU.FT.	2.64E-02 ± 5.11E-03	L.T. 3.E-02
02/28/11	03/07/11	9.99E+03	CU.FT.	2.24E-02 ± 5.21E-03	L.T. 3.E-02
03/07/11	03/15/11	1.14E+04	CU.FT.	1.69E-02 ± 4.22E-03	L.T. 6.E-02
03/15/11	03/22/11	9.75E+03	CU.FT.	1.80E-02 ± 4.13E-03	L.T. 4.E-02
03/22/11	03/29/11	1.03E+04	CU.FT.	3.20E-02 ± 5.54E-03	1.37E-01 ± 4.62E-02 (a)
03/29/11	04/05/11	1.01E+04	CU.FT.	3.16E-02 ± 5.44E-03	1.14E-01 ± 3.44E-02 (a)
04/05/11	04/13/11	1.16E+04	CU.FT.	2.00E-02 ± 4.59E-03	L.T. 5.E-02
04/13/11	04/19/11	8.55E+03	CU.FT.	1.69E-02 ± 5.33E-03	L.T. 6.E-02
04/19/11	04/26/11	1.00E+04	CU.FT.	8.81E-03 ± 3.79E-03	L.T. 5.E-02
04/26/11	05/03/11	1.01E+04	CU.FT.	1.68E-02 ± 3.75E-03	L.T. 6.E-02
05/03/11	05/10/11	9.91E+03	CU.FT.	2.14E-02 ± 4.90E-03	L.T. 3.E-02
05/10/11	05/17/11	1.01E+04	CU.FT.	1.20E-02 ± 3.43E-03	L.T. 3.E-02
05/17/11	05/24/11	1.01E+04	CU.FT.	1.63E-02 ± 4.33E-03	L.T. 6.E-02
05/24/11	05/31/11	1.02E+04	CU.FT.	1.40E-02 ± 3.71E-03	L.T. 5.E-02
05/31/11	06/07/11	1.01E+04	CU.FT.	2.13E-02 ± 5.12E-03	L.T. 5.E-02
06/07/11	06/14/11	0.00E+00	CU.FT. (b)		
06/14/11	06/21/11	0.00E+00	CU.FT. (b)		
06/21/11	06/28/11	0.00E+00	CU.FT. (b)		

(a) Positive I-131 results attributed to Fukushima accident

(b) Sample unavailable due to flooding

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 4

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
06/28/11	07/05/11	0.00E+00	CU.FT. (b)		
07/05/11	07/12/11	0.00E+00	CU.FT. (b)		
07/12/11	07/19/11	0.00E+00	CU.FT. (b)		
07/19/11	07/26/11	0.00E+00	CU.FT. (b)		
07/26/11	08/01/11	0.00E+00	CU.FT. (b)		
08/01/11	08/09/11	0.00E+00	CU.FT. (b)		
08/09/11	08/16/11	0.00E+00	CU.FT. (b)		
08/16/11	08/22/11	0.00E+00	CU.FT. (b)		
08/22/11	08/30/11	0.00E+00	CU.FT. (b)		
08/30/11	09/06/11	0.00E+00	CU.FT. (b)		
09/06/11	09/13/11	0.00E+00	CU.FT. (b)		
09/13/11	09/20/11	0.00E+00	CU.FT. (b)		
09/20/11	09/27/11	0.00E+00	CU.FT. (b)		
09/27/11	10/04/11	0.00E+00	CU.FT. (b)		
10/04/11	10/11/11	0.00E+00	CU.FT. (b)		
10/11/11	10/18/11	0.00E+00	CU.FT. (b)		
10/18/11	10/25/11	0.00E+00	CU.FT. (b)		
10/25/11	11/01/11	0.00E+00	CU.FT. (b)		
11/01/11	11/08/11	0.00E+00	CU.FT. (b)		
11/08/11	11/15/11	0.00E+00	CU.FT. (b)		
11/15/11	11/22/11	0.00E+00	CU.FT. (b)		
11/22/11	11/29/11	0.00E+00	CU.FT. (b)		
11/29/11	12/05/11	0.00E+00	CU.FT. (b)		
12/05/11	12/13/11	0.00E+00	CU.FT. (b)		
12/13/11	12/20/11	0.00E+00	CU.FT. (b)		
12/20/11	12/27/11	0.00E+00	CU.FT. (b)		
12/27/11	01/03/12	0.00E+00	CU.FT. (b)		

(b) Sample unavailable due to flooding

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 5

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
12/28/10	01/04/11	1.02E+04	CU.FT.	3.17E-02 ± 4.90E-03	L.T. 2.E-02
01/04/11	01/11/11	1.02E+04	CU.FT.	2.55E-02 ± 5.34E-03	L.T. 4.E-02
01/11/11	01/18/11	9.97E+03	CU.FT.	4.45E-02 ± 5.90E-03	L.T. 2.E-02
01/18/11	01/25/11	1.01E+04	CU.FT.	3.52E-02 ± 5.67E-03	L.T. 5.E-02
01/25/11	01/31/11	8.54E+03	CU.FT.	1.99E-02 ± 4.96E-03	L.T. 5.E-02
01/31/11	02/08/11	1.16E+04	CU.FT.	1.85E-02 ± 4.29E-03	L.T. 2.E-02
02/08/11	02/15/11	1.00E+04	CU.FT.	1.95E-02 ± 4.22E-03	L.T. 4.E-02
02/15/11	02/21/11	8.60E+03	CU.FT.	1.63E-02 ± 4.28E-03	L.T. 5.E-02
02/21/11	02/28/11	1.02E+04	CU.FT.	2.84E-02 ± 5.22E-03	L.T. 3.E-02
02/28/11	03/07/11	1.00E+04	CU.FT.	1.87E-02 ± 4.99E-03	L.T. 3.E-02
03/07/11	03/15/11	1.14E+04	CU.FT.	1.82E-02 ± 4.30E-03	L.T. 6.E-02
03/15/11	03/22/11	9.75E+03	CU.FT.	1.88E-02 ± 4.18E-03	L.T. 2.E-02
03/22/11	03/29/11	1.03E+04	CU.FT.	3.26E-02 ± 5.57E-03	9.42E-02 ± 3.08E-02 (a)
03/29/11	04/05/11	1.01E+04	CU.FT.	3.31E-02 ± 5.52E-03	7.69E-02 ± 4.07E-02 (a)
04/05/11	04/13/11	1.17E+04	CU.FT.	1.67E-02 ± 4.37E-03	L.T. 4.E-02
04/13/11	04/19/11	8.54E+03	CU.FT.	1.66E-02 ± 5.32E-03	L.T. 4.E-02
04/19/11	04/26/11	1.00E+04	CU.FT.	1.05E-02 ± 3.92E-03	L.T. 5.E-02
04/26/11	05/03/11	1.01E+04	CU.FT.	1.78E-02 ± 3.83E-03	L.T. 6.E-02
05/03/11	05/10/11	9.91E+03	CU.FT.	1.81E-02 ± 4.69E-03	L.T. 3.E-02
05/10/11	05/17/11	1.01E+04	CU.FT.	1.04E-02 ± 3.28E-03	L.T. 3.E-02
05/17/11	05/24/11	1.01E+04	CU.FT.	1.70E-02 ± 4.38E-03	L.T. 6.E-02
05/24/11	05/31/11	1.02E+04	CU.FT.	9.71E-03 ± 3.35E-03	L.T. 5.E-02
05/31/11	06/07/11	1.01E+04	CU.FT.	1.83E-02 ± 4.95E-03	L.T. 5.E-02
06/07/11	06/14/11	0.00E+00	CU.FT. (b)		
06/14/11	06/21/11	0.00E+00	CU.FT. (b)		
06/21/11	06/28/11	0.00E+00	CU.FT. (b)		

(a) Positive I-131 results attributed to Fukushima accident

(b) Sample unavailable due to flooding

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 5

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
06/28/11	07/05/11	0.00E+00	CU.FT. (b)		
07/05/11	07/12/11	0.00E+00	CU.FT. (b)		
07/12/11	07/19/11	0.00E+00	CU.FT. (b)		
07/19/11	07/26/11	0.00E+00	CU.FT. (b)		
07/26/11	08/01/11	0.00E+00	CU.FT. (b)		
08/01/11	08/09/11	0.00E+00	CU.FT. (b)		
08/09/11	08/16/11	0.00E+00	CU.FT. (b)		
08/16/11	08/22/11	0.00E+00	CU.FT. (b)		
08/22/11	08/30/11	0.00E+00	CU.FT. (b)		
08/30/11	09/06/11	0.00E+00	CU.FT. (b)		
09/06/11	09/13/11	0.00E+00	CU.FT. (b)		
09/13/11	09/20/11	0.00E+00	CU.FT. (b)		
09/20/11	09/27/11	0.00E+00	CU.FT. (b)		
09/27/11	10/04/11	0.00E+00	CU.FT. (b)		
10/04/11	10/11/11	0.00E+00	CU.FT. (b)		
10/11/11	10/18/11	0.00E+00	CU.FT. (b)		
10/18/11	10/25/11	0.00E+00	CU.FT. (b)		
10/25/11	11/01/11	0.00E+00	CU.FT. (b)		
11/01/11	11/08/11	0.00E+00	CU.FT. (b)		
11/08/11	11/15/11	0.00E+00	CU.FT. (b)		
11/15/11	11/22/11	0.00E+00	CU.FT. (b)		
11/22/11	11/29/11	0.00E+00	CU.FT. (b)		
11/29/11	12/05/11	0.00E+00	CU.FT. (b)		
12/05/11	12/13/11	0.00E+00	CU.FT. (b)		
12/13/11	12/20/11	0.00E+00	CU.FT. (b)		
12/20/11	12/27/11	0.00E+00	CU.FT. (b)		
12/27/11	01/03/12	0.00E+00	CU.FT. (b)		

(b) Sample unavailable due to flooding

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 6

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
12/28/10	01/04/11	1.02E+04	CU.FT.	3.07E-02 ± 4.84E-03	L.T. 2.E-02
01/04/11	01/11/11	1.02E+04	CU.FT.	2.36E-02 ± 5.23E-03	L.T. 2.E-02
01/11/11	01/18/11	9.97E+03	CU.FT.	4.82E-02 ± 6.09E-03	L.T. 2.E-02
01/18/11	01/25/11	1.01E+04	CU.FT.	2.90E-02 ± 5.34E-03	L.T. 5.E-02
01/25/11	01/31/11	8.54E+03	CU.FT.	2.64E-02 ± 5.42E-03	L.T. 5.E-02
01/31/11	02/08/11	1.16E+04	CU.FT.	2.25E-02 ± 4.53E-03	L.T. 2.E-02
02/08/11	02/15/11	1.00E+04	CU.FT.	1.88E-02 ± 4.17E-03	L.T. 4.E-02
02/15/11	02/21/11	8.60E+03	CU.FT.	1.27E-02 ± 3.97E-03	L.T. 5.E-02
02/21/11	02/28/11	1.01E+04	CU.FT.	2.59E-02 ± 5.11E-03	L.T. 3.E-02
02/28/11	03/07/11	1.00E+04	CU.FT.	1.97E-02 ± 5.05E-03	L.T. 3.E-02
03/07/11	03/15/11	1.14E+04	CU.FT.	2.25E-02 ± 4.55E-03	L.T. 6.E-02
03/15/11	03/22/11	9.77E+03	CU.FT.	2.16E-02 ± 4.38E-03	L.T. 4.E-02
03/22/11	03/29/11	1.03E+04	CU.FT.	3.76E-02 ± 5.82E-03	7.78E-02 ± 4.71E-02 (a)
03/29/11	04/05/11	1.01E+04	CU.FT.	2.65E-02 ± 5.15E-03	9.99E-02 ± 3.20E-02 (a)
04/05/11	04/13/11	1.17E+04	CU.FT.	1.90E-02 ± 4.50E-03	L.T. 4.E-02
04/13/11	04/19/11	8.56E+03	CU.FT.	1.80E-02 ± 5.40E-03	L.T. 3.E-02
04/19/11	04/26/11	1.00E+04	CU.FT.	1.31E-02 ± 4.12E-03	L.T. 3.E-02
04/26/11	05/03/11	1.01E+04	CU.FT.	1.23E-02 ± 3.37E-03	L.T. 3.E-02
05/03/11	05/10/11	9.92E+03	CU.FT.	1.94E-02 ± 4.77E-03	L.T. 2.E-02
05/10/11	05/17/11	1.01E+04	CU.FT.	8.17E-03 ± 3.07E-03	L.T. 2.E-02
05/17/11	05/24/11	1.01E+04	CU.FT.	1.58E-02 ± 4.30E-03	L.T. 3.E-02
05/24/11	05/31/11	1.02E+04	CU.FT.	1.35E-02 ± 3.67E-03	L.T. 3.E-02
05/31/11	06/07/11	1.01E+04	CU.FT.	2.40E-02 ± 5.27E-03	L.T. 3.E-02
06/07/11	06/14/11	0.00E+00	CU.FT. (b)		
06/14/11	06/21/11	0.00E+00	CU.FT. (b)		
06/21/11	06/28/11	0.00E+00	CU.FT. (b)		

(a) Positive I-131 results attributed to Fukushima accident

(b) Sample unavailable due to flooding

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 6

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
06/28/11	07/05/11	0.00E+00	CU.FT. (b)		
07/05/11	07/12/11	0.00E+00	CU.FT. (b)		
07/12/11	07/19/11	0.00E+00	CU.FT. (b)		
07/19/11	07/26/11	0.00E+00	CU.FT. (b)		
07/26/11	08/01/11	0.00E+00	CU.FT. (b)		
08/01/11	08/09/11	0.00E+00	CU.FT. (b)		
08/09/11	08/16/11	0.00E+00	CU.FT. (b)		
08/16/11	08/22/11	0.00E+00	CU.FT. (b)		
08/22/11	08/30/11	0.00E+00	CU.FT. (b)		
08/30/11	09/06/11	0.00E+00	CU.FT. (b)		
09/06/11	09/13/11	0.00E+00	CU.FT. (b)		
09/13/11	09/20/11	0.00E+00	CU.FT. (b)		
09/20/11	09/27/11	0.00E+00	CU.FT. (b)		
09/27/11	10/04/11	0.00E+00	CU.FT. (b)		
10/04/11	10/11/11	0.00E+00	CU.FT. (b)		
10/11/11	10/18/11	0.00E+00	CU.FT. (b)		
10/18/11	10/25/11	0.00E+00	CU.FT. (b)		
10/25/11	11/01/11	0.00E+00	CU.FT. (b)		
11/01/11	11/08/11	0.00E+00	CU.FT. (b)		
11/08/11	11/15/11	0.00E+00	CU.FT. (b)		
11/15/11	11/22/11	0.00E+00	CU.FT. (b)		
11/22/11	11/29/11	0.00E+00	CU.FT. (b)		
11/29/11	12/05/11	0.00E+00	CU.FT. (b)		
12/05/11	12/13/11	0.00E+00	CU.FT. (b)		
12/13/11	12/20/11	0.00E+00	CU.FT. (b)		
12/20/11	12/27/11	0.00E+00	CU.FT. (b)		
12/27/11	01/03/12	0.00E+00	CU.FT. (b)		

(b) Sample unavailable due to flooding

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 7

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
12/28/10	01/04/11	1.01E+04	CU.FT.	2.51E-02 ± 4.52E-03	L.T. 1.E-02
01/04/11	01/11/11	1.02E+04	CU.FT.	2.08E-02 ± 5.07E-03	L.T. 4.E-02
01/11/11	01/18/11	1.00E+04	CU.FT.	3.91E-02 ± 5.59E-03	L.T. 4.E-02
01/18/11	01/25/11	1.00E+04	CU.FT.	3.14E-02 ± 5.51E-03	L.T. 3.E-02
01/25/11	01/31/11	8.59E+03	CU.FT.	2.10E-02 ± 5.02E-03	L.T. 3.E-02
01/31/11	02/08/11	1.15E+04	CU.FT.	1.74E-02 ± 4.25E-03	L.T. 2.E-02
02/08/11	02/15/11	1.01E+04	CU.FT.	1.68E-02 ± 4.00E-03	L.T. 3.E-02
02/15/11	02/21/11	8.65E+03	CU.FT.	1.93E-02 ± 4.50E-03	L.T. 3.E-02
02/21/11	02/28/11	1.01E+04	CU.FT.	2.37E-02 ± 4.98E-03	L.T. 3.E-02
02/28/11	03/07/11	9.99E+03	CU.FT.	2.72E-02 ± 5.48E-03	L.T. 2.E-02
03/07/11	03/15/11	1.14E+04	CU.FT.	1.80E-02 ± 4.28E-03	L.T. 3.E-02
03/15/11	03/22/11	1.01E+04	CU.FT.	1.48E-02 ± 3.78E-03	L.T. 3.E-02
03/22/11	03/29/11	1.01E+04	CU.FT.	3.45E-02 ± 5.74E-03	1.18E-01 ± 5.95E-02 (a)
03/29/11	04/05/11	1.00E+04	CU.FT.	2.75E-02 ± 5.24E-03	1.26E-01 ± 4.45E-02 (a)
04/05/11	04/13/11	1.15E+04	CU.FT.	1.68E-02 ± 4.43E-03	L.T. 6.E-02
04/13/11	04/19/11	8.58E+03	CU.FT.	2.18E-02 ± 5.62E-03	L.T. 5.E-02
04/19/11	04/26/11	1.01E+04	CU.FT.	9.76E-03 ± 3.83E-03	L.T. 4.E-02
04/26/11	05/03/11	1.01E+04	CU.FT.	1.47E-02 ± 3.58E-03	L.T. 6.E-02
05/03/11	05/10/11	9.97E+03	CU.FT.	1.87E-02 ± 4.71E-03	L.T. 1.E-02
05/10/11	05/17/11	1.01E+04	CU.FT.	8.91E-03 ± 3.14E-03	L.T. 3.E-02
05/17/11	05/24/11	1.01E+04	CU.FT.	1.23E-02 ± 4.04E-03	L.T. 7.E-02
05/24/11	05/31/11	1.00E+04	CU.FT.	1.41E-02 ± 3.77E-03	L.T. 5.E-02
05/31/11	06/07/11	1.01E+04	CU.FT.	1.82E-02 ± 4.94E-03	L.T. 6.E-02
06/07/11	06/14/11	1.01E+04	CU.FT.	1.02E-02 ± 3.54E-03	L.T. 7.E-02
06/14/11	06/21/11	1.01E+04	CU.FT.	1.88E-02 ± 3.95E-03	L.T. 4.E-02
06/21/11	06/28/11	1.01E+04	CU.FT.	8.43E-03 ± 4.38E-03	L.T. 4.E-02

(a) Positive I-131 results attributed to Fukushima accident

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 7

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
06/28/11	07/05/11	9.98E+03	CU.FT.	2.11E-02 ± 4.67E-03	L.T. 5.E-02
07/05/11	07/12/11	1.00E+04	CU.FT.	2.29E-02 ± 5.03E-03	L.T. 6.E-02
07/12/11	07/19/11	1.00E+04	CU.FT.	2.45E-02 ± 4.43E-03	L.T. 7.E-02
07/19/11	07/26/11	1.02E+04	CU.FT.	8.26E-03 ± 4.59E-03	L.T. 6.E-02
07/26/11	08/01/11	8.77E+03	CU.FT.	1.42E-02 ± 4.70E-03	L.T. 6.E-02
08/01/11	08/09/11	1.11E+04	CU.FT.	2.02E-02 ± 4.37E-03	L.T. 4.E-02
08/09/11	08/16/11	1.00E+04	CU.FT.	1.76E-02 ± 3.80E-03	L.T. 6.E-02
08/16/11	08/22/11	8.59E+03	CU.FT.	2.09E-02 ± 5.01E-03	L.T. 6.E-02
08/22/11	08/30/11	1.15E+04	CU.FT.	2.65E-02 ± 4.18E-03	L.T. 7.E-02
08/30/11	09/06/11	1.01E+04	CU.FT.	3.06E-02 ± 4.93E-03	L.T. 3.E-02
09/06/11	09/13/11	9.97E+03	CU.FT.	2.93E-02 ± 4.79E-03	L.T. 4.E-02
09/13/11	09/20/11	1.01E+04	CU.FT.	1.40E-02 ± 3.84E-03	L.T. 6.E-02
09/20/11	09/27/11	1.02E+04	CU.FT.	1.77E-02 ± 4.58E-03	L.T. 6.E-02
09/27/11	10/04/11	9.91E+03	CU.FT.	2.49E-02 ± 5.19E-03	L.T. 7.E-02
10/04/11	10/11/11	1.01E+04	CU.FT.	2.34E-02 ± 4.46E-03	L.T. 7.E-02
10/11/11	10/18/11	1.00E+04	CU.FT.	L.T. 5.E-03	L.T. 5.E-02
10/18/11	10/25/11	1.03E+04	CU.FT.	9.61E-03 ± 3.35E-03	L.T. 7.E-02
10/25/11	11/01/11	1.01E+04	CU.FT.	2.19E-02 ± 4.98E-03	L.T. 2.E-02
11/01/11	11/08/11	9.97E+03	CU.FT.	3.10E-02 ± 5.09E-03	L.T. 6.E-02
11/08/11	11/15/11	1.01E+04	CU.FT.	2.88E-02 ± 5.23E-03	L.T. 7.E-02
11/15/11	11/22/11	1.00E+04	CU.FT.	2.79E-02 ± 5.22E-03	L.T. 5.E-02
11/22/11	11/29/11	1.01E+04	CU.FT.	2.91E-02 ± 5.35E-03	L.T. 3.E-02
11/29/11	12/05/11	8.70E+03	CU.FT.	1.27E-02 ± 4.25E-03	L.T. 7.E-02
12/05/11	12/13/11	1.15E+04	CU.FT.	3.51E-02 ± 4.93E-03	L.T. 6.E-02
12/13/11	12/20/11	1.01E+04	CU.FT.	3.59E-02 ± 5.64E-03	L.T. 3.E-02
12/20/11	12/27/11	9.92E+03	CU.FT.	1.96E-02 ± 4.12E-03	L.T. 6.E-02
12/27/11	01/03/12	1.02E+04	CU.FT.	1.20E-02 ± 4.32E-03	L.T. 5.E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 8

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
12/28/10	01/04/11	1.02E+04	CU.FT.	3.17E-02 ± 4.90E-03	L.T. 2.E-02
01/04/11	01/11/11	1.02E+04	CU.FT.	2.24E-02 ± 5.16E-03	L.T. 4.E-02
01/11/11	01/18/11	9.97E+03	CU.FT.	5.14E-02 ± 6.25E-03	L.T. 4.E-02
01/18/11	01/25/11	9.99E+03	CU.FT.	4.14E-02 ± 6.03E-03	L.T. 6.E-02
01/25/11	01/31/11	8.59E+03	CU.FT.	2.45E-02 ± 5.26E-03	L.T. 5.E-02
01/31/11	02/08/11	1.14E+04	CU.FT.	2.59E-02 ± 4.77E-03	L.T. 3.E-02
02/08/11	02/15/11	1.01E+04	CU.FT.	1.60E-02 ± 3.94E-03	L.T. 5.E-02
02/15/11	02/21/11	8.65E+03	CU.FT.	1.72E-02 ± 4.34E-03	L.T. 5.E-02
02/21/11	02/28/11	1.02E+04	CU.FT.	2.49E-02 ± 5.02E-03	L.T. 6.E-02
02/28/11	03/07/11	9.90E+03	CU.FT.	2.53E-02 ± 5.41E-03	L.T. 3.E-02
03/07/11	03/15/11	1.14E+04	CU.FT.	1.72E-02 ± 4.23E-03	L.T. 6.E-02
03/15/11	03/22/11	1.01E+04	CU.FT.	1.63E-02 ± 3.90E-03	L.T. 4.E-02
03/22/11	03/29/11	1.01E+04	CU.FT.	3.46E-02 ± 5.75E-03	8.20E-02 ± 3.93E-02 (a)
03/29/11	04/05/11	1.00E+04	CU.FT.	3.15E-02 ± 5.47E-03	1.32E-01 ± 3.31E-02 (a)
04/05/11	04/13/11	1.16E+04	CU.FT.	1.60E-02 ± 4.36E-03	L.T. 4.E-02
04/13/11	04/19/11	8.67E+03	CU.FT.	1.67E-02 ± 5.26E-03	L.T. 3.E-02
04/19/11	04/26/11	9.96E+03	CU.FT.	1.06E-02 ± 3.94E-03	L.T. 4.E-02
04/26/11	05/03/11	1.01E+04	CU.FT.	1.89E-02 ± 3.91E-03	L.T. 6.E-02
05/03/11	05/10/11	9.97E+03	CU.FT.	2.14E-02 ± 4.88E-03	L.T. 3.E-02
05/10/11	05/17/11	1.01E+04	CU.FT.	8.02E-03 ± 3.06E-03	L.T. 3.E-02
05/17/11	05/24/11	1.01E+04	CU.FT.	1.42E-02 ± 4.18E-03	L.T. 7.E-02
05/24/11	05/31/11	1.02E+04	CU.FT.	1.26E-02 ± 3.60E-03	L.T. 5.E-02
05/31/11	06/07/11	9.98E+03	CU.FT.	2.41E-02 ± 5.33E-03	L.T. 6.E-02
06/07/11	06/14/11	9.97E+03	CU.FT.	1.38E-02 ± 3.86E-03	L.T. 5.E-02
06/14/11	06/21/11	1.03E+04	CU.FT.	1.43E-02 ± 3.56E-03	L.T. 5.E-02
06/21/11	06/28/11	7.74E+03	CU.FT.	8.88E-03 ± 5.57E-03	L.T. 5.E-02

(a) Positive I-131 results attributed to Fukushima accident

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 8

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
06/28/11	07/05/11	1.01E+04	CU.FT.	2.04E-02 ± 4.58E-03	L.T. 5.E-02
07/05/11	07/12/11	1.00E+04	CU.FT.	2.51E-02 ± 5.16E-03	L.T. 6.E-02
07/12/11	07/19/11	1.00E+04	CU.FT.	2.04E-02 ± 4.14E-03	L.T. 7.E-02
07/19/11	07/26/11	1.00E+04	CU.FT.	L.T. 7.E-03	L.T. 7.E-02
07/26/11	08/01/11	8.77E+03	CU.FT.	1.45E-02 ± 4.73E-03	L.T. 6.E-02
08/01/11	08/09/11	1.11E+04	CU.FT.	2.13E-02 ± 4.44E-03	L.T. 4.E-02
08/09/11	08/16/11	1.01E+04	CU.FT.	1.98E-02 ± 3.94E-03	L.T. 6.E-02
08/16/11	08/22/11	8.54E+03	CU.FT.	1.91E-02 ± 4.90E-03	L.T. 6.E-02
08/22/11	08/30/11	1.16E+04	CU.FT.	2.00E-02 ± 3.74E-03	L.T. 7.E-02
08/30/11	09/06/11	9.99E+03	CU.FT.	2.39E-02 ± 4.55E-03	L.T. 3.E-02
09/06/11	09/13/11	9.91E+03	CU.FT.	2.18E-02 ± 4.30E-03	L.T. 4.E-02
09/13/11	09/20/11	1.01E+04	CU.FT.	1.21E-02 ± 3.69E-03	L.T. 6.E-02
09/20/11	09/27/11	1.02E+04	CU.FT.	1.60E-02 ± 4.47E-03	L.T. 6.E-02
09/27/11	10/04/11	9.74E+03	CU.FT.	2.50E-02 ± 5.27E-03	L.T. 7.E-02
10/04/11	10/11/11	1.01E+04	CU.FT.	2.36E-02 ± 4.47E-03	L.T. 7.E-02
10/11/11	10/18/11	1.00E+04	CU.FT.	1.33E-02 ± 4.31E-03	L.T. 3.E-02
10/18/11	10/25/11	1.03E+04	CU.FT.	2.39E-02 ± 4.42E-03	L.T. 7.E-02
10/25/11	11/01/11	1.00E+04	CU.FT.	2.52E-02 ± 5.22E-03	L.T. 1.E-02
11/01/11	11/08/11	9.97E+03	CU.FT.	3.34E-02 ± 5.23E-03	L.T. 6.E-02
11/08/11	11/15/11	1.01E+04	CU.FT.	2.66E-02 ± 5.11E-03	L.T. 7.E-02
11/15/11	11/22/11	1.00E+04	CU.FT.	2.24E-02 ± 4.89E-03	L.T. 5.E-02
11/22/11	11/29/11	1.01E+04	CU.FT.	3.33E-02 ± 5.57E-03	L.T. 3.E-02
11/29/11	12/05/11	8.70E+03	CU.FT.	1.89E-02 ± 4.72E-03	L.T. 7.E-02
12/05/11	12/13/11	1.16E+04	CU.FT.	3.33E-02 ± 4.80E-03	L.T. 6.E-02
12/13/11	12/20/11	1.01E+04	CU.FT.	3.74E-02 ± 5.71E-03	L.T. 3.E-02
12/20/11	12/27/11	1.01E+04	CU.FT.	2.15E-02 ± 4.21E-03	L.T. 5.E-02
12/27/11	01/03/12	1.00E+04	CU.FT.	1.55E-02 ± 4.63E-03	L.T. 5.E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 9

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
12/28/10	01/04/11	1.02E+04	CU.FT.	2.84E-02 ± 4.70E-03	L.T. 2.E-02
01/04/11	01/11/11	1.02E+04	CU.FT.	1.86E-02 ± 4.94E-03	L.T. 4.E-02
01/11/11	01/18/11	9.97E+03	CU.FT.	3.98E-02 ± 5.64E-03	L.T. 4.E-02
01/18/11	01/25/11	1.00E+04	CU.FT.	3.00E-02 ± 5.43E-03	L.T. 6.E-02
01/25/11	01/31/11	8.59E+03	CU.FT.	2.28E-02 ± 5.15E-03	L.T. 5.E-02
01/31/11	02/08/11	1.15E+04	CU.FT.	1.97E-02 ± 4.39E-03	L.T. 3.E-02
02/08/11	02/15/11	1.01E+04	CU.FT.	1.62E-02 ± 3.95E-03	L.T. 5.E-02
02/15/11	02/21/11	8.65E+03	CU.FT.	8.80E-03 ± 3.60E-03	L.T. 5.E-02
02/21/11	02/28/11	1.02E+04	CU.FT.	2.83E-02 ± 5.21E-03	L.T. 6.E-02
02/28/11	03/07/11	9.90E+03	CU.FT.	1.57E-02 ± 4.85E-03	L.T. 3.E-02
03/07/11	03/15/11	1.14E+04	CU.FT.	1.95E-02 ± 4.38E-03	L.T. 6.E-02
03/15/11	03/22/11	1.01E+04	CU.FT.	1.92E-02 ± 4.11E-03	L.T. 4.E-02
03/22/11	03/29/11	1.01E+04	CU.FT.	2.74E-02 ± 5.36E-03	L.T. 3.E-02
03/29/11	04/05/11	1.00E+04	CU.FT.	2.48E-02 ± 5.09E-03	1.30E-01 ± 3.86E-02 (a)
04/05/11	04/13/11	1.17E+04	CU.FT.	2.09E-02 ± 4.61E-03	L.T. 7.E-02
04/13/11	04/19/11	8.59E+03	CU.FT.	1.50E-02 ± 5.18E-03	L.T. 5.E-02
04/19/11	04/26/11	9.96E+03	CU.FT.	1.06E-02 ± 3.94E-03	L.T. 4.E-02
04/26/11	05/03/11	1.01E+04	CU.FT.	1.47E-02 ± 3.58E-03	L.T. 6.E-02
05/03/11	05/10/11	9.96E+03	CU.FT.	1.72E-02 ± 4.62E-03	L.T. 3.E-02
05/10/11	05/17/11	1.01E+04	CU.FT.	1.37E-02 ± 3.57E-03	L.T. 3.E-02
05/17/11	05/24/11	1.01E+04	CU.FT.	1.42E-02 ± 4.18E-03	L.T. 7.E-02
05/24/11	05/31/11	9.97E+03	CU.FT.	1.25E-02 ± 3.65E-03	L.T. 5.E-02
05/31/11	06/07/11	1.02E+04	CU.FT.	2.45E-02 ± 5.26E-03	L.T. 6.E-02
06/07/11	06/14/11	9.92E+03	CU.FT.	5.22E-03 ± 3.14E-03	L.T. 5.E-02
06/14/11	06/21/11	1.03E+04	CU.FT.	1.88E-02 ± 3.91E-03	L.T. 5.E-02
06/21/11	06/28/11	1.01E+04	CU.FT.	8.73E-03 ± 4.40E-03	L.T. 7.E-02

(a) Positive I-131 results attributed to Fukushima accident

VII-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 9

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
06/28/11	07/05/11	1.02E+04	CU.FT.	1.95E-02 ± 4.49E-03	L.T. 7.E-02
07/05/11	07/12/11	1.00E+04	CU.FT.	2.75E-02 ± 5.29E-03	L.T. 5.E-02
07/12/11	07/19/11	1.01E+04	CU.FT.	2.21E-02 ± 4.23E-03	L.T. 6.E-02
07/19/11	07/26/11	1.00E+04	CU.FT.	8.43E-03 ± 4.69E-03	L.T. 6.E-02
07/26/11	08/01/11	8.77E+03	CU.FT.	1.66E-02 ± 4.87E-03	L.T. 4.E-02
08/01/11	08/09/11	1.14E+04	CU.FT.	2.53E-02 ± 4.59E-03	L.T. 5.E-02
08/09/11	08/16/11	1.01E+04	CU.FT.	2.45E-02 ± 4.27E-03	L.T. 3.E-02
08/16/11	08/22/11	8.70E+03	CU.FT.	2.03E-02 ± 4.92E-03	L.T. 7.E-02
08/22/11	08/30/11	1.16E+04	CU.FT.	2.59E-02 ± 4.12E-03	L.T. 6.E-02
08/30/11	09/06/11	9.98E+03	CU.FT.	2.75E-02 ± 4.78E-03	L.T. 3.E-02
09/06/11	09/13/11	9.92E+03	CU.FT.	3.01E-02 ± 4.84E-03	L.T. 5.E-02
09/13/11	09/20/11	1.01E+04	CU.FT.	1.70E-02 ± 4.06E-03	L.T. 4.E-02
09/20/11	09/27/11	1.02E+04	CU.FT.	1.49E-02 ± 4.40E-03	L.T. 4.E-02
09/27/11	10/04/11	9.79E+03	CU.FT.	2.29E-02 ± 5.12E-03	L.T. 3.E-02
10/04/11	10/11/11	1.01E+04	CU.FT.	2.87E-02 ± 4.79E-03	L.T. 6.E-02
10/11/11	10/18/11	1.00E+04	CU.FT.	1.27E-02 ± 4.27E-03	L.T. 5.E-02
10/18/11	10/25/11	1.03E+04	CU.FT.	2.72E-02 ± 4.63E-03	L.T. 7.E-02
10/25/11	11/01/11	9.98E+03	CU.FT.	2.14E-02 ± 5.00E-03	L.T. 5.E-02
11/01/11	11/08/11	1.00E+04	CU.FT.	3.30E-02 ± 5.20E-03	L.T. 6.E-02
11/08/11	11/15/11	1.00E+04	CU.FT.	3.05E-02 ± 5.36E-03	L.T. 5.E-02
11/15/11	11/22/11	1.00E+04	CU.FT.	2.64E-02 ± 5.13E-03	L.T. 4.E-02
11/22/11	11/29/11	1.01E+04	CU.FT.	3.37E-02 ± 5.60E-03	L.T. 4.E-02
11/29/11	12/05/11	8.67E+03	CU.FT.	2.28E-02 ± 5.01E-03	L.T. 5.E-02
12/05/11	12/13/11	1.16E+04	CU.FT.	3.62E-02 ± 4.96E-03	L.T. 6.E-02
12/13/11	12/20/11	1.01E+04	CU.FT.	3.31E-02 ± 5.49E-03	L.T. 4.E-02
12/20/11	12/27/11	1.01E+04	CU.FT.	2.22E-02 ± 4.26E-03	L.T. 4.E-02
12/27/11	01/03/12	1.00E+04	CU.FT.	1.25E-02 ± 4.43E-03	L.T. 5.E-02

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 10

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
12/28/10	01/04/11	1.02E+04	CU.FT.	2.98E-02 ± 4.79E-03	L.T. 2.E-02
01/04/11	01/11/11	1.02E+04	CU.FT.	1.90E-02 ± 4.97E-03	L.T. 4.E-02
01/11/11	01/18/11	1.00E+04	CU.FT.	4.65E-02 ± 5.99E-03	L.T. 4.E-02
01/18/11	01/25/11	1.00E+04	CU.FT.	3.00E-02 ± 5.43E-03	L.T. 6.E-02
01/25/11	01/31/11	8.59E+03	CU.FT.	1.97E-02 ± 4.93E-03	L.T. 5.E-02
01/31/11	02/08/11	1.16E+04	CU.FT.	1.67E-02 ± 4.18E-03	L.T. 3.E-02
02/08/11	02/15/11	9.99E+03	CU.FT.	1.58E-02 ± 3.95E-03	L.T. 5.E-02
02/15/11	02/21/11	8.65E+03	CU.FT.	1.52E-02 ± 4.17E-03	L.T. 5.E-02
02/21/11	02/28/11	1.01E+04	CU.FT.	2.19E-02 ± 4.88E-03	L.T. 6.E-02
02/28/11	03/07/11	9.99E+03	CU.FT.	2.29E-02 ± 5.24E-03	L.T. 3.E-02
03/07/11	03/15/11	1.14E+04	CU.FT.	2.07E-02 ± 4.45E-03	L.T. 6.E-02
03/15/11	03/22/11	1.00E+04	CU.FT.	1.85E-02 ± 4.09E-03	L.T. 3.E-02
03/22/11	03/29/11	1.01E+04	CU.FT.	3.65E-02 ± 5.85E-03	5.31E-02 ± 3.00E-02 (a)
03/29/11	04/05/11	1.00E+04	CU.FT.	2.76E-02 ± 5.25E-03	8.83E-02 ± 3.70E-02 (a)
04/05/11	04/13/11	1.15E+04	CU.FT.	1.82E-02 ± 4.51E-03	L.T. 6.E-02
04/13/11	04/19/11	8.58E+03	CU.FT.	2.26E-02 ± 5.68E-03	L.T. 3.E-02
04/19/11	04/26/11	1.01E+04	CU.FT.	1.09E-02 ± 3.92E-03	L.T. 4.E-02
04/26/11	05/03/11	9.98E+03	CU.FT.	1.56E-02 ± 3.68E-03	L.T. 6.E-02
05/03/11	05/10/11	9.98E+03	CU.FT.	2.17E-02 ± 4.89E-03	L.T. 3.E-02
05/10/11	05/17/11	1.01E+04	CU.FT.	1.28E-02 ± 3.49E-03	L.T. 3.E-02
05/17/11	05/24/11	1.01E+04	CU.FT.	1.36E-02 ± 4.14E-03	L.T. 7.E-02
05/24/11	05/31/11	3.26E+03	CU.FT.	1.47E-02 ± 5.46E-03	L.T. 1.E-01
05/31/11	06/07/11	9.96E+03	CU.FT.	L.T. 6.2E-03	L.T. 6.E-02
06/07/11	06/14/11	1.01E+04	CU.FT.	1.24E-02 ± 3.72E-03	L.T. 5.E-02
06/14/11	06/21/11	1.01E+04	CU.FT.	1.71E-02 ± 3.83E-03	L.T. 5.E-02
06/21/11	06/28/11	1.00E+04	CU.FT.	9.56E-03 ± 4.49E-03	L.T. 7.E-02
06/28/11	07/05/11	1.01E+04	CU.FT.	2.41E-02 ± 4.81E-03	L.T. 7.E-02

(a) Positive I-131 results attributed to Fukushima accident

VII-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 10

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
07/05/11	07/12/11	1.01E+04	CU.FT.	2.85E-02 ± 5.32E-03	L.T. 5.E-02
07/12/11	07/19/11	1.01E+04	CU.FT.	2.58E-02 ± 4.48E-03	L.T. 6.E-02
07/19/11	07/26/11	1.01E+04	CU.FT.	1.19E-02 ± 4.86E-03	L.T. 6.E-02
07/26/11	08/01/11	8.76E+03	CU.FT.	1.66E-02 ± 4.88E-03	L.T. 4.E-02
08/01/11	08/09/11	1.15E+04	CU.FT.	2.43E-02 ± 4.51E-03	L.T. 5.E-02
08/09/11	08/16/11	1.00E+04	CU.FT.	2.47E-02 ± 4.32E-03	L.T. 3.E-02
08/16/11	08/22/11	8.68E+03	CU.FT.	2.57E-02 ± 5.29E-03	L.T. 7.E-02
08/22/11	08/30/11	1.15E+04	CU.FT.	3.03E-02 ± 4.41E-03	L.T. 6.E-02
08/30/11	09/06/11	1.01E+04	CU.FT.	3.18E-02 ± 5.00E-03	L.T. 3.E-02
09/06/11	09/13/11	9.97E+03	CU.FT.	3.10E-02 ± 4.87E-03	L.T. 6.E-02
09/13/11	09/20/11	1.01E+04	CU.FT.	1.88E-02 ± 4.19E-03	L.T. 4.E-02
09/20/11	09/27/11	1.02E+04	CU.FT.	2.17E-02 ± 4.83E-03	L.T. 4.E-02
09/27/11	10/04/11	1.00E+04	CU.FT.	2.35E-02 ± 5.08E-03	L.T. 3.E-02
10/04/11	10/11/11	9.99E+03	CU.FT.	3.37E-02 ± 5.13E-03	L.T. 7.E-02
10/11/11	10/18/11	1.00E+04	CU.FT.	2.09E-02 ± 4.57E-03	L.T. 5.E-02
10/18/11	10/25/11	1.03E+04	CU.FT.	3.22E-02 ± 4.94E-03	L.T. 7.E-02
10/25/11	11/01/11	1.01E+04	CU.FT.	2.09E-02 ± 4.92E-03	L.T. 5.E-02
11/01/11	11/08/11	1.00E+04	CU.FT.	3.26E-02 ± 5.17E-03	L.T. 6.E-02
11/08/11	11/15/11	1.01E+04	CU.FT.	2.34E-02 ± 4.91E-03	L.T. 5.E-02
11/15/11	11/22/11	1.00E+04	CU.FT.	2.17E-02 ± 4.84E-03	L.T. 4.E-02
11/22/11	11/29/11	1.01E+04	CU.FT.	3.58E-02 ± 5.70E-03	L.T. 4.E-02
11/29/11	12/05/11	8.71E+03	CU.FT.	2.51E-02 ± 5.15E-03	L.T. 5.E-02
12/05/11	12/13/11	1.15E+04	CU.FT.	3.91E-02 ± 5.13E-03	L.T. 6.E-02
12/13/11	12/20/11	1.01E+04	CU.FT.	3.14E-02 ± 5.39E-03	L.T. 4.E-02
12/20/11	12/27/11	9.86E+03	CU.FT.	2.30E-02 ± 4.39E-03	L.T. 4.E-02
12/27/11	01/03/12	1.02E+04	CU.FT.	1.44E-02 ± 4.48E-03	L.T. 5.E-02

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS

STATION NUMBER 1

DATE COLLECTED	12/28 - 03/29/11	03/29 - 06/28/11	06/28 - 09/27/11	09/27 - 01/03/12
----------------	------------------	------------------	------------------	------------------

GAMMA SPECTRUM ANALYSIS:

BE-7	1.23E-01 ± 5.07E-02	1.54E-01 ± 3.72E-02	1.31E-01 ± 3.36E-02	1.20E-01 ± 4.26E-02
K-40	L.T. 4.E-02	L.T. 3.E-02	L.T. 4.E-02	L.T. 5.E-02
MN-54	L.T. 4.E-03	L.T. 3.E-03	L.T. 2.E-03	L.T. 4.E-03
CO-58	L.T. 5.E-03	L.T. 4.E-03	L.T. 4.E-03	L.T. 5.E-03
FE-59	L.T. 2.E-02	L.T. 1.E-02	L.T. 1.E-02	L.T. 1.E-02
CO-60	L.T. 3.E-03	L.T. 2.E-03	L.T. 3.E-03	L.T. 3.E-03
ZN-65	L.T. 1.E-02	L.T. 6.E-03	L.T. 6.E-03	L.T. 8.E-03
ZR-95	L.T. 1.E-02	L.T. 8.E-03	L.T. 9.E-03	L.T. 9.E-03
RU-103	L.T. 1.E-02	L.T. 9.E-03	L.T. 6.E-03	L.T. 7.E-03
RU-106	L.T. 2.E-02	L.T. 2.E-02	L.T. 3.E-02	L.T. 2.E-02
I-131	L.T. 3.E+00	L.T. 4.E+00	L.T. 2.E+00	L.T. 5.E-01
CS-134	L.T. 3.E-03	L.T. 3.E-03	L.T. 2.E-03	L.T. 3.E-03
CS-137	L.T. 3.E-03	L.T. 2.E-03	L.T. 2.E-03	L.T. 3.E-03
BA-140	L.T. 7.E-01	L.T. 8.E-01	L.T. 5.E-01	L.T. 3.E-01
LA-140	L.T. 3.E-01	L.T. 3.E-01	L.T. 2.E-01	L.T. 8.E-02
CE-141	L.T. 1.E-02	L.T. 1.E-02	L.T. 1.E-02	L.T. 9.E-03
CE-144	L.T. 1.E-02	L.T. 1.E-02	L.T. 1.E-02	L.T. 1.E-02
RA-226	L.T. 5.E-02	L.T. 4.E-02	L.T. 3.E-02	L.T. 5.E-02
TH-228	L.T. 4.E-03	L.T. 3.E-03	L.T. 3.E-03	L.T. 4.E-03

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS

STATION NUMBER 2

DATE COLLECTED	12/28 - 03/29/11	03/29 - 06/28/11	06/28 - 09/27/11	09/27 - 01/03/12
----------------	------------------	------------------	------------------	------------------

GAMMA SPECTRUM ANALYSIS:

BE-7	1.16E-01 ± 3.86E-02	1.53E-01 ± 6.36E-02	1.26E-01 ± 4.64E-02	1.48E-01 ± 3.75E-02
K-40	L.T. 5.E-02	L.T. 3.E-02	L.T. 4.E-02	L.T. 3.E-02
MN-54	L.T. 3.E-03	L.T. 4.E-03	L.T. 3.E-03	L.T. 2.E-03
CO-58	L.T. 4.E-03	L.T. 6.E-03	L.T. 5.E-03	L.T. 4.E-03
FE-59	L.T. 2.E-02	L.T. 2.E-02	L.T. 2.E-02	L.T. 8.E-03
CO-60	L.T. 4.E-03	L.T. 3.E-03	L.T. 2.E-03	L.T. 2.E-03
ZN-65	L.T. 7.E-03	L.T. 9.E-03	L.T. 7.E-03	L.T. 6.E-03
ZR-95	L.T. 1.E-02	L.T. 1.E-02	L.T. 8.E-03	L.T. 5.E-03
RU-103	L.T. 8.E-03	L.T. 1.E-02	L.T. 8.E-03	L.T. 5.E-03
RU-106	L.T. 2.E-02	L.T. 3.E-02	L.T. 2.E-02	L.T. 2.E-02
I-131	L.T. 2.E+00	L.T. 5.E+00	L.T. 2.E+00	L.T. 4.E-01
CS-134	L.T. 3.E-03	L.T. 3.E-03	L.T. 3.E-03	L.T. 2.E-03
CS-137	L.T. 2.E-03	L.T. 3.E-03	L.T. 2.E-03	L.T. 2.E-03
BA-140	L.T. 7.E-01	L.T. 1.E+00	L.T. 7.E-01	L.T. 2.E-01
LA-140	L.T. 3.E-01	L.T. 5.E-01	L.T. 2.E-01	L.T. 7.E-02
CE-141	L.T. 1.E-02	L.T. 2.E-02	L.T. 1.E-02	L.T. 8.E-03
CE-144	L.T. 1.E-02	L.T. 1.E-02	L.T. 1.E-02	L.T. 1.E-02
RA-226	L.T. 4.E-02	L.T. 5.E-02	L.T. 4.E-02	L.T. 3.E-02
TH-228	L.T. 3.E-03	L.T. 5.E-03	L.T. 4.E-03	L.T. 3.E-03

VII-2
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS

STATION NUMBER 3

DATE COLLECTED 12/28 - 03/29/11 03/29 - 06/28/11 06/28 - 09/27/11 09/27 - 01/03/12

GAMMA SPECTRUM ANALYSIS:

BE-7	(a)	(a)	(a)	(a)
K-40				
MN-54				
CO-58				
FE-59				
CO-60				
ZN-65				
ZR-95				
RU-103				
RU-106				
I-131				
CS-134				
CS-137				
BA-140				
LA-140				
CE-141				
CE-144				
RA-226				
TH-228				

(a) Sample unavailable due to flooding

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS

STATION NUMBER 4

DATE COLLECTED	12/28 - 03/29/11	03/29 - 06/28/11	06/28 - 09/27/11	09/27 - 01/03/12
----------------	------------------	------------------	------------------	------------------

GAMMA SPECTRUM ANALYSIS:

BE-7	1.33E-01 ± 3.77E-02	1.75E-01 ± 6.01E-02	(a)	(a)
K-40	L.T. 5.E-02	L.T. 3.E-02		
MN-54	L.T. 3.E-03	L.T. 4.E-03		
CO-58	L.T. 5.E-03	L.T. 5.E-03		
FE-59	L.T. 2.E-02	L.T. 2.E-02		
CO-60	L.T. 3.E-03	L.T. 4.E-03		
ZN-65	L.T. 5.E-03	L.T. 8.E-03		
ZR-95	L.T. 1.E-02	L.T. 1.E-02		
RU-103	L.T. 1.E-02	L.T. 1.E-02		
RU-106	L.T. 3.E-02	L.T. 2.E-02		
I-131	L.T. 3.E+00	L.T. 4.E+00		
CS-134	L.T. 2.E-03	L.T. 3.E-03		
CS-137	L.T. 2.E-03	L.T. 3.E-03		
BA-140	L.T. 7.E-01	L.T. 1.E+00		
LA-140	L.T. 2.E-01	L.T. 4.E-01		
CE-141	L.T. 1.E-02	L.T. 2.E-02		
CE-144	L.T. 1.E-02	L.T. 2.E-02		
RA-226	L.T. 4.E-02	L.T. 4.E-02		
TH-228	L.T. 4.E-03	L.T. 4.E-03		

(a) Sample unavailable due to flooding

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS

STATION NUMBER 5

DATE COLLECTED	12/28 - 03/29/11	03/29 - 06/28/11	06/28 - 09/27/11	09/27 - 01/03/12
----------------	------------------	------------------	------------------	------------------

GAMMA SPECTRUM ANALYSIS:

BE-7	1.08E-01 ± 4.73E-02	1.66E-01 ± 6.12E-02	(a)	(a)
K-40	L.T. 3.E-02	L.T. 5.E-02		
MN-54	L.T. 2.E-03	L.T. 3.E-03		
CO-58	L.T. 5.E-03	L.T. 6.E-03		
FE-59	L.T. 2.E-02	L.T. 2.E-02		
CO-60	L.T. 3.E-03	L.T. 3.E-03		
ZN-65	L.T. 9.E-03	L.T. 8.E-03		
ZR-95	L.T. 9.E-03	L.T. 7.E-03		
RU-103	L.T. 1.E-02	L.T. 1.E-02		
RU-106	L.T. 2.E-02	L.T. 2.E-02		
I-131	L.T. 2.E+00	L.T. 7.E+00		
CS-134	L.T. 3.E-03	L.T. 3.E-03		
CS-137	L.T. 3.E-03	L.T. 3.E-03		
BA-140	L.T. 7.E-01	L.T. 1.E+00		
LA-140	L.T. 2.E-01	L.T. 3.E-01		
CE-141	L.T. 1.E-02	L.T. 2.E-02		
CE-144	L.T. 1.E-02	L.T. 1.E-02		
RA-226	L.T. 4.E-02	L.T. 6.E-02		
TH-228	L.T. 4.E-03	L.T. 6.E-03		

(a) Sample unavailable due to flooding

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS

STATION NUMBER 6

DATE COLLECTED	12/28 - 03/29/11	03/29 - 06/28/11	06/28 - 09/27/11	09/27 - 01/03/12
----------------	------------------	------------------	------------------	------------------

GAMMA SPECTRUM ANALYSIS:

BE-7	9.63E-02 ± 3.28E-02	1.65E-01 ± 6.94E-02	(a)	(a)
K-40	L.T. 2.E-02	L.T. 7.E-02		
MN-54	L.T. 3.E-03	L.T. 5.E-03		
CO-58	L.T. 5.E-03	L.T. 7.E-03		
FE-59	L.T. 2.E-02	L.T. 4.E-02		
CO-60	L.T. 2.E-03	L.T. 4.E-03		
ZN-65	L.T. 7.E-03	L.T. 1.E-02		
ZR-95	L.T. 9.E-03	L.T. 2.E-02		
RU-103	L.T. 9.E-03	L.T. 2.E-02		
RU-106	L.T. 2.E-02	L.T. 4.E-02		
I-131	L.T. 3.E+00	L.T. 8.E+00		
CS-134	L.T. 3.E-03	L.T. 5.E-03		
CS-137	L.T. 2.E-03	L.T. 5.E-03		
BA-140	L.T. 6.E-01	L.T. 2.E+00		
LA-140	L.T. 2.E-01	L.T. 6.E-01		
CE-141	L.T. 2.E-02	L.T. 2.E-02		
CE-144	L.T. 1.E-02	L.T. 2.E-02		
RA-226	L.T. 4.E-02	L.T. 6.E-02		
TH-228	L.T. 4.E-03	L.T. 6.E-03		

(a) Sample unavailable due to flooding

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS

STATION NUMBER 7

DATE COLLECTED	12/28 - 03/29/11	03/29 - 06/28/11	06/28 - 09/27/11	09/27 - 01/03/12
----------------	------------------	------------------	------------------	------------------

GAMMA SPECTRUM ANALYSIS:

BE-7	8.12E-02 ± 3.98E-02	1.49E-01 ± 4.67E-02	1.87E-01 ± 5.49E-02	1.49E-01 ± 4.18E-02
K-40	L.T. 3.E-02	L.T. 2.E-02	L.T. 5.E-02	L.T. 3.E-02
MN-54	L.T. 3.E-03	L.T. 3.E-03	L.T. 3.E-03	L.T. 2.E-03
CO-58	L.T. 5.E-03	L.T. 5.E-03	L.T. 5.E-03	L.T. 3.E-03
FE-59	L.T. 2.E-02	L.T. 2.E-02	L.T. 2.E-02	L.T. 1.E-02
CO-60	L.T. 2.E-03	L.T. 2.E-03	L.T. 3.E-03	L.T. 2.E-03
ZN-65	L.T. 9.E-03	L.T. 8.E-03	L.T. 8.E-03	L.T. 6.E-03
ZR-95	L.T. 1.E-02	L.T. 1.E-02	L.T. 9.E-03	L.T. 7.E-03
RU-103	L.T. 1.E-02	L.T. 8.E-03	L.T. 9.E-03	L.T. 5.E-03
RU-106	L.T. 3.E-02	L.T. 3.E-02	L.T. 3.E-02	L.T. 2.E-02
I-131	L.T. 3.E+00	L.T. 4.E+00	L.T. 2.E+00	L.T. 8.E-01
CS-134	L.T. 3.E-03	L.T. 2.E-03	L.T. 3.E-03	L.T. 3.E-03
CS-137	L.T. 3.E-03	L.T. 2.E-03	L.T. 3.E-03	L.T. 2.E-03
BA-140	L.T. 8.E-01	L.T. 8.E-01	L.T. 7.E-01	L.T. 3.E-01
LA-140	L.T. 3.E-01	L.T. 4.E-01	L.T. 2.E-01	L.T. 1.E-01
CE-141	L.T. 1.E-02	L.T. 2.E-02	L.T. 2.E-02	L.T. 7.E-03
CE-144	L.T. 1.E-02	L.T. 1.E-02	L.T. 1.E-02	L.T. 7.E-03
RA-226	L.T. 5.E-02	L.T. 4.E-02	L.T. 4.E-02	L.T. 3.E-02
TH-228	L.T. 4.E-03	L.T. 4.E-03	L.T. 4.E-03	L.T. 3.E-03

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS

STATION NUMBER 8

DATE COLLECTED	12/28 - 03/29/11	03/29 - 06/28/11	06/28 - 09/27/11	09/27 - 01/03/12
----------------	------------------	------------------	------------------	------------------

GAMMA SPECTRUM ANALYSIS:

BE-7	1.29E-01 ± 5.52E-02	1.41E-01 ± 7.46E-02	1.18E-01 ± 3.49E-02	2.07E-01 ± 3.73E-02
K-40	L.T. 4.E-02	L.T. 6.E-02	L.T. 4.E-02	L.T. 3.E-02
MN-54	L.T. 3.E-03	L.T. 5.E-03	L.T. 3.E-03	L.T. 2.E-03
CO-58	L.T. 5.E-03	L.T. 7.E-03	L.T. 5.E-03	L.T. 3.E-03
FE-59	L.T. 2.E-02	L.T. 2.E-02	L.T. 1.E-02	L.T. 1.E-02
CO-60	L.T. 4.E-03	L.T. 4.E-03	L.T. 3.E-03	L.T. 3.E-03
ZN-65	L.T. 9.E-03	L.T. 9.E-03	L.T. 8.E-03	L.T. 6.E-03
ZR-95	L.T. 8.E-03	L.T. 2.E-02	L.T. 9.E-03	L.T. 8.E-03
RU-103	L.T. 8.E-03	L.T. 2.E-02	L.T. 7.E-03	L.T. 5.E-03
RU-106	L.T. 3.E-02	L.T. 3.E-02	L.T. 2.E-02	L.T. 2.E-02
I-131	L.T. 3.E+00	L.T. 6.E+00	L.T. 2.E+00	L.T. 5.E-01
CS-134	L.T. 3.E-03	L.T. 4.E-03	L.T. 3.E-03	L.T. 3.E-03
CS-137	L.T. 3.E-03	L.T. 4.E-03	L.T. 2.E-03	L.T. 2.E-03
BA-140	L.T. 8.E-01	L.T. 2.E+00	L.T. 7.E-01	L.T. 2.E-01
LA-140	L.T. 2.E-01	L.T. 5.E-01	L.T. 2.E-01	L.T. 8.E-02
CE-141	L.T. 2.E-02	L.T. 2.E-02	L.T. 1.E-02	L.T. 8.E-03
CE-144	L.T. 1.E-02	L.T. 2.E-02	L.T. 1.E-02	L.T. 1.E-02
RA-226	L.T. 4.E-02	L.T. 5.E-02	L.T. 4.E-02	L.T. 4.E-02
TH-228	L.T. 4.E-03	L.T. 5.E-03	L.T. 3.E-03	L.T. 3.E-03

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS

STATION NUMBER 9

DATE COLLECTED	12/28 - 03/29/11	03/29 - 06/28/11	06/28 - 09/27/11	09/27 - 01/03/12
----------------	------------------	------------------	------------------	------------------

GAMMA SPECTRUM ANALYSIS:

BE-7	8.50E-02 ± 3.50E-02	1.91E-01 ± 4.45E-02	1.31E-01 ± 4.53E-02	1.32E-01 ± 3.31E-02
K-40	L.T. 5.E-02	L.T. 4.E-02	L.T. 3.E-02	L.T. 4.E-02
MN-54	L.T. 3.E-03	L.T. 3.E-03	L.T. 3.E-03	L.T. 3.E-03
CO-58	L.T. 4.E-03	L.T. 5.E-03	L.T. 5.E-03	L.T. 3.E-03
FE-59	L.T. 2.E-02	L.T. 1.E-02	L.T. 1.E-02	L.T. 9.E-03
CO-60	L.T. 3.E-03	L.T. 3.E-03	L.T. 3.E-03	L.T. 2.E-03
ZN-65	L.T. 7.E-03	L.T. 6.E-03	L.T. 8.E-03	L.T. 5.E-03
ZR-95	L.T. 9.E-03	L.T. 7.E-03	L.T. 1.E-02	L.T. 6.E-03
RU-103	L.T. 8.E-03	L.T. 8.E-03	L.T. 1.E-02	L.T. 5.E-03
RU-106	L.T. 2.E-02	L.T. 2.E-02	L.T. 2.E-02	L.T. 2.E-02
I-131	L.T. 2.E+00	L.T. 4.E+00	L.T. 3.E+00	L.T. 4.E-01
CS-134	L.T. 2.E-03	L.T. 3.E-03	L.T. 3.E-03	L.T. 2.E-03
CS-137	L.T. 2.E-03	L.T. 2.E-03	L.T. 2.E-03	L.T. 2.E-03
BA-140	L.T. 6.E-01	L.T. 9.E-01	L.T. 7.E-01	L.T. 2.E-01
LA-140	L.T. 3.E-01	L.T. 3.E-01	L.T. 2.E-01	L.T. 7.E-02
CE-141	L.T. 1.E-02	L.T. 2.E-02	L.T. 1.E-02	L.T. 6.E-03
CE-144	L.T. 1.E-02	L.T. 1.E-02	L.T. 1.E-02	L.T. 9.E-03
RA-226	L.T. 4.E-02	L.T. 4.E-02	L.T. 5.E-02	L.T. 3.E-02
TH-228	L.T. 3.E-03	L.T. 3.E-03	L.T. 4.E-03	L.T. 3.E-03

VII-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS

STATION NUMBER 10

DATE COLLECTED	12/28 - 03/29/11	03/29 - 06/28/11	06/28 - 09/27/11	09/27 - 01/03/12
----------------	------------------	------------------	------------------	------------------

GAMMA SPECTRUM ANALYSIS:

BE-7	1.24E-01 ± 7.00E-02	1.55E-01 ± 4.38E-02	1.45E-01 ± 7.69E-02	1.94E-01 ± 4.25E-02
K-40	L.T. 5.E-02	L.T. 4.E-02	L.T. 5.E-02	L.T. 5.E-02
MN-54	L.T. 4.E-03	L.T. 3.E-03	L.T. 4.E-03	L.T. 3.E-03
CO-58	L.T. 7.E-03	L.T. 4.E-03	L.T. 4.E-03	L.T. 4.E-03
FE-59	L.T. 2.E-02	L.T. 2.E-02	L.T. 1.E-02	L.T. 1.E-02
CO-60	L.T. 3.E-03	L.T. 2.E-03	L.T. 3.E-03	L.T. 3.E-03
ZN-65	L.T. 9.E-03	L.T. 8.E-03	L.T. 7.E-03	L.T. 6.E-03
ZR-95	L.T. 1.E-02	L.T. 1.E-02	L.T. 1.E-02	L.T. 9.E-03
RU-103	L.T. 1.E-02	L.T. 9.E-03	L.T. 8.E-03	L.T. 5.E-03
RU-106	L.T. 3.E-02	L.T. 2.E-02	L.T. 3.E-02	L.T. 3.E-02
I-131	L.T. 3.E+00	L.T. 4.E+00	L.T. 3.E+00	L.T. 4.E-01
CS-134	L.T. 4.E-03	L.T. 3.E-03	L.T. 3.E-03	L.T. 3.E-03
CS-137	L.T. 4.E-03	L.T. 2.E-03	L.T. 3.E-03	L.T. 3.E-03
BA-140	L.T. 8.E-01	L.T. 1.E+00	L.T. 5.E-01	L.T. 2.E-01
LA-140	L.T. 3.E-01	L.T. 4.E-01	L.T. 3.E-01	L.T. 9.E-02
CE-141	L.T. 2.E-02	L.T. 2.E-02	L.T. 2.E-02	L.T. 8.E-03
CE-144	L.T. 2.E-02	L.T. 1.E-02	L.T. 1.E-02	L.T. 1.E-02
RA-226	L.T. 5.E-02	L.T. 5.E-02	L.T. 4.E-02	L.T. 4.E-02
TH-228	L.T. 5.E-03	4.33E-03 ± 2.73E-03	L.T. 4.E-03	L.T. 4.E-03

VII-3
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
FISH
(PCI/KG WET)

STATION NUMBER 28

DATE COLLECTED

(a)

GAMMA SPECTRUM ANALYSIS:

BE-7
K-40
MN-54
CO-58
FE-59
CO-60
ZN-65
ZR-95
RU-103
RU-106
I-131
CS-134
CS-137
BA-140
CE-141
CE-144
RA-226
TH-228

(a) Sample unavailable due to flooding

VII-3
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
FISH
(PCI/KG WET)

STATION NUMBER 35

DATE COLLECTED

(a)

GAMMA SPECTRUM ANALYSIS:

BE-7
K-40
MN-54
CO-58
FE-59
CO-60
ZN-65
ZR-95
RU-103
RU-106
I-131
CS-134
CS-137
BA-140
CE-141
CE-144
RA-226
TH-228

(a) Sample unavailable due to flooding

VII-4
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
MILK NEAREST PRODUCER
 (PCI/LITER)

STATION NUMBER 99

DATE COLLECTED	01/11/11	02/03/11	03/01/11	04/05/11
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 4.E-01	L.T. 3.E-01	L.T. 2.E-01	L.T. 8.E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 5.E+01	L.T. 4.E+01	L.T. 6.E+01	L.T. 6.E+01
K-40	1.32E+03 ± 1.25E+02	1.17E+03 ± 9.17E+01	1.22E+03 ± 1.48E+02	1.33E+03 ± 1.65E+02
MN-54	L.T. 5.6E+00	L.T. 4.6E+00	L.T. 6.E+00	L.T. 7.7E+00
CO-58	L.T. 7.E+00	L.T. 5.E+00	L.T. 7.E+00	L.T. 8.E+00
FE-59	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 2.E+01
CO-60	L.T. 6.E+00	L.T. 5.E+00	L.T. 8.E+00	L.T. 9.E+00
ZN-65	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01
ZR-95	L.T. 1.E+01	L.T. 8.E+00	L.T. 1.E+01	L.T. 1.E+01
RU-103	L.T. 6.E+00	L.T. 5.E+00	L.T. 7.E+00	L.T. 9.E+00
RU-106	L.T. 5.E+01	L.T. 4.E+01	L.T. 6.E+01	L.T. 6.E+01
I-131	L.T. 1.E+01	L.T. 8.E+00	L.T. 1.E+01	L.T. 3.E+01
CS-134	L.T. 5.E+00	L.T. 4.E+00	L.T. 6.E+00	L.T. 7.E+00
CS-137	L.T. 5.E+00	L.T. 5.E+00	L.T. 7.E+00	L.T. 8.E+00
BA-140	L.T. 3.E+01	L.T. 2.E+01	L.T. 3.E+01	L.T. 5.E+01
LA-140	L.T. 9.E+00	L.T. 6.E+00	L.T. 1.E+01	L.T. 1.E+01
CE-141	L.T. 1.E+01	L.T. 8.E+00	L.T. 1.E+01	L.T. 2.E+01
CE-144	L.T. 4.E+01	L.T. 3.E+01	L.T. 5.E+01	L.T. 6.E+01
RA-226	L.T. 1.E+02	L.T. 1.E+02	L.T. 2.E+02	L.T. 2.E+02
TH-228	L.T. 1.E+01	L.T. 8.E+00	L.T. 1.E+01	L.T. 1.E+01

VII-4
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
MILK NEAREST PRODUCER
 (PCI/LITER)

STATION NUMBER 99

DATE COLLECTED	05/03/11	06/07/11	06/28/11	07/05/11
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 6.E-01	L.T. 4.E-01	L.T. 5.E-01	L.T. 9.E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 4.E+01	L.T. 6.E+01	L.T. 4.E+01	L.T. 7.E+01
K-40	1.15E+03 ± 1.05E+02	1.14E+03 ± 1.41E+02	1.27E+03 ± 1.38E+02	1.24E+03 ± 1.70E+02
MN-54	L.T. 5.E+00	L.T. 6.E+00	L.T. 5.E+00	L.T. 6.E+00
CO-58	L.T. 5.E+00	L.T. 6.E+00	L.T. 6.E+00	L.T. 7.E+00
FE-59	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
CO-60	L.T. 5.E+00	L.T. 7.E+00	L.T. 8.E+00	L.T. 9.E+00
ZN-65	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01
ZR-95	L.T. 8.E+00	L.T. 1.E+01	L.T. 9.E+00	L.T. 1.E+01
RU-103	L.T. 5.E+00	L.T. 9.E+00	L.T. 7.E+00	L.T. 7.E+00
RU-106	L.T. 4.E+01	L.T. 7.E+01	L.T. 5.E+01	L.T. 6.E+01
I-131	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 1.E+01
CS-134	L.T. 4.E+00	L.T. 5.E+00	L.T. 5.E+00	L.T. 5.E+00
CS-137	L.T. 5.E+00	L.T. 7.E+00	L.T. 5.E+00	L.T. 8.E+00
BA-140	L.T. 3.E+01	L.T. 5.E+01	L.T. 4.E+01	L.T. 3.E+01
LA-140	L.T. 8.E+00	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
CE-141	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01
CE-144	L.T. 4.E+01	L.T. 5.E+01	L.T. 4.E+01	L.T. 5.E+01
RA-226	L.T. 1.E+02	L.T. 2.E+02	L.T. 1.E+02	L.T. 2.E+02
TH-228	L.T. 9.E+00	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01

VII-4
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
MILK NEAREST PRODUCER
 (PCI/LITER)

STATION NUMBER 99

DATE COLLECTED	07/26/11	08/01/11	08/22/11	09/06/11
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 8.E-01	L.T. 5.E-01	L.T. 4.E-01	L.T. 6.E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 7.E+01	L.T. 5.E+01	L.T. 6.E+01	L.T. 5.E+01
K-40	1.36E+03 ± 1.79E+02	1.05E+03 ± 1.32E+02	1.07E+03 ± 1.76E+02	1.12E+03 ± 1.44E+02
MN-54	L.T. 8.E+00	L.T. 6.E+00	L.T. 9.E+00	L.T. 6.E+00
CO-58	L.T. 6.E+00	L.T. 5.E+00	L.T. 8.E+00	L.T. 6.E+00
FE-59	L.T. 2.E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01
CO-60	L.T. 9.E+00	L.T. 6.E+00	L.T. 1.E+01	L.T. 8.E+00
ZN-65	L.T. 2.E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01
ZR-95	L.T. 2.E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 9.E+00
RU-103	L.T. 8.E+00	L.T. 6.E+00	L.T. 9.E+00	L.T. 5.E+00
RU-106	L.T. 7.E+01	L.T. 6.E+01	L.T. 8.E+01	L.T. 5.E+01
I-131	L.T. 2.E+01	L.T. 7.E+00	L.T. 1.E+01	L.T. 7.E+00
CS-134	L.T. 7.E+00	L.T. 5.E+00	L.T. 7.E+00	L.T. 5.E+00
CS-137	L.T. 7.E+00	L.T. 6.E+00	L.T. 8.E+00	L.T. 6.E+00
BA-140	L.T. 4.E+01	L.T. 2.E+01	L.T. 4.E+01	L.T. 2.E+01
LA-140	L.T. 1.E+01	L.T. 6.E+00	L.T. 1.E+01	L.T. 8.E+00
CE-141	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 8.E+00
CE-144	L.T. 6.E+01	L.T. 4.E+01	L.T. 6.E+01	L.T. 4.E+01
RA-226	L.T. 2.E+02	L.T. 1.E+02	L.T. 2.E+02	L.T. 1.E+02
TH-228	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01

VII-4
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
MILK NEAREST PRODUCER
 (PCI/LITER)

STATION NUMBER 99

DATE COLLECTED	09/27/11	10/04/11	11/01/11	12/06/11
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 6.E-01	L.T. 8.E-01	L.T. 7.E-01	L.T. 6.E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 6.E+01	L.T. 7.E+01	L.T. 6.E+01	L.T. 6.E+01
K-40	1.23E+03 ± 1.63E+02	9.39E+02 ± 1.59E+02	1.28E+03 ± 1.47E+02	1.19E+03 ± 1.43E+02
MN-54	L.T. 6.E+00	L.T. 7.E+00	L.T. 6.E+00	L.T. 7.E+00
CO-58	L.T. 6.E+00	L.T. 8.E+00	L.T. 7.E+00	L.T. 8.E+00
FE-59	L.T. 2.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 2.E+01
CO-60	L.T. 9.E+00	L.T. 8.E+00	L.T. 8.E+00	L.T. 8.E+00
ZN-65	L.T. 2.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 2.E+01
ZR-95	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01
RU-103	L.T. 8.E+00	L.T. 8.E+00	L.T. 6.E+00	L.T. 7.E+00
RU-106	L.T. 6.E+01	L.T. 6.E+01	L.T. 6.E+01	L.T. 6.E+01
I-131	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01
CS-134	L.T. 6.E+00	L.T. 7.E+00	L.T. 6.E+00	L.T. 6.E+00
CS-137	L.T. 8.E+00	L.T. 8.E+00	L.T. 7.E+00	L.T. 7.E+00
BA-140	L.T. 3.E+01	L.T. 4.E+01	L.T. 3.E+01	L.T. 3.E+01
LA-140	L.T. 6.E+00	L.T. 1.E+01	L.T. 9.E+00	L.T. 1.E+01
CE-141	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
CE-144	L.T. 5.E+01	L.T. 6.E+01	L.T. 4.E+01	L.T. 5.E+01
RA-226	L.T. 2.E+02	L.T. 2.E+02	L.T. 1.E+02	L.T. 2.E+02
TH-228	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01

VII-5
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
MILK OTHER PRODUCERS
 (PCI/LITER)

STATION NUMBER 103

DATE COLLECTED	01/11/11	04/05/11	07/12/11	10/04/11
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 4.E-01	L.T. 7.E-01	L.T. 9.E-01	L.T. 8.E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 7.E+01	L.T. 6.E+01	L.T. 6.E+01	L.T. 1.E+02
K-40	1.28E+03 ± 1.75E+02	1.25E+03 ± 1.39E+02	1.68E+03 ± 2.14E+02	1.74E+03 ± 1.83E+02
MN-54	L.T. 8.E+00	L.T. 6.E+00	L.T. 6.E+00	L.T. 1.E+01
CO-58	L.T. 8.E+00	L.T. 6.E+00	L.T. 5.E+00	L.T. 1.E+01
FE-59	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01
CO-60	L.T. 8.E+00	L.T. 8.E+00	L.T. 8.E+00	L.T. 1.E+01
ZN-65	L.T. 2.E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 3.E+01
ZR-95	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01
RU-103	L.T. 8.E+00	L.T. 8.E+00	L.T. 8.E+00	L.T. 1.E+01
RU-106	L.T. 7.E+01	L.T. 6.E+01	L.T. 7.E+01	L.T. 9.E+01
I-131	L.T. 2.E+01	L.T. 3.E+01	L.T. 1.E+01	L.T. 2.E+01
CS-134	L.T. 8.E+00	L.T. 7.E+00	L.T. 5.E+00	L.T. 1.E+01
CS-137	L.T. 7.E+00	L.T. 8.E+00	L.T. 8.E+00	L.T. 1.E+01
BA-140	L.T. 4.E+01	L.T. 5.E+01	L.T. 4.E+01	L.T. 5.E+01
LA-140	L.T. 1.E+01	L.T. 1.E+01	L.T. 8.E+00	L.T. 1.E+01
CE-141	L.T. 1.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01
CE-144	L.T. 6.E+01	L.T. 6.E+01	L.T. 6.E+01	L.T. 9.E+01
RA-226	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02	L.T. 3.E+02
TH-228	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01

VII-6
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND
 (PCI/LITER)

STATION NUMBER 11

DATE COLLECTED	01/18/11	04/19/11	07/14/11	10/25/11
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 5.E-01	L.T. 7.E-01	L.T. 6.E-01	L.T. 6.E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 6.E+01	L.T. 4.E+01	L.T. 6.E+01	L.T. 6.E+01
K-40	L.T. 5.E+01	L.T. 9.E+01	L.T. 1.E+02	L.T. 1.E+02
MN-54	L.T. 7.E+00	L.T. 4.E+00	L.T. 7.E+00	L.T. 5.E+00
CO-58	L.T. 7.E+00	L.T. 4.E+00	L.T. 7.E+00	L.T. 7.E+00
FE-59	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
CO-60	L.T. 7.E+00	L.T. 4.E+00	L.T. 7.E+00	L.T. 7.E+00
ZN-65	L.T. 1.E+01	L.T. 9.E+00	L.T. 2.E+01	L.T. 1.E+01
ZR-95	L.T. 1.E+01	L.T. 9.E+00	L.T. 1.E+01	L.T. 1.E+01
RU-103	L.T. 8.E+00	L.T. 6.E+00	L.T. 8.E+00	L.T. 8.E+00
RU-106	L.T. 6.E+01	L.T. 4.E+01	L.T. 6.E+01	L.T. 6.E+01
I-131	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
CS-134	L.T. 5.E+00	L.T. 4.E+00	L.T. 6.E+00	L.T. 6.E+00
CS-137	L.T. 6.E+00	L.T. 5.E+00	L.T. 6.E+00	L.T. 8.E+00
BA-140	L.T. 4.E+01	L.T. 3.E+01	L.T. 3.E+01	L.T. 3.E+01
LA-140	L.T. 1.E+01	L.T. 7.E+00	L.T. 1.E+01	L.T. 1.E+01
CE-141	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
CE-144	L.T. 5.E+01	L.T. 4.E+01	L.T. 6.E+01	L.T. 5.E+01
RA-226	L.T. 2.E+02	L.T. 1.E+02	L.T. 2.E+02	L.T. 2.E+02
TH-228	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01
H-3	L.T. 7.E+02	L.T. 1.E+02	L.T. 2.E+02	L.T. 3.E+02

VII-6
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND
 (PCI/LITER)

STATION NUMBER 47

DATE COLLECTED	01/26/11	04/19/11	07/14/11	10/25/11
RADIOCHEMICAL ANALYSIS:				
I-131	L.T. 8.E-01	L.T. 6.E-01	L.T. 6.E-01	L.T. 7.E-01
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 7.E+01	L.T. 4.E+01	L.T. 5.E+01	L.T. 6.E+01
K-40	L.T. 1.E+02	L.T. 4.E+01	L.T. 2.E+02	L.T. 6.E+01
MN-54	L.T. 7.E+00	L.T. 4.E+00	L.T. 9.E+00	L.T. 6.E+00
CO-58	L.T. 8.E+00	L.T. 4.E+00	L.T. 8.E+00	L.T. 6.E+00
FE-59	L.T. 2.E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01
CO-60	L.T. 7.E+00	L.T. 5.E+00	L.T. 8.E+00	L.T. 7.E+00
ZN-65	L.T. 2.E+01	L.T. 9.E+00	L.T. 2.E+01	L.T. 1.E+01
ZR-95	L.T. 1.E+01	L.T. 9.E+00	L.T. 1.E+01	L.T. 1.E+01
RU-103	L.T. 8.E+00	L.T. 5.E+00	L.T. 8.E+00	L.T. 7.E+00
RU-106	L.T. 6.E+01	L.T. 4.E+01	L.T. 8.E+01	L.T. 5.E+01
I-131	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
CS-134	L.T. 7.E+00	L.T. 4.E+00	L.T. 8.E+00	L.T. 6.E+00
CS-137	L.T. 8.E+00	L.T. 5.E+00	L.T. 9.E+00	L.T. 7.E+00
BA-140	L.T. 4.E+01	L.T. 3.E+01	L.T. 3.E+01	L.T. 3.E+01
LA-140	L.T. 1.E+01	L.T. 8.E+00	L.T. 1.E+01	L.T. 1.E+01
CE-141	L.T. 1.E+01	L.T. 9.E+00	L.T. 1.E+01	L.T. 1.E+01
CE-144	L.T. 6.E+01	L.T. 3.E+01	L.T. 5.E+01	L.T. 5.E+01
RA-226	L.T. 2.E+02	L.T. 1.E+02	L.T. 2.E+02	L.T. 2.E+02
TH-228	1.92E+01 ± 1.01E+01	L.T. 9.E+00	L.T. 1.E+01	L.T. 1.E+01
H-3	L.T. 7.E+02	L.T. 2.E+02	L.T. 2.E+02	L.T. 2.E+02

VII-7
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - RIVER
 (PCI/LITER)

STATION NUMBER 28

DATE COLLECTED	01/18/11	02/15/11	03/01/11	04/05/11
RADIOCHEMICAL ANALYSIS:				
H-3	L.T. 4.E+02	L.T. 3.E+02	L.T. 5.E+02	L.T. 3.E+02
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 6.E+01	L.T. 5.E+01	L.T. 5.E+01	L.T. 5.E+01
K-40	L.T. 1.E+02	L.T. 5.E+01	L.T. 1.E+02	L.T. 5.E+01
MN-54	L.T. 6.E+00	L.T. 5.E+00	L.T. 5.E+00	L.T. 4.E+00
CO-58	L.T. 6.E+00	L.T. 7.E+00	L.T. 6.E+00	L.T. 6.E+00
FE-59	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
CO-60	L.T. 5.E+00	L.T. 5.E+00	L.T. 7.E+00	L.T. 5.E+00
ZN-65	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 9.E+00
ZR-95	L.T. 1.E+01	L.T. 9.E+00	L.T. 1.E+01	L.T. 9.E+00
RU-103	L.T. 7.E+00	L.T. 7.E+00	L.T. 6.E+00	L.T. 6.E+00
RU-106	L.T. 6.E+01	L.T. 6.E+01	L.T. 5.E+01	L.T. 4.E+01
I-131	L.T. 2.E+01	L.T. 9.E+00	L.T. 1.E+01	L.T. 2.E+01
CS-134	L.T. 6.E+00	L.T. 6.E+00	L.T. 6.E+00	L.T. 5.E+00
CS-137	L.T. 6.E+00	L.T. 7.E+00	L.T. 6.E+00	L.T. 5.E+00
BA-140	L.T. 4.E+01	L.T. 3.E+01	L.T. 3.E+01	L.T. 4.E+01
LA-140	L.T. 1.E+01	L.T. 1.E+01	L.T. 9.E+00	L.T. 1.E+01
CE-141	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
CE-144	L.T. 5.E+01	L.T. 5.E+01	L.T. 4.E+01	L.T. 4.E+01
RA-226	L.T. 2.E+02	L.T. 2.E+02	L.T. 1.E+02	L.T. 1.E+02
TH-228	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 9.E+00

VII-7
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - RIVER
(PCI/LITER)

STATION NUMBER 28

DATE COLLECTED First Quarter 2011
01/18/11

RADIOCHEMICAL ANALYSIS:

H-3 L.T. 5.E+02

GAMMA SPECTRUM ANALYSIS:

BE-7
K-40
MN-54
CO-58
FE-59
CO-60
ZN-65
ZR-95
RU-103
RU-106
I-131
CS-134
CS-137
BA-140
LA-140
CE-141
CE-144
RA-226
TH-228

81

(a) Gamma not ordered on the quarterly composite.

VII-7
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - RIVER
 (PCI/LITER)

STATION NUMBER 35

DATE COLLECTED	01/18/11	02/15/11	03/01/11	04/05/11
RADIOCHEMICAL ANALYSIS:				
H-3	(a)	L.T. 3.E+02	L.T. 4.E+02	L.T. 3.E+02
GAMMA SPECTRUM ANALYSIS:				
BE-7		L.T. 4.E+01	L.T. 5.E+01	L.T. 3.E+01
K-40		1.58E+02 ± 6.73E+01	L.T. 6.E+01	L.T. 3.E+01
MN-54		L.T. 5.E+00	L.T. 5.E+00	L.T. 4.E+00
CO-58		L.T. 4.E+00	L.T. 6.E+00	L.T. 4.E+00
FE-59		L.T. 8.E+00	L.T. 1.E+01	L.T. 9.E+00
CO-60		L.T. 5.E+00	L.T. 7.E+00	L.T. 4.E+00
ZN-65		L.T. 1.E+01	L.T. 9.E+00	L.T. 9.E+00
ZR-95		L.T. 9.E+00	L.T. 1.E+01	L.T. 8.E+00
RU-103		L.T. 5.E+00	L.T. 6.E+00	L.T. 4.E+00
RU-106		L.T. 4.E+01	L.T. 5.E+01	L.T. 4.E+01
I-131		L.T. 9.E+00	L.T. 1.E+01	L.T. 1.E+01
CS-134		L.T. 5.E+00	L.T. 5.E+00	L.T. 4.E+00
CS-137		L.T. 6.E+00	L.T. 6.E+00	L.T. 4.E+00
BA-140		L.T. 3.E+01	L.T. 3.E+01	L.T. 3.E+01
LA-140		L.T. 6.E+00	L.T. 9.E+00	L.T. 8.E+00
CE-141		L.T. 1.E+01	L.T. 1.E+01	L.T. 9.E+00
CE-144		L.T. 4.E+01	L.T. 4.E+01	L.T. 3.E+01
RA-226		L.T. 1.E+02	L.T. 1.E+02	L.T. 9.E+01
TH-228		L.T. 1.E+01	L.T. 1.E+01	3.11E+01 ± 9.78E+00

(a) Sample unavailable due to flooding

VII-7
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - RIVER
(PCI/LITER)

STATION NUMBER 35

DATE COLLECTED First Quarter 2011
01/18/11

RADIOCHEMICAL ANALYSIS:

H-3 L.T. 5.E+02

RADIOCHEMICAL ANALYSIS:

83

BE-7 (a)
K-40
MN-54
CO-58
FE-59
CO-60
ZN-65
ZR-95
RU-103
RU-106
I-131
CS-134
CS-137
BA-140
LA-140
CE-141
CE-144
RA-226
TH-228

(a) Gamma not ordered on the quarterly composite.

VII-8
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - THERMOLUMINESCENT DOSIMETRY - TLD
 COOPER NUCLEAR STATION 2011

Sample Nuclide	Station Number	First Quarter 01/01-03/31	Second Quarter 04/01-06/30	Third Quarter 07/01-09/30	Fourth Quarter 10/01-01/01	Quarter Average - 1 S.D.
TLD	01	19.2 ± 0.7	21.4 ± 0.6	24.4 ± 0.7	21.3 ± 0.8	21.6 ± 2.1
	02	17.5 ± 0.1	26.4 ± 1.3	22.6 ± 1.3	23.2 ± 1.0	22.4 ± 3.7
	03	18.0 ± 0.6	(a)	15.0 ± 1.1	16.5 ± 0.6	16.5 ± 1.5
	04	17.8 ± 0.2	(a)	16.0 ± 0.8	15.3 ± 0.2	16.4 ± 1.3
	05	19.0 ± 0.6	(a)	16.6 ± 0.1	15.8 ± 0.8	17.1 ± 1.7
	06	18.4 ± 1.1	(a)	15.0 ± 0.2	14.7 ± 0.4	16.0 ± 2.1
	07	17.6 ± 0.5	23.6 ± 1.2	22.4 ± 1.3	21.0 ± 1.2	21.2 ± 2.6
	08	18.8 ± 1.0	20.4 ± 1.1	23.0 ± 2.3	24.4 ± 2.0	21.7 ± 2.5
	09	18.2 ± 0.6	19.1 ± 0.1	22.2 ± 0.4	23.0 ± 0.9	20.6 ± 2.3
	10	19.9 ± 1.0	21.4 ± 0.4	20.8 ± 0.7	23.0 ± 1.0	21.3 ± 1.3
	20	18.3 ± 0.9	20.5 ± 0.3	23.1 ± 0.8	23.3 ± 1.3	21.3 ± 2.4
	44	19.2 ± 0.6	22.6 ± 0.3	25.6 ± 2.2	23.6 ± 0.6	22.8 ± 2.7
	56	19.2 ± 0.4	(a)	15.5 ± 0.3	16.6 ± 0.5	17.1 ± 1.9
	58	21.5 ± 0.8	19.2 ± 0.8	23.6 ± 1.1	28.7 ± 2.9	23.3 ± 4.1
	59	18.1 ± 0.8	20.1 ± 0.3	25.2 ± 0.9	22.9 ± 1.1	21.6 ± 3.1
	66	18.2 ± 0.1	28.5 ± 1.6	23.6 ± 0.9	26.7 ± 2.0	24.3 ± 4.5
	67	18.9 ± 1.0	21.9 ± 0.4	25.4 ± 1.5	24.8 ± 0.6	22.8 ± 3.0
	71	19.5 ± 0.3	60.7 ± 5.1	15.4 ± 0.7	17.4 ± 0.6	28.3 ± 22
	79	19.0 ± 0.6	21.4 ± 0.7	21.6 ± 0.6	32.0 ± 1.7	23.5 ± 5.8
	80	20.2 ± 1.3	24.2 ± 1.4	23.0 ± 0.3	21.7 ± 0.7	22.3 ± 1.7
	81	20.2 ± 0.3	27.4 ± 1.8	23.3 ± 0.5	24.6 ± 1.8	23.9 ± 3.0
	82	20.3 ± 0.7	21.0 ± 1.1	21.8 ± 0.6	22.7 ± 0.6	21.5 ± 1.0
	83	20.8 ± 0.6	26.9 ± 0.2	23.9 ± 0.5	25.8 ± 1.5	24.4 ± 2.7
	84	19.8 ± 0.6	22.6 ± 1.2	25.2 ± 0.7	25.5 ± 1.8	23.3 ± 2.7
	85	19.2 ± 0.9	(a)	16.9 ± 0.2	16.2 ± 0.7	17.4 ± 1.6

(a) TLD was lost due to flooding

VII-8
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - THERMOLUMINESCENT DOSIMETRY - TLD
 COOPER NUCLEAR STATION 2011

Sample Nuclide	Station Number	First Quarter 01/01-03/31	Second Quarter 04/01-06/30	Third Quarter 07/01-09/30	Fourth Quarter 10/01-01/01	Quarter Average - 1 S.D.
	86	19.4 ± 0.8	(a)	15.8 ± 1.2	15.8 ± 0.4	17.0 ± 2.1
	87	21.4 ± 1.4	52.6 ± 0.6	16.8 ± 0.5	15.7 ± 0.5	26.6 ± 17
	88	17.4 ± 0.5	(a)	17.5 ± 0.6	14.8 ± 0.4	16.6 ± 1.5
	89	19.4 ± 1.1	55.3 ± 0.9	16.5 ± 0.8	14.9 ± 0.7	26.5 ± 19
	90	19.5 ± 0.8	62.4 ± 3.6	16.5 ± 0.5	16.4 ± 0.4	28.7 ± 23
	91	18.0 ± 0.7	20.1 ± 1.7	21.4 ± 0.7	22.2 ± 0.7	20.4 ± 1.8
	94	18.4 ± 0.6	(a)	16.4 ± 0.1	14.8 ± 1.2	16.5 ± 1.8
∞	Average/Quarter	19.1 ± 2.1	28.3 ± 27.6	20.4 ± 7.4	20.9 ± 9.3	
	Range	(17.4-21.5)	(19.1-62.4)	(15-25.6)	(14.7-32)	
	Detection/Total	33/33	24/24	33/33	33/33	

(a) TLD was lost due to flooding

VII-9
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
VEGETATION-TERRESTRIAL, BROADLEAF
(PCI/KG WET)

STATION NUMBER 28

DATE COLLECTED 2011

RADIOCHEMICAL ANALYSIS:

I-131 (a)

GAMMA SPECTRUM ANALYSIS:

BE-7 (a)

K-40
MN-54
CO-58
FE-59
CO-60
ZN-65
ZR-95
RU-103
RU-106
I-131
CS-134
CS-137
BA-140
CE-141
CE-144
RA-226
TH-228

(a) Broadleaf vegetation was not available

VII-9
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
VEGETATION-TERRESTRIAL, BROADLEAF
(PCI/KG WET)

STATION NUMBER 35

DATE COLLECTED 2011

RADIOCHEMICAL ANALYSIS:

I-131 (a)

GAMMA SPECTRUM ANALYSIS:

BE-7 (a)

K-40
MN-54
CO-58
FE-59
CO-60
ZN-65
ZR-95
RU-103
RU-106
I-131
CS-134
CS-137
BA-140
CE-141
CE-144
RA-226
TH-228

(a) Broadleaf vegetation was not available

VII-9
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
VEGETATION-TERRESTRIAL, BROADLEAF
(PCI/KG WET)

STATION NUMBER 96

DATE COLLECTED 2011

RADIOCHEMICAL ANALYSIS:

I-131 (a)

GAMMA SPECTRUM ANALYSIS:

BE-7 (a)

K-40
MN-54
CO-58
FE-59
CO-60
ZN-65
ZR-95
RU-103
RU-106
I-131
CS-134
CS-137
BA-140
CE-141
CE-144
RA-226
TH-228

(a) Broadleaf vegetation was not available

VII-9
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
VEGETATION-TERRESTRIAL, BROADLEAF
(PCI/KG WET)

STATION NUMBER 101

DATE COLLECTED 2011

RADIOCHEMICAL ANALYSIS:

I-131 (a)

GAMMA SPECTRUM ANALYSIS:

BE-7 (a)

K-40
MN-54
CO-58
FE-59
CO-60
ZN-65
ZR-95
RU-103
RU-106
I-131
CS-134
CS-137
BA-140
CE-141
CE-144
RA-226
TH-228

(a) Broadleaf vegetation was not available

VII-10
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
SHORELINE SEDIMENT
(PCI/KG DRY)

STATION NUMBER 28

DATE COLLECTED

2011

GAMMA SPECTRUM ANALYSIS:

BE-7
K-40
MN-54
CO-58
FE-59
CO-60
ZN-65
ZR-95
RU-103
RU-106
I-131
CS-134
CS-137
BA-140
CE-141
CE-144
RA-226
TH-228

(a)

(a) Shoreline sediment was not collected

VII-10
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
SHORELINE SEDIMENT
(PCI/KG DRY)

STATION NUMBER 35

DATE COLLECTED

2011

GAMMA SPECTRUM ANALYSIS:

BE-7

(a)

K-40

MN-54

CO-58

FE-59

CO-60

ZN-65

ZR-95

RU-103

RU-106

I-131

CS-134

CS-137

BA-140

CE-141

CE-144

RA-226

TH-228

(a) Shoreline sediment was not collected

SECTION VIII. REFERENCES

VIII. REFERENCES

1. Nebraska Public Power District, Cooper Nuclear Station Environmental Radiation Monitoring Program, Annual Report, January 1, 1982-December 31, 1982 (prepared by Teledyne Isotopes).
2. Nebraska Public Power District, Cooper Nuclear Station Environmental Radiation Monitoring Program, Annual Report, January 1, 1983-December 31, 1983 (prepared by Teledyne Isotopes).
3. Nebraska Public Power District Cooper Nuclear Station, Environmental Monitoring Program, Annual Report, January 1, 1984 to December 31, 1984. (Prepared by Teledyne Isotopes.)
4. U.S. Department of Energy; EML 440 March 1985; EML-444 April 1989; Environmental Measurements Laboratory, US Department of Energy, New York, New York 10014.
5. U.S. Environmental Protection Agency; Environmental Radiation Data, Report 35, July -- September 1983, Report 39, July -- September 1985; Report 40, October -- December 1984; Report 41, January -- March 1985. Report 42, April -- June 1985; Report 43, July-September 1985, Report 44-45, October-March 1986; Report 46, April-June 1986; Report 47, July-September 1986; Report 48, October-December 1986; Report 49, January-March 1987. Environmental Radiation Facility, Montgomery, Alabama.
6. U.S. Department of Energy; EML 460, October 1, 1986; Environmental Measurements Laboratory, US Department of Energy, New York, New York 10014.
7. U.S. Nuclear Regulatory Commission, 1975, Regulatory Guide 4.8, Environmental Technical Specifications for Nuclear Power Plants.
8. U.S. Regulatory Commission, Branch Technical Position, Radiological Monitoring Acceptable Program (November, 1979, Revision 1).

APPENDIX A
2011 LAND USE CENSUS

2011 LAND USE CENSUS

Conducted July 12-13, 2011
0-3 miles

Cooper Nuclear Station (CNS) Offsite Dose Assessment Manual (ODAM) requires an annual land use census. This census identifies the location of the nearest garden that is greater than 500 square feet in area and yields leafy green vegetables, the nearest milk animal, and the location of the nearest resident in each of the 16 meteorological sectors within 3 miles of CNS.

A land use census was performed on July 12-13, 2011, in accordance with the CNS ODAM. The nearest residence was found in sector Q, 0.9 miles from CNS, and the nearest garden was found in sector L, 1.3 miles from CNS.

No milk animals were found within 3 miles of CNS and there was no evidence of potable water use from the Missouri River within three miles of CNS.

2011 LAND USE CENSUS

July 12-13, 2011
0-3 Miles

SECTOR	NEAREST RESIDENT	Direction in Degrees	NEAREST GARDEN	Direction in Degrees	NEAREST MILK ANIMAL
	Distance		Distance		
A/N	NONE	NA	NONE	NA	NONE
B/NNE	NONE	NA	NONE	NA	NONE
C/NE	NONE	NA	NONE	NA	NONE
D/ENE	NONE	NA	NONE	NA	NONE
E/E	NONE	NA	NONE	NA	NONE
F/ESE	NONE	NA	NONE	NA	NONE
G/SE	NONE	NA	NONE	NA	NONE
H/SSE	NONE	NA	NONE	NA	NONE
J/S	NONE	NA	NONE	NA	NONE
K/SSW	2.1 Miles	218.0°	NONE	NA	NONE
L/SW	1.3 Miles	232.0°	1.3 Miles	232.0°	NONE
M/WSW	1.9 Miles	241.0°	1.9 Miles	241.0°	NONE
N/W	1.0 Miles	265.0°	NONE	NA	NONE
P/WNW	1.7 Miles	299.0°	2.4 Miles	298.0°	NONE
Q/NW	0.9 Miles	307.0°	2.9 Miles	324.0°	NONE
R/NNW	1.9 Miles	339.0°	2.8 Miles	335.0°	NONE

APPENDIX B
SUMMARY OF INTERLABORATORY COMPARISONS

The Teledyne Brown Engineering ICP report is presented in this section

INTERLABORATORY COMPARISION PROGRAM

The purpose of the Interlaboratory Comparison Program (ICP) is to confirm the accuracy of results produced by Teledyne Brown Engineering. Samples of various matrices (i.e. soil, water, vegetation, air filters, and milk) are spiked with known amounts of radioactivity by commercial vendors of this service and by departments within the government. TBE participates in three programs. Two are commercial, Analytics Inc. and Environmental Resource Associates (ERA) and one is a government sponsored program, the Department of Energy's (DOE) Mixed Analyte Performance Evaluation Program (MAPEP). The DOE's Idaho National Engineering Laboratory administers the MAPEP. All three programs are blind performance evaluation studies in which samples with known activities are sent to TBE for analysis. Once analyzed, TBE submits the results to the respective agency for evaluation. The results of these evaluations are published in TBE's quarterly and annual QA reports.

The 2011 Interlaboratory Comparison Program includes all contractually required matrices and analyses we supply to customers.

The National Institute of Standards and Technology (NIST) is the approval authority for laboratory providers participating in Intercomparison Study Programs; however, at this time, there are no approved laboratories for environmental and/or radiochemical isotope analyses.

Trending graphs are provided in this section for the Analytics and ERA Programs.

ANALYTICS ENVIRONMENTAL RADIOACTIVITY CROSS CHECK PROGRAM
TELEDYNE BROWN ENGINEERING ENVIRONMENTAL SERVICES
(PAGE 1 OF 3)

Month/Year	Identification Number	Matrix	Nuclide	Units	Reported Value (a)	Known Value (b)	Ratio (c) TBE/Analytics	Evaluation (d)			
March 2011	E7460-396	Milk	Sr-89	pCi/L	98.8	97.4	1.01	A			
			Sr-90	pCi/L	15.2	15.8	0.96	A			
March 2011	E7461-396	Milk	I-131	pCi/L	92.9	96.9	0.96	A			
			Ce-141	pCi/L	NA						
			Cr-51	pCi/L	398	298	1.34	N (1)			
			Cs-134	pCi/L	130	130	1.00	A			
			Cs-137	pCi/L	232	205	1.13	A			
			Co-58	pCi/L	121	113	1.07	A			
			Mn-54	pCi/L	289	266	1.09	A			
			Fe-59	pCi/L	201	175	1.15	A			
			Zn-65	pCi/L	287	261	1.10	A			
			Co-60	pCi/L	186	172	1.08	A			
			March 2011	E7463-396	AP	Ce-141	pCi	NA			
						Cr-51	pCi	243	215	1.13	A
						Cs-134	pCi	85.0	94.2	0.90	A
						Cs-137	pCi	168	148	1.14	A
Co-58	pCi	89.2				81.8	1.09	A			
Mn-54	pCi	171				192	0.89	A			
Fe-59	pCi	129				126	1.02	A			
Zn-65	pCi	159				189	0.84	A			
March 2011	E7462-396	Charcoal	I-131	pCi	96.5	96.3	1.00	A			
			Co-60	pCi	132	124	1.06	A			
March 2011	E7464-396	Water	Fe-55	pCi/L	2090	1940	1.08	A			
June 2011	E7851-396	Milk	Sr-89	pCi/L	96.7	103	0.94	A			
			Sr-90	pCi/L	13.8	15.6	0.88	A			
June 2011	E7852-396	Milk	I-131	pCi/L	110	103.0	1.07	A			
			Ce-141	pCi/L	68.1	79.9	0.85	A			
			Cr-51	pCi/L	186	206	0.90	A			
			Cs-134	pCi/L	164	190	0.86	A			
			Cs-137	pCi/L	140	138	1.01	A			
			Co-58	pCi/L	141	152	0.93	A			
			Mn-54	pCi/L	136	138	0.99	A			
			Fe-59	pCi/L	128	123	1.04	A			
			Zn-65	pCi/L	263	261	1.01	A			
			Co-60	pCi/L	189	195	0.97	A			
			June 2011	E7854-396	AP	Ce-141	pCi	49.9	42.9	1.16	A
						Cr-51	pCi	95.6	110	0.87	A
						Cs-134	pCi	104	102	1.02	A
						Cs-137	pCi	83.8	74.0	1.13	A
Co-58	pCi	90.7				81.3	1.12	A			
Mn-54	pCi	74.5				73.9	1.01	A			
Fe-59	pCi	62.0				66.1	0.94	A			
Zn-65	pCi	140				140	1.00	A			
Co-60	pCi	119	104	1.14	A						
June 2011	E7853-396	Charcoal	I-131	pCi	76.2	86.1	0.89	A			

ANALYTICS ENVIRONMENTAL RADIOACTIVITY CROSS CHECK PROGRAM
TELEDYNE BROWN ENGINEERING ENVIRONMENTAL SERVICES
(PAGE 2 OF 3)

Month/Year	Identification Number	Matrix	Nuclide	Units	Reported Value (a)	Known Value (b)	Ratio (c) TBE/Analytics	Evaluation (d)			
June 2011	E7855-396	Water	Fe-55	pCi/L	1770	1970	0.90	A			
September 2011	E8070-396	Milk	Sr-89	pCi/L	102	90.8	1.12	A			
			Sr-90	pCi/L	13.2	14.7	0.90	A			
	E8071-396	Milk	I-131	pCi/L	74.2	89.2	0.83	A			
			Ce-141	pCi/L	66.9	66.7	1.00	A			
			Cr-51	pCi/L	249	226	1.10	A			
			Cs-134	pCi/L	116	128	0.91	A			
			Cs-137	pCi/L	106	114	0.93	A			
			Co-58	pCi/L	95.4	97.5	0.98	A			
			Mn-54	pCi/L	147	151	0.97	A			
			Fe-59	pCi/L	53.1	54.8	0.97	A			
			Zn-65	pCi/L	175	180	0.97	A			
			Co-60	pCi/L	150	157	0.96	A			
				E8073-396	AP	Ce-141	pCi	66.6	67.5	0.99	A
						Cr-51	pCi	263	229	1.15	A
						Cs-134	pCi	139	130	1.07	A
						Cs-137	pCi	110	115	0.96	A
Co-58	pCi	108				98.6	1.10	A			
Mn-54	pCi	152				153	0.99	A			
Fe-59	pCi	57.5				55.5	1.04	A			
Zn-65	pCi	190				183	1.04	A			
	E8072-396	Charcoal	I-131	pCi	77.6	80.6	0.96	A			
	E8074-396	Water	Fe-55	pCi/L	1710	1790	0.96	A			
December, 2011	E8230-396	Milk	Sr-89	pCi/L	93.3	93.1	1.00	A			
			Sr-90	pCi/L	12.7	15.4	0.82	A			
	E8231-396	Milk	I-131	pCi/L	82.5	90.2	0.91	A			
			Ce-141	pCi/L	not provided by Analytics for this study						
			Cr-51	pCi/L	465	566	0.82	A			
			Cs-134	pCi/L	142	171	0.83	A			
			Cs-137	pCi/L	185	210	0.88	A			
			Co-58	pCi/L	177	221	0.80	A			
			Mn-54	pCi/L	208	241	0.86	A			
			Fe-59	pCi/L	164	183	0.90	A			
			Zn-65	pCi/L	259	291	0.89	A			
			Co-60	pCi/L	224	270	0.83	A			
				E8233-396	AP	Ce-141	pCi	not provided by Analytics for this study			
Cr-51	pCi	344				368	0.93	A			
Cs-134	pCi	105				111	0.95	A			
Cs-137	pCi	129				137	0.94	A			
Co-58	pCi	145				144	1.01	A			
Mn-54	pCi	137				157	0.87	A			
Fe-59	pCi	119				119	1.00	A			
Zn-65	pCi	145				190	0.76	W			
Co-60	pCi	168				176	0.95	A			

ANALYTICS ENVIRONMENTAL RADIOACTIVITY CROSS CHECK PROGRAM
TELEDYNE BROWN ENGINEERING ENVIRONMENTAL SERVICES
(PAGE 3 OF 3)

Month/Year	Identification Number	Matrix	Nuclide	Units	Reported Value (a)	Known Value (b)	Ratio (c) TBE/Analytics	Evaluation (d)
December 2011	E8232-396	Charcoal	I-131	pCi	100	89.5	1.12	A
	E8234-396	Water	Fe-55	pCi/L	1960	1880	1.04	A

- (1) Sample appears to be biased high. Corrective Action will be evaluated after the 2nd Quarter Analytics PE sample. NCR 11-13
- (a) Teledyne Brown Engineering reported result.
- (b) The Analytics known value is equal to 100% of the parameter present in the standard as determined by gravimetric and/or volumetric measurements made during standard preparation.
- (c) Ratio of Teledyne Brown Engineering to Analytics results.
- (d) Analytics evaluation based on TBE internal QC limits: A= Acceptable. Reported result falls within ratio limits of 0.80-1.20. W=Acceptable with warning. Reported result falls within 0.70-0.80 or 1.20-1.30. N = Not Acceptable. Reported result falls outside the ratio limits of < 0.70 and > 1.30.

DOE's MIXED ANALYTE PERFORMANCE EVALUATION PROGRAM (MAPEP)
TELEDYNE BROWN ENGINEERING ENVIRONMENTAL SERVICES
(PAGE 1 OF 3)

Month/Year	Identification Number	Media	Nuclide	Units	Reported Value (a)	Known Value (b)	Acceptance Range	Evaluation (c)
March 2011	11-MaW24	Water	Am-241	Bq/L	0.418	0.529	0.370 - 0.688	W
			Cs-134	Bq/L	19.1	21.5	15.1 - 28.0	A
			Cs-137	Bq/L	29.0	29.4	20.6 - 38.2	A
			Co-57	Bq/L	0.139		(1)	A
			Co-60	Bq/L	23.9	24.6	17.2 - 32.0	A
			H-3	Bq/L	265	243	170 - 316	A
			Mn-54	Bq/L	31.8	31.6	22.1 - 41.1	A
			Ni-63	Bq/L	17.8	18.6	13.0 - 24.2	A
			Pu-238	Bq/L	0.92	1.064	0.745 - 1.383	A
			Pu-239/240	Bq/L	0.715	0.809	0.566 - 1.052	A
			K-40	Bq/L	94.8	91	64 - 118	A
			Sr-90	Bq/L	9.64	8.72	6.10 - 11.34	A
			Tc-99	Bq/L	8.09	8.99	6.29 - 11.69	A
			U-234/233	Bq/L	1.57	1.50	1.05 - 1.95	A
			U-238	Bq/L	1.57	1.54	1.08 - 2.00	A
	Zn-65	Bq/L	-0.142		(1)	A		
	11-GrW24	Water	Gr-A	Bq/L	0.767	1.136	0.341 - 1.931	A
			Gr-B	Bq/L	3.43	2.96	1.48 - 4.44	A
	11-MaS24	Soil	Am-241	Bq/kg	50.3	61.1	42.8 - 79.4	A
			Cs-134	Bq/kg	612	680	476 - 884	A
			Cs-137	Bq/kg	772	758	531 - 985	A
			Co-57	Bq/kg	910	927	649 - 1205	A
			Co-60	Bq/kg	500	482	337 - 627	A
			Mn-54	Bq/kg	0.607		(1)	A
			Ni-63	Bq/kg	511	582	407 - 757	A
			Pu-238	Bq/kg	0.375	0.48	(4)	A
			Pu-239/240	Bq/kg	NR	98.0	68.6 - 127.4	N (2)
			K-40	Bq/kg	569	540	378 - 702	A
			Sr-90	Bq/kg	NR	160	112 - 208	N (3)
			Tc-99	Bq/kg	-3.79		(1)	A
			U-234/233	Bq/kg	148	176	123 - 229	A
			U-238	Bq/kg	134	184	129 - 239	W
			Zn-65	Bq/kg	1497	1359	951 - 1767	A
	11-RdF24	AP	Am-241	Bq/sample	0.0067		(1)	A
			Cs-134	Bq/sample	3.26	3.49	2.44 - 4.54	A
			Cs-137	Bq/sample	2.36	2.28	1.60 - 2.96	A
			Co-57	Bq/sample	3.30	3.33	2.33 - 4.33	A
			Co-60	Bq/sample	0.0765		(1)	A
			Mn-54	Bq/sample	2.84	2.64	1.85 - 3.43	A
			Pu-238	Bq/sample	0.095	0.096	0.067 - 0.125	A
Pu-239/240			Bq/sample	0.0687	0.0765	0.0536 - 0.0995	A	
Sr-90			Bq/sample	NR	1.36	0.95 - 1.77	N (3)	
U-234/233			Bq/sample	0.163	0.178	0.125 - 0.231	A	
U-238			Bq/sample	0.165	0.185	0.130 - 0.241	A	
Zn-65			Bq/sample	3.30	3.18	2.23 - 4.13	A	
11-GrF24	AP	Gr-A	Bq/sample	0.101	0.659	0.198 - 1.120	N (5)	
		Gr-B	Bq/sample	1.23	1.323	0.662 - 1.985	A	

DOE's MIXED ANALYTE PERFORMANCE EVALUATION PROGRAM (MAPEP)
TELEDYNE BROWN ENGINEERING ENVIRONMENTAL SERVICES
(PAGE 2 OF 3)

Month/Year	Identification Number	Media	Nuclide	Units	Reported Value (a)	Known Value (b)	Acceptance Range	Evaluation (c)
March 2011	11-RdV24	Vegetation	Cs-134	Bq/sample	4.97	5.50	3.85 - 7.15	A
			Cs-137	Bq/sample	0.0356		(1)	A
			Co-57	Bq/sample	10.8	9.94	6.96 - 12.92	A
			Co-60	Bq/sample	4.89	4.91	3.44 - 6.38	A
			Mn-54	Bq/sample	6.42	6.40	4.48 - 8.32	A
			Sr-90	Bq/sample	NR	2.46	1.72 - 3.20	N (3)
			Zn-65	Bq/sample	3.07	2.99	2.09 - 3.89	A
September 2011	11-MaW25	Water	Am-241	Bq/L	2.64	3.18	2.23 - 4.13	A
			Cs-134	Bq/L	16.0	19.1	13.4 - 24.8	A
			Cs-137	Bq/L	0.0043		(1)	A
			Co-57	Bq/L	33.1	36.6	25.6 - 47.6	A
			Co-60	Bq/L	26.9	29.3	20.5 - 38.1	A
			H-3	Bq/L	1011	1014	710 - 1318	A
			Mn-54	Bq/L	23.2	25.0	17.5 - 32.5	A
			Ni-63	Bq/L	0.581		(1)	A
			Pu-238	Bq/L	0.0264	0.016	(4)	A
			Pu-239/240	Bq/L	1.74	2.40	1.68 - 3.12	W
			K-40	Bq/L	147	156	109 - 203	A
			Sr-90	Bq/L	15.8	14.2	9.9 - 18.5	A
			Tc-99	Bq/L	-1.00		(1)	A
			U-234/233	Bq/L	2.53	2.78	1.95 - 3.61	A
			U-238	Bq/L	2.60	2.89	2.02 - 3.76	A
			Zn-65	Bq/L	27.3	28.5	20.0 - 37.1	A
				11-GrW25	Water	Gr-A	Bq/L	0.894
Gr-B	Bq/L	5.87				4.81	2.41 - 7.22	A
	11-MaS25	Soil	Am-241	Bq/kg	0.270	0.259	(4)	A
			Cs-134	Bq/kg	-0.213		(1)	A
			Cs-137	Bq/kg	1110	979	685 - 1273	A
			Co-57	Bq/kg	1290	1180	826 - 1534	A
			Co-60	Bq/kg	731	644	451 - 837	A
			Mn-54	Bq/kg	987	848	594 - 1102	A
			Ni-63	Bq/kg	10.08		(1)	A
			Pu-238	Bq/kg	93.1	93.6	65.5 - 121.7	A
			Pu-239/240	Bq/kg	74.6	77.4	54.2 - 100.6	A
			K-40	Bq/kg	753	625	438 - 813	W
			Sr-90	Bq/kg	276	320	224 - 416	A
			Tc-99	Bq/kg	133	182	127 - 237	W
			U-234/233	Bq/kg	275	263	184 - 342	A
			U-238	Bq/kg	281	274	192 - 356	A
			Zn-65	Bq/kg	1870	1560	1092 - 2028	A

DOE's MIXED ANALYTE PERFORMANCE EVALUATION PROGRAM (MAPEP)
TELEDYNE BROWN ENGINEERING ENVIRONMENTAL SERVICES
(PAGE 3 OF 3)

Month/Year	Identification Number	Media	Nuclide	Units	Reported Value (a)	Known Value (b)	Acceptance Range	Evaluation (c)		
September 2011	11-RdF25	AP	Am-241	Bq/sample	0.124	0.147	0.103 - 0.191	A		
			Cs-134	Bq/sample	-0.043		(1)	A		
			Cs-137	Bq/sample	3.09	2.60	1.82 - 3.38	A		
			Co-57	Bq/sample	5.36	5.09	3.56 - 6.62	A		
			Co-60	Bq/sample	3.41	3.20	2.24 - 4.16	A		
			Mn-54	Bq/sample	0.067		(1)	A		
			Pu-238	Bq/sample	0.138	0.1183	0.0828 - 0.1538	A		
			Pu-239/240	Bq/sample	0.135	0.135	0.095 - 0.176	A		
			Sr-90	Bq/sample	1.84	1.67	1.17 - 2.17	A		
			U-234/233	Bq/sample	0.153	0.162	0.113 - 0.211	A		
			U-238	Bq/sample	0.164	0.168	0.118 - 0.218	A		
			Zn-65	Bq/sample	5.17	4.11	2.88 - 5.34	W		
			11-GrF25	AP	Gr-A	Bq/sample	0.0058		(1)	A
					Gr-B	Bq/sample	-0.01		(1)	A
11-RdV25	Vegetation	Cs-134	Bq/sample	0.0081		(1)	A			
		Cs-137	Bq/sample	4.94	4.71	3.30 - 6.12	A			
		Co-57	Bq/sample	0.0639		(1)	A			
		Co-60	Bq/sample	3.36	3.38	2.37 - 4.39	A			
		Mn-54	Bq/sample	5.89	5.71	4.00 - 7.42	A			
		Sr-90	Bq/sample	1.31	1.26	0.88 - 1.64	A			
		Zn-65	Bq/sample	6.54	6.39	4.47 - 8.31	A			

(1) False positive test.

(2) Evaluated as failed, with a note of false negative due to reporting only one of the plutonium isotopes. NCR 11-11

(3) Evaluated as failed due to not reporting a previously reported analyte. NCR 11-11

(4) Sensitivity evaluation

(5) The filter for Gross Alpha was counted on the wrong side. Recounted on the correct side resulted in acceptable results. NCR 11-11

(a) Teledyne Brown Engineering reported result.

(b) The MAPEP known value is equal to 100% of the parameter present in the standard as determined by gravimetric and/or volumetric measurements made during standard preparation.

(c) DOE/MAPEP evaluation: A=acceptable, W=acceptable with warning, N=not acceptable.

ERA ENVIRONMENTAL RADIOACTIVITY CROSS CHECK PROGRAM
TELEDYNE BROWN ENGINEERING ENVIRONMENTAL SERVICES
(PAGE 1 OF 1)

Month/Year	Identification Number	Media	Nuclide	Units	Reported Value (a)	Known Value (b)	Control Limits	Evaluation (c)		
May 2011	RAD-85	Water	Sr-89	pCi/L	59.8	63.2	51.1 - 71.2	A		
			Sr-90	pCi/L	42.5	42.5	31.3 - 48.8	A		
			Ba-133	pCi/L	73.3	75.3	63.0 - 82.8	A		
			Cs-134	pCi/L	64.9	72.9	59.5 - 80.2	A		
			Cs-137	pCi/L	74.6	77.0	69.3 - 87.4	A		
			Co-60	pCi/L	87.8	88.8	79.9 - 100	A		
			Zn-65	pCi/L	103	98.9	89.0 - 118	A		
			Gr-A	pCi/L	64.1	50.1	26.1 - 62.9	N (1)		
			Gr-B	pCi/L	51.8	49.8	33.8 - 56.9	A		
			I-131	pCi/L	27.4	27.5	22.9 - 32.3	A		
			U-Nat	pCi/L	38.5	39.8	32.2 - 44.4	A		
			H-3	pCi/L	10057	10200	8870 - 11200	A		
			MRAD-14	Filter	Gr-A	pCi/filter	79.7	74.3	38.5 - 112	A
			November 2011	RAD-87	Water	Sr-89	pCi/L	81.0	69.7	56.9 - 77.9
Sr-90	pCi/L	35.5				41.4	30.2 - 47.2	A		
Ba-133	pCi/L	90.7				96.9	81.8 - 106	A		
Cs-134	pCi/L	36.6				33.4	26.3 - 36.7	A		
Cs-137	pCi/L	44.7				44.3	39.4 - 51.7	A		
Co-60	pCi/L	118.7				119	107 - 133	A		
Zn-65	pCi/L	80.2				76.8	68.9 - 92.5	A		
Gr-A	pCi/L	34.2				53.2	27.8 - 66.6	A		
Gr-B	pCi/L	39.3				45.9	30.9 - 53.1	A		
I-131	pCi/L	22.9				27.5	22.9 - 32.3	A		
U-Nat	pCi/L	46.8				48.6	39.4 - 54.0	A		
H-3	pCi/L	15733				17400	15200 - 19100	A		
MRAD-15	Filter	Gr-A				pCi/filter	44.6	58.4	30.3 - 87.8	A

(1) The solids on the planchet exceeded 100 mg, which was beyond the range of the efficiency curve. NCR 11-08




(2) Sr-89 TBE to known ratio of 1.16 fell within acceptable range of $\pm 20\%$. No action required. NCR 11-16

(a) Teledyne Brown Engineering reported result.




(b) The ERA known value is equal to 100% of the parameter present in the standard as determined by gravimetric and/or volumetric measurements made during standard preparation.

(c) ERA evaluation: A=acceptable. Reported result falls within the Warning Limits. NA=not acceptable. Reported result falls outside of the Control Limits. CE=check for Error. Reported result falls within the Control Limits and outside of the Warning Limit.




INTERLABORATORY COMPARISON PROGRAM GRAPHS






INTERLABORATORY COMPARISON PROGRAM GRAPHS






INTERLABORATORY COMPARISON PROGRAM GRAPHS






INTERLABORATORY COMPARISON PROGRAM GRAPHS






INTERLABORATORY COMPARISON PROGRAM GRAPHS




INTERLABORATORY COMPARISON PROGRAM GRAPHS



INTERLABORATORY COMPARISON PROGRAM GRAPHS






INTERLABORATORY COMPARISON PROGRAM GRAPHS




March 2007 - Incorrect side of the cartridge was counted


INTERLABORATORY COMPARISON PROGRAM GRAPHS




INTERLABORATORY COMPARISON PROGRAM GRAPHS






February 2001 - Analyst error or equipment failure.



May 2004 - Counted without absorber.





INTERLABORATORY COMPARISON PROGRAM GRAPHS



February 2000 - Analyst error or equipment failure.

April 2011 - Solids exceeded 100 mg limit.

INTERLABORATORY COMPARISON PROGRAM GRAPHS



APPENDIX C
SYNOPSIS OF ANALYTICAL PROCEDURES

SYNOPSIS OF ANALYTICAL PROCEDURES

Appendix C is a synopsis of the analytical procedures performed during 2010 on samples collected for the Nebraska Public Power Nuclear Plant's Radiological Environmental Monitoring Program. All analyses have been mutually agreed upon by Nebraska Public Power District and Teledyne Brown Engineering and include those recommended by the USNRC Branch Technical Position, Rev. 1, November 1979.

<u>ANALYSIS TITLE</u>	<u>PAGE</u>
Gross Beta Analysis of Air Particulate Samples.....	C-3
Air Particulates.....	C-3
Determination of Gross Beta Activity in Water Samples.....	C-4
Introduction.....	C-4
Detection Capability	C-4
Analysis of Samples for Tritium (Liquid Scintillation).....	C-5
Water.....	C-5
Analysis of Samples for Iodine-131	C-6
Milk or Water.....	C-6
Gamma Spectrometry of Samples	C-7
Milk or Water.....	C-7
Dried Solids other than Soils and Sediments.....	C-7
Fish	C-7
Soils and Sediments	C-7
Charcoal Cartridges (Air Iodine)	C-7
Airborne Particulates	C-8
Addendum to Gamma Spectrometry Procedure	C-9
Environmental Dosimetry.....	C-10
Lower Limit of Detection Formulas	C-11

GROSS BETA ANALYSIS OF AIR PARTICULATE SAMPLES

Air Particulates

After a delay of five or more days, allowing for the radon-222 and radon-220 (thoron) daughter products to decay, the filters are counted in a gas-flow proportional counter.

Calculations of the results, the two sigma error and the lower limit of detection (LLD):

$$\text{RESULT (pCi/m}^3\text{)} = ((S/T) - (B/t))/(2.22 V E)$$

$$\text{TWO SIGMA ERROR (pCi/m}^3\text{)} = 2((S/T)^2 + (B/t^2))^{1/2}/(2.22 V E)$$

$$\text{LLD (pCi/m}^3\text{)} = 4.66(B^{1/2})/(2.22 V E t)$$

where:

- S = Gross counts of sample including blank
- B = Counts of blank
- E = Counting efficiency
- T = Number of minutes sample was counted
- t = Number of minutes blank was counted
- V = Sample aliquot size (cubic meters)

DETERMINATION OF GROSS BETA ACTIVITY IN WATER SAMPLES

Introduction

The procedures described in this section are used to measure the overall radioactivity of water samples without identifying the radioactive species present. No chemical separation techniques are involved.

One liter of the sample is evaporated on a hot plate. A smaller volume may be used if the sample has a significant salt content as measured gravimetrically. If requested by the customer, the sample is filtered through No. 54 filter paper before evaporation, removing particles greater than 30 microns in size.

After evaporating to a small volume in a beaker, the sample is rinsed into a 2-inch diameter stainless steel planchette, which is stamped with a concentric ring pattern to distribute residue evenly. Final evaporation to dryness takes place under heat lamps.

Residue mass is determined by weighing the planchette before and after mounting the sample. The planchette is counted for beta activity on an automatic proportional counter. Results are calculated using empirical self-absorption curves which allow for the change in effective counting efficiency caused by the residue mass.

Detection Capability

Detection capability depends upon the sample volume actually represented on the planchette, the background and the efficiency of the counting instrument, and upon self-absorption of beta particles by the mounted sample. Because the radioactive species are not identified, no decay corrections are made and the reported activity refers to the counting time.

The minimum detectable level (MDL) for water samples is nominally 1.6 picoCuries per liter for gross beta at the 4.66 sigma level (1.0 pCi/L at the 2.83 sigma level), assuming that 1 liter of sample is used and that 0.5 gram of sample residue is mounted on the planchette. These figures are based upon a counting time of 50 minutes and upon representative values of counting efficiency and background of 0.2 and 1.2 cpm, respectively

The MDL becomes significantly lower as the mount weight decreases because of reduced self-absorption. At a zero mount weight, the 4.66 sigma MDL for gross beta is 0.9 picoCuries per liter. These values reflect a beta counting efficiency of 0.38.

ANALYSIS OF SAMPLES FOR TRITIUM
(Liquid Scintillation)

Water

Ten milliliters of water are mixed with 10 ml of a liquid scintillation "cocktail" and then the mixture is counted in an automatic liquid scintillator.

Calculation of the results, the two sigma error and the lower limit detection (LLD) in pCi/L:

$$\text{RESULT} = (N-B)/(2.22 V E)$$

$$\text{TWO SIGMA ERROR} = 2((N + B)/\Delta t)^{1/2} / (2.22 V E)$$

$$\text{LLD} = 4.66(B/\Delta t)^{1/2} / (2.22 V E)$$

where:

N	=	the gross cpm of the sample
B	=	the background of the detector in cpm
2.22	=	conversion factor changing dpm to pCi
V	=	volume of the sample in ml
E	=	efficiency of the detector
Δt	=	counting time for the sample

ANALYSIS OF SAMPLES FOR IODINE-131

Milk or Water

Two or more liters of sample are first equilibrated with stable iodide carrier. A batch treatment with anion exchange resin is used to remove iodine from the sample. The iodine is then stripped from the resin with sodium hypochlorite solution, is reduced with hydroxylamine hydrochloride and is extracted into carbon tetrachloride as free iodine. It is then back-extracted as iodide into sodium bisulfite solution and is precipitated as palladium iodide. The precipitate is weighed for chemical yield and is mounted on a nylon planchette for low-level beta counting.

Calculations of results, two sigma error and the lower limit of detection (LLD) in pCi/L:

$$\begin{aligned}\text{RESULT} &= (N/\Delta t - B)/(2.22 E V Y DF) \\ \text{TWO SIGMA ERROR} &= 2((N/\Delta t + B)/\Delta t)^{1/2} / (2.22 E V Y DF) \\ \text{LLD} &= 4.66(B/\Delta t)^{1/2} / (2.22 E V Y DF)\end{aligned}$$

where:	N	=	total counts from sample (counts)
	Δt	=	counting time for sample (min)
	B	=	background rate of counter (cpm)
	2.22	=	dpm/pCi
	V	=	volume or weight of sample analyzed
	Y	=	chemical yield of the mount or sample counted
	DF	=	decay factor from the collection to the counting date
	E	=	efficiency of the counter for I-131, corrected for self absorption effects by the formula
	E	=	$E_s (\exp - 0.0061 M) / (\exp - 0.0061 M_s)$
	E_s	=	efficiency of the counter determined from an I-131 standard mount
	M_s	=	mass of PdI_2 on the standard mount, mg
	M	=	mass of PdI_2 on the sample mount, mg

GAMMA SPECTROMETRY OF SAMPLES

Milk or Water

A 1.0 liter Marinelli beaker is filled with a representative aliquot of the sample. The sample is then counted for approximately 1000 minutes with a shielded high purity germanium (HPGe) detector coupled to a VAX-based data acquisition system, which performs pulse height analysis.

Dried Solids other than Soils and Sediments

A large quantity of the sample is dried at a low temperature, less than 100°C. As much as possible (up to the total sample) is loaded into a tared 1-liter Marinelli and weighed. The sample is then counted for approximately 1000 minutes with a shielded HPGe detector coupled to a VAX-based data acquisition system, which performs pulse height analysis.

Fish

As much as possible (up to the total sample) of the edible portion of the sample is loaded into a tared Marinelli and weighed. The sample is then counted for approximately 1000 minutes with a shielded HPGe detector coupled to a VAX-based data acquisition system, which performs pulse height analysis.

Soils and Sediments

Soils and sediments are dried at a low temperature, less than 100°C. The soil or sediment is loaded fully into a tared, standard 300 cc container and weighed. The sample is then counted for approximately six hours with a shielded HPGe detector coupled to a VAX-based data acquisition system, which performs pulse height and analysis.

Charcoal Cartridges (Air Iodine)

Charcoal cartridges are counted up to five at a time, with one positioned on the face of an HPGe detector and up to four on the side of the HPGe detector. Each HPGe detector is calibrated for both positions. The detection limit for I-131 of each charcoal cartridge can be determined (assuming no positive I-131) uniquely from the volume of air, which passed through it. In the event I-131 is observed in the initial counting of a set, each charcoal cartridge is then counted separately, positioned on the face of the detector.

Air Particulates

The thirteen airborne particulate filters for a quarterly composite for each field station are aligned one in front of another and then counted for at least six hours with a shielded HPGe detector coupled to a VAX-based data acquisition system which performs pulse height analysis.

A VAX software program defines peaks by certain changes in the slope of the spectrum. The program also compares the energy of each peak with a library of peaks for isotope identification and then performs the radioactivity calculation using the appropriate fractional gamma ray abundance, half-life, detector efficiency, and net counts in the peak region.

The calculation of results, two sigma error and the lower limit of detection (LLD) in pCi/volume or pCi/mass:

$$\text{RESULT} = (S-B)/(2.22 t E V F DF)$$

$$\text{TWO SIGMA ERROR} = 2(S+B)^{1/2}/(2.22 t E V F DF)$$

$$\text{LLD} = 4.66(B)^{1/2}/(2.22 t E V F DF)$$

where:	S	=	Area, in counts, of sample peak and background (region of spectrum of interest)
	B	=	Background area, in counts, under sample peak, determined by a linear interpolation of the representative backgrounds on either side of the peak
	t	=	length of time in minutes the sample was counted
	2.22	=	dpm/pCi
	E	=	detector efficiency for energy of interest and geometry of sample
	V	=	sample aliquot size (liters, cubic meters, kilograms, or grams)
	F	=	fractional gamma abundance (specific for each emitted gamma)
	DF	=	decay factor from the mid-collection date to the counting date

ADDENDUM TO GAMMA SPECTROMETRY PROCEDURE

Ba-140 (half-life \approx 12.8d) decays to La-140 (half-life \approx 40 hrs) and the daughter radionuclide, La-140 approaches \sim 90 % of the Ba-140 activity within \sim 6 days. The La-140 photon energy at 1596 keV is used to quantify the Ba-140 activity due to its high photon emission probability yield (96%) producing a higher count rate when present and therefore, a smaller associated counting error.

Zr-95 (half-life = \sim 65d) decays to Nb-95 (half-life = \sim 35d). The photon energy of Nb-95 (\sim 765 keV) is used to quantify Zr-95 because of the high photon emission probability yield (\sim 100%) yielding a higher count rate and an associated lower counting error. The daughter radionuclide, Nb-95 approaches the Zr-95 activity after a time period of \sim 65 days, an estimated time interval occurring between sample exposure, collection and shipping, and analysis.

ENVIRONMENTAL DOSIMETRY

Environmental Dosimetry services are provided by Mirion Technologies. Mirion Technologies uses a thermoluminescent dosimeter (TLD) manufactured by Panasonic, Inc. Panasonic identifies it as an UD-814A1 TLD. The TLD has four elements, numbered 1-4. Elements and their filtration are composed of:

ELEMENT	MATERIAL	FILTRATION
1	${}^n\text{Li}_2{}^n\text{B}_4\text{O}_7\text{-Cu}$	Thin plastic
2	CaSO ₄ -Tm	Lead
3	CaSO ₄ -Tm	Lead
4	CaSO ₄ -Tm	Lead

This material has a high light output, negligible thermally induced signal loss (fading) and negligible self-dosing. The energy response curve (as well as other features) satisfies NRC Regulatory Guide 4.13. Transit doses are accounted for by use of separate TLDs.

Prior to being sent to Cooper Nuclear Station, the Mirion badges are exposed to Cs-137, to known a dose and read in the Panasonic UD-710 reader, with reference badges to establish an element response level for each badge. Badges are then re-annealed for assignment and distribution to Cooper Nuclear Station.

Following the field exposure the badges are returned to Mirion Technologies for processing in a Panasonic UD-710 reader. Each element is heated and the measured light emission is recorded. The transit controls are read in the same manner. Total exposure for each badge is the average of Elements 2, 3, and 4.

Transit Controls are calculated using the following equation:

$$\text{TRANSDOSE} = \frac{(E_{3_1} + E_{4_1} + E_{3_2} + E_{4_2})}{4} - \frac{(E_{3_{\text{trans}}} + E_{4_{\text{trans}}})}{2}$$

LOWER LIMIT of DETECTION FORMULAS

The LLD formulas in Appendix C are consistent with the LLD discussion in the ODAM. The term s_b in the ODAM equals $\sqrt{B/t}$ by Poisson statistics, where B = blank counts and t = blank counting intervals. The decay factor term $e^{-\lambda\Delta t}$ in the ODAM is the same as the DF terms in Appendix C, but does not appear in certain analyses such as gross beta because decay does not apply. In the tritium analysis, decay is not considered because of the relatively long half-life.

Efficiencies and volumes are consistent between the two documents. Chemical yields appear in Appendix C where applicable but do not apply to other analyses such as tritium and gross beta.

APPENDIX D
DETECTION LIMITS AND REPORTING LEVELS

NEBRASKA PUBLIC POWER - COOPER NUCLEAR STATION
DETECTION LIMITS AND REPORTING LEVELS

Isotope	ODAM LLD	NRC Rept. Level
<u>Water - pCi/liter</u>		
Gross beta	4	N/A
H-3	2000	20000 ^(a) /30000 ^(b)
Mn-54	15	1000
Fe-59	30	400
Co-58	15	1000
Co-60	15	300
Zn-65	30	300
Zr-95	30	400
Nb-95	15	400
I-131	1 ^(c)	2
Cs-134	15	30
Cs-137	18	50
Ba-140	60	200
La-140	15	200
<u>Air Filter - pCi/m³</u>		
Gross Beta	0.01	N/A
I-131	0.07	0.9
Cs-134	0.05	10
Cs-137	0.06	20
<u>Fish - pCi/kg-wet</u>		
Mn-54	130	30000
Fe-59	260	10000
Co-58	130	30000
Co-60	130	10000
Zn-65	260	20000
Cs-134	130	1000
Cs-137	150	2000
<u>Milk - pCi/liter</u>		
I-131	1	3
Cs-134	15	60
Cs-137	18	70
Ba-140	60	300
La-140	15	300

(a) For drinking water samples

(b) For samples of water not used as a source of drinking water

(c) LLD for drinking water

NEBRASKA PUBLIC POWER - COOPER NUCLEAR STATION
DETECTION LIMITS AND REPORTING LEVELS

<u>Isotope</u>	<u>ODAM LLD</u>	<u>NRC Rept. Level</u>
<u>Vegetation - pCi/kg-wet</u>		
I-131	60	100
Cs-134	60	1000
Cs-137	80	2000
<u>Sediment - pCi/kg-dry</u>		
Cs-134	150	N/A
Cs-137	180	N/A

APPENDIX E
REMP SAMPLING AND ANALYTICAL EXCEPTIONS

EXCEPTIONS

Appendix E contains the exceptions to the 2011 REMP Program. Where possible, causes of the deviation have been corrected to prevent recurrence.

Any deviations from the sampling schedule are documented on the data tables. Data Tables are in Section VII.

REMP SAMPLING AND ANALYTICAL EXCEPTIONS, 2011

Air Station 3 sample was unavailable due to flooding of the Missouri River. Week end 01/04/11 through 12/27/11

Air Station 4 sample was unavailable due to flooding of the Missouri River. Week end 06/14/11 through 12/27/11

Air Station 5 sample was unavailable due to flooding of the Missouri River. Week end 06/14/11 through 12/27/11

Air Station 6 sample was unavailable due to flooding of the Missouri River. Week end 06/14/11 through 12/27/11

Fish Station 28 was not sampled due to flooding of the Missouri River. 2011

Fish Station 35 was not sampled due to flooding of the Missouri River. 2011

River Water Station 28 was not sampled due to flooding of the Missouri River. May through December, 2011

River Water Station 35 was not sampled due to flooding of the Missouri River. May through December, 2011

TLD station 3 was missing due to flooding of the Missouri River. Second quarter 2011

TLD station 4 was missing due to flooding of the Missouri River. Second quarter 2011

TLD station 5 was missing due to flooding of the Missouri River. Second quarter 2011

TLD station 6 was missing due to flooding of the Missouri River. Second quarter 2011

TLD station 56 was missing due to flooding of the Missouri River. Second quarter 2011

TLD station 85 was missing due to flooding of the Missouri River. Second quarter 2011

TLD station 86 was missing due to flooding of the Missouri River. Second quarter 2011

TLD station 88 was missing due to flooding of the Missouri River. Second quarter 2011

REMP SAMPLING AND ANALYTICAL EXCEPTIONS, 2011

TLD station 94 was missing due to flooding of the Missouri River. Second quarter 2011

Vegetation Station 28 broadleaf vegetation was missing due to flooding of the Missouri River. 2011

Vegetation Station 35 broadleaf vegetation was missing due to flooding of the Missouri River. 2011

Vegetation Station 96 broadleaf vegetation was missing due to flooding of the Missouri River. 2011

Vegetation Station 101 broadleaf vegetation was missing due to flooding of the Missouri River. 2011

Shoreline sediment station 28 was not sampled due to flooding of the Missouri River. 2011

Shoreline sediment station 35 was not sampled due to flooding of the Missouri River. 2011

APPENDIX F

SUMMARY OF DOSES TO A MEMBER OF THE PUBLIC OFFSITE

LIQUID EFFLUENT DOSE CALCULATIONS

Doses to the maximum individual and 0 to 50 - mile population resulting from the release of radioactive material in liquid effluents from Cooper Nuclear Station were calculated using the LADTAP II computer program. The LADTAP II program implements the radiological dose models of Regulatory Guide 1.109 for determining the radiation exposure to man from three principal exposure pathways in the aquatic environment -- potable water, aquatic foods, and recreational water use. Doses to both the maximum individual and 0 to 50 mile population are calculated as a function of age group and pathway for significant body organs, and are presented in Tables 1 - 6.

Assumptions and data sources used for input to the LADTAP II code are described in a separate section of this appendix (see page F-67).

TABLE 1. Doses to Maximum Individual at the Site Boundary, Resulting From Exposure to Radioactivity Discharged in Liquid Effluents, January-June 2011 Cooper Nuclear Station

Period and Pathway	Dose to Individual, mrem							
	Skin	Bone	Liver	Total Body	Thyroid	Kidney	Lung	GI-LLI
<u>1st Quarter</u>								
Drinking Water		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Shoreline	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
<u>2nd Quarter</u>								
Eating Fish		7.16 E-02	1.02 E-01	6.81 E-02	2.03 E-05	3.46 E-02	1.14 E-02	4.83 E-03
Drinking Water		1.25 E-03	2.64 E-03	2.11 E-03	7.81 E-04	1.39 E-03	9.81 E-04	2.20 E-03
Shoreline	4.68 E-04	3.98 E-04	3.98 E-04	3.98 E-04	3.98 E-04	3.98 E-04	3.98 E-04	3.98 E-04
Totals	4.68 E-04	7.32 E-02	1.05 E-01	7.06 E-02	1.20 E-03	3.64 E-02	1.28 E-02	7.43 E-03
Totals for 1st & 2nd Quarters	4.68 E-04	7.32 E-02	1.05 E-01	7.06 E-02	1.20 E-03	3.64 E-02	1.28 E-02	7.43 E-03

Calculated doses are based on the following periods of exposures: Fishing: April - November; Drinking water and shoreline: January - December

TABLE 2. Doses to Maximum Individual at the Site Boundary, Resulting From Exposure to Radioactivity Discharged in Liquid Effluents, July-December 2011, Cooper Nuclear Station

Period and Pathway	Dose to Individual, mrem							
	Skin	Bone	Liver	Total Body	Thyroid	Kidney	Lung	GI-LLI
<u>3rd Quarter</u>								
Eating Fish		4.13 E-02	5.72 E-02	3.78 E-02	2.31 E-05	1.94 E-02	6.46 E-03	1.65 E-03
Drinking Water		7.17 E-04	1.90 E-03	1.59 E-03	8.92 E-04	1.23 E-03	1.00 E-03	1.24 E-03
Shoreline	1.55 E-04	1.32 E-04	1.32 E-04	1.32 E-04	1.32 E-04	1.32 E-04	1.32 E-04	1.32 E-04
Totals	1.55 E-04	4.21 E-02	5.92 E-02	3.95 E-02	1.05 E-03	2.08 E-02	7.60 E-03	3.02 E-03
<u>4th Quarter</u>								
Eating Fish		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Drinking Water		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Shoreline	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals for 3rd & 4th Quarters	1.55 E-04	4.21 E-02	5.92 E-02	3.95 E-02	1.05 E-03	2.08 E-02	7.60 E-03	3.02 E-03

Calculated doses are based on the following periods of exposures: Fishing: April - November; Drinking water and shoreline: January - December

F-4

TABLE 3. Summary of Doses to Maximum Individual at the Site Boundary, Resulting from Exposure to Radioactivity Discharged in Liquid Effluents, January-December 2011, Cooper Nuclear Station

Period and Pathway	Dose to Individual, mrem							
	Skin	Bone	Liver	Total Body	Thyroid	Kidney	Lung	GI-LLI
1st Quarter	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
2nd Quarter	4.68 E-04	7.32 E-02	1.05 E-01	7.06 E-02	1.20 E-03	3.64 E-02	1.28 E-02	7.43 E-03
3rd Quarter	1.55 E-04	4.21 E-02	5.92 E-02	3.95 E-02	1.05 E-03	2.08 E-02	7.60 E-03	3.02 E-03
4th Quarter	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals for 2011	6.23 E-04	1.15 E-01	1.64 E-01	1.10 E-01	2.25 E-03	5.72 E-02	2.04 E-02	1.05 E-02

TABLE 4. Doses to Population Within a 50-Mile Radius, Resulting From Exposure to Radioactivity Discharged in Liquid Effluents, January-June 2011, Cooper Nuclear Station

Period and Pathway	Dose to Population, manrem							
	Skin	Bone	Liver	Total Body	Thyroid	Kidney	Lung	GI-LLI
<u>1st Quarter</u>								
Drinking Water		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Shoreline	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
<u>2nd Quarter</u>								
Eating Fish		1.44 E-03	1.91 E-03	1.04 E-03	3.48 E-07	6.43 E-04	2.19 E-04	7.51 E-05
Drinking Water		5.27 E-04	9.44 E-04	6.32 E-04	2.55 E-04	4.77 E-04	3.32 E-04	6.46 E-04
Shoreline	2.02 E-04	0.00 E+00	0.00 E+00	1.72 E-04	1.72 E-04	0.00 E+00	0.00 E+00	0.00 E+00
Swimming	0.00 E+00	0.00 E+00	0.00 E+00	8.84 E-07	8.84 E-07	0.00 E+00	0.00 E+00	0.00 E+00
Boating	0.00 E+00	0.00 E+00	0.00 E+00	3.24 E-06	3.24 E-06	0.00 E+00	0.00 E+00	0.00 E+00
Totals	2.02 E-04	1.97 E-03	2.85 E-03	1.85 E-03	4.31 E-04	1.12 E-03	5.51 E-04	7.21 E-04
Totals for 1st & 2nd Quarters	2.02 E-04	1.97 E-03	2.85 E-03	1.85 E-03	4.31 E-04	1.12 E-03	5.51 E-04	7.21 E-04

Calculated doses are based on the following periods of exposures: Fishing and Boating: April - November; Drinking water and shoreline: January - December; Swimming: June - September. Exposure from drinking water is calculated for the city of St. Joseph, Missouri, nearest public water intake from the Missouri River, 84 miles downstream.

TABLE 5. Doses to Population Within a 50-Mile Radius, Resulting From Exposure to Radioactivity Discharged in Liquid Effluents, July-December 2011, Cooper Nuclear Station

Period and Pathway	Dose to Population, manrem							
	Skin	Bone	Liver	Total Body	Thyroid	Kidney	Lung	GI-LLI
<u>3rd Quarter</u>								
Eating Fish		8.93E-04	1.15E-03	6.22E-04	4.26E-07	3.88E-04	1.33E-04	2.82E-05
Drinking Water		3.26 E-04	7.18 E-04	5.18 E-04	3.13 E-04	4.46 E-04	3.59 E-04	4.18 E-04
Shoreline	7.16 E-05	0.00 E+00	0.00 E+00	6.11 E-05	6.11 E-05	0.00 E+00	0.00 E+00	0.00 E+00
Swimming	0.00 E+00	0.00 E+00	0.00 E+00	2.62 E-07	2.62 E-07	0.00 E+00	0.00 E+00	0.00 E+00
Boating	0.00 E+00	0.00 E+00	0.00 E+00	9.58 E-07	9.58 E-07	0.00 E+00	0.00 E+00	0.00 E+00
Totals	7.16 E-05	1.22 E-03	1.87 E-03	1.20 E-03	3.76 E-04	8.34 E-04	4.92 E-04	4.46 E-04
<u>4th Quarter</u>								
Eating Fish		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Drinking Water		0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Shoreline	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Boating	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals for 3rd & 4th Quarters	7.16 E-05	1.22 E-03	1.87 E-03	1.20 E-03	3.76 E-04	8.34 E-04	4.92 E-04	4.46 E-04

Calculated doses are based on the following periods of exposures: Fishing and Boating: April - November; Drinking water and shoreline: January - December; Swimming: June - September. Exposure from drinking water is calculated for the city of St. Joseph, Missouri, nearest public water intake from the Missouri River, 84 miles downstream.

TABLE 6. Summary of Doses to Population Within a 50-Mile Radius, Resulting from Exposure to Radioactivity Discharged in Liquid Effluents, January-December 2011 Cooper Nuclear Station

Period and Pathway	Dose to Population, manrem							
	Skin	Bone	Liver	Total Body	Thyroid	Kidney	Lung	GI-LLI
<u>1st Quarter</u>	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
<u>2nd Quarter</u>	2.02 E-04	1.97 E-03	2.85 E-03	1.85 E-03	4.31 E-04	1.12 E-03	5.51 E-04	7.21 E-04
<u>3rd Quarter</u>	7.16 E-05	1.22 E-03	1.87 E-03	1.20 E-03	3.76 E-04	8.34 E-04	4.92 E-04	4.46 E-04
<u>4th Quarter</u>	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00	0.00 E+00
Totals for 2011	2.74 E-04	3.19 E-03	4.72 E-03	3.05 E-03	8.07 E-04	1.95 E-03	1.04 E-03	1.17 E-03

GASEOUS EFFLUENT DOSE CALCULATIONS (EXCEPT CARBON-14)

Doses to the maximum individual and 0 to 50 mile population resulting from the release of radioactive material in gaseous effluents from the Cooper Nuclear Station were calculated using the GASPAR computer code. Four sites were selected for individual dose calculations: the site boundary, the nearest residence, the nearest garden and the nearest cow. GASPAR implements the radiological dose models of Regulatory Guide 1.109 for determining the radiation exposure to man from four principal atmospheric exposure pathways: plume, ground, inhalation, and ingestion. Doses to the maximum individual and the population are calculated as a function of age group and pathway for significant body organs.

Tables 1 through 7 present maximum individual doses. Population doses are given in Tables 8 through 14.

Assumptions and data used for input to the GASPAR code are described in a separate section of this appendix (see page F-67).

TABLE 1. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-MARCH 2011

SPECIAL LOCATION NO. 1 A Site Boundary
 AT .69 MILES NNW

ANNUAL BETA AIR DOSE = 2.87E-07 MILLRADS
 ANNUAL GAMMA AIR DOSE = 3.10E-07 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	2.06E-07	2.06E-07	2.06E-07	2.06E-07	2.06E-07	2.06E-07	2.09E-07	4.68E-07
GROUND	3.86E-03	3.86E-03	3.86E-03	3.86E-03	3.86E-03	3.86E-03	3.86E-03	4.55E-03
VEGET								
ADULT	6.18E-05	5.06E-04	9.32E-06	3.49E-05	9.39E-06	1.45E-03	6.84E-09	0.00E+00
TEEN	9.65E-05	5.38E-04	1.50E-05	5.34E-05	1.42E-05	1.96E-03	8.65E-09	0.00E+00
CHILD	1.94E-04	3.52E-04	3.59E-05	8.28E-05	2.24E-05	3.76E-03	1.28E-08	0.00E+00
MEAT								
ADULT	1.60E-05	1.34E-04	3.57E-07	7.94E-06	6.80E-07	3.91E-05	1.13E-10	0.00E+00
TEEN	1.27E-05	7.20E-05	2.69E-07	6.16E-06	5.16E-07	2.83E-05	9.71E-11	0.00E+00
CHILD	1.97E-05	3.63E-05	4.47E-07	7.31E-06	6.08E-07	4.28E-05	1.08E-10	0.00E+00
COW MILK								
ADULT	6.58E-06	3.20E-05	3.49E-06	7.66E-06	7.62E-06	1.09E-03	3.34E-08	0.00E+00
TEEN	1.13E-05	3.77E-05	6.11E-06	1.32E-05	1.33E-05	1.73E-03	5.83E-08	0.00E+00
CHILD	2.23E-05	2.51E-05	1.42E-05	2.15E-05	2.16E-05	3.42E-03	1.21E-07	0.00E+00
INFANT	3.65E-05	3.10E-05	2.76E-05	4.59E-05	3.58E-05	8.31E-03	2.11E-07	0.00E+00
GOATMILK								
ADULT	2.87E-06	4.95E-06	3.49E-06	4.57E-06	7.17E-06	1.31E-03	4.02E-09	0.00E+00
TEEN	4.82E-06	6.01E-06	6.33E-06	8.07E-06	1.28E-05	2.07E-03	7.04E-09	0.00E+00
CHILD	9.11E-06	4.20E-06	1.53E-05	1.39E-05	2.11E-05	4.10E-03	1.46E-08	0.00E+00
INFANT	1.66E-05	4.90E-06	3.13E-05	3.32E-05	3.66E-05	9.97E-03	2.54E-08	0.00E+00
INHAL								
ADULT	1.17E-06	1.55E-05	5.42E-07	1.45E-06	1.21E-06	1.61E-04	3.13E-04	0.00E+00
TEEN	1.56E-06	1.57E-05	7.56E-07	1.94E-06	1.67E-06	2.03E-04	4.58E-04	0.00E+00
CHILD	1.77E-06	2.09E-05	1.00E-06	1.82E-06	1.58E-06	2.35E-04	3.71E-04	0.00E+00
INFANT	1.02E-06	1.56E-05	7.63E-07	1.38E-06	1.03E-06	2.16E-04	2.37E-04	0.00E+00

TABLE 1. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-MARCH 2011 (Continued)

SPECIAL LOCATION NO. 2 A Site Boundary
 AT .67 MILES N

ANNUAL BETA AIR DOSE = 4.34E-07 MILLRADS
 ANNUAL GAMMA AIR DOSE = 7.03E-07 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	4.71E-07	4.71E-07	4.71E-07	4.71E-07	4.71E-07	4.71E-07	4.75E-07	9.19E-07
GROUND	5.86E-03	5.86E-03	5.86E-03	5.86E-03	5.86E-03	5.86E-03	5.86E-03	6.89E-03
VEGET								
ADULT	9.36E-05	7.67E-04	1.41E-05	5.29E-05	1.42E-05	2.20E-03	1.04E-08	0.00E+00
TEEN	1.46E-04	8.16E-04	2.27E-05	8.09E-05	2.14E-05	2.96E-03	1.31E-08	0.00E+00
CHILD	2.93E-04	5.33E-04	5.44E-05	1.25E-04	3.38E-05	5.68E-03	1.94E-08	0.00E+00
MEAT								
ADULT	2.43E-05	2.03E-04	5.40E-07	1.20E-05	1.03E-06	5.92E-05	1.70E-10	0.00E+00
TEEN	1.92E-05	1.09E-04	4.08E-07	9.34E-06	7.83E-07	4.29E-05	1.47E-10	0.00E+00
CHILD	2.99E-05	5.51E-05	6.77E-07	1.11E-05	9.21E-07	6.47E-05	1.62E-10	0.00E+00
COW MILK								
ADULT	9.96E-06	4.85E-05	5.28E-06	1.16E-05	1.15E-05	1.65E-03	5.06E-08	0.00E+00
TEEN	1.71E-05	5.71E-05	9.24E-06	2.00E-05	2.01E-05	2.61E-03	8.84E-08	0.00E+00
CHILD	3.37E-05	3.80E-05	2.15E-05	3.25E-05	3.26E-05	5.17E-03	1.83E-07	0.00E+00
INFANT	5.52E-05	4.69E-05	4.17E-05	6.95E-05	5.41E-05	1.26E-02	3.19E-07	0.00E+00
GOATMILK								
ADULT	4.34E-06	7.49E-06	5.29E-06	6.91E-06	1.09E-05	1.98E-03	6.09E-09	0.00E+00
TEEN	7.30E-06	9.11E-06	9.58E-06	1.22E-05	1.93E-05	3.14E-03	1.06E-08	0.00E+00
CHILD	1.38E-05	6.36E-06	2.32E-05	2.10E-05	3.20E-05	6.21E-03	2.20E-08	0.00E+00
INFANT	2.51E-05	7.42E-06	4.73E-05	5.02E-05	5.53E-05	1.51E-02	3.84E-08	0.00E+00
INHAL								
ADULT	1.47E-06	1.94E-05	6.82E-07	1.82E-06	1.53E-06	2.03E-04	3.91E-04	0.00E+00
TEEN	1.96E-06	1.97E-05	9.51E-07	2.44E-06	2.10E-06	2.56E-04	5.72E-04	0.00E+00
CHILD	2.21E-06	2.62E-05	1.26E-06	2.28E-06	1.99E-06	2.97E-04	4.64E-04	0.00E+00
INFANT	1.28E-06	1.95E-05	9.61E-07	1.74E-06	1.30E-06	2.72E-04	2.97E-04	0.00E+00

TABLE 1. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-MARCH 2011 (Continued)

SPECIAL LOCATION NO. 3 A Nearest Resident
 AT .90 MILES NW

ANNUAL BETA AIR DOSE = 7.08E-06 MILLRADS
 ANNUAL GAMMA AIR DOSE = 1.15E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	7.68E-06	7.68E-06	7.68E-06	7.68E-06	7.68E-06	7.68E-06	7.75E-06	1.50E-05
GROUND	2.13E-03	2.13E-03	2.13E-03	2.13E-03	2.13E-03	2.13E-03	2.13E-03	2.50E-03
VEGET								
ADULT	3.41E-05	2.79E-04	5.31E-06	1.93E-05	5.32E-06	8.29E-04	3.81E-09	0.00E+00
TEEN	5.33E-05	2.97E-04	8.55E-06	2.96E-05	8.02E-06	1.12E-03	4.84E-09	0.00E+00
CHILD	1.07E-04	1.94E-04	2.05E-05	4.58E-05	1.27E-05	2.14E-03	7.16E-09	0.00E+00
MEAT								
ADULT	8.83E-06	7.37E-05	1.99E-07	4.38E-06	3.77E-07	2.23E-05	6.55E-11	0.00E+00
TEEN	7.00E-06	3.97E-05	1.50E-07	3.40E-06	2.87E-07	1.61E-05	5.67E-11	0.00E+00
CHILD	1.09E-05	2.00E-05	2.50E-07	4.03E-06	3.38E-07	2.44E-05	6.29E-11	0.00E+00
COW MILK								
ADULT	3.66E-06	1.76E-05	1.97E-06	4.28E-06	4.30E-06	6.22E-04	1.83E-08	0.00E+00
TEEN	6.26E-06	2.08E-05	3.45E-06	7.38E-06	7.50E-06	9.85E-04	3.20E-08	0.00E+00
CHILD	1.24E-05	1.38E-05	8.05E-06	1.20E-05	1.22E-05	1.95E-03	6.63E-08	0.00E+00
INFANT	2.03E-05	1.71E-05	1.56E-05	2.58E-05	2.03E-05	4.74E-03	1.16E-07	0.00E+00
GOATMILK								
ADULT	1.63E-06	2.75E-06	1.99E-06	2.59E-06	4.08E-06	7.46E-04	2.28E-09	0.00E+00
TEEN	2.73E-06	3.34E-06	3.61E-06	4.58E-06	7.26E-06	1.18E-03	4.02E-09	0.00E+00
CHILD	5.15E-06	2.34E-06	8.74E-06	7.88E-06	1.20E-05	2.34E-03	8.23E-09	0.00E+00
INFANT	9.38E-06	2.72E-06	1.78E-05	1.88E-05	2.08E-05	5.68E-03	1.44E-08	0.00E+00
INHAL								
ADULT	4.04E-07	5.35E-06	1.88E-07	5.01E-07	4.22E-07	5.60E-05	1.08E-04	0.00E+00
TEEN	5.39E-07	5.43E-06	2.62E-07	6.71E-07	5.79E-07	7.05E-05	1.57E-04	0.00E+00
CHILD	6.10E-07	7.28E-06	3.49E-07	6.28E-07	5.49E-07	8.18E-05	1.28E-04	0.00E+00
INFANT	3.52E-07	5.44E-06	2.65E-07	4.79E-07	3.59E-07	7.49E-05	8.17E-05	0.00E+00

TABLE 1. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-MARCH 2011 (Continued)

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 3.02E-06 MILLRADS
ANNUAL GAMMA AIR DOSE = 4.89E-06 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	3.28E-06	3.28E-06	3.28E-06	3.28E-06	3.28E-06	3.28E-06	3.31E-06	6.39E-06
GROUND	7.66E-05	7.66E-05	7.66E-05	7.66E-05	7.66E-05	7.66E-05	7.66E-05	9.02E-05
VEGET								
ADULT	1.23E-06	1.00E-05	1.95E-07	6.97E-07	1.93E-07	3.03E-05	1.31E-10	0.00E+00
TEEN	1.92E-06	1.07E-05	3.13E-07	1.07E-06	2.92E-07	4.08E-05	1.70E-10	0.00E+00
CHILD	3.85E-06	6.98E-06	7.51E-07	1.65E-06	4.61E-07	7.81E-05	2.51E-10	0.00E+00
MEAT								
ADULT	3.18E-07	2.65E-06	7.18E-09	1.58E-07	1.36E-08	8.14E-07	2.43E-12	0.00E+00
TEEN	2.52E-07	1.43E-06	5.44E-09	1.22E-07	1.04E-08	5.89E-07	2.11E-12	0.00E+00
CHILD	3.91E-07	7.21E-07	9.06E-09	1.45E-07	1.22E-08	8.90E-07	2.35E-12	0.00E+00
COW MILK								
ADULT	1.32E-07	6.35E-07	7.16E-08	1.55E-07	1.56E-07	2.27E-05	5.99E-10	0.00E+00
TEEN	2.26E-07	7.48E-07	1.25E-07	2.67E-07	2.72E-07	3.59E-05	1.05E-09	0.00E+00
CHILD	4.46E-07	4.98E-07	2.93E-07	4.35E-07	4.43E-07	7.11E-05	2.17E-09	0.00E+00
INFANT	7.32E-07	6.13E-07	5.69E-07	9.33E-07	7.37E-07	1.73E-04	3.78E-09	0.00E+00
GOATMILK								
ADULT	5.92E-08	9.92E-08	7.27E-08	9.44E-08	1.49E-07	2.72E-05	7.66E-11	0.00E+00
TEEN	9.93E-08	1.21E-07	1.32E-07	1.67E-07	2.65E-07	4.31E-05	1.36E-10	0.00E+00
CHILD	1.87E-07	8.45E-08	3.19E-07	2.87E-07	4.39E-07	8.53E-05	2.75E-10	0.00E+00
INFANT	3.41E-07	9.81E-08	6.51E-07	6.87E-07	7.60E-07	2.07E-04	4.81E-10	0.00E+00
INHAL								
ADULT	3.64E-08	4.72E-07	1.74E-08	4.56E-08	3.95E-08	5.35E-06	9.56E-06	0.00E+00
TEEN	4.85E-08	4.52E-07	2.43E-08	6.12E-08	5.42E-08	6.73E-06	1.40E-05	0.00E+00
CHILD	5.48E-08	3.65E-07	3.24E-08	5.73E-08	5.13E-08	7.79E-06	1.13E-05	0.00E+00
INFANT	3.18E-08	2.34E-07	2.47E-08	4.40E-08	3.36E-08	7.14E-06	7.23E-06	0.00E+00

TABLE 1. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-MARCH 2011 (Continued)

SPECIAL LOCATION NO. 5 A Nearest Garden
 AT 1.30 MILES SW

ANNUAL BETA AIR DOSE = 4.63E-06 MILLRADS
 ANNUAL GAMMA AIR DOSE = 7.48E-06 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	5.02E-06	5.02E-06	5.02E-06	5.02E-06	5.02E-06	5.02E-06	5.06E-06	9.79E-06
GROUND	4.14E-04	4.14E-04	4.14E-04	4.14E-04	4.14E-04	4.14E-04	4.14E-04	4.87E-04
VEGET								
ADULT	6.64E-06	5.43E-05	1.05E-06	3.77E-06	1.05E-06	1.63E-04	7.27E-10	0.00E+00
TEEN	1.04E-05	5.78E-05	1.69E-06	5.76E-06	1.58E-06	2.20E-04	9.35E-10	0.00E+00
CHILD	2.08E-05	3.77E-05	4.05E-06	8.94E-06	2.49E-06	4.22E-04	1.38E-09	0.00E+00
MEAT								
ADULT	1.72E-06	1.43E-05	3.88E-08	8.52E-07	7.36E-08	4.40E-06	1.31E-11	0.00E+00
TEEN	1.36E-06	7.72E-06	2.94E-08	6.61E-07	5.60E-08	3.18E-06	1.13E-11	0.00E+00
CHILD	2.12E-06	3.90E-06	4.90E-08	7.84E-07	6.60E-08	4.81E-06	1.26E-11	0.00E+00
COW MILK								
ADULT	7.14E-07	3.43E-06	3.87E-07	8.37E-07	8.45E-07	1.23E-04	3.40E-09	0.00E+00
TEEN	1.22E-06	4.04E-06	6.79E-07	1.44E-06	1.47E-06	1.94E-04	5.95E-09	0.00E+00
CHILD	2.41E-06	2.69E-06	1.58E-06	2.35E-06	2.40E-06	3.84E-04	1.23E-08	0.00E+00
INFANT	3.96E-06	3.32E-06	3.08E-06	5.04E-06	3.98E-06	9.34E-04	2.15E-08	0.00E+00
GOATMILK								
ADULT	3.20E-07	5.37E-07	3.93E-07	5.11E-07	8.05E-07	1.47E-04	4.32E-10	0.00E+00
TEEN	5.37E-07	6.53E-07	7.11E-07	9.02E-07	1.43E-06	2.33E-04	7.63E-10	0.00E+00
CHILD	1.01E-06	4.57E-07	1.72E-06	1.55E-06	2.37E-06	4.61E-04	1.55E-09	0.00E+00
INFANT	1.84E-06	5.31E-07	3.52E-06	3.71E-06	4.11E-06	1.12E-03	2.71E-09	0.00E+00
INHAL								
ADULT	8.38E-08	1.10E-06	3.90E-08	1.04E-07	8.76E-08	1.17E-05	2.23E-05	0.00E+00
TEEN	1.12E-07	1.08E-06	5.44E-08	1.39E-07	1.20E-07	1.47E-05	3.26E-05	0.00E+00
CHILD	1.26E-07	1.11E-06	7.23E-08	1.30E-07	1.14E-07	1.71E-05	2.64E-05	0.00E+00
INFANT	7.29E-08	7.73E-07	5.51E-08	9.94E-08	7.45E-08	1.57E-05	1.69E-05	0.00E+00

TABLE 2. DOSES TO MAXIMUM INDIVIDUAL (MREM), APRIL-JUNE 2011

SPECIAL LOCATION NO. 1 A Site Boundary
 AT .69 MILES NNW

ANNUAL BETA AIR DOSE = 9.03E-06 MILLRADS
 ANNUAL GAMMA AIR DOSE = 1.41E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	9.50E-06	9.50E-06	9.50E-06	9.50E-06	9.50E-06	9.50E-06	9.59E-06	1.90E-05
GROUND	5.42E-03	5.42E-03	5.42E-03	5.42E-03	5.42E-03	5.42E-03	5.42E-03	6.38E-03
VEGET								
ADULT	9.57E-05	7.82E-04	6.38E-05	7.14E-05	1.69E-05	5.99E-04	1.98E-06	0.00E+00
TEEN	1.50E-04	8.32E-04	9.50E-05	1.09E-04	2.49E-05	8.07E-04	3.50E-06	0.00E+00
CHILD	3.01E-04	5.44E-04	2.11E-04	1.67E-04	3.69E-05	1.55E-03	5.12E-06	0.00E+00
MEAT								
ADULT	2.74E-05	2.23E-04	5.00E-06	2.26E-05	5.80E-06	1.61E-05	1.12E-06	0.00E+00
TEEN	2.17E-05	1.20E-04	3.71E-06	1.75E-05	4.27E-06	1.17E-05	1.00E-06	0.00E+00
CHILD	3.37E-05	6.12E-05	6.05E-06	2.07E-05	4.85E-06	1.76E-05	1.14E-06	0.00E+00
COW MILK								
ADULT	2.06E-05	6.62E-05	1.39E-05	3.67E-05	2.42E-05	4.50E-04	1.57E-07	0.00E+00
TEEN	3.55E-05	7.70E-05	2.20E-05	6.17E-05	3.92E-05	7.12E-04	3.09E-07	0.00E+00
CHILD	7.13E-05	5.02E-05	4.55E-05	9.38E-05	5.89E-05	1.41E-03	4.58E-07	0.00E+00
INFANT	9.91E-05	1.51E-04	6.64E-05	1.68E-04	8.13E-05	3.43E-03	9.36E-07	0.00E+00
GOATMILK								
ADULT	3.64E-06	8.79E-06	7.87E-06	6.21E-06	5.58E-06	5.40E-04	5.39E-08	0.00E+00
TEEN	6.07E-06	1.04E-05	1.31E-05	1.06E-05	9.49E-06	8.54E-04	1.09E-07	0.00E+00
CHILD	1.18E-05	6.95E-06	2.95E-05	1.68E-05	1.50E-05	1.69E-03	1.66E-07	0.00E+00
INFANT	1.77E-05	1.91E-05	4.72E-05	3.33E-05	2.35E-05	4.11E-03	3.14E-07	0.00E+00
INHAL								
ADULT	7.33E-07	1.11E-05	2.30E-07	9.99E-07	4.20E-07	3.04E-05	2.16E-04	0.00E+00
TEEN	9.82E-07	1.01E-05	3.04E-07	1.32E-06	5.59E-07	3.82E-05	3.16E-04	0.00E+00
CHILD	1.12E-06	3.80E-06	3.89E-07	1.16E-06	4.98E-07	4.43E-05	2.56E-04	0.00E+00
INFANT	6.01E-07	1.43E-06	2.61E-07	7.75E-07	2.94E-07	4.06E-05	1.64E-04	0.00E+00

TABLE 2. DOSES TO MAXIMUM INDIVIDUAL (MREM), APRIL-JUNE 2011 (Continued)

SPECIAL LOCATION NO. 2 A Site Boundary
 AT .67 MILES N

ANNUAL BETA AIR DOSE = 1.28E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 2.01E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.35E-05	1.35E-05	1.35E-05	1.35E-05	1.35E-05	1.35E-05	1.36E-05	2.70E-05
GROUND	7.18E-03	7.18E-03	7.18E-03	7.18E-03	7.18E-03	7.18E-03	7.18E-03	8.45E-03
VEGET								
ADULT	1.28E-04	1.04E-03	1.31E-04	9.48E-05	2.25E-05	8.14E-04	2.64E-06	0.00E+00
TEEN	2.00E-04	1.11E-03	1.95E-04	1.45E-04	3.32E-05	1.10E-03	4.66E-06	0.00E+00
CHILD	4.03E-04	7.25E-04	4.34E-04	2.22E-04	4.92E-05	2.10E-03	6.82E-06	0.00E+00
MEAT								
ADULT	3.63E-05	2.96E-04	7.14E-06	2.99E-05	7.69E-06	2.19E-05	1.49E-06	0.00E+00
TEEN	2.88E-05	1.60E-04	5.31E-06	2.32E-05	5.66E-06	1.58E-05	1.33E-06	0.00E+00
CHILD	4.47E-05	8.11E-05	8.69E-06	2.74E-05	6.43E-06	2.39E-05	1.51E-06	0.00E+00
COW MILK								
ADULT	2.74E-05	8.79E-05	2.07E-05	4.88E-05	3.21E-05	6.11E-04	2.18E-07	0.00E+00
TEEN	4.72E-05	1.02E-04	3.29E-05	8.20E-05	5.21E-05	9.68E-04	4.30E-07	0.00E+00
CHILD	9.47E-05	6.67E-05	6.86E-05	1.25E-04	7.83E-05	1.92E-03	6.39E-07	0.00E+00
INFANT	1.32E-04	2.00E-04	1.01E-04	2.23E-04	1.08E-04	4.66E-03	1.30E-06	0.00E+00
GOATMILK								
ADULT	5.13E-06	1.20E-05	1.51E-05	8.56E-06	7.59E-06	7.34E-04	1.01E-07	0.00E+00
TEEN	8.43E-06	1.43E-05	2.51E-05	1.46E-05	1.29E-05	1.16E-03	2.07E-07	0.00E+00
CHILD	1.62E-05	9.64E-06	5.67E-05	2.33E-05	2.05E-05	2.30E-03	3.15E-07	0.00E+00
INFANT	2.44E-05	2.57E-05	8.95E-05	4.62E-05	3.21E-05	5.59E-03	5.88E-07	0.00E+00
INHAL								
ADULT	8.72E-07	1.31E-05	2.85E-07	1.19E-06	5.08E-07	3.61E-05	2.55E-04	0.00E+00
TEEN	1.17E-06	1.19E-05	3.77E-07	1.57E-06	6.77E-07	4.54E-05	3.72E-04	0.00E+00
CHILD	1.33E-06	4.50E-06	4.82E-07	1.39E-06	6.04E-07	5.28E-05	3.02E-04	0.00E+00
INFANT	7.18E-07	1.70E-06	3.24E-07	9.32E-07	3.58E-07	4.83E-05	1.93E-04	0.00E+00

TABLE 2. DOSES TO MAXIMUM INDIVIDUAL (MREM), APRIL-JUNE 2011 (Continued)

SPECIAL LOCATION NO. 3 A Nearest Resident
 AT .90 MILES NW

ANNUAL BETA AIR DOSE = 5.71E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 8.92E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	6.00E-05	6.00E-05	6.00E-05	6.00E-05	6.00E-05	6.00E-05	6.06E-05	1.20E-04
GROUND	3.82E-03	3.82E-03	3.82E-03	3.82E-03	3.82E-03	3.82E-03	3.82E-03	4.50E-03
VEGET								
ADULT	7.14E-05	5.63E-04	1.99E-04	5.09E-05	1.23E-05	4.78E-04	1.44E-06	0.00E+00
TEEN	1.11E-04	6.01E-04	2.97E-04	7.78E-05	1.82E-05	6.44E-04	2.55E-06	0.00E+00
CHILD	2.25E-04	3.96E-04	6.62E-04	1.19E-04	2.71E-05	1.23E-03	3.73E-06	0.00E+00
MEAT								
ADULT	1.94E-05	1.57E-04	5.24E-06	1.59E-05	4.10E-06	1.28E-05	7.92E-07	0.00E+00
TEEN	1.53E-05	8.49E-05	3.90E-06	1.24E-05	3.02E-06	9.30E-06	7.10E-07	0.00E+00
CHILD	2.38E-05	4.31E-05	6.47E-06	1.46E-05	3.44E-06	1.40E-05	8.03E-07	0.00E+00
COW MILK								
ADULT	1.49E-05	4.72E-05	1.71E-05	2.63E-05	1.73E-05	3.59E-04	1.44E-07	0.00E+00
TEEN	2.56E-05	5.50E-05	2.77E-05	4.42E-05	2.82E-05	5.69E-04	2.85E-07	0.00E+00
CHILD	5.12E-05	3.60E-05	5.96E-05	6.74E-05	4.24E-05	1.13E-03	4.27E-07	0.00E+00
INFANT	7.14E-05	1.07E-04	8.91E-05	1.21E-04	5.89E-05	2.74E-03	8.49E-07	0.00E+00
GOATMILK								
ADULT	3.58E-06	7.48E-06	2.10E-05	5.42E-06	4.51E-06	4.31E-04	1.37E-07	0.00E+00
TEEN	5.55E-06	9.08E-06	3.49E-05	9.32E-06	7.71E-06	6.83E-04	2.82E-07	0.00E+00
CHILD	1.03E-05	6.32E-06	7.92E-05	1.51E-05	1.23E-05	1.35E-03	4.32E-07	0.00E+00
INFANT	1.55E-05	1.49E-05	1.23E-04	2.99E-05	1.94E-05	3.29E-03	7.92E-07	0.00E+00
INHAL								
ADULT	5.11E-07	5.18E-06	4.44E-07	7.86E-07	4.53E-07	1.54E-05	9.99E-05	0.00E+00
TEEN	6.90E-07	4.74E-06	5.86E-07	1.06E-06	6.15E-07	1.95E-05	1.46E-04	0.00E+00
CHILD	8.10E-07	2.06E-06	7.60E-07	9.76E-07	5.65E-07	2.27E-05	1.18E-04	0.00E+00
INFANT	4.86E-07	1.24E-06	5.09E-07	7.66E-07	3.57E-07	2.08E-05	7.60E-05	0.00E+00

TABLE 2. DOSES TO MAXIMUM INDIVIDUAL (MREM), APRIL-JUNE 2011 (Continued)

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 1.14E-05 MILLRADS
ANNUAL GAMMA AIR DOSE = 1.81E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.22E-05	1.22E-05	1.22E-05	1.22E-05	1.22E-05	1.22E-05	1.23E-05	2.41E-05
GROUND	1.09E-04	1.09E-04	1.09E-04	1.09E-04	1.09E-04	1.09E-04	1.09E-04	1.28E-04
VEGET								
ADULT	2.18E-06	1.65E-05	1.11E-05	1.47E-06	3.67E-07	1.55E-05	4.28E-08	0.00E+00
TEEN	3.38E-06	1.77E-05	1.66E-05	2.25E-06	5.43E-07	2.09E-05	7.58E-08	0.00E+00
CHILD	6.88E-06	1.17E-05	3.70E-05	3.45E-06	8.10E-07	4.01E-05	1.11E-07	0.00E+00
MEAT								
ADULT	5.54E-07	4.49E-06	2.10E-07	4.55E-07	1.18E-07	4.17E-07	2.27E-08	0.00E+00
TEEN	4.39E-07	2.42E-06	1.57E-07	3.53E-07	8.68E-08	3.02E-07	2.03E-08	0.00E+00
CHILD	6.81E-07	1.23E-06	2.62E-07	4.18E-07	9.87E-08	4.56E-07	2.30E-08	0.00E+00
COW MILK								
ADULT	4.41E-07	1.37E-06	7.47E-07	7.65E-07	5.06E-07	1.17E-05	5.26E-09	0.00E+00
TEEN	7.51E-07	1.60E-06	1.22E-06	1.29E-06	8.24E-07	1.85E-05	1.05E-08	0.00E+00
CHILD	1.50E-06	1.05E-06	2.67E-06	1.97E-06	1.24E-06	3.67E-05	1.59E-08	0.00E+00
INFANT	2.09E-06	3.08E-06	4.03E-06	3.54E-06	1.74E-06	8.92E-05	3.09E-08	0.00E+00
GOATMILK								
ADULT	1.38E-07	2.59E-07	1.15E-06	1.91E-07	1.49E-07	1.40E-05	7.42E-09	0.00E+00
TEEN	2.03E-07	3.21E-07	1.90E-06	3.30E-07	2.55E-07	2.22E-05	1.53E-08	0.00E+00
CHILD	3.66E-07	2.30E-07	4.32E-06	5.42E-07	4.09E-07	4.40E-05	2.35E-08	0.00E+00
INFANT	5.51E-07	4.74E-07	6.65E-06	1.08E-06	6.53E-07	1.07E-04	4.27E-08	0.00E+00
INHAL								
ADULT	4.36E-08	3.31E-07	9.32E-08	7.00E-08	4.66E-08	1.30E-06	6.10E-06	0.00E+00
TEEN	5.88E-08	3.09E-07	1.19E-07	9.47E-08	6.37E-08	1.65E-06	8.94E-06	0.00E+00
CHILD	7.00E-08	1.68E-07	1.51E-07	8.93E-08	5.90E-08	1.95E-06	7.26E-06	0.00E+00
INFANT	4.41E-08	1.29E-07	9.01E-08	7.44E-08	3.79E-08	1.79E-06	4.70E-06	0.00E+00

TABLE 2. DOSES TO MAXIMUM INDIVIDUAL (MREM), APRIL-JUNE 2011 (Continued)

SPECIAL LOCATION NO. 5 A Nearest Garden
 AT 1.30 MILES SW

ANNUAL BETA AIR DOSE = 2.85E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 4.46E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	3.00E-05	3.00E-05	3.00E-05	3.00E-05	3.00E-05	3.00E-05	3.03E-05	6.00E-05
GROUND	5.74E-04	5.74E-04	5.74E-04	5.74E-04	5.74E-04	5.74E-04	5.74E-04	6.76E-04
VEGET								
ADULT	1.10E-05	8.54E-05	4.14E-05	7.68E-06	1.88E-06	7.58E-05	2.20E-07	0.00E+00
TEEN	1.72E-05	9.14E-05	6.17E-05	1.18E-05	2.78E-06	1.02E-04	3.89E-07	0.00E+00
CHILD	3.48E-05	6.03E-05	1.38E-04	1.80E-05	4.14E-06	1.96E-04	5.70E-07	0.00E+00
MEAT								
ADULT	2.91E-06	2.36E-05	9.15E-07	2.39E-06	6.18E-07	2.04E-06	1.19E-07	0.00E+00
TEEN	2.30E-06	1.27E-05	6.82E-07	1.86E-06	4.55E-07	1.47E-06	1.07E-07	0.00E+00
CHILD	3.58E-06	6.48E-06	1.14E-06	2.20E-06	5.17E-07	2.23E-06	1.21E-07	0.00E+00
COW MILK								
ADULT	2.27E-06	7.14E-06	3.12E-06	3.98E-06	2.63E-06	5.70E-05	2.40E-08	0.00E+00
TEEN	3.89E-06	8.33E-06	5.06E-06	6.70E-06	4.28E-06	9.03E-05	4.79E-08	0.00E+00
CHILD	7.76E-06	5.46E-06	1.10E-05	1.02E-05	6.44E-06	1.79E-04	7.20E-08	0.00E+00
INFANT	1.08E-05	1.61E-05	1.65E-05	1.83E-05	8.96E-06	4.35E-04	1.42E-07	0.00E+00
GOATMILK								
ADULT	6.13E-07	1.22E-06	4.31E-06	8.91E-07	7.20E-07	6.85E-05	2.80E-08	0.00E+00
TEEN	9.28E-07	1.50E-06	7.17E-06	1.54E-06	1.23E-06	1.08E-04	5.77E-08	0.00E+00
CHILD	1.70E-06	1.05E-06	1.62E-05	2.50E-06	1.97E-06	2.15E-04	8.84E-08	0.00E+00
INFANT	2.56E-06	2.34E-06	2.51E-05	4.98E-06	3.13E-06	5.22E-04	1.61E-07	0.00E+00
INHAL								
ADULT	1.54E-07	1.11E-06	1.84E-07	2.53E-07	1.64E-07	3.58E-06	2.13E-05	0.00E+00
TEEN	2.09E-07	1.03E-06	2.42E-07	3.43E-07	2.25E-07	4.53E-06	3.11E-05	0.00E+00
CHILD	2.50E-07	5.17E-07	3.15E-07	3.23E-07	2.08E-07	5.30E-06	2.52E-05	0.00E+00
INFANT	1.59E-07	4.16E-07	2.11E-07	2.71E-07	1.34E-07	4.85E-06	1.62E-05	0.00E+00

TABLE 3. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-JUNE 2011

SPECIAL LOCATION NO. 1 A Site Boundary
 AT .69 MILES NNW

ANNUAL BETA AIR DOSE = 9.97E-06 MILLRADS
 ANNUAL GAMMA AIR DOSE = 1.57E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.05E-05	1.05E-05	1.05E-05	1.05E-05	1.05E-05	1.05E-05	1.06E-05	2.10E-05
GROUND	9.22E-03	9.22E-03	9.22E-03	9.22E-03	9.22E-03	9.22E-03	9.22E-03	1.08E-02
VEGET								
ADULT	1.55E-04	1.27E-03	5.67E-05	1.04E-04	2.58E-05	2.15E-03	1.83E-06	0.00E+00
TEEN	2.43E-04	1.35E-03	8.56E-05	1.59E-04	3.84E-05	2.90E-03	3.22E-06	0.00E+00
CHILD	4.88E-04	8.85E-04	1.93E-04	2.44E-04	5.84E-05	5.55E-03	4.71E-06	0.00E+00
MEAT								
ADULT	4.28E-05	3.52E-04	4.85E-06	2.95E-05	6.08E-06	5.78E-05	1.03E-06	0.00E+00
TEEN	3.39E-05	1.90E-04	3.61E-06	2.28E-05	4.49E-06	4.19E-05	9.24E-07	0.00E+00
CHILD	5.26E-05	9.61E-05	5.88E-06	2.70E-05	5.12E-06	6.32E-05	1.04E-06	0.00E+00
COW MILK								
ADULT	2.61E-05	9.59E-05	1.61E-05	4.21E-05	3.06E-05	1.61E-03	1.78E-07	0.00E+00
TEEN	4.50E-05	1.12E-04	2.60E-05	7.12E-05	5.06E-05	2.55E-03	3.42E-07	0.00E+00
CHILD	8.99E-05	7.36E-05	5.53E-05	1.10E-04	7.78E-05	5.05E-03	5.45E-07	0.00E+00
INFANT	1.31E-04	1.73E-04	8.81E-05	2.04E-04	1.14E-04	1.23E-02	1.08E-06	0.00E+00
GOATMILK								
ADULT	6.42E-06	1.34E-05	9.86E-06	1.07E-05	1.30E-05	1.94E-03	4.61E-08	0.00E+00
TEEN	1.08E-05	1.60E-05	1.70E-05	1.85E-05	2.27E-05	3.06E-03	9.19E-08	0.00E+00
CHILD	2.07E-05	1.09E-05	3.94E-05	3.05E-05	3.70E-05	6.07E-03	1.43E-07	0.00E+00
INFANT	3.43E-05	2.28E-05	7.08E-05	6.66E-05	6.17E-05	1.47E-02	2.71E-07	0.00E+00
INHAL								
ADULT	1.91E-06	2.75E-05	7.13E-07	2.49E-06	1.50E-06	1.67E-04	5.43E-04	0.00E+00
TEEN	2.56E-06	2.63E-05	9.73E-07	3.30E-06	2.04E-06	2.10E-04	7.94E-04	0.00E+00
CHILD	2.90E-06	2.16E-05	1.27E-06	2.99E-06	1.89E-06	2.44E-04	6.43E-04	0.00E+00
INFANT	1.61E-06	1.41E-05	9.24E-07	2.12E-06	1.19E-06	2.23E-04	4.12E-04	0.00E+00

TABLE 3. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-JUNE 2011 (Continued)

SPECIAL LOCATION NO. 2 A Site Boundary
 AT .67 MILES N

ANNUAL BETA AIR DOSE = 9.12E-06 MILLRADS
 ANNUAL GAMMA AIR DOSE = 1.43E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	9.64E-06	9.64E-06	9.64E-06	9.64E-06	9.64E-06	9.64E-06	9.73E-06	1.92E-05
GROUND	1.30E-02	1.30E-02	1.30E-02	1.30E-02	1.30E-02	1.30E-02	1.30E-02	1.53E-02
VEGET								
ADULT	2.20E-04	1.80E-03	9.53E-05	1.47E-04	3.65E-05	3.05E-03	2.59E-06	0.00E+00
TEEN	3.44E-04	1.91E-03	1.44E-04	2.25E-04	5.44E-05	4.10E-03	4.56E-06	0.00E+00
CHILD	6.91E-04	1.25E-03	3.23E-04	3.45E-04	8.27E-05	7.86E-03	6.66E-06	0.00E+00
MEAT								
ADULT	6.04E-05	4.97E-04	7.02E-06	4.16E-05	8.58E-06	8.19E-05	1.46E-06	0.00E+00
TEEN	4.78E-05	2.68E-04	5.22E-06	3.23E-05	6.34E-06	5.93E-05	1.30E-06	0.00E+00
CHILD	7.43E-05	1.36E-04	8.52E-06	3.82E-05	7.24E-06	8.96E-05	1.47E-06	0.00E+00
COW MILK								
ADULT	3.69E-05	1.35E-04	2.34E-05	5.95E-05	4.32E-05	2.29E-03	2.55E-07	0.00E+00
TEEN	6.36E-05	1.58E-04	3.79E-05	1.01E-04	7.15E-05	3.62E-03	4.90E-07	0.00E+00
CHILD	1.27E-04	1.04E-04	8.08E-05	1.55E-04	1.10E-04	7.16E-03	7.80E-07	0.00E+00
INFANT	1.85E-04	2.44E-04	1.29E-04	2.89E-04	1.61E-04	1.74E-02	1.54E-06	0.00E+00
GOATMILK								
ADULT	9.18E-06	1.91E-05	1.55E-05	1.52E-05	1.84E-05	2.74E-03	7.49E-08	0.00E+00
TEEN	1.54E-05	2.28E-05	2.65E-05	2.63E-05	3.22E-05	4.34E-03	1.50E-07	0.00E+00
CHILD	2.94E-05	1.55E-05	6.14E-05	4.35E-05	5.25E-05	8.60E-03	2.34E-07	0.00E+00
INFANT	4.87E-05	3.23E-05	1.09E-04	9.48E-05	8.76E-05	2.09E-02	4.39E-07	0.00E+00
INHAL								
ADULT	2.38E-06	3.44E-05	8.60E-07	3.07E-06	1.83E-06	2.04E-04	6.81E-04	0.00E+00
TEEN	3.18E-06	3.29E-05	1.17E-06	4.08E-06	2.49E-06	2.56E-04	9.95E-04	0.00E+00
CHILD	3.61E-06	2.70E-05	1.53E-06	3.69E-06	2.30E-06	2.97E-04	8.06E-04	0.00E+00
INFANT	2.00E-06	1.77E-05	1.11E-06	2.60E-06	1.45E-06	2.72E-04	5.16E-04	0.00E+00

TABLE 3. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-JUNE 2011 (Continued)

SPECIAL LOCATION NO. 3 A Nearest Resident
 AT .90 MILES NW

ANNUAL BETA AIR DOSE = 5.41E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 8.51E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	5.72E-05	5.72E-05	5.72E-05	5.72E-05	5.72E-05	5.72E-05	5.78E-05	1.14E-04
GROUND	5.99E-03	5.99E-03	5.99E-03	5.99E-03	5.99E-03	5.99E-03	5.99E-03	7.05E-03
VEGET								
ADULT	1.04E-04	8.36E-04	1.55E-04	6.80E-05	1.73E-05	1.48E-03	1.22E-06	0.00E+00
TEEN	1.62E-04	8.91E-04	2.32E-04	1.04E-04	2.58E-05	1.99E-03	2.15E-06	0.00E+00
CHILD	3.27E-04	5.84E-04	5.19E-04	1.60E-04	3.93E-05	3.82E-03	3.15E-06	0.00E+00
MEAT								
ADULT	2.78E-05	2.28E-04	4.46E-06	1.91E-05	3.96E-06	3.98E-05	6.70E-07	0.00E+00
TEEN	2.20E-05	1.23E-04	3.33E-06	1.48E-05	2.93E-06	2.88E-05	6.01E-07	0.00E+00
CHILD	3.42E-05	6.24E-05	5.51E-06	1.76E-05	3.34E-06	4.35E-05	6.79E-07	0.00E+00
COW MILK								
ADULT	1.73E-05	6.27E-05	1.61E-05	2.77E-05	2.02E-05	1.11E-03	1.41E-07	0.00E+00
TEEN	2.97E-05	7.34E-05	2.63E-05	4.69E-05	3.35E-05	1.76E-03	2.74E-07	0.00E+00
CHILD	5.92E-05	4.83E-05	5.73E-05	7.24E-05	5.17E-05	3.48E-03	4.33E-07	0.00E+00
INFANT	8.65E-05	1.13E-04	9.02E-05	1.35E-04	7.60E-05	8.46E-03	8.42E-07	0.00E+00
GOATMILK								
ADULT	5.01E-06	9.73E-06	1.84E-05	7.83E-06	9.07E-06	1.33E-03	1.06E-07	0.00E+00
TEEN	8.08E-06	1.18E-05	3.09E-05	1.36E-05	1.59E-05	2.11E-03	2.17E-07	0.00E+00
CHILD	1.52E-05	8.20E-06	7.07E-05	2.26E-05	2.59E-05	4.18E-03	3.34E-07	0.00E+00
INFANT	2.50E-05	1.59E-05	1.15E-04	4.91E-05	4.33E-05	1.01E-02	6.13E-07	0.00E+00
INHAL								
ADULT	8.79E-07	1.07E-05	5.46E-07	1.22E-06	7.92E-07	6.65E-05	2.11E-04	0.00E+00
TEEN	1.18E-06	1.02E-05	7.33E-07	1.64E-06	1.08E-06	8.36E-05	3.08E-04	0.00E+00
CHILD	1.36E-06	8.70E-06	9.57E-07	1.51E-06	1.00E-06	9.71E-05	2.49E-04	0.00E+00
INFANT	7.91E-07	6.01E-06	6.69E-07	1.15E-06	6.41E-07	8.90E-05	1.60E-04	0.00E+00

TABLE 3. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-JUNE 2011 (Continued)

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 2.19E-05 MILLRADS
ANNUAL GAMMA AIR DOSE = 3.45E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	2.32E-05	2.32E-05	2.32E-05	2.32E-05	2.32E-05	2.32E-05	2.34E-05	4.62E-05
GROUND	1.86E-04	1.86E-04	1.86E-04	1.86E-04	1.86E-04	1.86E-04	1.86E-04	2.19E-04
VEGET								
ADULT	3.32E-06	2.62E-05	8.48E-06	2.12E-06	5.51E-07	4.80E-05	3.88E-08	0.00E+00
TEEN	5.18E-06	2.80E-05	1.27E-05	3.25E-06	8.21E-07	6.47E-05	6.86E-08	0.00E+00
CHILD	1.05E-05	1.84E-05	2.83E-05	5.00E-06	1.25E-06	1.24E-04	1.00E-07	0.00E+00
MEAT								
ADULT	8.64E-07	7.09E-06	1.79E-07	5.94E-07	1.23E-07	1.29E-06	2.08E-08	0.00E+00
TEEN	6.84E-07	3.82E-06	1.34E-07	4.61E-07	9.11E-08	9.35E-07	1.86E-08	0.00E+00
CHILD	1.06E-06	1.94E-06	2.23E-07	5.45E-07	1.04E-07	1.41E-06	2.11E-08	0.00E+00
COW MILK								
ADULT	5.48E-07	1.96E-06	6.74E-07	8.71E-07	6.38E-07	3.61E-05	5.05E-09	0.00E+00
TEEN	9.36E-07	2.30E-06	1.11E-06	1.47E-06	1.06E-06	5.71E-05	9.94E-09	0.00E+00
CHILD	1.86E-06	1.51E-06	2.44E-06	2.28E-06	1.63E-06	1.13E-04	1.56E-08	0.00E+00
INFANT	2.72E-06	3.50E-06	3.81E-06	4.27E-06	2.41E-06	2.75E-04	3.00E-08	0.00E+00
GOATMILK								
ADULT	1.81E-07	3.33E-07	9.39E-07	2.69E-07	2.98E-07	4.33E-05	5.63E-09	0.00E+00
TEEN	2.83E-07	4.08E-07	1.57E-06	4.69E-07	5.23E-07	6.85E-05	1.16E-08	0.00E+00
CHILD	5.22E-07	2.88E-07	3.59E-06	7.83E-07	8.53E-07	1.36E-04	1.78E-08	0.00E+00
INFANT	8.54E-07	5.27E-07	5.72E-06	1.69E-06	1.43E-06	3.29E-04	3.25E-08	0.00E+00
INHAL								
ADULT	1.15E-07	8.36E-07	1.34E-07	1.83E-07	1.33E-07	5.82E-06	1.63E-05	0.00E+00
TEEN	1.55E-07	7.84E-07	1.78E-07	2.49E-07	1.82E-07	7.32E-06	2.38E-05	0.00E+00
CHILD	1.85E-07	5.15E-07	2.32E-07	2.36E-07	1.70E-07	8.51E-06	1.93E-05	0.00E+00
INFANT	1.18E-07	4.10E-07	1.58E-07	2.00E-07	1.10E-07	7.79E-06	1.24E-05	0.00E+00

TABLE 3. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-JUNE 2011 (Continued)

SPECIAL LOCATION NO. 5 A Nearest Garden
 AT 1.30 MILES SW

ANNUAL BETA AIR DOSE = 3.13E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 4.93E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	3.31E-05	3.31E-05	3.31E-05	3.31E-05	3.31E-05	3.31E-05	3.34E-05	6.60E-05
GROUND	9.83E-04	9.83E-04	9.83E-04	9.83E-04	9.83E-04	9.83E-04	9.83E-04	1.16E-03
VEGET								
ADULT	1.73E-05	1.38E-04	3.53E-05	1.12E-05	2.88E-06	2.49E-04	2.03E-07	0.00E+00
TEEN	2.70E-05	1.47E-04	5.29E-05	1.71E-05	4.30E-06	3.36E-04	3.58E-07	0.00E+00
CHILD	5.45E-05	9.66E-05	1.18E-04	2.63E-05	6.55E-06	6.44E-04	5.24E-07	0.00E+00
MEAT								
ADULT	4.56E-06	3.75E-05	8.42E-07	3.14E-06	6.50E-07	6.70E-06	1.10E-07	0.00E+00
TEEN	3.61E-06	2.02E-05	6.28E-07	2.43E-06	4.81E-07	4.86E-06	9.85E-08	0.00E+00
CHILD	5.61E-06	1.02E-05	1.04E-06	2.88E-06	5.49E-07	7.33E-06	1.11E-07	0.00E+00
COW MILK								
ADULT	2.87E-06	1.03E-05	3.12E-06	4.58E-06	3.35E-06	1.87E-04	2.52E-08	0.00E+00
TEEN	4.91E-06	1.21E-05	5.10E-06	7.75E-06	5.56E-06	2.96E-04	4.92E-08	0.00E+00
CHILD	9.78E-06	7.97E-06	1.12E-05	1.20E-05	8.57E-06	5.87E-04	7.77E-08	0.00E+00
INFANT	1.43E-05	1.85E-05	1.76E-05	2.24E-05	1.26E-05	1.43E-03	1.50E-07	0.00E+00
GOATMILK								
ADULT	8.92E-07	1.68E-06	4.01E-06	1.36E-06	1.54E-06	2.25E-04	2.37E-08	0.00E+00
TEEN	1.42E-06	2.05E-06	6.73E-06	2.37E-06	2.69E-06	3.56E-04	4.87E-08	0.00E+00
CHILD	2.63E-06	1.44E-06	1.54E-05	3.94E-06	4.40E-06	7.04E-04	7.51E-08	0.00E+00
INFANT	4.32E-06	2.70E-06	2.47E-05	8.53E-06	7.36E-06	1.71E-03	1.37E-07	0.00E+00
INHAL								
ADULT	2.38E-07	2.24E-06	2.21E-07	3.58E-07	2.48E-07	1.45E-05	4.37E-05	0.00E+00
TEEN	3.20E-07	2.15E-06	2.95E-07	4.83E-07	3.39E-07	1.82E-05	6.39E-05	0.00E+00
CHILD	3.76E-07	1.94E-06	3.84E-07	4.54E-07	3.17E-07	2.12E-05	5.18E-05	0.00E+00
INFANT	2.31E-07	1.47E-06	2.63E-07	3.69E-07	2.04E-07	1.94E-05	3.33E-05	0.00E+00

TABLE 4. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-SEPTEMBER 2011

SPECIAL LOCATION NO. 1 A Site Boundary
AT .69 MILES NNW

ANNUAL BETA AIR DOSE = 4.24E-06 MILLRADS
ANNUAL GAMMA AIR DOSE = 8.20E-06 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	5.50E-06	5.50E-06	5.50E-06	5.50E-06	5.50E-06	5.50E-06	5.54E-06	1.00E-05
GROUND	2.21E-03	2.21E-03	2.21E-03	2.21E-03	2.21E-03	2.21E-03	2.21E-03	2.60E-03
VEGET								
ADULT	8.78E-05	2.74E-04	6.40E-05	1.02E-04	3.45E-05	1.12E-03	9.35E-06	0.00E+00
TEEN	9.84E-05	2.91E-04	1.05E-04	1.62E-04	5.48E-05	1.51E-03	1.75E-05	0.00E+00
CHILD	1.38E-04	1.91E-04	2.49E-04	2.74E-04	8.96E-05	2.89E-03	2.67E-05	0.00E+00
MEAT								
ADULT	1.29E-05	7.19E-05	5.02E-06	1.07E-05	2.46E-06	3.02E-05	7.64E-07	0.00E+00
TEEN	8.62E-06	3.87E-05	4.17E-06	8.52E-06	2.00E-06	2.19E-05	7.23E-07	0.00E+00
CHILD	1.15E-05	1.95E-05	7.68E-06	1.09E-05	2.53E-06	3.30E-05	8.49E-07	0.00E+00
COW MILK								
ADULT	4.08E-05	1.75E-05	4.37E-05	6.07E-05	2.39E-05	8.37E-04	6.46E-06	0.00E+00
TEEN	4.08E-05	2.08E-05	7.93E-05	1.07E-04	4.23E-05	1.32E-03	1.34E-05	0.00E+00
CHILD	3.68E-05	1.40E-05	1.91E-04	1.85E-04	7.01E-05	2.62E-03	2.05E-05	0.00E+00
INFANT	4.33E-05	1.25E-05	3.09E-04	3.66E-04	1.15E-04	6.36E-03	3.71E-05	0.00E+00
GOATMILK								
ADULT	1.15E-04	6.06E-06	1.28E-04	1.75E-04	6.36E-05	1.00E-03	1.94E-05	0.00E+00
TEEN	1.09E-04	7.66E-06	2.32E-04	3.09E-04	1.13E-04	1.59E-03	4.01E-05	0.00E+00
CHILD	8.37E-05	5.64E-06	5.59E-04	5.35E-04	1.87E-04	3.14E-03	6.16E-05	0.00E+00
INFANT	8.42E-05	5.37E-06	8.96E-04	1.05E-03	3.03E-04	7.64E-03	1.11E-04	0.00E+00
INHAL								
ADULT	1.01E-06	4.40E-06	8.91E-07	1.39E-06	6.93E-07	5.61E-05	9.07E-05	0.00E+00
TEEN	9.27E-07	4.02E-06	1.25E-06	1.89E-06	9.49E-07	6.96E-05	1.32E-04	0.00E+00
CHILD	6.88E-07	1.56E-06	1.69E-06	1.81E-06	8.84E-07	7.90E-05	1.07E-04	0.00E+00
INFANT	3.51E-07	5.58E-07	1.07E-06	1.36E-06	5.59E-07	7.23E-05	6.85E-05	0.00E+00

TABLE 4. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-SEPTEMBER 2011 (Continued)

SPECIAL LOCATION NO. 2 A Site Boundary
 AT .67 MILES N

ANNUAL BETA AIR DOSE = 2.27E-06 MILLRADS
 ANNUAL GAMMA AIR DOSE = 4.40E-06 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	2.95E-06	2.95E-06	2.95E-06	2.95E-06	2.95E-06	2.95E-06	2.97E-06	5.38E-06
GROUND	2.02E-03	2.02E-03	2.02E-03	2.02E-03	2.02E-03	2.02E-03	2.02E-03	2.38E-03
VEGET								
ADULT	8.04E-05	2.51E-04	5.85E-05	9.37E-05	3.16E-05	1.02E-03	8.57E-06	0.00E+00
TEEN	9.02E-05	2.67E-04	9.58E-05	1.49E-04	5.02E-05	1.38E-03	1.61E-05	0.00E+00
CHILD	1.27E-04	1.75E-04	2.28E-04	2.51E-04	8.20E-05	2.64E-03	2.44E-05	0.00E+00
MEAT								
ADULT	1.18E-05	6.59E-05	4.60E-06	9.81E-06	2.26E-06	2.75E-05	7.00E-07	0.00E+00
TEEN	7.90E-06	3.55E-05	3.82E-06	7.81E-06	1.83E-06	1.99E-05	6.62E-07	0.00E+00
CHILD	1.05E-05	1.79E-05	7.03E-06	9.97E-06	2.32E-06	3.01E-05	7.78E-07	0.00E+00
COW MILK								
ADULT	3.74E-05	1.61E-05	4.00E-05	5.56E-05	2.18E-05	7.63E-04	5.92E-06	0.00E+00
TEEN	3.74E-05	1.91E-05	7.26E-05	9.81E-05	3.87E-05	1.21E-03	1.22E-05	0.00E+00
CHILD	3.37E-05	1.29E-05	1.75E-04	1.70E-04	6.42E-05	2.39E-03	1.88E-05	0.00E+00
INFANT	3.97E-05	1.14E-05	2.83E-04	3.35E-04	1.05E-04	5.80E-03	3.40E-05	0.00E+00
GOATMILK								
ADULT	1.05E-04	5.54E-06	1.17E-04	1.60E-04	5.83E-05	9.15E-04	1.78E-05	0.00E+00
TEEN	9.98E-05	7.01E-06	2.12E-04	2.83E-04	1.03E-04	1.45E-03	3.67E-05	0.00E+00
CHILD	7.67E-05	5.17E-06	5.12E-04	4.90E-04	1.71E-04	2.86E-03	5.64E-05	0.00E+00
INFANT	7.71E-05	4.91E-06	8.21E-04	9.61E-04	2.77E-04	6.96E-03	1.02E-04	0.00E+00
INHAL								
ADULT	1.18E-06	5.17E-06	1.05E-06	1.64E-06	8.20E-07	6.70E-05	1.07E-04	0.00E+00
TEEN	1.09E-06	4.72E-06	1.47E-06	2.22E-06	1.12E-06	8.32E-05	1.56E-04	0.00E+00
CHILD	8.11E-07	1.79E-06	1.99E-06	2.13E-06	1.05E-06	9.44E-05	1.26E-04	0.00E+00
INFANT	4.14E-07	6.16E-07	1.26E-06	1.60E-06	6.62E-07	8.64E-05	8.04E-05	0.00E+00

TABLE 4. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-SEPTEMBER 2011 (Continued)

SPECIAL LOCATION NO. 3 A Nearest Resident
 AT .90 MILES NW

ANNUAL BETA AIR DOSE = 1.85E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 3.58E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	2.40E-05	2.40E-05	2.40E-05	2.40E-05	2.40E-05	2.40E-05	2.42E-05	4.38E-05
GROUND	1.47E-03	1.47E-03	1.47E-03	1.47E-03	1.47E-03	1.47E-03	1.47E-03	1.73E-03
VEGET								
ADULT	5.89E-05	1.83E-04	4.50E-05	6.87E-05	2.35E-05	8.15E-04	6.27E-06	0.00E+00
TEEN	6.61E-05	1.95E-04	7.32E-05	1.09E-04	3.73E-05	1.10E-03	1.18E-05	0.00E+00
CHILD	9.27E-05	1.27E-04	1.73E-04	1.84E-04	6.10E-05	2.11E-03	1.79E-05	0.00E+00
MEAT								
ADULT	8.63E-06	4.80E-05	3.40E-06	7.17E-06	1.66E-06	2.20E-05	5.12E-07	0.00E+00
TEEN	5.76E-06	2.58E-05	2.82E-06	5.71E-06	1.35E-06	1.59E-05	4.85E-07	0.00E+00
CHILD	7.68E-06	1.30E-05	5.18E-06	7.30E-06	1.71E-06	2.40E-05	5.70E-07	0.00E+00
COW MILK								
ADULT	2.75E-05	1.18E-05	2.95E-05	4.09E-05	1.63E-05	6.10E-04	4.34E-06	0.00E+00
TEEN	2.75E-05	1.40E-05	5.35E-05	7.21E-05	2.88E-05	9.65E-04	8.96E-06	0.00E+00
CHILD	2.50E-05	9.42E-06	1.29E-04	1.25E-04	4.78E-05	1.91E-03	1.38E-05	0.00E+00
INFANT	2.95E-05	8.39E-06	2.08E-04	2.47E-04	7.82E-05	4.64E-03	2.49E-05	0.00E+00
GOATMILK								
ADULT	7.70E-05	4.12E-06	8.61E-05	1.18E-04	4.30E-05	7.32E-04	1.30E-05	0.00E+00
TEEN	7.32E-05	5.21E-06	1.56E-04	2.08E-04	7.61E-05	1.16E-03	2.69E-05	0.00E+00
CHILD	5.65E-05	3.85E-06	3.76E-04	3.60E-04	1.26E-04	2.29E-03	4.13E-05	0.00E+00
INFANT	5.71E-05	3.66E-06	6.03E-04	7.05E-04	2.05E-04	5.56E-03	7.48E-05	0.00E+00
INHAL								
ADULT	4.32E-07	1.88E-06	3.88E-07	5.99E-07	3.07E-07	2.55E-05	3.86E-05	0.00E+00
TEEN	3.99E-07	1.74E-06	5.43E-07	8.13E-07	4.21E-07	3.17E-05	5.63E-05	0.00E+00
CHILD	2.97E-07	9.40E-07	7.34E-07	7.80E-07	3.92E-07	3.61E-05	4.57E-05	0.00E+00
INFANT	1.53E-07	4.79E-07	4.64E-07	5.87E-07	2.48E-07	3.30E-05	2.91E-05	0.00E+00

TABLE 4. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-SEPTEMBER 2011 (Continued)

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 4.62E-06 MILLRADS
ANNUAL GAMMA AIR DOSE = 8.94E-06 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	6.00E-06	6.00E-06	6.00E-06	6.00E-06	6.00E-06	6.00E-06	6.04E-06	1.09E-05
GROUND	4.38E-05	4.38E-05	4.38E-05	4.38E-05	4.38E-05	4.38E-05	4.38E-05	5.15E-05
VEGET								
ADULT	1.76E-06	5.43E-06	1.40E-06	2.06E-06	7.11E-07	2.59E-05	1.87E-07	0.00E+00
TEEN	1.97E-06	5.79E-06	2.26E-06	3.26E-06	1.13E-06	3.49E-05	3.51E-07	0.00E+00
CHILD	2.77E-06	3.79E-06	5.35E-06	5.50E-06	1.84E-06	6.69E-05	5.34E-07	0.00E+00
MEAT								
ADULT	2.57E-07	1.43E-06	1.02E-07	2.14E-07	4.99E-08	6.98E-07	1.53E-08	0.00E+00
TEEN	1.71E-07	7.67E-07	8.47E-08	1.70E-07	4.04E-08	5.06E-07	1.45E-08	0.00E+00
CHILD	2.28E-07	3.88E-07	1.56E-07	2.18E-07	5.12E-08	7.63E-07	1.70E-08	0.00E+00
COW MILK								
ADULT	8.23E-07	3.51E-07	8.87E-07	1.22E-06	4.92E-07	1.94E-05	1.30E-07	0.00E+00
TEEN	8.25E-07	4.17E-07	1.61E-06	2.16E-06	8.72E-07	3.07E-05	2.68E-07	0.00E+00
CHILD	7.51E-07	2.81E-07	3.87E-06	3.74E-06	1.45E-06	6.07E-05	4.12E-07	0.00E+00
INFANT	8.94E-07	2.51E-07	6.26E-06	7.39E-06	2.37E-06	1.47E-04	7.45E-07	0.00E+00
GOATMILK								
ADULT	2.30E-06	1.24E-07	2.58E-06	3.52E-06	1.29E-06	2.33E-05	3.89E-07	0.00E+00
TEEN	2.19E-06	1.57E-07	4.68E-06	6.21E-06	2.29E-06	3.68E-05	8.03E-07	0.00E+00
CHILD	1.70E-06	1.16E-07	1.13E-05	1.08E-05	3.80E-06	7.28E-05	1.23E-06	0.00E+00
INFANT	1.72E-06	1.11E-07	1.81E-05	2.11E-05	6.15E-06	1.77E-04	2.23E-06	0.00E+00
INHAL								
ADULT	3.04E-08	1.30E-07	2.84E-08	4.26E-08	2.36E-08	2.11E-06	2.64E-06	0.00E+00
TEEN	2.83E-08	1.26E-07	3.96E-08	5.80E-08	3.23E-08	2.63E-06	3.86E-06	0.00E+00
CHILD	2.14E-08	1.20E-07	5.34E-08	5.56E-08	3.02E-08	3.00E-06	3.13E-06	0.00E+00
INFANT	1.12E-08	8.15E-08	3.39E-08	4.22E-08	1.92E-08	2.75E-06	2.00E-06	0.00E+00

TABLE 4. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-SEPTEMBER 2011 (Continued)

SPECIAL LOCATION NO. 5 A Nearest Garden
 AT 1.30 MILES SW

ANNUAL BETA AIR DOSE = 7.70E-06 MILLRADS
 ANNUAL GAMMA AIR DOSE = 1.49E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.00E-05	1.00E-05	1.00E-05	1.00E-05	1.00E-05	1.00E-05	1.01E-05	1.82E-05
GROUND	2.12E-04	2.12E-04	2.12E-04	2.12E-04	2.12E-04	2.12E-04	2.12E-04	2.49E-04
VEGET								
ADULT	8.52E-06	2.63E-05	6.76E-06	9.96E-06	3.44E-06	1.26E-04	9.07E-07	0.00E+00
TEEN	9.55E-06	2.80E-05	1.09E-05	1.58E-05	5.46E-06	1.70E-04	1.70E-06	0.00E+00
CHILD	1.34E-05	1.83E-05	2.58E-05	2.66E-05	8.92E-06	3.25E-04	2.59E-06	0.00E+00
MEAT								
ADULT	1.24E-06	6.90E-06	4.94E-07	1.04E-06	2.41E-07	3.39E-06	7.41E-08	0.00E+00
TEEN	8.30E-07	3.71E-06	4.10E-07	8.25E-07	1.96E-07	2.46E-06	7.01E-08	0.00E+00
CHILD	1.11E-06	1.88E-06	7.54E-07	1.05E-06	2.48E-07	3.71E-06	8.24E-08	0.00E+00
COW MILK								
ADULT	3.98E-06	1.70E-06	4.29E-06	5.93E-06	2.38E-06	9.43E-05	6.27E-07	0.00E+00
TEEN	4.00E-06	2.02E-06	7.78E-06	1.05E-05	4.22E-06	1.49E-04	1.30E-06	0.00E+00
CHILD	3.64E-06	1.36E-06	1.87E-05	1.81E-05	7.01E-06	2.95E-04	1.99E-06	0.00E+00
INFANT	4.33E-06	1.21E-06	3.03E-05	3.58E-05	1.15E-05	7.17E-04	3.60E-06	0.00E+00
GOATMILK								
ADULT	1.11E-05	6.02E-07	1.25E-05	1.70E-05	6.26E-06	1.13E-04	1.88E-06	0.00E+00
TEEN	1.06E-05	7.63E-07	2.26E-05	3.00E-05	1.11E-05	1.79E-04	3.89E-06	0.00E+00
CHILD	8.21E-06	5.64E-07	5.45E-05	5.21E-05	1.84E-05	3.54E-04	5.98E-06	0.00E+00
INFANT	8.33E-06	5.37E-07	8.75E-05	1.02E-04	2.98E-05	8.60E-04	1.08E-05	0.00E+00
INHAL								
ADULT	6.84E-08	2.96E-07	6.30E-08	9.55E-08	5.11E-08	4.40E-06	6.02E-06	0.00E+00
TEEN	6.35E-08	2.82E-07	8.79E-08	1.30E-07	7.01E-08	5.48E-06	8.80E-06	0.00E+00
CHILD	4.76E-08	2.26E-07	1.19E-07	1.25E-07	6.53E-08	6.25E-06	7.13E-06	0.00E+00
INFANT	2.47E-08	1.45E-07	7.51E-08	9.42E-08	4.15E-08	5.73E-06	4.55E-06	0.00E+00

TABLE 5. DOSES TO MAXIMUM INDIVIDUAL (MREM), OCTOBER-DECEMBER 2011

SPECIAL LOCATION NO. 1 A Site Boundary
 AT .69 MILES NNW

ANNUAL BETA AIR DOSE = 7.58E-07 MILLRADS
 ANNUAL GAMMA AIR DOSE = 1.44E-06 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	9.67E-07	9.67E-07	9.67E-07	9.67E-07	9.67E-07	9.67E-07	9.74E-07	1.78E-06
GROUND	2.36E-03	2.36E-03	2.36E-03	2.36E-03	2.36E-03	2.36E-03	2.36E-03	2.77E-03
VEGET								
ADULT	8.57E-05	2.94E-04	5.83E-05	9.66E-05	3.13E-05	8.78E-04	8.65E-06	0.00E+00
TEEN	9.81E-05	3.13E-04	9.55E-05	1.53E-04	4.96E-05	1.18E-03	1.62E-05	0.00E+00
CHILD	1.42E-04	2.05E-04	2.28E-04	2.58E-04	8.11E-05	2.26E-03	2.47E-05	0.00E+00
MEAT								
ADULT	1.32E-05	7.74E-05	4.63E-06	1.05E-05	2.26E-06	2.35E-05	7.07E-07	0.00E+00
TEEN	8.98E-06	4.16E-05	3.85E-06	8.33E-06	1.83E-06	1.71E-05	6.69E-07	0.00E+00
CHILD	1.22E-05	2.10E-05	7.08E-06	1.06E-05	2.32E-06	2.57E-05	7.86E-07	0.00E+00
COW MILK								
ADULT	3.79E-05	1.86E-05	4.02E-05	5.60E-05	2.15E-05	6.62E-04	5.98E-06	0.00E+00
TEEN	3.79E-05	2.20E-05	7.29E-05	9.87E-05	3.81E-05	1.05E-03	1.24E-05	0.00E+00
CHILD	3.45E-05	1.48E-05	1.76E-04	1.71E-04	6.33E-05	2.08E-03	1.90E-05	0.00E+00
INFANT	4.06E-05	1.31E-05	2.83E-04	3.37E-04	1.03E-04	5.05E-03	3.44E-05	0.00E+00
GOATMILK								
ADULT	1.06E-04	5.83E-06	1.18E-04	1.62E-04	5.82E-05	7.94E-04	1.79E-05	0.00E+00
TEEN	1.00E-04	7.35E-06	2.14E-04	2.85E-04	1.03E-04	1.26E-03	3.71E-05	0.00E+00
CHILD	7.69E-05	5.40E-06	5.16E-04	4.94E-04	1.71E-04	2.49E-03	5.70E-05	0.00E+00
INFANT	7.68E-05	5.12E-06	8.27E-04	9.68E-04	2.77E-04	6.06E-03	1.03E-04	0.00E+00
INHAL								
ADULT	1.55E-06	7.51E-06	1.36E-06	2.19E-06	1.21E-06	9.23E-05	1.54E-04	0.00E+00
TEEN	1.46E-06	6.87E-06	1.91E-06	2.97E-06	1.66E-06	1.17E-04	2.24E-04	0.00E+00
CHILD	1.14E-06	2.58E-06	2.58E-06	2.85E-06	1.55E-06	1.38E-04	1.82E-04	0.00E+00
INFANT	5.92E-07	8.67E-07	1.65E-06	2.16E-06	9.88E-07	1.27E-04	1.16E-04	0.00E+00

TABLE 5. DOSES TO MAXIMUM INDIVIDUAL (MREM), OCTOBER-DECEMBER 2011(Continued)

SPECIAL LOCATION NO. 2 A Site Boundary
 AT .67 MILES N

ANNUAL BETA AIR DOSE = 9.97E-07 MILLRADS
 ANNUAL GAMMA AIR DOSE = 1.90E-06 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.27E-06	1.27E-06	1.27E-06	1.27E-06	1.27E-06	1.27E-06	1.28E-06	2.34E-06
GROUND	3.25E-03	3.25E-03	3.25E-03	3.25E-03	3.25E-03	3.25E-03	3.25E-03	3.82E-03
VEGET								
ADULT	1.18E-04	4.05E-04	8.04E-05	1.33E-04	4.31E-05	1.21E-03	1.19E-05	0.00E+00
TEEN	1.35E-04	4.31E-04	1.32E-04	2.11E-04	6.84E-05	1.63E-03	2.23E-05	0.00E+00
CHILD	1.96E-04	2.82E-04	3.14E-04	3.55E-04	1.12E-04	3.13E-03	3.40E-05	0.00E+00
MEAT								
ADULT	1.82E-05	1.07E-04	6.38E-06	1.44E-05	3.11E-06	3.26E-05	9.73E-07	0.00E+00
TEEN	1.24E-05	5.73E-05	5.30E-06	1.15E-05	2.52E-06	2.36E-05	9.21E-07	0.00E+00
CHILD	1.68E-05	2.90E-05	9.76E-06	1.46E-05	3.20E-06	3.56E-05	1.08E-06	0.00E+00
COW MILK								
ADULT	5.22E-05	2.55E-05	5.54E-05	7.71E-05	2.97E-05	9.15E-04	8.24E-06	0.00E+00
TEEN	5.22E-05	3.03E-05	1.00E-04	1.36E-04	5.26E-05	1.45E-03	1.70E-05	0.00E+00
CHILD	4.75E-05	2.04E-05	2.42E-04	2.35E-04	8.73E-05	2.87E-03	2.62E-05	0.00E+00
INFANT	5.60E-05	1.81E-05	3.90E-04	4.64E-04	1.42E-04	6.98E-03	4.73E-05	0.00E+00
GOATMILK								
ADULT	1.46E-04	8.03E-06	1.63E-04	2.23E-04	8.02E-05	1.10E-03	2.47E-05	0.00E+00
TEEN	1.38E-04	1.01E-05	2.95E-04	3.93E-04	1.42E-04	1.74E-03	5.11E-05	0.00E+00
CHILD	1.06E-04	7.45E-06	7.10E-04	6.80E-04	2.36E-04	3.45E-03	7.85E-05	0.00E+00
INFANT	1.06E-04	7.06E-06	1.14E-03	1.33E-03	3.81E-04	8.38E-03	1.42E-04	0.00E+00
INHAL								
ADULT	2.03E-06	9.86E-06	1.78E-06	2.87E-06	1.57E-06	1.19E-04	2.02E-04	0.00E+00
TEEN	1.91E-06	9.01E-06	2.50E-06	3.89E-06	2.16E-06	1.52E-04	2.94E-04	0.00E+00
CHILD	1.49E-06	3.39E-06	3.38E-06	3.73E-06	2.02E-06	1.79E-04	2.39E-04	0.00E+00
INFANT	7.74E-07	1.14E-06	2.16E-06	2.83E-06	1.29E-06	1.64E-04	1.52E-04	0.00E+00

TABLE 5. DOSES TO MAXIMUM INDIVIDUAL (MREM), OCTOBER-DECEMBER 2011(Continued)

SPECIAL LOCATION NO. 3 A Nearest Resident
 AT .90 MILES NW

ANNUAL BETA AIR DOSE = 3.07E-06 MILLRADS
 ANNUAL GAMMA AIR DOSE = 5.85E-06 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	3.92E-06	3.92E-06	3.92E-06	3.92E-06	3.92E-06	3.92E-06	3.95E-06	7.20E-06
GROUND	4.64E-04	4.64E-04	4.64E-04	4.64E-04	4.64E-04	4.64E-04	4.64E-04	5.46E-04
VEGET								
ADULT	1.69E-05	5.79E-05	1.20E-05	1.90E-05	6.22E-06	1.86E-04	1.70E-06	0.00E+00
TEEN	1.94E-05	6.17E-05	1.95E-05	3.02E-05	9.87E-06	2.51E-04	3.19E-06	0.00E+00
CHILD	2.81E-05	4.03E-05	4.64E-05	5.08E-05	1.61E-05	4.80E-04	4.85E-06	0.00E+00
MEAT								
ADULT	2.60E-06	1.52E-05	9.18E-07	2.06E-06	4.46E-07	4.99E-06	1.39E-07	0.00E+00
TEEN	1.77E-06	8.20E-06	7.61E-07	1.64E-06	3.61E-07	3.62E-06	1.32E-07	0.00E+00
CHILD	2.40E-06	4.14E-06	1.40E-06	2.09E-06	4.58E-07	5.46E-06	1.55E-07	0.00E+00
COW MILK								
ADULT	7.47E-06	3.66E-06	7.95E-06	1.10E-05	4.29E-06	1.40E-04	1.18E-06	0.00E+00
TEEN	7.49E-06	4.35E-06	1.44E-05	1.95E-05	7.60E-06	2.22E-04	2.43E-06	0.00E+00
CHILD	6.84E-06	2.92E-06	3.47E-05	3.37E-05	1.26E-05	4.40E-04	3.74E-06	0.00E+00
INFANT	8.09E-06	2.60E-06	5.61E-05	6.65E-05	2.06E-05	1.07E-03	6.76E-06	0.00E+00
GOATMILK								
ADULT	2.08E-05	1.16E-06	2.33E-05	3.18E-05	1.15E-05	1.68E-04	3.53E-06	0.00E+00
TEEN	1.98E-05	1.46E-06	4.22E-05	5.61E-05	2.04E-05	2.67E-04	7.30E-06	0.00E+00
CHILD	1.52E-05	1.08E-06	1.02E-04	9.73E-05	3.38E-05	5.28E-04	1.12E-05	0.00E+00
INFANT	1.52E-05	1.02E-06	1.63E-04	1.91E-04	5.48E-05	1.28E-03	2.03E-05	0.00E+00
INHAL								
ADULT	2.91E-07	1.41E-06	2.56E-07	4.11E-07	2.29E-07	1.76E-05	2.88E-05	0.00E+00
TEEN	2.75E-07	1.29E-06	3.60E-07	5.59E-07	3.14E-07	2.23E-05	4.21E-05	0.00E+00
CHILD	2.14E-07	5.25E-07	4.87E-07	5.36E-07	2.93E-07	2.63E-05	3.41E-05	0.00E+00
INFANT	1.12E-07	1.99E-07	3.12E-07	4.07E-07	1.87E-07	2.42E-05	2.17E-05	0.00E+00

TABLE 5. DOSES TO MAXIMUM INDIVIDUAL (MREM), OCTOBER-DECEMBER 2011(Continued)

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 6.38E-06 MILLRADS
ANNUAL GAMMA AIR DOSE = 1.21E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	8.14E-06	8.14E-06	8.14E-06	8.14E-06	8.14E-06	8.14E-06	8.20E-06	1.50E-05
GROUND	4.64E-05	4.64E-05	4.64E-05	4.64E-05	4.64E-05	4.64E-05	4.64E-05	5.46E-05
VEGET								
ADULT	1.69E-06	5.80E-06	1.24E-06	1.91E-06	6.28E-07	1.97E-05	1.70E-07	0.00E+00
TEEN	1.94E-06	6.17E-06	2.02E-06	3.02E-06	9.96E-07	2.65E-05	3.19E-07	0.00E+00
CHILD	2.81E-06	4.04E-06	4.77E-06	5.09E-06	1.63E-06	5.08E-05	4.85E-07	0.00E+00
MEAT								
ADULT	2.60E-07	1.52E-06	9.24E-08	2.06E-07	4.48E-08	5.28E-07	1.39E-08	0.00E+00
TEEN	1.77E-07	8.20E-07	7.66E-08	1.64E-07	3.63E-08	3.83E-07	1.32E-08	0.00E+00
CHILD	2.40E-07	4.14E-07	1.41E-07	2.09E-07	4.60E-08	5.78E-07	1.55E-08	0.00E+00
COW MILK								
ADULT	7.48E-07	3.67E-07	7.99E-07	1.11E-06	4.34E-07	1.48E-05	1.18E-07	0.00E+00
TEEN	7.52E-07	4.36E-07	1.45E-06	1.95E-06	7.68E-07	2.35E-05	2.43E-07	0.00E+00
CHILD	6.88E-07	2.93E-07	3.49E-06	3.38E-06	1.27E-06	4.66E-05	3.74E-07	0.00E+00
INFANT	8.18E-07	2.61E-07	5.63E-06	6.67E-06	2.08E-06	1.13E-04	6.76E-07	0.00E+00
GOATMILK								
ADULT	2.09E-06	1.17E-07	2.34E-06	3.19E-06	1.16E-06	1.78E-05	3.53E-07	0.00E+00
TEEN	1.98E-06	1.48E-07	4.23E-06	5.62E-06	2.05E-06	2.82E-05	7.30E-07	0.00E+00
CHILD	1.53E-06	1.09E-07	1.02E-05	9.74E-06	3.40E-06	5.59E-05	1.12E-06	0.00E+00
INFANT	1.53E-06	1.03E-07	1.63E-05	1.91E-05	5.50E-06	1.36E-04	2.03E-06	0.00E+00
INHAL								
ADULT	4.87E-08	2.34E-07	4.48E-08	6.97E-08	4.13E-08	3.42E-06	4.74E-06	0.00E+00
TEEN	4.64E-08	2.22E-07	6.25E-08	9.47E-08	5.67E-08	4.33E-06	6.92E-06	0.00E+00
CHILD	3.65E-08	1.63E-07	8.43E-08	9.08E-08	5.29E-08	5.11E-06	5.61E-06	0.00E+00
INFANT	1.93E-08	9.98E-08	5.41E-08	6.94E-08	3.39E-08	4.69E-06	3.58E-06	0.00E+00

TABLE 5. DOSES TO MAXIMUM INDIVIDUAL (MREM), OCTOBER-DECEMBER 2011(Continued)

SPECIAL LOCATION NO. 5 A Nearest Garden
AT 2.80 MILES NNW

ANNUAL BETA AIR DOSE = 6.78E-06 MILLRADS
ANNUAL GAMMA AIR DOSE = 1.29E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	8.65E-06	8.65E-06	8.65E-06	8.65E-06	8.65E-06	8.65E-06	8.72E-06	1.59E-05
GROUND	7.74E-05	7.74E-05	7.74E-05	7.74E-05	7.74E-05	7.74E-05	7.74E-05	9.10E-05
VEGET								
ADULT	2.82E-06	9.66E-06	2.05E-06	3.18E-06	1.04E-06	3.21E-05	2.84E-07	0.00E+00
TEEN	3.23E-06	1.03E-05	3.32E-06	5.03E-06	1.65E-06	4.32E-05	5.31E-07	0.00E+00
CHILD	4.68E-06	6.72E-06	7.87E-06	8.47E-06	2.70E-06	8.27E-05	8.09E-07	0.00E+00
MEAT								
ADULT	4.33E-07	2.54E-06	1.54E-07	3.44E-07	7.45E-08	8.61E-07	2.32E-08	0.00E+00
TEEN	2.95E-07	1.37E-06	1.27E-07	2.73E-07	6.03E-08	6.23E-07	2.19E-08	0.00E+00
CHILD	4.01E-07	6.90E-07	2.34E-07	3.48E-07	7.65E-08	9.41E-07	2.58E-08	0.00E+00
COW MILK								
ADULT	1.25E-06	6.11E-07	1.33E-06	1.84E-06	7.19E-07	2.42E-05	1.96E-07	0.00E+00
TEEN	1.25E-06	7.26E-07	2.41E-06	3.25E-06	1.27E-06	3.83E-05	4.05E-07	0.00E+00
CHILD	1.14E-06	4.88E-07	5.80E-06	5.63E-06	2.12E-06	7.58E-05	6.23E-07	0.00E+00
INFANT	1.36E-06	4.34E-07	9.37E-06	1.11E-05	3.45E-06	1.84E-04	1.13E-06	0.00E+00
GOATMILK								
ADULT	3.47E-06	1.94E-07	3.89E-06	5.31E-06	1.92E-06	2.90E-05	5.88E-07	0.00E+00
TEEN	3.30E-06	2.45E-07	7.05E-06	9.36E-06	3.41E-06	4.59E-05	1.22E-06	0.00E+00
CHILD	2.54E-06	1.81E-07	1.70E-05	1.62E-05	5.65E-06	9.10E-05	1.87E-06	0.00E+00
INFANT	2.55E-06	1.71E-07	2.72E-05	3.18E-05	9.15E-06	2.21E-04	3.38E-06	0.00E+00
INHAL								
ADULT	7.42E-08	3.57E-07	6.74E-08	1.06E-07	6.13E-08	4.99E-06	7.25E-06	0.00E+00
TEEN	7.05E-08	3.36E-07	9.42E-08	1.44E-07	8.43E-08	6.32E-06	1.06E-05	0.00E+00
CHILD	5.53E-08	2.16E-07	1.27E-07	1.38E-07	7.87E-08	7.45E-06	8.59E-06	0.00E+00
INFANT	2.91E-08	1.24E-07	8.14E-08	1.05E-07	5.03E-08	6.84E-06	5.48E-06	0.00E+00

TABLE 6. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-DECEMBER 2011

SPECIAL LOCATION NO. 1 A Site Boundary
AT .69 MILES NNW

ANNUAL BETA AIR DOSE = 5.25E-06 MILLRADS
ANNUAL GAMMA AIR DOSE = 1.01E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	6.76E-06	6.76E-06	6.76E-06	6.76E-06	6.76E-06	6.76E-06	6.81E-06	1.24E-05
GROUND	4.58E-03	4.58E-03	4.58E-03	4.58E-03	4.58E-03	4.58E-03	4.58E-03	5.39E-03
VEGET								
ADULT	1.74E-04	5.69E-04	1.23E-04	2.00E-04	6.63E-05	2.04E-03	1.81E-05	0.00E+00
TEEN	1.97E-04	6.06E-04	2.02E-04	3.17E-04	1.05E-04	2.74E-03	3.39E-05	0.00E+00
CHILD	2.81E-04	3.96E-04	4.80E-04	5.34E-04	1.72E-04	5.26E-03	5.16E-05	0.00E+00
MEAT								
ADULT	2.62E-05	1.50E-04	9.72E-06	2.13E-05	4.76E-06	5.48E-05	1.48E-06	0.00E+00
TEEN	1.77E-05	8.06E-05	8.07E-06	1.69E-05	3.85E-06	3.97E-05	1.40E-06	0.00E+00
CHILD	2.38E-05	4.07E-05	1.49E-05	2.16E-05	4.89E-06	5.99E-05	1.65E-06	0.00E+00
COW MILK								
ADULT	7.92E-05	3.62E-05	8.45E-05	1.17E-04	4.58E-05	1.53E-03	1.25E-05	0.00E+00
TEEN	7.93E-05	4.30E-05	1.53E-04	2.07E-04	8.11E-05	2.42E-03	2.59E-05	0.00E+00
CHILD	7.18E-05	2.89E-05	3.69E-04	3.59E-04	1.35E-04	4.78E-03	3.98E-05	0.00E+00
INFANT	8.46E-05	2.57E-05	5.96E-04	7.08E-04	2.20E-04	1.16E-02	7.20E-05	0.00E+00
GOATMILK								
ADULT	2.22E-04	1.20E-05	2.48E-04	3.39E-04	1.23E-04	1.83E-03	3.76E-05	0.00E+00
TEEN	2.11E-04	1.51E-05	4.49E-04	5.98E-04	2.17E-04	2.90E-03	7.76E-05	0.00E+00
CHILD	1.62E-04	1.11E-05	1.08E-03	1.04E-03	3.60E-04	5.74E-03	1.19E-04	0.00E+00
INFANT	1.62E-04	1.06E-05	1.73E-03	2.03E-03	5.83E-04	1.39E-02	2.16E-04	0.00E+00
INHAL								
ADULT	2.66E-06	1.22E-05	2.34E-06	3.71E-06	1.92E-06	1.50E-04	2.52E-04	0.00E+00
TEEN	2.48E-06	1.12E-05	3.28E-06	5.04E-06	2.64E-06	1.89E-04	3.68E-04	0.00E+00
CHILD	1.88E-06	4.25E-06	4.44E-06	4.82E-06	2.46E-06	2.18E-04	2.98E-04	0.00E+00
INFANT	9.65E-07	1.46E-06	2.82E-06	3.63E-06	1.56E-06	2.00E-04	1.90E-04	0.00E+00

TABLE 6. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-DECEMBER 2011 (Continued)

SPECIAL LOCATION NO. 2 A Site Boundary
 AT .67 MILES N

ANNUAL BETA AIR DOSE = 3.37E-06 MILLRADS
 ANNUAL GAMMA AIR DOSE = 6.47E-06 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	4.34E-06	4.34E-06	4.34E-06	4.34E-06	4.34E-06	4.34E-06	4.37E-06	7.95E-06
GROUND	5.34E-03	5.34E-03	5.34E-03	5.34E-03	5.34E-03	5.34E-03	5.34E-03	6.28E-03
VEGET								
ADULT	2.03E-04	6.64E-04	1.43E-04	2.33E-04	7.73E-05	2.37E-03	2.11E-05	0.00E+00
TEEN	2.30E-04	7.07E-04	2.35E-04	3.70E-04	1.23E-04	3.19E-03	3.96E-05	0.00E+00
CHILD	3.28E-04	4.62E-04	5.60E-04	6.23E-04	2.01E-04	6.11E-03	6.02E-05	0.00E+00
MEAT								
ADULT	3.06E-05	1.75E-04	1.13E-05	2.48E-05	5.55E-06	6.37E-05	1.73E-06	0.00E+00
TEEN	2.06E-05	9.40E-05	9.41E-06	1.98E-05	4.49E-06	4.61E-05	1.63E-06	0.00E+00
CHILD	2.77E-05	4.75E-05	1.73E-05	2.52E-05	5.70E-06	6.97E-05	1.92E-06	0.00E+00
COW MILK								
ADULT	9.24E-05	4.22E-05	9.86E-05	1.37E-04	5.34E-05	1.78E-03	1.46E-05	0.00E+00
TEEN	9.25E-05	5.02E-05	1.79E-04	2.42E-04	9.45E-05	2.81E-03	3.02E-05	0.00E+00
CHILD	8.37E-05	3.37E-05	4.30E-04	4.18E-04	1.57E-04	5.56E-03	4.64E-05	0.00E+00
INFANT	9.86E-05	3.00E-05	6.95E-04	8.25E-04	2.56E-04	1.35E-02	8.40E-05	0.00E+00
GOATMILK								
ADULT	2.59E-04	1.39E-05	2.89E-04	3.95E-04	1.43E-04	2.13E-03	4.38E-05	0.00E+00
TEEN	2.46E-04	1.76E-05	5.23E-04	6.97E-04	2.53E-04	3.37E-03	9.06E-05	0.00E+00
CHILD	1.89E-04	1.30E-05	1.26E-03	1.21E-03	4.20E-04	6.67E-03	1.39E-04	0.00E+00
INFANT	1.89E-04	1.23E-05	2.02E-03	2.37E-03	6.80E-04	1.62E-02	2.52E-04	0.00E+00
INHAL								
ADULT	3.33E-06	1.53E-05	2.94E-06	4.65E-06	2.43E-06	1.92E-04	3.15E-04	0.00E+00
TEEN	3.11E-06	1.40E-05	4.12E-06	6.32E-06	3.34E-06	2.41E-04	4.59E-04	0.00E+00
CHILD	2.36E-06	5.27E-06	5.58E-06	6.05E-06	3.11E-06	2.78E-04	3.72E-04	0.00E+00
INFANT	1.21E-06	1.78E-06	3.55E-06	4.56E-06	1.97E-06	2.55E-04	2.37E-04	0.00E+00

TABLE 6. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-DECEMBER 2011 (Continued)

SPECIAL LOCATION NO. 3 A Nearest Resident
 AT .90 MILES NW

ANNUAL BETA AIR DOSE = 2.27E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 4.36E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	2.93E-05	2.93E-05	2.93E-05	2.93E-05	2.93E-05	2.93E-05	2.95E-05	5.36E-05
GROUND	1.87E-03	1.87E-03	1.87E-03	1.87E-03	1.87E-03	1.87E-03	1.87E-03	2.20E-03
VEGET								
ADULT	7.14E-05	2.32E-04	5.33E-05	8.20E-05	2.76E-05	9.15E-04	7.41E-06	0.00E+00
TEEN	8.09E-05	2.47E-04	8.66E-05	1.30E-04	4.37E-05	1.23E-03	1.39E-05	0.00E+00
CHILD	1.15E-04	1.62E-04	2.05E-04	2.19E-04	7.14E-05	2.36E-03	2.11E-05	0.00E+00
MEAT								
ADULT	1.07E-05	6.10E-05	4.01E-06	8.70E-06	1.96E-06	2.46E-05	6.05E-07	0.00E+00
TEEN	7.21E-06	3.28E-05	3.33E-06	6.92E-06	1.58E-06	1.78E-05	5.73E-07	0.00E+00
CHILD	9.70E-06	1.66E-05	6.12E-06	8.83E-06	2.01E-06	2.69E-05	6.73E-07	0.00E+00
COW MILK								
ADULT	3.25E-05	1.48E-05	3.48E-05	4.82E-05	1.91E-05	6.86E-04	5.12E-06	0.00E+00
TEEN	3.26E-05	1.76E-05	6.31E-05	8.51E-05	3.37E-05	1.09E-03	1.06E-05	0.00E+00
CHILD	2.97E-05	1.19E-05	1.52E-04	1.47E-04	5.60E-05	2.15E-03	1.63E-05	0.00E+00
INFANT	3.52E-05	1.06E-05	2.46E-04	2.91E-04	9.15E-05	5.23E-03	2.94E-05	0.00E+00
GOATMILK								
ADULT	9.08E-05	4.96E-06	1.02E-04	1.39E-04	5.06E-05	8.24E-04	1.54E-05	0.00E+00
TEEN	8.64E-05	6.28E-06	1.84E-04	2.45E-04	8.95E-05	1.30E-03	3.18E-05	0.00E+00
CHILD	6.66E-05	4.63E-06	4.44E-04	4.24E-04	1.49E-04	2.58E-03	4.88E-05	0.00E+00
INFANT	6.71E-05	4.40E-06	7.12E-04	8.32E-04	2.41E-04	6.27E-03	8.83E-05	0.00E+00
INHAL								
ADULT	7.15E-07	3.28E-06	6.38E-07	1.00E-06	5.34E-07	4.31E-05	6.71E-05	0.00E+00
TEEN	6.69E-07	3.03E-06	8.94E-07	1.36E-06	7.33E-07	5.41E-05	9.81E-05	0.00E+00
CHILD	5.09E-07	1.45E-06	1.21E-06	1.30E-06	6.83E-07	6.25E-05	7.95E-05	0.00E+00
INFANT	2.63E-07	6.64E-07	7.69E-07	9.85E-07	4.34E-07	5.73E-05	5.07E-05	0.00E+00

TABLE 6. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-DECEMBER 2011 (Continued)

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 1.10E-05 MILLRADS
ANNUAL GAMMA AIR DOSE = 2.11E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.41E-05	1.41E-05	1.41E-05	1.41E-05	1.41E-05	1.41E-05	1.42E-05	2.59E-05
GROUND	9.34E-05	9.34E-05	9.34E-05	9.34E-05	9.34E-05	9.34E-05	9.34E-05	1.10E-04
VEGET								
ADULT	3.58E-06	1.16E-05	2.74E-06	4.11E-06	1.39E-06	4.75E-05	3.71E-07	0.00E+00
TEEN	4.06E-06	1.24E-05	4.44E-06	6.52E-06	2.20E-06	6.41E-05	6.95E-07	0.00E+00
CHILD	5.78E-06	8.10E-06	1.05E-05	1.10E-05	3.60E-06	1.23E-04	1.06E-06	0.00E+00
MEAT								
ADULT	5.36E-07	3.05E-06	2.02E-07	4.36E-07	9.82E-08	1.28E-06	3.03E-08	0.00E+00
TEEN	3.61E-07	1.64E-06	1.67E-07	3.47E-07	7.96E-08	9.26E-07	2.87E-08	0.00E+00
CHILD	4.85E-07	8.30E-07	3.08E-07	4.42E-07	1.01E-07	1.40E-06	3.37E-08	0.00E+00
COW MILK								
ADULT	1.63E-06	7.43E-07	1.75E-06	2.42E-06	9.61E-07	3.57E-05	2.57E-07	0.00E+00
TEEN	1.64E-06	8.83E-07	3.17E-06	4.27E-06	1.70E-06	5.65E-05	5.30E-07	0.00E+00
CHILD	1.49E-06	5.95E-07	7.63E-06	7.39E-06	2.83E-06	1.12E-04	8.15E-07	0.00E+00
INFANT	1.78E-06	5.30E-07	1.23E-05	1.46E-05	4.62E-06	2.71E-04	1.47E-06	0.00E+00
GOATMILK								
ADULT	4.55E-06	2.50E-07	5.10E-06	6.96E-06	2.54E-06	4.28E-05	7.70E-07	0.00E+00
TEEN	4.33E-06	3.16E-07	9.24E-06	1.23E-05	4.50E-06	6.77E-05	1.59E-06	0.00E+00
CHILD	3.34E-06	2.33E-07	2.23E-05	2.13E-05	7.47E-06	1.34E-04	2.44E-06	0.00E+00
INFANT	3.38E-06	2.22E-07	3.57E-05	4.17E-05	1.21E-05	3.26E-04	4.42E-06	0.00E+00
INHAL								
ADULT	8.07E-08	3.65E-07	7.48E-08	1.14E-07	6.50E-08	5.64E-06	7.41E-06	0.00E+00
TEEN	7.60E-08	3.50E-07	1.04E-07	1.55E-07	8.93E-08	7.08E-06	1.08E-05	0.00E+00
CHILD	5.85E-08	2.90E-07	1.41E-07	1.49E-07	8.33E-08	8.19E-06	8.77E-06	0.00E+00
INFANT	3.07E-08	1.88E-07	8.96E-08	1.13E-07	5.31E-08	7.51E-06	5.60E-06	0.00E+00

TABLE 6. DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-DECEMBER 2011 (Continued)

SPECIAL LOCATION NO. 5 A Nearest Garden
AT 2.80 MILES NNW

ANNUAL BETA AIR DOSE = 3.87E-07 MILLRADS
ANNUAL GAMMA AIR DOSE = 5.27E-07 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	3.50E-07	3.50E-07	3.50E-07	3.50E-07	3.50E-07	3.50E-07	3.53E-07	7.14E-07
GROUND	1.53E-04	1.53E-04	1.53E-04	1.53E-04	1.53E-04	1.53E-04	1.53E-04	1.80E-04
VEGET								
ADULT	5.86E-06	1.90E-05	4.45E-06	6.72E-06	2.27E-06	7.71E-05	6.07E-07	0.00E+00
TEEN	6.63E-06	2.03E-05	7.22E-06	1.07E-05	3.60E-06	1.04E-04	1.14E-06	0.00E+00
CHILD	9.46E-06	1.32E-05	1.71E-05	1.80E-05	5.88E-06	1.99E-04	1.73E-06	0.00E+00
MEAT								
ADULT	8.77E-07	5.00E-06	3.30E-07	7.13E-07	1.61E-07	2.07E-06	4.96E-08	0.00E+00
TEEN	5.90E-07	2.69E-06	2.73E-07	5.67E-07	1.30E-07	1.50E-06	4.69E-08	0.00E+00
CHILD	7.94E-07	1.36E-06	5.03E-07	7.23E-07	1.65E-07	2.27E-06	5.51E-08	0.00E+00
COW MILK								
ADULT	2.67E-06	1.22E-06	2.86E-06	3.96E-06	1.57E-06	5.78E-05	4.20E-07	0.00E+00
TEEN	2.68E-06	1.44E-06	5.18E-06	6.98E-06	2.78E-06	9.15E-05	8.67E-07	0.00E+00
CHILD	2.44E-06	9.73E-07	1.25E-05	1.21E-05	4.61E-06	1.81E-04	1.33E-06	0.00E+00
INFANT	2.90E-06	8.66E-07	2.02E-05	2.39E-05	7.54E-06	4.40E-04	2.41E-06	0.00E+00
GOATMILK								
ADULT	7.45E-06	4.08E-07	8.34E-06	1.14E-05	4.15E-06	6.94E-05	1.26E-06	0.00E+00
TEEN	7.08E-06	5.16E-07	1.51E-05	2.01E-05	7.35E-06	1.10E-04	2.60E-06	0.00E+00
CHILD	5.46E-06	3.81E-07	3.64E-05	3.48E-05	1.22E-05	2.17E-04	4.00E-06	0.00E+00
INFANT	5.52E-06	3.62E-07	5.84E-05	6.82E-05	1.98E-05	5.28E-04	7.23E-06	0.00E+00
INHAL								
ADULT	1.25E-07	5.67E-07	1.15E-07	1.77E-07	9.81E-08	8.31E-06	1.16E-05	0.00E+00
TEEN	1.18E-07	5.20E-07	1.60E-07	2.40E-07	1.35E-07	1.04E-05	1.69E-05	0.00E+00
CHILD	9.02E-08	2.11E-07	2.16E-07	2.30E-07	1.26E-07	1.21E-05	1.37E-05	0.00E+00
INFANT	4.71E-08	8.02E-08	1.38E-07	1.75E-07	8.00E-08	1.11E-05	8.75E-06	0.00E+00

TABLE 7. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-DECEMBER 2011

SPECIAL LOCATION NO. 1 A Site Boundary
 AT .69 MILES NNW

ANNUAL BETA AIR DOSE = 1.85E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 3.05E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	2.05E-05	2.05E-05	2.05E-05	2.05E-05	2.05E-05	2.05E-05	2.07E-05	4.00E-05
GROUND	1.57E-02	1.57E-02	1.57E-02	1.57E-02	1.57E-02	1.57E-02	1.57E-02	1.84E-02
VEGET								
ADULT	3.43E-04	2.11E-03	1.79E-04	2.98E-04	8.75E-05	4.44E-03	1.71E-05	0.00E+00
TEEN	4.76E-04	2.25E-03	2.83E-04	4.64E-04	1.36E-04	5.99E-03	3.18E-05	0.00E+00
CHILD	8.62E-04	1.47E-03	6.58E-04	7.51E-04	2.16E-04	1.15E-02	4.82E-05	0.00E+00
MEAT								
ADULT	7.67E-05	5.77E-04	1.43E-05	5.55E-05	1.17E-05	1.20E-04	2.54E-06	0.00E+00
TEEN	5.82E-05	3.11E-04	1.13E-05	4.34E-05	8.95E-06	8.66E-05	2.34E-06	0.00E+00
CHILD	8.75E-05	1.58E-04	1.98E-05	5.26E-05	1.06E-05	1.31E-04	2.69E-06	0.00E+00
COW MILK								
ADULT	9.84E-05	1.54E-04	8.99E-05	1.50E-04	7.69E-05	3.33E-03	1.04E-05	0.00E+00
TEEN	1.23E-04	1.80E-04	1.59E-04	2.61E-04	1.32E-04	5.28E-03	2.15E-05	0.00E+00
CHILD	1.75E-04	1.19E-04	3.73E-04	4.34E-04	2.10E-04	1.04E-02	3.31E-05	0.00E+00
INFANT	2.39E-04	2.45E-04	6.01E-04	8.41E-04	3.26E-04	2.54E-02	6.00E-05	0.00E+00
GOATMILK								
ADULT	1.89E-04	2.71E-05	2.15E-04	2.90E-04	1.17E-04	4.00E-03	3.07E-05	0.00E+00
TEEN	1.86E-04	3.31E-05	3.89E-04	5.11E-04	2.06E-04	6.33E-03	6.34E-05	0.00E+00
CHILD	1.59E-04	2.32E-05	9.34E-04	8.84E-04	3.42E-04	1.25E-02	9.74E-05	0.00E+00
INFANT	1.77E-04	3.81E-05	1.51E-03	1.74E-03	5.55E-04	3.05E-02	1.76E-04	0.00E+00
INHAL								
ADULT	4.64E-06	4.54E-05	2.83E-06	6.24E-06	3.54E-06	3.42E-04	9.06E-04	0.00E+00
TEEN	5.33E-06	4.30E-05	3.94E-06	8.37E-06	4.82E-06	4.30E-04	1.32E-03	0.00E+00
CHILD	5.29E-06	3.14E-05	5.27E-06	7.80E-06	4.48E-06	4.98E-04	1.07E-03	0.00E+00
INFANT	2.88E-06	1.95E-05	3.51E-06	5.71E-06	2.84E-06	4.56E-04	6.87E-04	0.00E+00

TABLE 7. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-DECEMBER 2011 (Continued)

SPECIAL LOCATION NO. 2 A Site Boundary
 AT .67 MILES N

ANNUAL BETA AIR DOSE = 1.34E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 2.21E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.49E-05	1.49E-05	1.49E-05	1.49E-05	1.49E-05	1.49E-05	1.50E-05	2.90E-05
GROUND	1.99E-02	1.99E-02	1.99E-02	1.99E-02	1.99E-02	1.99E-02	1.99E-02	2.35E-02
VEGET								
ADULT	4.37E-04	2.69E-03	2.27E-04	3.79E-04	1.11E-04	5.66E-03	2.18E-05	0.00E+00
TEEN	6.06E-04	2.86E-03	3.59E-04	5.91E-04	1.73E-04	7.62E-03	4.05E-05	0.00E+00
CHILD	1.10E-03	1.87E-03	8.36E-04	9.56E-04	2.75E-04	1.46E-02	6.13E-05	0.00E+00
MEAT								
ADULT	9.76E-05	7.35E-04	1.81E-05	7.06E-05	1.49E-05	1.52E-04	3.23E-06	0.00E+00
TEEN	7.41E-05	3.96E-04	1.44E-05	5.52E-05	1.14E-05	1.10E-04	2.97E-06	0.00E+00
CHILD	1.11E-04	2.00E-04	2.52E-05	6.69E-05	1.35E-05	1.66E-04	3.43E-06	0.00E+00
COW MILK								
ADULT	1.25E-04	1.95E-04	1.14E-04	1.91E-04	9.78E-05	4.24E-03	1.33E-05	0.00E+00
TEEN	1.56E-04	2.29E-04	2.02E-04	3.32E-04	1.67E-04	6.72E-03	2.74E-05	0.00E+00
CHILD	2.23E-04	1.51E-04	4.75E-04	5.53E-04	2.68E-04	1.33E-02	4.22E-05	0.00E+00
INFANT	3.04E-04	3.11E-04	7.65E-04	1.07E-03	4.15E-04	3.23E-02	7.64E-05	0.00E+00
GOATMILK								
ADULT	2.41E-04	3.45E-05	2.74E-04	3.69E-04	1.49E-04	5.09E-03	3.90E-05	0.00E+00
TEEN	2.36E-04	4.21E-05	4.94E-04	6.50E-04	2.63E-04	8.06E-03	8.07E-05	0.00E+00
CHILD	2.02E-04	2.95E-05	1.19E-03	1.12E-03	4.35E-04	1.59E-02	1.24E-04	0.00E+00
INFANT	2.25E-04	4.85E-05	1.92E-03	2.22E-03	7.07E-04	3.88E-02	2.24E-04	0.00E+00
INHAL								
ADULT	5.73E-06	5.62E-05	3.48E-06	7.70E-06	4.39E-06	4.29E-04	1.12E-03	0.00E+00
TEEN	6.58E-06	5.32E-05	4.85E-06	1.03E-05	5.98E-06	5.39E-04	1.64E-03	0.00E+00
CHILD	6.53E-06	3.87E-05	6.49E-06	9.63E-06	5.56E-06	6.25E-04	1.33E-03	0.00E+00
INFANT	3.55E-06	2.40E-05	4.32E-06	7.04E-06	3.52E-06	5.73E-04	8.49E-04	0.00E+00

TABLE 7. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-DECEMBER 2011 (Continued)

SPECIAL LOCATION NO. 3 A Nearest Resident
 AT .90 MILES NW

ANNUAL BETA AIR DOSE = 8.71E-05 MILLRADS
 ANNUAL GAMMA AIR DOSE = 1.43E-04 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	9.64E-05	9.64E-05	9.64E-05	9.64E-05	9.64E-05	9.64E-05	9.73E-05	1.88E-04
GROUND	7.86E-03	7.86E-03	7.86E-03	7.86E-03	7.86E-03	7.86E-03	7.86E-03	9.25E-03
VEGET								
ADULT	1.76E-04	1.07E-03	2.15E-04	1.50E-04	4.49E-05	2.39E-03	8.63E-06	0.00E+00
TEEN	2.44E-04	1.14E-03	3.29E-04	2.34E-04	6.95E-05	3.23E-03	1.60E-05	0.00E+00
CHILD	4.43E-04	7.47E-04	7.47E-04	3.79E-04	1.11E-04	6.18E-03	2.43E-05	0.00E+00
MEAT								
ADULT	3.85E-05	2.90E-04	8.55E-06	2.78E-05	5.92E-06	6.44E-05	1.28E-06	0.00E+00
TEEN	2.92E-05	1.56E-04	6.71E-06	2.18E-05	4.51E-06	4.66E-05	1.17E-06	0.00E+00
CHILD	4.39E-05	7.90E-05	1.17E-05	2.64E-05	5.35E-06	7.04E-05	1.35E-06	0.00E+00
COW MILK								
ADULT	4.98E-05	7.76E-05	5.12E-05	7.60E-05	3.93E-05	1.80E-03	5.26E-06	0.00E+00
TEEN	6.23E-05	9.11E-05	8.99E-05	1.32E-04	6.73E-05	2.85E-03	1.09E-05	0.00E+00
CHILD	8.90E-05	6.02E-05	2.10E-04	2.20E-04	1.08E-04	5.63E-03	1.67E-05	0.00E+00
INFANT	1.22E-04	1.23E-04	3.38E-04	4.26E-04	1.68E-04	1.37E-02	3.03E-05	0.00E+00
GOATMILK								
ADULT	9.59E-05	1.47E-05	1.21E-04	1.47E-04	5.97E-05	2.16E-03	1.55E-05	0.00E+00
TEEN	9.45E-05	1.81E-05	2.16E-04	2.58E-04	1.05E-04	3.41E-03	3.20E-05	0.00E+00
CHILD	8.18E-05	1.29E-05	5.17E-04	4.47E-04	1.74E-04	6.76E-03	4.91E-05	0.00E+00
INFANT	9.22E-05	2.04E-05	8.31E-04	8.81E-04	2.84E-04	1.64E-02	8.89E-05	0.00E+00
INHAL								
ADULT	1.66E-06	1.46E-05	1.25E-06	2.33E-06	1.40E-06	1.12E-04	2.90E-04	0.00E+00
TEEN	1.95E-06	1.39E-05	1.72E-06	3.14E-06	1.92E-06	1.41E-04	4.24E-04	0.00E+00
CHILD	1.99E-06	1.07E-05	2.28E-06	2.94E-06	1.78E-06	1.64E-04	3.44E-04	0.00E+00
INFANT	1.13E-06	7.16E-06	1.52E-06	2.24E-06	1.14E-06	1.50E-04	2.20E-04	0.00E+00

TABLE 7. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-DECEMBER 2011 (Continued)

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 3.99E-05 MILLRADS
ANNUAL GAMMA AIR DOSE = 6.57E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	4.42E-05	4.42E-05	4.42E-05	4.42E-05	4.42E-05	4.42E-05	4.46E-05	8.63E-05
GROUND	3.15E-04	3.15E-04	3.15E-04	3.15E-04	3.15E-04	3.15E-04	3.15E-04	3.71E-04
VEGET								
ADULT	7.14E-06	4.31E-05	1.22E-05	6.04E-06	1.82E-06	1.00E-04	3.47E-07	0.00E+00
TEEN	9.91E-06	4.60E-05	1.85E-05	9.42E-06	2.82E-06	1.35E-04	6.45E-07	0.00E+00
CHILD	1.81E-05	3.02E-05	4.19E-05	1.53E-05	4.50E-06	2.58E-04	9.76E-07	0.00E+00
MEAT								
ADULT	1.55E-06	1.16E-05	3.83E-07	1.12E-06	2.38E-07	2.69E-06	5.11E-08	0.00E+00
TEEN	1.17E-06	6.25E-06	2.99E-07	8.73E-07	1.81E-07	1.95E-06	4.70E-08	0.00E+00
CHILD	1.76E-06	3.17E-06	5.21E-07	1.06E-06	2.15E-07	2.94E-06	5.42E-08	0.00E+00
COW MILK								
ADULT	2.01E-06	3.13E-06	2.23E-06	3.06E-06	1.59E-06	7.51E-05	2.12E-07	0.00E+00
TEEN	2.52E-06	3.67E-06	3.89E-06	5.32E-06	2.73E-06	1.19E-04	4.37E-07	0.00E+00
CHILD	3.60E-06	2.43E-06	9.10E-06	8.86E-06	4.37E-06	2.35E-04	6.72E-07	0.00E+00
INFANT	4.94E-06	4.95E-06	1.46E-05	1.72E-05	6.81E-06	5.72E-04	1.22E-06	0.00E+00
GOATMILK								
ADULT	3.87E-06	6.23E-07	5.20E-06	5.91E-06	2.42E-06	9.01E-05	6.23E-07	0.00E+00
TEEN	3.83E-06	7.71E-07	9.28E-06	1.04E-05	4.27E-06	1.43E-04	1.29E-06	0.00E+00
CHILD	3.34E-06	5.51E-07	2.21E-05	1.80E-05	7.07E-06	2.82E-04	1.98E-06	0.00E+00
INFANT	3.79E-06	8.51E-07	3.54E-05	3.56E-05	1.15E-05	6.86E-04	3.58E-06	0.00E+00
INHAL								
ADULT	2.27E-07	1.41E-06	2.55E-07	3.52E-07	2.40E-07	1.22E-05	2.76E-05	0.00E+00
TEEN	2.79E-07	1.33E-06	3.43E-07	4.78E-07	3.30E-07	1.54E-05	4.03E-05	0.00E+00
CHILD	3.06E-07	9.75E-07	4.51E-07	4.56E-07	3.08E-07	1.78E-05	3.27E-05	0.00E+00
INFANT	1.91E-07	7.62E-07	3.01E-07	3.77E-07	2.00E-07	1.63E-05	2.10E-05	0.00E+00

TABLE 7. DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-DECEMBER 2011 (Continued)

SPECIAL LOCATION NO. 5 A Nearest Garden
AT 1.30 MILES SW

ANNUAL BETA AIR DOSE = 4.35E-05 MILLRADS
ANNUAL GAMMA AIR DOSE = 7.17E-05 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	4.82E-05	4.82E-05	4.82E-05	4.82E-05	4.82E-05	4.82E-05	4.86E-05	9.41E-05
GROUND	1.15E-03	1.15E-03	1.15E-03	1.15E-03	1.15E-03	1.15E-03	1.15E-03	1.35E-03
VEGET								
ADULT	2.59E-05	1.57E-04	4.31E-05	2.19E-05	6.62E-06	3.63E-04	1.26E-06	0.00E+00
TEEN	3.60E-05	1.67E-04	6.54E-05	3.42E-05	1.03E-05	4.89E-04	2.34E-06	0.00E+00
CHILD	6.56E-05	1.10E-04	1.48E-04	5.54E-05	1.63E-05	9.37E-04	3.55E-06	0.00E+00
MEAT								
ADULT	5.62E-06	4.22E-05	1.38E-06	4.06E-06	8.65E-07	9.76E-06	1.86E-07	0.00E+00
TEEN	4.26E-06	2.27E-05	1.08E-06	3.18E-06	6.60E-07	7.07E-06	1.71E-07	0.00E+00
CHILD	6.40E-06	1.15E-05	1.88E-06	3.85E-06	7.83E-07	1.07E-05	1.97E-07	0.00E+00
COW MILK								
ADULT	7.31E-06	1.14E-05	8.04E-06	1.11E-05	5.79E-06	2.72E-04	7.69E-07	0.00E+00
TEEN	9.15E-06	1.33E-05	1.41E-05	1.93E-05	9.92E-06	4.31E-04	1.59E-06	0.00E+00
CHILD	1.31E-05	8.83E-06	3.28E-05	3.22E-05	1.59E-05	8.54E-04	2.44E-06	0.00E+00
INFANT	1.79E-05	1.80E-05	5.25E-05	6.25E-05	2.47E-05	2.07E-03	4.43E-06	0.00E+00
GOATMILK								
ADULT	1.41E-05	2.25E-06	1.88E-05	2.15E-05	8.79E-06	3.27E-04	2.26E-06	0.00E+00
TEEN	1.39E-05	2.79E-06	3.35E-05	3.79E-05	1.55E-05	5.17E-04	4.68E-06	0.00E+00
CHILD	1.21E-05	1.99E-06	7.99E-05	6.55E-05	2.57E-05	1.02E-03	7.19E-06	0.00E+00
INFANT	1.38E-05	3.08E-06	1.28E-04	1.29E-04	4.18E-05	2.49E-03	1.30E-05	0.00E+00
INHAL								
ADULT	3.30E-07	2.44E-06	3.17E-07	4.90E-07	3.18E-07	1.97E-05	4.81E-05	0.00E+00
TEEN	3.98E-07	2.30E-06	4.29E-07	6.64E-07	4.35E-07	2.48E-05	7.03E-05	0.00E+00
CHILD	4.24E-07	1.59E-06	5.66E-07	6.29E-07	4.06E-07	2.87E-05	5.70E-05	0.00E+00
INFANT	2.55E-07	1.12E-06	3.78E-07	5.04E-07	2.61E-07	2.63E-05	3.65E-05	0.00E+00

TABLE 8. DOSES TO POPULATION WITHIN 50 MILES, JANUARY-MARCH 2011

ALARA ANNUAL INTEGRATED POPULATION DOSE SUMMARY (PERSON-REM)

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	3.94E-06 1.13%	3.94E-06 .95%	3.94E-06 1.18%	3.94E-06 1.16%	3.94E-06 1.18%	3.94E-06 .54%	4.01E-06 1.05%	1.04E-05 2.63%
GROUND	3.27E-04 94.33%	3.27E-04 78.79%	3.27E-04 98.14%	3.27E-04 96.26%	3.27E-04 97.91%	3.27E-04 44.57%	3.27E-04 86.01%	3.85E-04 97.37%
INHAL	2.00E-07 .06%	2.06E-06 .50%	1.07E-07 .03%	2.46E-07 .07%	2.26E-07 .07%	3.24E-05 4.42%	4.92E-05 12.93%	0.00E+00 .00%
VEGET	1.02E-05 2.94%	5.55E-05 13.37%	7.30E-07 .22%	4.63E-06 1.36%	2.53E-07 .08%	4.28E-06 .58%	1.96E-10 .00%	0.00E+00 .00%
COW MILK	2.44E-06 .70%	7.21E-06 1.74%	1.35E-06 .41%	2.54E-06 .75%	2.45E-06 .73%	3.59E-04 48.89%	1.52E-09 .00%	0.00E+00 .00%
MEAT	2.91E-06 .84%	1.94E-05 4.66%	6.64E-08 .02%	1.36E-06 .40%	1.17E-07 .04%	7.37E-06 1.00%	2.23E-11 .00%	0.00E+00 .00%
TOTAL	3.47E-04	4.15E-04	3.33E-04	3.40E-04	3.34E-04	7.34E-04	3.80E-04	3.95E-04

TABLE 9. DOSES TO POPULATION WITHIN 50 MILES, APRIL-JUNE 2011

ALARA ANNUAL INTEGRATED POPULATION DOSE SUMMARY (PERSON-REM)

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	3.60E-05 7.81%	3.60E-05 6.58%	3.60E-05 7.05%	3.60E-05 7.87%	3.60E-05 8.10%	3.60E-05 6.09%	3.64E-05 7.66%	7.89E-05 14.38%
GROUND	3.99E-04 86.60%	3.99E-04 72.88%	3.99E-04 78.09%	3.99E-04 87.24%	3.99E-04 89.81%	3.99E-04 67.50%	3.99E-04 83.90%	4.69E-04 85.62%
INHAL	2.14E-07 .05%	1.77E-06 .32%	5.71E-07 .11%	3.00E-07 .07%	1.86E-07 .04%	9.59E-06 1.62%	3.98E-05 8.36%	0.00E+00 .00%
VEGET	1.45E-05 3.14%	7.12E-05 13.00%	6.31E-05 12.35%	8.28E-06 1.81%	1.58E-06 .36%	1.72E-06 .29%	1.55E-07 .03%	0.00E+00 .00%
COW MILK	6.89E-06 1.50%	1.27E-05 2.31%	1.08E-05 2.11%	1.06E-05 2.31%	6.71E-06 1.51%	1.42E-04 24.00%	7.52E-08 .02%	0.00E+00 .00%
MEAT	4.16E-06 .90%	2.69E-05 4.91%	1.48E-06 .29%	3.21E-06 .70%	8.14E-07 .18%	2.92E-06 .49%	1.65E-07 .03%	0.00E+00 .00%
TOTAL	4.61E-04	5.47E-04	5.11E-04	4.57E-04	4.44E-04	5.91E-04	4.76E-04	5.48E-04

TABLE 10. DOSES TO POPULATION WITHIN 50 MILES, JANUARY-JUNE 2011

ALARA ANNUAL INTEGRATED POPULATION DOSE SUMMARY (PERSON-REM)

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	4.22E-05 5.22%	4.22E-05 4.38%	4.22E-05 5.00%	4.22E-05 5.29%	4.22E-05 5.42%	4.22E-05 3.19%	4.27E-05 4.98%	9.37E-05 9.91%
GROUND	7.25E-04 89.65%	7.25E-04 75.22%	7.25E-04 85.92%	7.25E-04 90.81%	7.25E-04 93.00%	7.25E-04 54.80%	7.25E-04 84.40%	8.53E-04 90.09%
INHAL	4.16E-07 .05%	3.91E-06 .41%	6.99E-07 .08%	5.49E-07 .07%	3.94E-07 .05%	3.86E-05 2.92%	9.09E-05 10.58%	0.00E+00 .00%
VEGET	2.46E-05 3.05%	1.27E-04 13.14%	6.24E-05 7.40%	1.29E-05 1.62%	1.83E-06 .24%	6.00E-06 .45%	1.55E-07 .02%	0.00E+00 .00%
COW MILK	9.32E-06 1.15%	1.99E-05 2.06%	1.19E-05 1.41%	1.31E-05 1.64%	9.16E-06 1.18%	5.01E-04 37.86%	7.57E-08 .01%	0.00E+00 .00%
MEAT	7.06E-06 .87%	4.62E-05 4.80%	1.52E-06 .18%	4.57E-06 .57%	9.31E-07 .12%	1.03E-05 .78%	1.65E-07 .02%	0.00E+00 .00%
TOTAL	8.08E-04	9.64E-04	8.44E-04	7.98E-04	7.79E-04	1.32E-03	8.59E-04	9.46E-04

TABLE 11. DOSES TO POPULATION WITHIN 50 MILES, JULY-SEPTEMBER 2011

ALARA ANNUAL INTEGRATED POPULATION DOSE SUMMARY (PERSON-REM)

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	1.69E-06 1.14%	1.69E-06 1.04%	1.69E-06 1.09%	1.69E-06 1.05%	1.69E-06 1.18%	1.69E-06 .49%	1.71E-06 1.13%	3.68E-06 2.32%
GROUND	1.32E-04 88.90%	1.32E-04 81.13%	1.32E-04 84.98%	1.32E-04 82.48%	1.32E-04 92.50%	1.32E-04 38.26%	1.32E-04 87.45%	1.55E-04 97.68%
INHAL	1.48E-07 .10%	5.91E-07 .36%	1.79E-07 .12%	2.43E-07 .15%	1.41E-07 .10%	1.36E-05 3.95%	1.45E-05 9.61%	0.00E+00 .00%
VEGET	7.25E-06 4.88%	1.92E-05 11.81%	8.30E-06 5.35%	1.04E-05 6.53%	3.03E-06 2.13%	2.30E-06 .67%	1.04E-06 .69%	0.00E+00 .00%
COW MILK	6.00E-06 4.04%	2.56E-06 1.57%	1.25E-05 8.06%	1.44E-05 9.03%	5.56E-06 3.90%	1.91E-04 55.49%	1.61E-06 1.07%	0.00E+00 .00%
MEAT	1.39E-06 .94%	6.65E-06 4.09%	6.33E-07 .41%	1.20E-06 .75%	2.82E-07 .20%	3.95E-06 1.14%	8.92E-08 .06%	0.00E+00 .00%
TOTAL	1.48E-04	1.63E-04	1.55E-04	1.60E-04	1.43E-04	3.45E-04	1.51E-04	1.59E-04

TABLE 12. DOSES TO POPULATION WITHIN 50 MILES, OCTOBER-DECEMBER 2011

ALARA ANNUAL INTEGRATED POPULATION DOSE SUMMARY (PERSON-REM)

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	: 2.35E-06 : : 1.79% :	: 2.35E-06 : : 1.62% :	: 2.35E-06 : : 1.73% :	: 2.35E-06 : : 1.69% :	: 2.35E-06 : : 1.86% :	: 2.35E-06 : : .89% :	: 2.37E-06 : : 1.66% :	: 5.20E-06 : : 3.63% :
GROUND	: 1.17E-04 : : 89.57% :	: 1.17E-04 : : 81.18% :	: 1.17E-04 : : 86.62% :	: 1.17E-04 : : 84.43% :	: 1.17E-04 : : 93.00% :	: 1.17E-04 : : 44.50% :	: 1.17E-04 : : 82.35% :	: 1.38E-04 : : 96.37% :
INHAL	: 1.92E-07 : : .15% :	: 8.48E-07 : : .59% :	: 2.27E-07 : : .17% :	: 3.17E-07 : : .23% :	: 1.95E-07 : : .15% :	: 1.78E-05 : : 6.74% :	: 2.08E-05 : : 14.61% :	: 0.00E+00 : : .00% :
VEGET	: 5.66E-06 : : 4.32% :	: 1.63E-05 : : 11.24% :	: 6.13E-06 : : 4.52% :	: 7.70E-06 : : 5.54% :	: 2.18E-06 : : 1.73% :	: 1.49E-06 : : .56% :	: 7.47E-07 : : .52% :	: 0.00E+00 : : .00% :
COW MILK	: 4.35E-06 : : 3.32% :	: 2.12E-06 : : 1.47% :	: 8.98E-06 : : 6.62% :	: 1.04E-05 : : 7.46% :	: 3.92E-06 : : 3.10% :	: 1.22E-04 : : 46.34% :	: 1.16E-06 : : .81% :	: 0.00E+00 : : .00% :
MEAT	: 1.12E-06 : : .86% :	: 5.63E-06 : : 3.89% :	: 4.56E-07 : : .34% :	: 9.19E-07 : : .66% :	: 2.01E-07 : : .16% :	: 2.54E-06 : : .96% :	: 6.41E-08 : : .04% :	: 0.00E+00 : : .00% :
TOTAL	: 1.31E-04	: 1.45E-04	: 1.36E-04	: 1.39E-04	: 1.26E-04	: 2.64E-04	: 1.43E-04	: 1.43E-04

TABLE 13. DOSES TO POPULATION WITHIN 50 MILES, JULY-DECEMBER 2011

ALARA ANNUAL INTEGRATED POPULATION DOSE SUMMARY (PERSON-REM)

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	3.70E-06 1.32%	3.70E-06 1.20%	3.70E-06 1.27%	3.70E-06 1.24%	3.70E-06 1.38%	3.70E-06 .61%	3.74E-06 1.27%	8.19E-06 2.71%
GROUND	2.50E-04 89.36%	2.50E-04 81.26%	2.50E-04 85.91%	2.50E-04 83.56%	2.50E-04 92.88%	2.50E-04 41.01%	2.50E-04 84.97%	2.94E-04 97.29%
INHAL	3.48E-07 .12%	1.45E-06 .47%	4.16E-07 .14%	5.71E-07 .19%	3.39E-07 .13%	3.20E-05 5.25%	3.58E-05 12.17%	0.00E+00 .00%
VEGET	1.29E-05 4.61%	3.55E-05 11.54%	1.44E-05 4.94%	1.81E-05 6.05%	5.19E-06 1.93%	3.79E-06 .62%	1.78E-06 .60%	0.00E+00 .00%
COW MILK	1.03E-05 3.69%	4.69E-06 1.52%	2.14E-05 7.36%	2.47E-05 8.26%	9.45E-06 3.51%	3.14E-04 51.44%	2.76E-06 .94%	0.00E+00 .00%
MEAT	2.51E-06 .90%	1.23E-05 4.00%	1.09E-06 .37%	2.12E-06 .71%	4.81E-07 .18%	6.49E-06 1.06%	1.53E-07 .05%	0.00E+00 .00%
TOTAL	2.80E-04	3.08E-04	2.91E-04	2.99E-04	2.69E-04	6.10E-04	2.94E-04	3.02E-04

TABLE 14. DOSES TO POPULATION WITHIN 50 MILES, JANUARY-DECEMBER 2011

ALARA ANNUAL INTEGRATED POPULATION DOSE SUMMARY (PERSON-REM)

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	4.58E-05 4.10%	4.58E-05 3.52%	4.58E-05 3.94%	4.58E-05 4.07%	4.58E-05 4.25%	4.58E-05 2.33%	4.63E-05 3.88%	1.01E-04 7.90%
GROUND	1.00E-03 89.85%	1.00E-03 77.16%	1.00E-03 86.30%	1.00E-03 89.12%	1.00E-03 93.17%	1.00E-03 51.10%	1.00E-03 84.06%	1.18E-03 92.10%
INHAL	7.79E-07 .07%	5.89E-06 .45%	1.18E-06 .10%	1.12E-06 .10%	7.40E-07 .07%	7.34E-05 3.74%	1.39E-04 11.63%	0.00E+00 .00%
VEGET	3.75E-05 3.36%	1.62E-04 12.47%	7.64E-05 6.57%	3.10E-05 2.75%	7.03E-06 .65%	9.79E-06 .50%	1.93E-06 .16%	0.00E+00 .00%
COW MILK	1.96E-05 1.76%	2.46E-05 1.89%	3.33E-05 2.86%	3.78E-05 3.36%	1.86E-05 1.73%	8.14E-04 41.48%	2.83E-06 .24%	0.00E+00 .00%
MEAT	9.58E-06 .86%	5.85E-05 4.50%	2.61E-06 .22%	6.69E-06 .59%	1.41E-06 .13%	1.68E-05 .85%	3.18E-07 .03%	0.00E+00 .00%
TOTAL	1.12E-03	1.30E-03	1.16E-03	1.13E-03	1.08E-03	1.96E-03	1.19E-03	1.28E-03

CARBON-14 GASEOUS EFFLUENT DOSE CALCULATIONS

Doses to the maximum individual resulting from the release of Carbon-14 in gaseous effluents from the Cooper Nuclear Station (CNS) were calculated using the GASPAR computer code. Four pathways were selected for individual dose calculations: the nearest site boundary for inhalation, nearest garden for vegetation ingestion, nearest animal for meat ingestion, and the nearest milk animal (cow). Based on the 2011 Land Use Census, there are no meat or milk animals identified within 5 miles of CNS. However, CNS maintains a virtual cow receptor at 3.5 miles north-northwest of the plant and conservatively includes this receptor in dose calculations.

Use of a normalized Carbon-14 source term and scaling factors based on the annual thermal gigawatts (GW_T) power generation were utilized to determine the quantity of Carbon-14 in the CNS gaseous effluent discharge for 2011. Specifically, the Boiling Water Reactor proxy production rate of 5.1 curies Carbon-14 per GW_T generation using the methodology described in EPRI, 20110 was the basis for the CNS total calculated emissions of 10.4 curies of Carbon-14 in 2011.

GASPAR implements the radiological dose models of Regulatory Guide 1.109 for determining the radiation exposure to man from four principal atmospheric exposure pathways: plume, ground, inhalation, and ingestion. Doses to the maximum individual are calculated as a function of age group and pathway for significant body organs.

Tables 15 through 21 present maximum individual doses. Note that the inhalation pathway was calculated at the closest site boundary receptor and was negligible for Carbon-14 and is not included in the tables. In addition, the doses presented were conservatively calculated based on the annual site X/Qs. These X/Qs result in doses approximately 20% higher than those calculated with the X/Qs based on growing season meteorology.

Additional assumptions and data used for input to the GASPAR code are described in a separate section of this appendix (see page F-67).

TABLE 15. CARBON-14 DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-MARCH 2011

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 0.00E+00 MILLRADS
ANNUAL GAMMA AIR DOSE = 0.00E+00 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
GROUND	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
VEGET								
ADULT	5.27E-03	5.27E-03	2.64E-02	5.27E-03	5.27E-03	5.27E-03	5.27E-03	5.27E-03
TEEN	8.82E-03	8.82E-03	4.41E-02	8.82E-03	8.82E-03	8.82E-03	8.82E-03	8.82E-03
CHILD	2.15E-02	2.15E-02	1.07E-01	2.15E-02	2.15E-02	2.15E-02	2.15E-02	2.15E-02
MEAT								
ADULT	2.11E-03	2.11E-03	1.05E-02	2.11E-03	2.11E-03	2.11E-03	2.11E-03	2.11E-03
TEEN	1.78E-03	1.78E-03	8.89E-03	1.78E-03	1.78E-03	1.78E-03	1.78E-03	1.78E-03
CHILD	3.34E-03	3.34E-03	1.67E-02	3.34E-03	3.34E-03	3.34E-03	3.34E-03	3.34E-03
COW MILK								
ADULT	2.30E-03	2.30E-03	1.15E-02	2.30E-03	2.30E-03	2.30E-03	2.30E-03	2.30E-03
TEEN	4.24E-03	4.24E-03	2.12E-02	4.24E-03	4.24E-03	4.24E-03	4.24E-03	4.24E-03
CHILD	1.04E-02	1.04E-02	5.21E-02	1.04E-02	1.04E-02	1.04E-02	1.04E-02	1.04E-02
INFANT	2.18E-02	2.18E-02	1.02E-01	2.18E-02	2.18E-02	2.18E-02	2.18E-02	2.18E-02
GOATMILK								
ADULT	2.30E-03	2.30E-03	1.15E-02	2.30E-03	2.30E-03	2.30E-03	2.30E-03	2.30E-03
TEEN	4.24E-03	4.24E-03	2.12E-02	4.24E-03	4.24E-03	4.24E-03	4.24E-03	4.24E-03
CHILD	1.04E-02	1.04E-02	5.21E-02	1.04E-02	1.04E-02	1.04E-02	1.04E-02	1.04E-02
INFANT	2.18E-02	2.18E-02	1.02E-01	2.18E-02	2.18E-02	2.18E-02	2.18E-02	2.18E-02

TABLE 15. CARBON-14 DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-MARCH 2011 (Continued)

SPECIAL LOCATION NO. 5 A Nearest Garden
 AT 1.30 MILES SW

ANNUAL BETA AIR DOSE = 0.00E+00 MILLRADS
 ANNUAL GAMMA AIR DOSE = 0.00E+00 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
GROUND	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
VEGET								
ADULT	1.10E-02	1.10E-02	5.48E-02	1.10E-02	1.10E-02	1.10E-02	1.10E-02	1.10E-02
TEEN	1.83E-02	1.83E-02	9.17E-02	1.83E-02	1.83E-02	1.83E-02	1.83E-02	1.83E-02
CHILD	4.46E-02	4.46E-02	2.23E-01	4.46E-02	4.46E-02	4.46E-02	4.46E-02	4.46E-02
MEAT								
ADULT	4.38E-03	4.38E-03	2.19E-02	4.38E-03	4.38E-03	4.38E-03	4.38E-03	4.38E-03
TEEN	3.70E-03	3.70E-03	1.85E-02	3.70E-03	3.70E-03	3.70E-03	3.70E-03	3.70E-03
CHILD	6.95E-03	6.95E-03	3.47E-02	6.95E-03	6.95E-03	6.95E-03	6.95E-03	6.95E-03
COW MILK								
ADULT	4.77E-03	4.77E-03	2.39E-02	4.77E-03	4.77E-03	4.77E-03	4.77E-03	4.77E-03
TEEN	8.81E-03	8.81E-03	4.40E-02	8.81E-03	8.81E-03	8.81E-03	8.81E-03	8.81E-03
CHILD	2.17E-02	2.17E-02	1.08E-01	2.17E-02	2.17E-02	2.17E-02	2.17E-02	2.17E-02
INFANT	4.53E-02	4.53E-02	2.12E-01	4.53E-02	4.53E-02	4.53E-02	4.53E-02	4.53E-02
GOATMILK								
ADULT	4.77E-03	4.77E-03	2.39E-02	4.77E-03	4.77E-03	4.77E-03	4.77E-03	4.77E-03
TEEN	8.81E-03	8.81E-03	4.40E-02	8.81E-03	8.81E-03	8.81E-03	8.81E-03	8.81E-03
CHILD	2.17E-02	2.17E-02	1.08E-01	2.17E-02	2.17E-02	2.17E-02	2.17E-02	2.17E-02
INFANT	4.53E-02	4.53E-02	2.12E-01	4.53E-02	4.53E-02	4.53E-02	4.53E-02	4.53E-02

TABLE 16. CARBON-14 DOSES TO MAXIMUM INDIVIDUAL (MREM), APRIL-JUNE 2011

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 0.00E+00 MILLRADS
ANNUAL GAMMA AIR DOSE = 0.00E+00 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
GROUND	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
VEGET								
ADULT	2.64E-03	2.64E-03	1.32E-02	2.64E-03	2.64E-03	2.64E-03	2.64E-03	2.64E-03
TEEN	4.41E-03	4.41E-03	2.21E-02	4.41E-03	4.41E-03	4.41E-03	4.41E-03	4.41E-03
CHILD	1.07E-02	1.07E-02	5.37E-02	1.07E-02	1.07E-02	1.07E-02	1.07E-02	1.07E-02
MEAT								
ADULT	1.05E-03	1.05E-03	5.26E-03	1.05E-03	1.05E-03	1.05E-03	1.05E-03	1.05E-03
TEEN	8.89E-04	8.89E-04	4.45E-03	8.89E-04	8.89E-04	8.89E-04	8.89E-04	8.89E-04
CHILD	1.67E-03	1.67E-03	8.36E-03	1.67E-03	1.67E-03	1.67E-03	1.67E-03	1.67E-03
COW MILK								
ADULT	1.15E-03	1.15E-03	5.74E-03	1.15E-03	1.15E-03	1.15E-03	1.15E-03	1.15E-03
TEEN	2.12E-03	2.12E-03	1.06E-02	2.12E-03	2.12E-03	2.12E-03	2.12E-03	2.12E-03
CHILD	5.21E-03	5.21E-03	2.60E-02	5.21E-03	5.21E-03	5.21E-03	5.21E-03	5.21E-03
INFANT	1.09E-02	1.09E-02	5.10E-02	1.09E-02	1.09E-02	1.09E-02	1.09E-02	1.09E-02
GOATMILK								
ADULT	1.15E-03	1.15E-03	5.74E-03	1.15E-03	1.15E-03	1.15E-03	1.15E-03	1.15E-03
TEEN	2.12E-03	2.12E-03	1.06E-02	2.12E-03	2.12E-03	2.12E-03	2.12E-03	2.12E-03
CHILD	5.21E-03	5.21E-03	2.60E-02	5.21E-03	5.21E-03	5.21E-03	5.21E-03	5.21E-03
INFANT	1.09E-02	1.09E-02	5.10E-02	1.09E-02	1.09E-02	1.09E-02	1.09E-02	1.09E-02

TABLE 16. CARBON-14 DOSES TO MAXIMUM INDIVIDUAL (MREM), APRIL-JUNE 2011 (Continued)

SPECIAL LOCATION NO. 5 A Nearest Garden
 AT 1.30 MILES SW

ANNUAL BETA AIR DOSE = 0.00E+00 MILLRADS
 ANNUAL GAMMA AIR DOSE = 0.00E+00 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
GROUND	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
VEGET								
ADULT	8.61E-03	8.61E-03	4.30E-02	8.61E-03	8.61E-03	8.61E-03	8.61E-03	8.61E-03
TEEN	1.44E-02	1.44E-02	7.20E-02	1.44E-02	1.44E-02	1.44E-02	1.44E-02	1.44E-02
CHILD	3.50E-02	3.50E-02	1.75E-01	3.50E-02	3.50E-02	3.50E-02	3.50E-02	3.50E-02
MEAT								
ADULT	3.43E-03	3.43E-03	1.72E-02	3.43E-03	3.43E-03	3.43E-03	3.43E-03	3.43E-03
TEEN	2.90E-03	2.90E-03	1.45E-02	2.90E-03	2.90E-03	2.90E-03	2.90E-03	2.90E-03
CHILD	5.45E-03	5.45E-03	2.73E-02	5.45E-03	5.45E-03	5.45E-03	5.45E-03	5.45E-03
COW MILK								
ADULT	3.75E-03	3.75E-03	1.87E-02	3.75E-03	3.75E-03	3.75E-03	3.75E-03	3.75E-03
TEEN	6.91E-03	6.91E-03	3.46E-02	6.91E-03	6.91E-03	6.91E-03	6.91E-03	6.91E-03
CHILD	1.70E-02	1.70E-02	8.50E-02	1.70E-02	1.70E-02	1.70E-02	1.70E-02	1.70E-02
INFANT	3.55E-02	3.55E-02	1.66E-01	3.55E-02	3.55E-02	3.55E-02	3.55E-02	3.55E-02
GOATMILK								
ADULT	3.75E-03	3.75E-03	1.87E-02	3.75E-03	3.75E-03	3.75E-03	3.75E-03	3.75E-03
TEEN	6.91E-03	6.91E-03	3.46E-02	6.91E-03	6.91E-03	6.91E-03	6.91E-03	6.91E-03
CHILD	1.70E-02	1.70E-02	8.50E-02	1.70E-02	1.70E-02	1.70E-02	1.70E-02	1.70E-02
INFANT	3.55E-02	3.55E-02	1.66E-01	3.55E-02	3.55E-02	3.55E-02	3.55E-02	3.55E-02

TABLE 17. CARBON-14 DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-JUNE 2011

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 0.00E+00 MILLRADS
ANNUAL GAMMA AIR DOSE = 0.00E+00 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
GROUND	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
VEGET								
ADULT	8.05E-03	8.05E-03	4.03E-02	8.05E-03	8.05E-03	8.05E-03	8.05E-03	8.05E-03
TEEN	1.35E-02	1.35E-02	6.73E-02	1.35E-02	1.35E-02	1.35E-02	1.35E-02	1.35E-02
CHILD	3.28E-02	3.28E-02	1.64E-01	3.28E-02	3.28E-02	3.28E-02	3.28E-02	3.28E-02
MEAT								
ADULT	3.21E-03	3.21E-03	1.61E-02	3.21E-03	3.21E-03	3.21E-03	3.21E-03	3.21E-03
TEEN	2.71E-03	2.71E-03	1.36E-02	2.71E-03	2.71E-03	2.71E-03	2.71E-03	2.71E-03
CHILD	5.10E-03	5.10E-03	2.55E-02	5.10E-03	5.10E-03	5.10E-03	5.10E-03	5.10E-03
COW MILK								
ADULT	3.50E-03	3.50E-03	1.75E-02	3.50E-03	3.50E-03	3.50E-03	3.50E-03	3.50E-03
TEEN	6.47E-03	6.47E-03	3.23E-02	6.47E-03	6.47E-03	6.47E-03	6.47E-03	6.47E-03
CHILD	1.59E-02	1.59E-02	7.95E-02	1.59E-02	1.59E-02	1.59E-02	1.59E-02	1.59E-02
INFANT	3.32E-02	3.32E-02	1.56E-01	3.32E-02	3.32E-02	3.32E-02	3.32E-02	3.32E-02
GOATMILK								
ADULT	3.50E-03	3.50E-03	1.75E-02	3.50E-03	3.50E-03	3.50E-03	3.50E-03	3.50E-03
TEEN	6.47E-03	6.47E-03	3.23E-02	6.47E-03	6.47E-03	6.47E-03	6.47E-03	6.47E-03
CHILD	1.59E-02	1.59E-02	7.95E-02	1.59E-02	1.59E-02	1.59E-02	1.59E-02	1.59E-02
INFANT	3.32E-02	3.32E-02	1.56E-01	3.32E-02	3.32E-02	3.32E-02	3.32E-02	3.32E-02

TABLE 17. CARBON-14 DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-JUNE 2011 (Continued)

SPECIAL LOCATION NO. 5 A Nearest Garden
 AT 1.30 MILES SW

ANNUAL BETA AIR DOSE = 0.00E+00 MILLRADS
 ANNUAL GAMMA AIR DOSE = 0.00E+00 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
GROUND	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
VEGET								
ADULT	1.94E-02	1.94E-02	9.72E-02	1.94E-02	1.94E-02	1.94E-02	1.94E-02	1.94E-02
TEEN	3.25E-02	3.25E-02	1.62E-01	3.25E-02	3.25E-02	3.25E-02	3.25E-02	3.25E-02
CHILD	7.91E-02	7.91E-02	3.96E-01	7.91E-02	7.91E-02	7.91E-02	7.91E-02	7.91E-02
MEAT								
ADULT	7.76E-03	7.76E-03	3.88E-02	7.76E-03	7.76E-03	7.76E-03	7.76E-03	7.76E-03
TEEN	6.55E-03	6.55E-03	3.28E-02	6.55E-03	6.55E-03	6.55E-03	6.55E-03	6.55E-03
CHILD	1.23E-02	1.23E-02	6.16E-02	1.23E-02	1.23E-02	1.23E-02	1.23E-02	1.23E-02
COW MILK								
ADULT	8.46E-03	8.46E-03	4.23E-02	8.46E-03	8.46E-03	8.46E-03	8.46E-03	8.46E-03
TEEN	1.56E-02	1.56E-02	7.80E-02	1.56E-02	1.56E-02	1.56E-02	1.56E-02	1.56E-02
CHILD	3.84E-02	3.84E-02	1.92E-01	3.84E-02	3.84E-02	3.84E-02	3.84E-02	3.84E-02
INFANT	8.02E-02	8.02E-02	3.76E-01	8.02E-02	8.02E-02	8.02E-02	8.02E-02	8.02E-02
GOATMILK								
ADULT	8.46E-03	8.46E-03	4.23E-02	8.46E-03	8.46E-03	8.46E-03	8.46E-03	8.46E-03
TEEN	1.56E-02	1.56E-02	7.80E-02	1.56E-02	1.56E-02	1.56E-02	1.56E-02	1.56E-02
CHILD	3.84E-02	3.84E-02	1.92E-01	3.84E-02	3.84E-02	3.84E-02	3.84E-02	3.84E-02
INFANT	8.02E-02	8.02E-02	3.76E-01	8.02E-02	8.02E-02	8.02E-02	8.02E-02	8.02E-02

TABLE 18. CARBON-14 DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-SEPTEMBER 2011

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 0.00E+00 MILLRADS
ANNUAL GAMMA AIR DOSE = 0.00E+00 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
GROUND	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
VEGET								
ADULT	4.16E-03	4.16E-03	2.08E-02	4.16E-03	4.16E-03	4.16E-03	4.16E-03	4.16E-03
TEEN	6.96E-03	6.96E-03	3.48E-02	6.96E-03	6.96E-03	6.96E-03	6.96E-03	6.96E-03
CHILD	1.70E-02	1.70E-02	8.48E-02	1.70E-02	1.70E-02	1.70E-02	1.70E-02	1.70E-02
MEAT								
ADULT	1.66E-03	1.66E-03	8.31E-03	1.66E-03	1.66E-03	1.66E-03	1.66E-03	1.66E-03
TEEN	1.40E-03	1.40E-03	7.02E-03	1.40E-03	1.40E-03	1.40E-03	1.40E-03	1.40E-03
CHILD	2.64E-03	2.64E-03	1.32E-02	2.64E-03	2.64E-03	2.64E-03	2.64E-03	2.64E-03
COW MILK								
ADULT	1.81E-03	1.81E-03	9.06E-03	1.81E-03	1.81E-03	1.81E-03	1.81E-03	1.81E-03
TEEN	3.34E-03	3.34E-03	1.67E-02	3.34E-03	3.34E-03	3.34E-03	3.34E-03	3.34E-03
CHILD	8.22E-03	8.22E-03	4.11E-02	8.22E-03	8.22E-03	8.22E-03	8.22E-03	8.22E-03
INFANT	1.72E-02	1.72E-02	8.05E-02	1.72E-02	1.72E-02	1.72E-02	1.72E-02	1.72E-02
GOATMILK								
ADULT	1.81E-03	1.81E-03	9.06E-03	1.81E-03	1.81E-03	1.81E-03	1.81E-03	1.81E-03
TEEN	3.34E-03	3.34E-03	1.67E-02	3.34E-03	3.34E-03	3.34E-03	3.34E-03	3.34E-03
CHILD	8.22E-03	8.22E-03	4.11E-02	8.22E-03	8.22E-03	8.22E-03	8.22E-03	8.22E-03
INFANT	1.72E-02	1.72E-02	8.05E-02	1.72E-02	1.72E-02	1.72E-02	1.72E-02	1.72E-02

TABLE 18. CARBON-14 DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-SEPTEMBER 2011 (Continued)

SPECIAL LOCATION NO. 5 A Nearest Garden
 AT 1.30 MILES SW

ANNUAL BETA AIR DOSE = 0.00E+00 MILLRADS
 ANNUAL GAMMA AIR DOSE = 0.00E+00 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
GROUND	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
VEGET								
ADULT	8.47E-03	8.47E-03	4.23E-02	8.47E-03	8.47E-03	8.47E-03	8.47E-03	8.47E-03
TEEN	1.42E-02	1.42E-02	7.08E-02	1.42E-02	1.42E-02	1.42E-02	1.42E-02	1.42E-02
CHILD	3.45E-02	3.45E-02	1.72E-01	3.45E-02	3.45E-02	3.45E-02	3.45E-02	3.45E-02
MEAT								
ADULT	3.38E-03	3.38E-03	1.69E-02	3.38E-03	3.38E-03	3.38E-03	3.38E-03	3.38E-03
TEEN	2.85E-03	2.85E-03	1.43E-02	2.85E-03	2.85E-03	2.85E-03	2.85E-03	2.85E-03
CHILD	5.37E-03	5.37E-03	2.68E-02	5.37E-03	5.37E-03	5.37E-03	5.37E-03	5.37E-03
COW MILK								
ADULT	3.69E-03	3.69E-03	1.84E-02	3.69E-03	3.69E-03	3.69E-03	3.69E-03	3.69E-03
TEEN	6.80E-03	6.80E-03	3.40E-02	6.80E-03	6.80E-03	6.80E-03	6.80E-03	6.80E-03
CHILD	1.67E-02	1.67E-02	8.36E-02	1.67E-02	1.67E-02	1.67E-02	1.67E-02	1.67E-02
INFANT	3.50E-02	3.50E-02	1.64E-01	3.50E-02	3.50E-02	3.50E-02	3.50E-02	3.50E-02
GOATMILK								
ADULT	3.69E-03	3.69E-03	1.84E-02	3.69E-03	3.69E-03	3.69E-03	3.69E-03	3.69E-03
TEEN	6.80E-03	6.80E-03	3.40E-02	6.80E-03	6.80E-03	6.80E-03	6.80E-03	6.80E-03
CHILD	1.67E-02	1.67E-02	8.36E-02	1.67E-02	1.67E-02	1.67E-02	1.67E-02	1.67E-02
INFANT	3.50E-02	3.50E-02	1.64E-01	3.50E-02	3.50E-02	3.50E-02	3.50E-02	3.50E-02

TABLE 19. CARBON-14 DOSES TO MAXIMUM INDIVIDUAL (MREM), OCTOBER-DECEMBER 2011

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 0.00E+00 MILLRADS
ANNUAL GAMMA AIR DOSE = 0.00E+00 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
GROUND	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
VEGET								
ADULT	8.74E-03	8.74E-03	4.37E-02	8.74E-03	8.74E-03	8.74E-03	8.74E-03	8.74E-03
TEEN	1.46E-02	1.46E-02	7.31E-02	1.46E-02	1.46E-02	1.46E-02	1.46E-02	1.46E-02
CHILD	3.56E-02	3.56E-02	1.78E-01	3.56E-02	3.56E-02	3.56E-02	3.56E-02	3.56E-02
MEAT								
ADULT	3.49E-03	3.49E-03	1.74E-02	3.49E-03	3.49E-03	3.49E-03	3.49E-03	3.49E-03
TEEN	2.95E-03	2.95E-03	1.47E-02	2.95E-03	2.95E-03	2.95E-03	2.95E-03	2.95E-03
CHILD	5.54E-03	5.54E-03	2.77E-02	5.54E-03	5.54E-03	5.54E-03	5.54E-03	5.54E-03
COW MILK								
ADULT	3.81E-03	3.81E-03	1.90E-02	3.81E-03	3.81E-03	3.81E-03	3.81E-03	3.81E-03
TEEN	7.02E-03	7.02E-03	3.51E-02	7.02E-03	7.02E-03	7.02E-03	7.02E-03	7.02E-03
CHILD	1.73E-02	1.73E-02	8.63E-02	1.73E-02	1.73E-02	1.73E-02	1.73E-02	1.73E-02
INFANT	3.61E-02	3.61E-02	1.69E-01	3.61E-02	3.61E-02	3.61E-02	3.61E-02	3.61E-02
GOATMILK								
ADULT	3.81E-03	3.81E-03	1.90E-02	3.81E-03	3.81E-03	3.81E-03	3.81E-03	3.81E-03
TEEN	7.02E-03	7.02E-03	3.51E-02	7.02E-03	7.02E-03	7.02E-03	7.02E-03	7.02E-03
CHILD	1.73E-02	1.73E-02	8.63E-02	1.73E-02	1.73E-02	1.73E-02	1.73E-02	1.73E-02
INFANT	3.61E-02	3.61E-02	1.69E-01	3.61E-02	3.61E-02	3.61E-02	3.61E-02	3.61E-02

TABLE 19. CARBON-14 DOSES TO MAXIMUM INDIVIDUAL (MREM), OCTOBER-DECEMBER 2011(Continued)

SPECIAL LOCATION NO. 5 A Nearest Garden
 AT 2.80 MILES NNW

ANNUAL BETA AIR DOSE = 0.00E+00 MILLRADS
 ANNUAL GAMMA AIR DOSE = 0.00E+00 MILLRADS

PATHWAY	T BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
GROUND	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
VEGET								
ADULT	1.32E-02	1.32E-02	6.59E-02	1.32E-02	1.32E-02	1.32E-02	1.32E-02	1.32E-02
TEEN	2.21E-02	2.21E-02	1.10E-01	2.21E-02	2.21E-02	2.21E-02	2.21E-02	2.21E-02
CHILD	5.37E-02	5.37E-02	2.68E-01	5.37E-02	5.37E-02	5.37E-02	5.37E-02	5.37E-02
MEAT								
ADULT	5.26E-03	5.26E-03	2.63E-02	5.26E-03	5.26E-03	5.26E-03	5.26E-03	5.26E-03
TEEN	4.45E-03	4.45E-03	2.22E-02	4.45E-03	4.45E-03	4.45E-03	4.45E-03	4.45E-03
CHILD	8.36E-03	8.36E-03	4.18E-02	8.36E-03	8.36E-03	8.36E-03	8.36E-03	8.36E-03
COW MILK								
ADULT	5.74E-03	5.74E-03	2.87E-02	5.74E-03	5.74E-03	5.74E-03	5.74E-03	5.74E-03
TEEN	1.06E-02	1.06E-02	5.29E-02	1.06E-02	1.06E-02	1.06E-02	1.06E-02	1.06E-02
CHILD	2.60E-02	2.60E-02	1.30E-01	2.60E-02	2.60E-02	2.60E-02	2.60E-02	2.60E-02
INFANT	5.44E-02	5.44E-02	2.55E-01	5.44E-02	5.44E-02	5.44E-02	5.44E-02	5.44E-02
GOATMILK								
ADULT	5.74E-03	5.74E-03	2.87E-02	5.74E-03	5.74E-03	5.74E-03	5.74E-03	5.74E-03
TEEN	1.06E-02	1.06E-02	5.29E-02	1.06E-02	1.06E-02	1.06E-02	1.06E-02	1.06E-02
CHILD	2.60E-02	2.60E-02	1.30E-01	2.60E-02	2.60E-02	2.60E-02	2.60E-02	2.60E-02
INFANT	5.44E-02	5.44E-02	2.55E-01	5.44E-02	5.44E-02	5.44E-02	5.44E-02	5.44E-02

TABLE 20. CARBON-14 DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-DECEMBER 2011

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 0.00E+00 MILLRADS
ANNUAL GAMMA AIR DOSE = 0.00E+00 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
GROUND	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
VEGET								
ADULT	1.28E-02	1.28E-02	6.38E-02	1.28E-02	1.28E-02	1.28E-02	1.28E-02	1.28E-02
TEEN	2.14E-02	2.14E-02	1.07E-01	2.14E-02	2.14E-02	2.14E-02	2.14E-02	2.14E-02
CHILD	5.20E-02	5.20E-02	2.60E-01	5.20E-02	5.20E-02	5.20E-02	5.20E-02	5.20E-02
MEAT								
ADULT	5.10E-03	5.10E-03	2.55E-02	5.10E-03	5.10E-03	5.10E-03	5.10E-03	5.10E-03
TEEN	4.31E-03	4.31E-03	2.15E-02	4.31E-03	4.31E-03	4.31E-03	4.31E-03	4.31E-03
CHILD	8.09E-03	8.09E-03	4.05E-02	8.09E-03	8.09E-03	8.09E-03	8.09E-03	8.09E-03
COW MILK								
ADULT	5.56E-03	5.56E-03	2.78E-02	5.56E-03	5.56E-03	5.56E-03	5.56E-03	5.56E-03
TEEN	1.03E-02	1.03E-02	5.13E-02	1.03E-02	1.03E-02	1.03E-02	1.03E-02	1.03E-02
CHILD	2.52E-02	2.52E-02	1.26E-01	2.52E-02	2.52E-02	2.52E-02	2.52E-02	2.52E-02
INFANT	5.27E-02	5.27E-02	2.47E-01	5.27E-02	5.27E-02	5.27E-02	5.27E-02	5.27E-02
GOATMILK								
ADULT	5.56E-03	5.56E-03	2.78E-02	5.56E-03	5.56E-03	5.56E-03	5.56E-03	5.56E-03
TEEN	1.03E-02	1.03E-02	5.13E-02	1.03E-02	1.03E-02	1.03E-02	1.03E-02	1.03E-02
CHILD	2.52E-02	2.52E-02	1.26E-01	2.52E-02	2.52E-02	2.52E-02	2.52E-02	2.52E-02
INFANT	5.27E-02	5.27E-02	2.47E-01	5.27E-02	5.27E-02	5.27E-02	5.27E-02	5.27E-02

TABLE 20. CARBON-14 DOSES TO MAXIMUM INDIVIDUAL (MREM), JULY-DECEMBER 2011(Continued)

SPECIAL LOCATION NO. 5 A Nearest Garden
 AT 2.80 MILES NNW

ANNUAL BETA AIR DOSE = 0.00E+00 MILLRADS
 ANNUAL GAMMA AIR DOSE = 0.00E+00 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
GROUND	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
VEGET								
ADULT	1.92E-02	1.92E-02	9.58E-02	1.92E-02	1.92E-02	1.92E-02	1.92E-02	1.92E-02
TEEN	3.20E-02	3.20E-02	1.60E-01	3.20E-02	3.20E-02	3.20E-02	3.20E-02	3.20E-02
CHILD	7.80E-02	7.80E-02	3.90E-01	7.80E-02	7.80E-02	7.80E-02	7.80E-02	7.80E-02
MEAT								
ADULT	7.64E-03	7.64E-03	3.82E-02	7.64E-03	7.64E-03	7.64E-03	7.64E-03	7.64E-03
TEEN	6.46E-03	6.46E-03	3.23E-02	6.46E-03	6.46E-03	6.46E-03	6.46E-03	6.46E-03
CHILD	1.21E-02	1.21E-02	6.07E-02	1.21E-02	1.21E-02	1.21E-02	1.21E-02	1.21E-02
COW MILK								
ADULT	8.34E-03	8.34E-03	4.17E-02	8.34E-03	8.34E-03	8.34E-03	8.34E-03	8.34E-03
TEEN	1.54E-02	1.54E-02	7.69E-02	1.54E-02	1.54E-02	1.54E-02	1.54E-02	1.54E-02
CHILD	3.78E-02	3.78E-02	1.89E-01	3.78E-02	3.78E-02	3.78E-02	3.78E-02	3.78E-02
INFANT	7.91E-02	7.91E-02	3.70E-01	7.91E-02	7.91E-02	7.91E-02	7.91E-02	7.91E-02
GOATMILK								
ADULT	8.34E-03	8.34E-03	4.17E-02	8.34E-03	8.34E-03	8.34E-03	8.34E-03	8.34E-03
TEEN	1.54E-02	1.54E-02	7.69E-02	1.54E-02	1.54E-02	1.54E-02	1.54E-02	1.54E-02
CHILD	3.78E-02	3.78E-02	1.89E-01	3.78E-02	3.78E-02	3.78E-02	3.78E-02	3.78E-02
INFANT	7.91E-02	7.91E-02	3.70E-01	7.91E-02	7.91E-02	7.91E-02	7.91E-02	7.91E-02

TABLE 21. CARBON-14 DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-DECEMBER 2011

SPECIAL LOCATION NO. 4 A Nearest Cow
AT 3.50 MILES NNW

ANNUAL BETA AIR DOSE = 0.00E+00 MILLRADS
ANNUAL GAMMA AIR DOSE = 0.00E+00 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
GROUND	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
VEGET								
ADULT	2.05E-02	2.05E-02	1.03E-01	2.05E-02	2.05E-02	2.05E-02	2.05E-02	2.05E-02
TEEN	3.44E-02	3.44E-02	1.72E-01	3.44E-02	3.44E-02	3.44E-02	3.44E-02	3.44E-02
CHILD	8.36E-02	8.36E-02	4.18E-01	8.36E-02	8.36E-02	8.36E-02	8.36E-02	8.36E-02
MEAT								
ADULT	8.20E-03	8.20E-03	4.10E-02	8.20E-03	8.20E-03	8.20E-03	8.20E-03	8.20E-03
TEEN	6.93E-03	6.93E-03	3.46E-02	6.93E-03	6.93E-03	6.93E-03	6.93E-03	6.93E-03
CHILD	1.30E-02	1.30E-02	6.51E-02	1.30E-02	1.30E-02	1.30E-02	1.30E-02	1.30E-02
COW MILK								
ADULT	8.94E-03	8.94E-03	4.47E-02	8.94E-03	8.94E-03	8.94E-03	8.94E-03	8.94E-03
TEEN	1.65E-02	1.65E-02	8.25E-02	1.65E-02	1.65E-02	1.65E-02	1.65E-02	1.65E-02
CHILD	4.06E-02	4.06E-02	2.03E-01	4.06E-02	4.06E-02	4.06E-02	4.06E-02	4.06E-02
INFANT	8.48E-02	8.48E-02	3.97E-01	8.48E-02	8.48E-02	8.48E-02	8.48E-02	8.48E-02
GOATMILK								
ADULT	8.94E-03	8.94E-03	4.47E-02	8.94E-03	8.94E-03	8.94E-03	8.94E-03	8.94E-03
TEEN	1.65E-02	1.65E-02	8.25E-02	1.65E-02	1.65E-02	1.65E-02	1.65E-02	1.65E-02
CHILD	4.06E-02	4.06E-02	2.03E-01	4.06E-02	4.06E-02	4.06E-02	4.06E-02	4.06E-02
INFANT	8.48E-02	8.48E-02	3.97E-01	8.48E-02	8.48E-02	8.48E-02	8.48E-02	8.48E-02

TABLE 21. CARBON-14 DOSES TO MAXIMUM INDIVIDUAL (MREM), JANUARY-DECEMBER 2011(Continued)

SPECIAL LOCATION NO. 5 A Nearest Garden
 AT 1.30 MILES SW

ANNUAL BETA AIR DOSE = 0.00E+00 MILLRADS
 ANNUAL GAMMA AIR DOSE = 0.00E+00 MILLRADS

PATHWAY	T.BODY	GI-TRACT	BONE	LIVER	KIDNEY	THYROID	LUNG	SKIN
PLUME	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
GROUND	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
VEGET								
ADULT	3.33E-02	3.33E-02	1.67E-01	3.33E-02	3.33E-02	3.33E-02	3.33E-02	3.33E-02
TEEN	5.57E-02	5.57E-02	2.79E-01	5.57E-02	5.57E-02	5.57E-02	5.57E-02	5.57E-02
CHILD	1.36E-01	1.36E-01	6.78E-01	1.36E-01	1.36E-01	1.36E-01	1.36E-01	1.36E-01
MEAT								
ADULT	1.33E-02	1.33E-02	6.65E-02	1.33E-02	1.33E-02	1.33E-02	1.33E-02	1.33E-02
TEEN	1.12E-02	1.12E-02	5.62E-02	1.12E-02	1.12E-02	1.12E-02	1.12E-02	1.12E-02
CHILD	2.11E-02	2.11E-02	1.06E-01	2.11E-02	2.11E-02	2.11E-02	2.11E-02	2.11E-02
COW MILK								
ADULT	1.45E-02	1.45E-02	7.25E-02	1.45E-02	1.45E-02	1.45E-02	1.45E-02	1.45E-02
TEEN	2.68E-02	2.68E-02	1.34E-01	2.68E-02	2.68E-02	2.68E-02	2.68E-02	2.68E-02
CHILD	6.58E-02	6.58E-02	3.29E-01	6.58E-02	6.58E-02	6.58E-02	6.58E-02	6.58E-02
INFANT	1.38E-01	1.38E-01	6.44E-01	1.38E-01	1.38E-01	1.38E-01	1.38E-01	1.38E-01
GOATMILK								
ADULT	1.45E-02	1.45E-02	7.25E-02	1.45E-02	1.45E-02	1.45E-02	1.45E-02	1.45E-02
TEEN	2.68E-02	2.68E-02	1.34E-01	2.68E-02	2.68E-02	2.68E-02	2.68E-02	2.68E-02
CHILD	6.58E-02	6.58E-02	3.29E-01	6.58E-02	6.58E-02	6.58E-02	6.58E-02	6.58E-02
INFANT	1.38E-01	1.38E-01	6.44E-01	1.38E-01	1.38E-01	1.38E-01	1.38E-01	1.38E-01

DOSE CALCULATION MODELS

To evaluate the radiological consequences of the routine release of liquid and gaseous effluents from the Cooper Nuclear Station, two computer codes were used: LADTAP II for liquid doses and GASPAR for gaseous doses. Both of these computer codes implement the dose calculational methodologies of U.S. NRC Regulatory Guide 1.109, Revision 1.

Source terms for each quarter are combined with station-specific demographic data and either hydrological dilution factors, for liquid dose calculations, or atmospheric diffusion estimates, for gaseous dose calculations.

For liquid dose calculations, the hydrological dilution factors used for input to LADTAP II, as well as other input parameters, are listed in Table 22. Other inputs not specifically listed in this table are taken from Regulatory Guide 1.109, Revision 1. Semiannual doses are obtained by summing the contributions from the appropriate quarters.

For gaseous dose calculations, atmospheric diffusion estimates are obtained from the reduction and processing of onsite meteorological data, as described in Appendix B. Source terms for the semiannual period are obtained by summing source terms for the appropriate quarters. Additional input to GASPAR includes the following station-supplied data:

- 0 to 50 mile population distribution
- 0 to 50 mile meat, milk, and vegetable distributions
- Absolute humidity at Cooper Nuclear Station (14.61 g/m^3)
- The fraction of the year that the vegetables are grown (0.5)
- The fraction of the daily feed intake derived from pasture for milk and meat animals (0.5)

Other values used for input to GASPAR are default values from Regulatory Guide 1.109, Rev. 1.

TABLE 22. Values of Parameters Used to Make Dose Estimates Resulting From Liquid Discharges at Cooper Nuclear Station January-December 2011

Parameter	Values Assigned	
	Individual	Population
Cooling flow rate (cfs) * (Average daily value)	Q1 NR	NR
	Q2 903.19	903.19
	Q3 1453.43	1453.43
	Q4 NR	NR
Dilution factor*	Q1 NR	NR
	Q2 1	122.9
	Q3 1	114.4
	Q4 NR	NR
Holding time:		
Fish	24 hr ***	168 hr ***
Drinking water	12 hr ***	22.4 hr **
Shoreline exposure	0 hr ***	22.4 hr **
Swimming	0 hr ***	22.4 hr **
Boating	0 hr ***	22.4 hr **

* Q1, Q2, Q3, and Q4 represent first, second, third and fourth quarter station data for 2011, respectively.

** Based on an average Missouri River water flow of 5.5 ft/sec, 84 miles down the river.

*** Values from Regulatory Guide 1.109, Revision 1.

NR- No release

REFERENCES

Electric Power Research Institute, Technical Report 1021106, "Estimation of Carbon-14 in Nuclear Power Plant Gaseous Effluents", December 2010.

U.S. Nuclear Regulatory Commission, Regulatory Guide 1.21, "Measuring, Evaluating, and Reporting Radioactivity in Solid Wastes and Releases of Radioactive Materials in Liquid and Gaseous Effluents from Light-Water-Cooled Nuclear Power Plants", Revision 1, 1974.

U.S. Nuclear Regulatory Commission, Regulatory Guide 1.23 (Safety Guide 23), "Onsite Meteorological Programs", Revision 0, 1972.

U.S. Nuclear Regulatory Commission, Regulatory Guide 1.111, "Methods for Estimating Atmospheric Transport and Dispersion of Gaseous Effluents in Routine Releases from Light-Water-Cooled Reactors", Revision 1, 1977.

U.S. Nuclear Regulatory Commission, NUREG/CR-2919, "XOQDOQ: Computer Program for the Meteorological Evaluation of Routine Effluent Releases at Nuclear Power Stations", 1982.

U.S. Nuclear Regulatory Commission, Regulatory Guide 1.111, "Methods for Estimating Atmospheric Transport and Dispersion of Gaseous Effluents in Routine Releases from Light-Water-Cooled Reactors", Revision 0, 1976.

U.S. Nuclear Regulatory Commission, NUREG-0597, "User's Guide to GASPAR Code", December 1980.

U.S. Nuclear Regulatory Commission, NUREG/CR-1276, "User's Manual for LADTAP II: A Computer Code for Calculating Radiation Exposure to Man From Routine Release of Nuclear Reactor Liquid Effluents", 1980.

U.S. Nuclear Regulatory Commission, Regulatory Guide 1.109, "Calculation of Annual Doses to Man from Routine Releases of Reactor Effluents for the Purpose of Evaluating Compliance with 10 CFR 50, Appendix I", Revision 1, 1977.

APPENDIX G
REMP SAMPLE STATION DESCRIPTIONS

REMP SAMPLE STATION DESCRIPTIONS

The following pages contain descriptions of the CNS REMP Sample Stations that were active or were used for part or all of 2011.

REMP SAMPLE STATION DESCRIPTIONS
SAMPLE TYPES AND SAMPLE LOCATIONS

<u>Sample Station (a)</u>	<u>Sample Description – Type and Location</u>
No. 1	Type: (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry Location: Outside the northwest edge of fence, east of the gate to the LLRW storage pad on the CNS site, NW ¼, S32, T5N, R16E, Nemaha County, Nebraska. Lon. 095.38.634 W – Lat. 40.21.523 N
No. 2	Type: (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry Location: North side of county road to the south portion of CNS site, SW ¼, S32, T5N, R16E, Nemaha County, Nebraska. Lon. 095.38.954 W – Lat. 40.21.126 N
No. 3	Type: (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry Location: Located on the north side of the Brownville State Recreation Park access road near water gauging station, SE ¼, S18, T5N, R16E, Nemaha County, Nebraska. Lon. 095.39.108 W – Lat. 40.23.777 N
No. 4	Type: (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry Location: Located ½ mile south of Phelps City, Missouri, on west side of highway “U”, NE ¼, S2, T64N, R42W, Atchison County, Missouri. Lon. 095.35.792 W – Lat. 40.23.797 N
No. 5	Type: (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry Location: Located ¼ mile south and ¼ mile east of Langdon, Missouri, on north side of road, west of railroad tracks, SW ¼, T64N, R41W, Atchison County, Missouri. Lon. 095.34.434 W – Lat. 40.21.151 N

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.

<u>Sample Station (a)</u>	<u>Sample Description – Type and Location</u>
No. 6	<p>Type: (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry</p> <p>Location: One mile west of the end of Missouri State Highway “U”, SW corner of the intersection, NW ¼, S34, T64N, R42W, Atchison County, Missouri. Lon. 095.37.620 W – Lat. 40.19.459 N</p>
No 7	<p>Type: (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry</p> <p>Location: 300 yards east of Highway 67 on north side of road, SW ¼, S6, T4N, R16E, Nemaha, Nebraska. Lon. 095.40.207 W – Lat. 40.20.287 N</p>
No. 8	<p>Type: (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry</p> <p>Location: ½ mile north, ¾ mile west and ¾ mile north of Nemaha, on west side of road adjacent to transmission line, NE ¼, S35, T5N, R15E, Nemaha County, Nebraska. Lon. 095.41.220 W – Lat. 40.21.570 N</p>
No. 9	<p>Type: (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry</p> <p>Location: Four miles north of Highway 136, on Highway 67. Then 1 mile east of Highway 67 and ½ mile north on west side of road, SW ¼, S26, T6N, R15E, Nemaha County, Nebraska. Lon. 095.41.810 W – Lat. 40.27.259 N</p>
No. 10	<p>Type: (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry</p> <p>Location: One mile north of Barada, Nebraska, in SW corner of intersection, NE ¼, S14, T3N, R16E, Richardson County, Nebraska. Lon. 095.34.723 W – Lat. 40.13.970 N</p>

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.

<u>Sample Station (a)</u>	<u>Sample Description – Type and Location</u>
No. 11	<p>Type: (1) Water – Ground</p> <p>Location: Plant well water supply header at well pits, NW ¼, S32, T5N, R16E, Nemaha County, Nebraska. Lon. 095.53.866 W – Lat. 40.18.970 N</p>
No. 12	<p>Type: (1) Water – River</p> <p>Location: Sample (1) taken from the Missouri River immediately upstream from the Plant Intake Structure (River Mile 532.5). During periods when unsafe conditions warrant, Station 35 may be used as an alternate upstream collection site. Lon. 095.53.866 W – Lat. 40.18.970 N</p>
No.20	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: On NNW boundary of NPPD property, east side of county road, SE, S30, T5N, R16E, Nemaha County, Nebraska. Lon. 095.39.226 W – Lat. 40.22.260 N</p>
No.28	<p>Type: (1) Water – River, (2) Fish (3) Sediment from Shoreline (4) Food Products – Broadleaf Vegetation</p> <p>Location: Samples (1), (3), and (4) are taken from the Missouri River or its shore downstream near River Mile 530, Sample (2) is taken from the Missouri River ½ to 3 miles downstream of the plant site. Lon. 095.37.301 W – Lat. 40.20.336 N</p>

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.

<u>Sample Station (a)</u>	<u>Sample Description – Type and Location</u>
No. 35	<p>Type: (1) Fish (2) Water – River (Alternate Site) (3) Food Products – Broadleaf Vegetation</p> <p>Location: Sample (1) will be taken from the Missouri River about 1 to 3 miles above the CNS intake structure. During periods when unsafe conditions warrant, Station 35 may be used as an alternate to Station 12 (upstream collection site) for sample type (2). Sample (3) is taken about ¼ mile south of the Brownville State Recreation Area in Sector A. Lon. 095.39.046 W – Lat. 40.23.737 N</p>
No. 44	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: ¼ mile south of Auburn Country Club on Highway 75, then ½ mile east of Highway 75 at fence line north of county road, SE1/4, S27, T5N, R14E, Nemaha County, Nebraska. Lon. 095.49.759 W – Lat. 40.21.840 N</p>
No. 47	<p>Type: (1) Water – Ground</p> <p>Location: At Falls City Municipal water supply well. Lon. 095.25.537 W – Lat. 40.01.939 N</p>
No. 56	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 1 ¼ miles SW of Langdon, Missouri, on Highway “U”, on the right side of the highway, NW ¼, S23, T64N, R42W, Atchison County, Missouri. Lon. 095.36.383 W – Lat. 40.21.157 N</p>
No. 58	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: Three miles south of Brownville, Nebraska, on county road, at the SE corner of the intersection with the farm road leading to Sample Station No. 2, SE1/4, S31, T5N, R16E, Nemaha County, Nebraska. Lon. 095.39.338 W – Lat. 40.21.126 N</p>

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.

Sample Station (a)	<u>Sample Description – Type and Location</u>
No. 59	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: One mile SSE of the CNS Elevated Release Point, in the vicinity of the levee at the south boundary of NPPD property, SE ¼, S32, T5N, R16E, Nemaha County, Nebraska. Lon. 095.38.223 W – Lat. 40.20.986 N</p>
No. 66	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: Two miles south of Nemaha, Nebraska, on Highway 67 east side of road, NW1/4, S19, T4N, R16E, Nemaha County, Nebraska. Lon. 095.40.307 W – Lat. 40.18.277 N</p>
No. 67	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 2 miles west of Brownville, Nebraska, on Highway 136, then north 1 ½ miles on county road and east ½ mile, on north side of road, NE1/4, S11, T5N, R15E, Nemaha County, Nebraska. Lon. 095.41.520 W – Lat. 40.24.898 N</p>
No. 71	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: Two miles east of Phelps City, Missouri, on Highway 36, then south 1 ½ miles on county road and west ¼ mile, SE1/4, S6, T64N, R41W, Atchison County, Missouri. Lon. 095.34.727 W – Lat. 40.21.664 N</p>
No. 79	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 1 7/8 miles south of Brownville, NE, on east side of paved road, NPPD property, SE1/4, S30, T5N, R16E, Nemaha County, Nebraska. Lon. 095.39.238 W – Lat. 40.22.006 N</p>

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.

Sample Station (a)	<u>Sample Description – Type and Location</u>
No. 80	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 2 1/8 miles south of Brownville, on east side of paved road, NPPD property, NE1/4, S31, T5N, R16E, Nemaha County, Nebraska. Lon. 095.39.259 W – Lat. 40.21.834 N</p>
No. 81	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 2 3/8 miles south of Brownville, Nebraska, in the NE corner of the intersection of the paved county road and CNS access road, NPPD property, NE1/4, S31, T5N, R16E, Nemaha County, Nebraska. Lon. 095.39.291 W – Lat. 40.21.582 N</p>
No. 82	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 7/8 mile south of CNS in a field, on NPPD property, SW1/4, S32, T5N, R16E, Nemaha County, Nebraska. Lon. 095.38.395 W – Lat. 40.20.961 N</p>
No. 83	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 2 ¼ miles south of Nemaha, Nebraska, on Highway 67, then east 1 mile to the junction of the driveway and county road (east side of drive), NE1/4, S19, T4N, R16E, Nemaha County, Nebraska. Lon. 095.39.411 W – Lat. 40.18.119 N</p>
No. 84	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 2 ½ miles west of Brownville, NE, south side of Highway 136 west of Locust Grove School, NW1/4, S22, T5N, R15E, Nemaha County, Nebraska. Lon. 095.42.993 W – Lat. 40.23.564 N</p>

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.

<u>Sample Station (a)</u>	<u>Sample Description – Type and Location</u>
No. 85	Type: (1) Environmental Thermoluminescent Dosimetry Location: One mile east of Brownville, Nebraska, on Highway 136, then north ¼ mile on the east side of the county road, NE1/4, S33, T65N, R42W, Atchison County, Missouri. Lon. 095.38.309 W – Lat. 40.24.508 N
No. 86	Type: (1) Environmental Thermoluminescent Dosimetry Location: One mile west of Phelps City, Missouri, on Highway 136, then north 1 ½ miles on Highway “D” on west side, SE1/4, S22, T65N, R42W, Atchison County, Missouri. Lon. 095.36.938 W – Lat. 40.25.563 N
No. 87	Type: (1) Environmental Thermoluminescent Dosimetry Location: One mile west of Phelps City, Missouri, on Highway 136, then south ½ mile on county road and ¾ mile west on county road to the end of the road, NW1/4, S3, T64N, R42W, Atchison County, Missouri. Lon. 095.37.806 W – Lat. 40.23.818 N
No. 88	Type: (1) Environmental Thermoluminescent Dosimetry Location: One mile west of Phelps City, Missouri, on Highway 136, then south 2 miles at the end of the county road, NW1/4, S11, T64N, R42W, Atchison County, Missouri. Lon. 095.37.771 W – Lat. 40.24.762 N
No. 89	Type: (1) Environmental Thermoluminescent Dosimetry Location: 2 ½ miles south of Phelps City, Missouri, on Highway “U”, then ½ mile west in the SE corner of the county road intersection, NE1/4, S14, T64N, R42W, Atchison County, Missouri. Lon. 095.36.361 W – Lat. 40.21.962 N

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.

Sample Station (a)	<u>Sample Description – Type and Location</u>
No. 90	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: 1 ½ miles west and ¾ mile south of Langdon, Missouri, on Highway “U”, then ¼ mile west, SW1/4, S23, T64N, R42W, Atchison County, Missouri. Lon. 095.35.808 W – Lat. 40.19.472 N</p>
No. 91	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: ½ mile west of Rockport, Missouri, on the south side of the intersection of U.S. Highway 136 and U.S. Highway 275, at the south side of the water tower, NW1/4, S28, T65N, R41W, Atchison County, Missouri. Lon. 095.32.217 W – Lat. 40.25.181 N</p>
No. 94	<p>Type: (1) Environmental Thermoluminescent Dosimetry</p> <p>Location: ¼ mile of Langdon, Missouri, on the west side of the road, NE1/4, S24, T64N, R42W, Atchison County, Missouri. Lon. 095.34.673 W – Lat. 40.20.931 N</p>
No. 96	<p>Type: (1) Food products – Broadleaf Vegetation</p> <p>Location: Approximately 1 mile south of Brownville, Nebraska, along the paved road, in the road ditch in Sector R, SW1/4, S19, T5N, R16E, Nemaha County, Nebraska. Lon. 095.39.318 W – Lat. 40.23.144 N</p>
No. 99	<p>Type: (1) Milk (Nearest and Other Producer)</p> <p>Location: 1 ¼ mile south of Shubert, Nebraska, on the west side of Highway 67, NE1/4, S24, T3N, R15E, Richardson County, Nebraska. Lon. 095.40.368 W – Lat. 40.12.850 N</p>

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.

<u>Sample Station (a)</u>	<u>Sample Description – Type and Location</u>
No. 101	Type: (1) Food Products – Broadleaf Vegetation Location: 5 ½ miles east and ½ mile north of Rock Port, Missouri, near the junction of Highway 136 and Highway 59, in Sector D, encompasses portions of several sections, Athison County, Missouri. Lon. 095.23.822 W – Lat. 40.25.222 N
No. 103	Type: (1) Milk (Other Producer) Location: Four miles south and 3 miles west of Auburn, Nebraska, NE ¼, S13, T4N, R13E, Nemaha County, Nebraska. Lon. 095.53.865 W – Lat. 40.18.971 N

NOTES:

(a) Sample station numbers missing from the sequence are for inactive or discontinued sampling locations.

**APPENDIX H
ANNUAL RADIOLOGICAL GROUNDWATER PROTECTION PROGRAM
(ARGPP) REPORT**

***NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
Radiological Groundwater Protection Program
2011 Annual Report
January 1, 2011 to December 31, 2011***

Prepared by
*Teledyne Brown Engineering
2508 Quality Lane
Knoxville, TN 37931-3133*

Table of Contents

I. Summary	4
II. Characteristics of Tritium (H-3)	6
III. Introduction.....	8
A. Objectives of the RGPP	10
B. Implementation of the Objectives	10
C. Program Description	10
IV. Program Description	12
A. Sample Analysis.....	13
B. Data Interpretation.....	13
V. Results and Discussion.....	15
A. Groundwater Results.....	16

Appendices

Appendix A: Location Designation of the Annual Radiological Groundwater Protection Program Report (ARGPPR)

Tables

Table A-1: Radiological Groundwater Protection Program - Sampling Locations, Nebraska Public Power District, Cooper Nuclear Station, 2011

MAP

Map A-1: Routine Well Water Sample Locations for the Radiological Groundwater Protection Program, Nebraska Public Power District, Cooper Nuclear Station, 2011

Appendix B: Data Tables of the Annual Radiological Groundwater Protection Program Report (ARGPPR)

Table B-1: Exposure Pathway – Water - Ground, 2011

SECTION I. SUMMARY

I. SUMMARY

In 2008, the Cooper Nuclear Station (CNS) of the Nebraska Public Power District (NPPD) Nebraska Public Power District instituted a comprehensive program to evaluate the impact of station operations on groundwater in the vicinity of CNS. This report covers groundwater samples, collected outside of the Licensee required Off-Site Dose Assessment Manual (ODAM) requirements, both on and off station property in 2011. During that time period, 440 analyses were performed on 83 samples from 15 locations.

In assessing all the data gathered for this report, it was concluded that the operation of CNS had no adverse radiological impact on the environment, and there are no known active releases into the groundwater or surface water at Nebraska Public Power District.

Gross alpha was not detected in any of the groundwater samples.

Tritium was not detected in any of the groundwater samples at concentrations greater than the United States Environmental Protection Agency (USEPA) drinking water standard (and the Nuclear Regulatory Commission Reporting Limit) of 20,000 pCi/L. The tritium concentrations ranged from 237 ± 121 pCi/L to $6,540 \pm 703$ pCi/L.

Strontium-89 and strontium-90 were not detected at concentrations greater than the Lower Limit of Detection (LLD) as specified in NUREG-1302 in any of the groundwater samples.

Iron-55 was not detected in any of the groundwater samples.

Nickel-63 was not detected in any of the groundwater samples.

Gamma-emitting radionuclides associated with licensed plant operations were not detected at concentrations greater than their respective Lower Limits of Detection (LLDs) as specified in NUREG-1302 in any of the groundwater samples. In the case of tritium, CNS specified that the independent laboratory achieve a lower limit of detection 10 times lower than that required by the United States Environmental Protection Agency (USEPA) regulation.

SECTION II. CHARACTERISTICS OF TRITIUM (H-3)

II. CHARACTERISTICS OF TRITIUM (H-3)

Tritium (chemical symbol H-3) is a radioactive isotope of hydrogen. The most common form of tritium is tritium oxide, which is also called "tritiated water." The chemical properties of tritium are essentially those of ordinary hydrogen.

Tritiated water functions the same as ordinary water in both the environment and the body. Tritium can be taken into the body by drinking water, breathing air, eating food, or absorption through skin. Once tritium enters the body, it disperses quickly and is uniformly distributed throughout the body. Tritium is excreted primarily through urine with a clearance rate characterized by an effective biological half-life of about 14 days. Within one month or so after ingestion, essentially all tritium is cleared. Organically bound tritium (tritium that is incorporated in organic compounds) can remain in the body for a longer period.

Tritium is produced naturally in the upper atmosphere when cosmic rays strike air molecules. Tritium is also produced during nuclear weapons explosions, as a by-product in reactors producing electricity, and in special production reactors, where the isotopes lithium-7 and/or boron-10 are activated to produce tritium. Like normal water, tritiated water is colorless and odorless. Tritiated water behaves chemically and physically like non-tritiated water in the subsurface, and therefore tritiated water will travel at the same velocity as the average groundwater velocity.

Tritium has a half-life of approximately 12.3 years. It decays spontaneously to helium-3 (^3He). This radioactive decay releases a beta particle (low-energy electron). The radioactive decay of tritium is the source of the health risk from exposure to tritium. Tritium is one of the least dangerous radionuclides because it emits very weak beta radiation and leaves the body relatively quickly. Since tritium is almost always found as water, it goes directly into soft tissues and organs. The associated dose to these tissues is generally uniform and is dependent on the water content of the specific tissue.

SECTION III. INTRODUCTION

III. INTRODUCTION

Cooper Nuclear Station is located in Nemaha County in the southeast corner of Nebraska on the Missouri River. A portion of the site extends into Missouri. The reactor is an 830-megawatt (net electrical) boiling water reactor. Initial criticality was attained on February 21, 1974.

This report covers those analyses performed by Teledyne Brown Engineering (TBE) on samples collected in 2011.

III. INTRODUCTION (cont)

A. Objectives of the Radiological Groundwater Protection Program (RGPP)

The long-term objectives of the RGPP are as follows:

1. Identify suitable locations to monitor and evaluate potential impacts from station operations before significant radiological impact to the environment and potential drinking water sources.
2. Understand the local hydrogeologic regime in the vicinity of the station and maintain up-to-date knowledge of flow patterns on the surface and shallow subsurface.
3. Perform routine water sampling and radiological analysis of water from selected locations.
4. Report new leaks, spills, or other detections with potential radiological significance to stakeholders in a timely manner.
5. Regularly assess analytical results to identify adverse trends.
6. Take necessary corrective actions to protect groundwater resources.

B. Implementation of the Objectives

The objectives identified have been implemented at CNS as discussed below:

1. Cooper Nuclear Station will continue to perform routine sampling and radiological analysis of water from selected locations.
2. Cooper Nuclear Station has implemented new procedures to identify and report new leaks, spills, or other detections with potential radiological significance in a timely manner.
3. Cooper Nuclear Station staff assesses analytical results on an ongoing basis to identify adverse trends.

C. Program Description

1. Sample Collection

Sample locations can be found in Appendix A, Table A-1 and Map A-1.

Groundwater

Samples of water are collected, managed, transported and analyzed in

accordance with approved procedures following regulatory methods. Sample locations, sample collection frequencies and analytical frequencies are controlled in accordance with approved station procedures. Contractor and/or station personnel are trained in the collection, preservation management, and shipment of samples, as well as in documentation of sampling events. Analytical laboratories are subject to internal quality assurance programs, inter-laboratory cross-check programs, as well as nuclear industry audits. Station personnel review and evaluate all analytical data deliverables after initial review by the contractor.

Analytical data results are reviewed by both station personnel for adverse trends or changes to hydrogeologic conditions.

SECTION IV. PROGRAM DESCRIPTION

IV. Program Description

A. Sample Analysis

This section describes the general analytical methodologies used by TBE to analyze the environmental samples for radioactivity for the CNS RGPP in 2011.

In order to achieve the stated objectives, the current program includes the following analyses:

1. Concentrations of gross alpha in groundwater.
2. Concentrations of tritium in groundwater.
3. Concentrations of strontium-89 and strontium-90 in groundwater.
4. Concentrations of iron-55 in groundwater.
5. Concentration of nickel-63 in groundwater.
6. Concentrations of gamma emitters in groundwater.

B. Data Interpretation

The radiological data collected prior to CNS becoming operational were used as a baseline with which these operational data were compared. For the purpose of this report, CNS was considered operational at initial criticality. Several factors were important in the interpretation of the data:

1. Lower Limit of Detection and Minimum Detectable Concentration

The lower limit of detection (LLD) is specified by federal regulation as a minimum sensitivity value that must be achieved routinely by the analytical parameter.

2. Laboratory Measurements Uncertainty

The estimated uncertainty in measurement of tritium in environmental samples is frequently on the order of 50% of the measurement value.

Statistically, the exact value of a measurement is expressed as a range with a stated level of confidence. The convention is to report results with a 95% level of confidence. The uncertainty comes from calibration standards, sample volume or weight measurements, sampling uncertainty and other factors. CNS reports the uncertainty of a measurement created by statistical process (counting error). Each result has two values calculated. CNS reports the result with plus or minus (\pm) the estimated

sample standard deviation.

Analytical uncertainties are reported at the 95% confidence level in this report for reporting consistency with the REMP.

Gamma spectroscopy results for each type of sample were grouped as follows:

For groundwater 18 nuclides, Be-7, K-40, Mn-54, Co-58, Fe-59, Co-60, Zn-65, Zr-95, Ru-103, Ru-106, I-131, Cs-134, Cs-137, Ba-140, Ce-141, Ce-144, Ra-226 and Th-228 were reported.

SECTION V. RESULTS AND DISCUSSION

V. Results and Discussion

A. *Groundwater Results*

Gross Alpha

Samples from 15 locations were analyzed for gross alpha (Table B-1, Appendix B). Gross alpha was not detected at any location in 2011.

Tritium

Samples from 15 locations were analyzed for tritium activity (Table B-1, Appendix B). Tritium was detected at three locations. Tritium values ranged from 237 to 6,540 pCi/L. All values were below the Nuclear Regulatory Commission Reporting Limit of 20,000 pCi/L.

Strontium

Samples from 15 locations were analyzed for strontium-89 and strontium-90 (Table B-1, Appendix B). Strontium-89 and strontium-90 were not detected at concentrations greater than the LLD.

Iron-55

Samples from 15 locations were analyzed for iron-55 (Table B-1, Appendix B). Iron-55 was not detected at concentrations greater than the LLD.

Nickel-63

Samples from 15 locations were analyzed for nickel-63 (Table B-1, Appendix B). Nickel-63 was not detected at concentrations greater than the LLD.

Gamma Emitters

Naturally occurring potassium-40 was detected in nine of 83 samples. The concentrations ranged from 35.7 to 82.8 pCi/liter. Naturally occurring Thorium-228 was detected in six of 83 samples. The concentrations ranged from 5.11 to 6.60 pCi/liter. Naturally occurring Radium-226 was detected in one of 83 samples at a concentration of 60.6 pCi/liter. No other gamma emitting nuclides were detected (Table B-1, Appendix B).

APPENDIX A

**LOCATION DESIGNATION OF THE ANNUAL
RADIOLOGICAL GROUNDWATER PROTECTION
PROGRAM REPORT (ARGPPR)**

TABLE A-1: Radiological Groundwater Protection Program - Sampling Locations,
NEBRASKA PUBLIC POWER DISTRICT, Cooper Nuclear Station,
2011

Site	Type
Ground Monitoring Well-1D	Ground Water
Ground Monitoring Well-1S	Ground Water
Ground Monitoring Well-2	Ground Water
Ground Monitoring Well-3	Ground Water
Ground Monitoring Well-4D	Ground Water
Ground Monitoring Well-4S	Ground Water
Ground Monitoring Well-5	Ground Water
Ground Monitoring Well-6	Ground Water
Ground Monitoring Well-7D	Ground Water
Ground Monitoring Well-7S	Ground Water
Ground Monitoring Well-8	Ground Water
Ground Monitoring Well-9	Ground Water
Ground Monitoring Well-10	Ground Water
Ground Monitoring Well-12	Ground Water
Ground Monitoring Well-13	Ground Water

APPENDIX B

DATA TABLES

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 1D

DATE COLLECTED	03/25/11	05/16/11	08/18/11	11/15/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 7.E+01	NA	NA	L.T. 6.E+01
SR-89	L.T. 3.E+00	NA	NA	L.T. 2.E+00
SR-90	L.T. 9.E-01	NA	NA	L.T. 6.E-01
FE-55	L.T. 2.E+02	NA	NA	L.T. 2.E+02
NI-63	L.T. 3.E+00	NA	NA	L.T. 4.E+00
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 1.E+01	L.T. 5.E+01	L.T. 2.E+01	L.T. 4.E+01
K-40	L.T. 3.E+01	L.T. 2.E+01	L.T. 3.E+01	L.T. 6.E+01
MN-54	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 4.E+00
CO-58	L.T. 1.E+00	L.T. 4.E+00	L.T. 2.E+00	L.T. 4.E+00
FE-59	L.T. 3.E+00	L.T. 1.E+01	L.T. 7.E+00	L.T. 1.E+01
CO-60	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 5.E+00
ZN-65	L.T. 3.E+00	L.T. 5.E+00	L.T. 4.E+00	L.T. 1.E+01
ZR-95	L.T. 3.E+00	L.T. 9.E+00	L.T. 5.E+00	L.T. 9.E+00
RU-103	L.T. 2.E+00	L.T. 1.E+01	L.T. 4.E+00	L.T. 6.E+00
RU-106	L.T. 1.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 5.E+01
I-131	L.T. 8.E+00	L.T. 5.E+03	L.T. 1.E+02	L.T. 2.E+01
CS-134	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 4.E+00
CS-137	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 4.E+00
BA-140	L.T. 1.E+01	L.T. 9.E+02	L.T. 8.E+01	L.T. 3.E+01
LA-140	L.T. 5.E+00	L.T. 3.E+02	L.T. 3.E+01	L.T. 1.E+01
CE-141	L.T. 3.E+00	L.T. 2.E+01	L.T. 7.E+00	L.T. 1.E+01
CE-144	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 4.E+01
RA-226	L.T. 4.E+01	L.T. 5.E+01	L.T. 4.E+01	L.T. 1.E+02
TH-228	L.T. 3.E+00	L.T. 4.E+00	5.92E+00 ± 3.48E+00	L.T. 9.E+00
H-3	L.T. 3.E+02	L.T. 2.E+02	L.T. 2.E+02	L.T. 3.E+02

B-2

H-22

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 1S

DATE COLLECTED	03/25/11	05/16/11	08/18/11	11/15/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 6.E+00	NA	NA	L.T. 7.E+00
SR-89	L.T. 3.E+00	NA	NA	L.T. 3.E+00
SR-90	L.T. 7.E-01	NA	NA	L.T. 6.E-01
FE-55	L.T. 2.E+02	NA	NA	L.T. 1.E+02
NI-63	L.T. 4.E+00	NA	NA	L.T. 4.E+00
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 1.E+01	L.T. 5.E+01	L.T. 3.E+01	L.T. 4.E+01
K-40	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 9.E+01
MN-54	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 4.E+00
CO-58	L.T. 2.E+00	L.T. 4.E+00	L.T. 4.E+00	L.T. 5.E+00
FE-59	L.T. 4.E+00	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
CO-60	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 4.E+00
ZN-65	L.T. 3.E+00	L.T. 4.E+00	L.T. 5.E+00	L.T. 1.E+01
ZR-95	L.T. 3.E+00	L.T. 7.E+00	L.T. 6.E+00	L.T. 8.E+00
RU-103	L.T. 2.E+00	L.T. 8.E+00	L.T. 5.E+00	L.T. 6.E+00
RU-106	L.T. 1.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 4.E+01
I-131	L.T. 1.E+01	L.T. 4.E+03	L.T. 1.E+02	L.T. 2.E+01
CS-134	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 4.E+00
CS-137	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 4.E+00
BA-140	L.T. 2.E+01	L.T. 8.E+02	L.T. 1.E+02	L.T. 3.E+01
LA-140	L.T. 5.E+00	L.T. 2.E+02	L.T. 3.E+01	L.T. 1.E+01
CE-141	L.T. 4.E+00	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01
CE-144	L.T. 1.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 3.E+01
RA-226	L.T. 3.E+01	L.T. 4.E+01	L.T. 5.E+01	L.T. 1.E+02
TH-228	L.T. 3.E+00	L.T. 3.E+00	5.76E+00 ± 2.40E+00	L.T. 9.E+00
H-3	L.T. 3.E+02	L.T. 2.E+02	L.T. 2.E+02	L.T. 3.E+02

B-3

H-23

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 2

DATE COLLECTED	03/24/11	05/16/11	08/18/11	11/14/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 5.E+00	NA	NA	L.T. 5.E+00
SR-89	L.T. 3.E+00	NA	NA	L.T. 3.E+00
SR-90	L.T. 9.E-01	NA	NA	L.T. 8.E-01
FE-55	L.T. 2.E+02	NA	NA	L.T. 1.E+02
NI-63	L.T. 3.E+00	NA	NA	L.T. 4.E+00
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 2.E+01	L.T. 7.E+01	L.T. 2.E+01	L.T. 2.E+01
K-40	L.T. 4.E+01	L.T. 5.E+01	L.T. 3.E+01	L.T. 3.E+01
MN-54	L.T. 2.E+00	L.T. 3.E+00	L.T. 2.E+00	L.T. 2.E+00
CO-58	L.T. 2.E+00	L.T. 6.E+00	L.T. 2.E+00	L.T. 2.E+00
FE-59	L.T. 5.E+00	L.T. 3.E+01	L.T. 4.E+00	L.T. 4.E+00
CO-60	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
ZN-65	L.T. 4.E+00	L.T. 6.E+00	L.T. 3.E+00	L.T. 3.E+00
ZR-95	L.T. 4.E+00	L.T. 1.E+01	L.T. 3.E+00	L.T. 3.E+00
RU-103	L.T. 3.E+00	L.T. 1.E+01	L.T. 2.E+00	L.T. 2.E+00
RU-106	L.T. 2.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01
I-131	L.T. 1.E+01	L.T. 4.E+04	L.T. 8.E+00	L.T. 7.E+00
CS-134	L.T. 2.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 1.E+00
CS-137	L.T. 2.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00
BA-140	L.T. 2.E+01	L.T. 4.E+03	L.T. 1.E+01	L.T. 1.E+01
LA-140	L.T. 7.E+00	L.T. 1.E+03	L.T. 5.E+00	L.T. 4.E+00
CE-141	L.T. 5.E+00	L.T. 4.E+01	L.T. 4.E+00	L.T. 4.E+00
CE-144	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01
RA-226	L.T. 5.E+01	L.T. 5.E+01	L.T. 3.E+01	L.T. 4.E+01
TH-228	5.11E+00 ± 3.02E+00	L.T. 4.E+00	L.T. 3.E+00	L.T. 3.E+00
H-3	L.T. 3.E+02	L.T. 3.E+02	L.T. 3.E+02	L.T. 3.E+02

B-4

H-24

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 3

DATE COLLECTED	03/24/11	05/16/11	08/18/11	11/14/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 5.E+00	NA	NA	L.T. 5.E+00
SR-89	L.T. 3.E+00	NA	NA	L.T. 3.E+00
SR-90	L.T. 7.E-01	NA	NA	L.T. 9.E-01
FE-55	L.T. 2.E+02	NA	NA	L.T. 1.E+02
NI-63	L.T. 3.E+00	NA	NA	L.T. 4.E+00
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 2.E+01	L.T. 7.E+01	L.T. 2.E+01	L.T. 2.E+01
K-40	L.T. 2.E+01	5.19E+01 ± 2.92E+01	3.57E+01 ± 2.28E+01	L.T. 3.E+01
MN-54	L.T. 2.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00
CO-58	L.T. 2.E+00	L.T. 5.E+00	L.T. 2.E+00	L.T. 2.E+00
FE-59	L.T. 5.E+00	L.T. 2.E+01	L.T. 4.E+00	L.T. 4.E+00
CO-60	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
ZN-65	L.T. 4.E+00	L.T. 5.E+00	L.T. 3.E+00	L.T. 3.E+00
ZR-95	L.T. 4.E+00	L.T. 1.E+01	L.T. 3.E+00	L.T. 3.E+00
RU-103	L.T. 3.E+00	L.T. 1.E+01	L.T. 2.E+00	L.T. 2.E+00
RU-106	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 1.E+01
I-131	L.T. 1.E+01	L.T. 4.E+04	L.T. 9.E+00	L.T. 7.E+00
CS-134	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
CS-137	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
BA-140	L.T. 2.E+01	L.T. 3.E+03	L.T. 2.E+01	L.T. 1.E+01
LA-140	L.T. 7.E+00	L.T. 1.E+03	L.T. 5.E+00	L.T. 4.E+00
CE-141	L.T. 5.E+00	L.T. 4.E+01	L.T. 4.E+00	L.T. 4.E+00
CE-144	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01
RA-226	L.T. 4.E+01	L.T. 4.E+01	L.T. 4.E+01	6.06E+01 ± 3.53E+01
TH-228	L.T. 3.E+00	L.T. 4.E+00	L.T. 3.E+00	L.T. 3.E+00
H-3	L.T. 3.E+02	L.T. 2.E+02	L.T. 3.E+02	L.T. 3.E+02

B-5

H-25

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 4D

DATE COLLECTED	03/24/11	05/16/11	08/18/11	11/14/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 6.E+00	NA	NA	L.T. 6.E+00
SR-89	L.T. 3.E+00	NA	NA	L.T. 2.E+00
SR-90	L.T. 9.E-01	NA	NA	L.T. 8.E-01
FE-55	L.T. 1.E+02	NA	NA	L.T. 1.E+02
NI-63	L.T. 3.E+00	NA	NA	L.T. 4.E+00
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 2.E+01	L.T. 5.E+01	L.T. 2.E+01	L.T. 5.E+01
K-40	L.T. 3.E+01	L.T. 1.E+01	L.T. 5.E+01	L.T. 5.E+01
MN-54	L.T. 1.E+00	L.T. 1.E+00	L.T. 2.E+00	L.T. 5.E+00
CO-58	L.T. 2.E+00	L.T. 3.E+00	L.T. 2.E+00	L.T. 6.E+00
FE-59	L.T. 4.E+00	L.T. 1.E+01	L.T. 6.E+00	L.T. 1.E+01
CO-60	L.T. 1.E+00	L.T. 1.E+00	L.T. 2.E+00	L.T. 5.E+00
ZN-65	L.T. 3.E+00	L.T. 3.E+00	L.T. 5.E+00	L.T. 1.E+01
ZR-95	L.T. 3.E+00	L.T. 8.E+00	L.T. 4.E+00	L.T. 9.E+00
RU-103	L.T. 2.E+00	L.T. 9.E+00	L.T. 3.E+00	L.T. 5.E+00
RU-106	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 5.E+01
I-131	L.T. 1.E+01	L.T. 3.E+04	L.T. 1.E+01	L.T. 2.E+01
CS-134	L.T. 1.E+00	L.T. 1.E+00	L.T. 2.E+00	L.T. 4.E+00
CS-137	L.T. 1.E+00	L.T. 1.E+00	L.T. 2.E+00	L.T. 4.E+00
BA-140	L.T. 2.E+01	L.T. 2.E+03	L.T. 2.E+01	L.T. 4.E+01
LA-140	L.T. 5.E+00	L.T. 7.E+02	L.T. 7.E+00	L.T. 1.E+01
CE-141	L.T. 4.E+00	L.T. 2.E+01	L.T. 5.E+00	L.T. 1.E+01
CE-144	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 4.E+01
RA-226	L.T. 4.E+01	L.T. 4.E+01	L.T. 5.E+01	L.T. 1.E+02
TH-228	L.T. 3.E+00	L.T. 3.E+00	L.T. 3.E+00	L.T. 8.E+00
H-3	L.T. 3.E+02	L.T. 2.E+02	L.T. 3.E+02	L.T. 3.E+02

B-6

H-26

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 4S

DATE COLLECTED	02/17/11	03/24/11	04/26/11	05/16/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 1.E+00	L.T. 3.E+00	L.T. 1.E+00	L.T. 4.E+00
SR-89	L.T. 3.E+00	L.T. 3.E+00	L.T. 3.E+00	L.T. 4.E+00
SR-90	L.T. 5.E-01	L.T. 9.E-01	L.T. 6.E-01	L.T. 7.E-01
FE-55	L.T. 1.E+02	L.T. 1.E+02	L.T. 1.E+02	L.T. 2.E+02
NI-63	L.T. 3.E+00	L.T. 3.E+00	L.T. 4.E+00	L.T. 4.E+00
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 5.E+01
K-40	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 3.E+01
MN-54	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
CO-58	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 4.E+00
FE-59	L.T. 4.E+00	L.T. 5.E+00	L.T. 4.E+00	L.T. 2.E+01
CO-60	L.T. 1.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00
ZN-65	L.T. 3.E+00	L.T. 4.E+00	L.T. 3.E+00	L.T. 4.E+00
ZR-95	L.T. 3.E+00	L.T. 4.E+00	L.T. 4.E+00	L.T. 9.E+00
RU-103	L.T. 2.E+00	L.T. 3.E+00	L.T. 3.E+00	L.T. 1.E+01
RU-106	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 2.E+01
I-131	L.T. 1.E+01	L.T. 1.E+01	L.T. 3.E+01	L.T. 3.E+04
CS-134	L.T. 1.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00
CS-137	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
BA-140	L.T. 2.E+01	L.T. 2.E+01	L.T. 3.E+01	L.T. 3.E+03
LA-140	L.T. 6.E+00	L.T. 8.E+00	L.T. 9.E+00	L.T. 1.E+03
CE-141	L.T. 4.E+00	L.T. 5.E+00	L.T. 6.E+00	L.T. 3.E+01
CE-144	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01
RA-226	L.T. 4.E+01	L.T. 5.E+01	L.T. 4.E+01	L.T. 4.E+01
TH-228	L.T. 2.E+00	L.T. 3.E+00	L.T. 3.E+00	L.T. 3.E+00
H-3	6.17E+02 ± 3.70E+02	9.39E+02 ± 2.37E+02	8.01E+02 ± 3.49E+02	4.98E+02 ± 1.32E+02

B-7

H-27

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 4S

DATE COLLECTED	06/08/11	07/14/11	08/18/11	09/19/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 5.E+00	NA	NA	NA
SR-89	L.T. 2.E+00	NA	NA	NA
SR-90	L.T. 8.E-01	NA	NA	NA
FE-55	L.T. 2.E+02	NA	NA	NA
NI-63	L.T. 4.E+00	NA	NA	NA
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 5.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01
K-40	L.T. 2.E+01	L.T. 1.E+01	L.T. 3.E+01	L.T. 3.E+01
MN-54	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00
CO-58	L.T. 4.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
FE-59	L.T. 1.E+01	L.T. 7.E+00	L.T. 4.E+00	L.T. 5.E+00
CO-60	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00
ZN-65	L.T. 5.E+00	L.T. 3.E+00	L.T. 3.E+00	L.T. 4.E+00
ZR-95	L.T. 8.E+00	L.T. 4.E+00	L.T. 3.E+00	L.T. 4.E+00
RU-103	L.T. 9.E+00	L.T. 4.E+00	L.T. 2.E+00	L.T. 2.E+00
RU-106	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01
I-131	L.T. 5.E+03	L.T. 7.E+02	L.T. 8.E+00	L.T. 7.E+00
CS-134	L.T. 2.E+00	L.T. 1.E+00	L.T. 1.E+00	L.T. 2.E+00
CS-137	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00
BA-140	L.T. 9.E+02	L.T. 2.E+02	L.T. 1.E+01	L.T. 2.E+01
LA-140	L.T. 2.E+02	L.T. 8.E+01	L.T. 6.E+00	L.T. 5.E+00
CE-141	L.T. 2.E+01	L.T. 1.E+01	L.T. 3.E+00	L.T. 4.E+00
CE-144	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
RA-226	L.T. 5.E+01	L.T. 4.E+01	L.T. 4.E+01	L.T. 5.E+01
TH-228	L.T. 4.E+00	L.T. 2.E+00	L.T. 3.E+00	L.T. 4.E+00
H-3	2.37E+02 ± 1.21E+02	L.T. 2.E+02	L.T. 3.E+02	L.T. 3.E+02

B-8

H-28

B-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 4S

DATE COLLECTED	10/17/11	11/14/11	12/15/11
RADIOCHEMICAL ANALYSIS:			
GR-A	NA	L.T. 6.E+00	L.T. 2.E+00
SR-89	NA	L.T. 2.E+00	L.T. 3.E+00
SR-90	NA	L.T. 8.E-01	L.T. 5.E-01
FE-55	NA	L.T. 2.E+02	L.T. 1.E+02
NI-63	NA	L.T. 4.E+00	L.T. 3.E+00
GAMMA SPECTRUM ANALYSIS:			
BE-7	L.T. 2.E+01	L.T. 4.E+01	L.T. 5.E+01
K-40	L.T. 4.E+01	L.T. 8.E+01	L.T. 1.E+02
MN-54	L.T. 2.E+00	L.T. 4.E+00	L.T. 5.E+00
CO-58	L.T. 2.E+00	L.T. 5.E+00	L.T. 4.E+00
FE-59	L.T. 5.E+00	L.T. 9.E+00	L.T. 1.E+01
CO-60	L.T. 2.E+00	L.T. 5.E+00	L.T. 5.E+00
ZN-65	L.T. 4.E+00	L.T. 8.E+00	L.T. 1.E+01
ZR-95	L.T. 4.E+00	L.T. 9.E+00	L.T. 9.E+00
RU-103	L.T. 3.E+00	L.T. 6.E+00	L.T. 7.E+00
RU-106	L.T. 2.E+01	L.T. 4.E+01	L.T. 4.E+01
I-131	L.T. 1.E+01	L.T. 2.E+01	L.T. 2.E+01
CS-134	L.T. 2.E+00	L.T. 4.E+00	L.T. 5.E+00
CS-137	L.T. 2.E+00	L.T. 4.E+00	L.T. 4.E+00
BA-140	L.T. 2.E+01	L.T. 4.E+01	L.T. 4.E+01
LA-140	L.T. 7.E+00	L.T. 1.E+01	L.T. 1.E+01
CE-141	L.T. 5.E+00	L.T. 1.E+01	L.T. 1.E+01
CE-144	L.T. 1.E+01	L.T. 4.E+01	L.T. 3.E+01
RA-226	L.T. 5.E+01	L.T. 1.E+02	L.T. 1.E+02
TH-228	L.T. 4.E+00	L.T. 9.E+00	L.T. 1.E+01
H-3	L.T. 3.E+02	5.75E+02 ± 2.09E+02	6.16E+02 ± 1.96E+02

B-9

H-29

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 5

DATE COLLECTED	03/24/11	05/16/11	08/18/11	11/14/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 5.E+00	NA	NA	L.T. 5.E+00
SR-89	L.T. 3.E+00	NA	NA	L.T. 3.E+00
SR-90	L.T. 9.E-01	NA	NA	L.T. 8.E-01
FE-55	L.T. 2.E+02	NA	NA	L.T. 2.E+02
NI-63	L.T. 3.E+00	NA	NA	L.T. 4.E+00
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 2.E+01	L.T. 6.E+01	L.T. 2.E+01	L.T. 2.E+01
K-40	L.T. 3.E+01	8.28E+01 ± 2.43E+01	4.31E+01 ± 2.82E+01	6.25E+01 ± 3.08E+01
MN-54	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
CO-58	L.T. 2.E+00	L.T. 5.E+00	L.T. 2.E+00	L.T. 2.E+00
FE-59	L.T. 4.E+00	L.T. 2.E+01	L.T. 5.E+00	L.T. 4.E+00
CO-60	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
ZN-65	L.T. 3.E+00	L.T. 5.E+00	L.T. 4.E+00	L.T. 4.E+00
ZR-95	L.T. 3.E+00	L.T. 9.E+00	L.T. 3.E+00	L.T. 4.E+00
RU-103	L.T. 2.E+00	L.T. 1.E+01	L.T. 2.E+00	L.T. 2.E+00
RU-106	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01
I-131	L.T. 1.E+01	L.T. 3.E+04	L.T. 1.E+01	L.T. 7.E+00
CS-134	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
CS-137	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
BA-140	L.T. 2.E+01	L.T. 3.E+03	L.T. 2.E+01	L.T. 1.E+01
LA-140	L.T. 7.E+00	L.T. 1.E+03	L.T. 6.E+00	L.T. 5.E+00
CE-141	L.T. 5.E+00	L.T. 3.E+01	L.T. 5.E+00	L.T. 4.E+00
CE-144	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01
RA-226	L.T. 4.E+01	L.T. 4.E+01	L.T. 4.E+01	L.T. 4.E+01
TH-228	L.T. 3.E+00	L.T. 3.E+00	L.T. 3.E+00	L.T. 3.E+00
H-3	L.T. 3.E+02	L.T. 3.E+02	L.T. 3.E+02	L.T. 3.E+02

B-10

H-30

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 6

DATE COLLECTED	03/24/11	05/16/11	08/18/11	11/14/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 5.E+00	NA	NA	L.T. 5.E+00
SR-89	L.T. 3.E+00	NA	NA	L.T. 3.E+00
SR-90	L.T. 9.E-01	NA	NA	L.T. 9.E-01
FE-55	L.T. 4.E+01	NA	NA	L.T. 1.E+02
NI-63	L.T. 3.E+00	NA	NA	L.T. 4.E+00
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 2.E+01	L.T. 5.E+01	L.T. 2.E+01	L.T. 2.E+01
K-40	L.T. 1.E+01	L.T. 3.E+01	L.T. 1.E+01	L.T. 2.E+01
MN-54	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
CO-58	L.T. 2.E+00	L.T. 4.E+00	L.T. 2.E+00	L.T. 2.E+00
FE-59	L.T. 4.E+00	L.T. 2.E+01	L.T. 4.E+00	L.T. 5.E+00
CO-60	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00
ZN-65	L.T. 3.E+00	L.T. 4.E+00	L.T. 3.E+00	L.T. 4.E+00
ZR-95	L.T. 3.E+00	L.T. 9.E+00	L.T. 3.E+00	L.T. 4.E+00
RU-103	L.T. 2.E+00	L.T. 1.E+01	L.T. 2.E+00	L.T. 2.E+00
RU-106	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 2.E+01
I-131	L.T. 1.E+01	L.T. 3.E+04	L.T. 1.E+01	L.T. 8.E+00
CS-134	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
CS-137	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00
BA-140	L.T. 2.E+01	L.T. 3.E+03	L.T. 2.E+01	L.T. 1.E+01
LA-140	L.T. 6.E+00	L.T. 8.E+02	L.T. 5.E+00	L.T. 5.E+00
CE-141	L.T. 4.E+00	L.T. 3.E+01	L.T. 4.E+00	L.T. 4.E+00
CE-144	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
RA-226	L.T. 4.E+01	L.T. 4.E+01	L.T. 4.E+01	L.T. 5.E+01
TH-228	L.T. 3.E+00	L.T. 3.E+00	L.T. 3.E+00	L.T. 3.E+00
H-3	L.T. 3.E+02	L.T. 3.E+02	L.T. 3.E+02	L.T. 3.E+02

B-11

H-31

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 7D

DATE COLLECTED	03/25/11	05/16/11	08/18/11	11/15/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 5.E+01	NA	NA	L.T. 2.E+01
SR-89	L.T. 3.E+00	NA	NA	L.T. 3.E+00
SR-90	L.T. 9.E-01	NA	NA	L.T. 5.E-01
FE-55	L.T. 9.E+01	NA	NA	L.T. 2.E+02
NI-63	L.T. 3.E+00	NA	NA	L.T. 4.E+00
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 2.E+01	L.T. 5.E+01	L.T. 3.E+01	L.T. 5.E+01
K-40	L.T. 2.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 9.E+01
MN-54	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 5.E+00
CO-58	L.T. 2.E+00	L.T. 4.E+00	L.T. 2.E+00	L.T. 5.E+00
FE-59	L.T. 5.E+00	L.T. 1.E+01	L.T. 7.E+00	L.T. 1.E+01
CO-60	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 5.E+00
ZN-65	L.T. 4.E+00	L.T. 5.E+00	L.T. 4.E+00	L.T. 8.E+00
ZR-95	L.T. 4.E+00	L.T. 8.E+00	L.T. 5.E+00	L.T. 1.E+01
RU-103	L.T. 3.E+00	L.T. 9.E+00	L.T. 4.E+00	L.T. 6.E+00
RU-106	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 4.E+01
I-131	L.T. 1.E+01	L.T. 5.E+03	L.T. 1.E+02	L.T. 2.E+01
CS-134	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 4.E+00
CS-137	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 5.E+00
BA-140	L.T. 2.E+01	L.T. 9.E+02	L.T. 8.E+01	L.T. 4.E+01
LA-140	L.T. 6.E+00	L.T. 3.E+02	L.T. 3.E+01	L.T. 1.E+01
CE-141	L.T. 5.E+00	L.T. 2.E+01	L.T. 8.E+00	L.T. 1.E+01
CE-144	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 3.E+01
RA-226	L.T. 5.E+01	L.T. 5.E+01	L.T. 4.E+01	L.T. 1.E+02
TH-228	L.T. 4.E+00	6.60E+00 ± 4.26E+00	L.T. 3.E+00	L.T. 1.E+01
H-3	L.T. 3.E+02	L.T. 2.E+02	L.T. 2.E+02	L.T. 3.E+02

B-12

H-32

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 7S

DATE COLLECTED	03/25/11	05/16/11	08/18/11	11/15/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 5.E+00	NA	NA	L.T. 6.E+00
SR-89	L.T. 3.E+00	NA	NA	L.T. 3.E+00
SR-90	L.T. 9.E-01	NA	NA	L.T. 7.E-01
FE-55	L.T. 6.E+01	NA	NA	L.T. 1.E+02
NI-63	L.T. 3.E+00	NA	NA	L.T. 4.E+00
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 2.E+01	L.T. 5.E+01	L.T. 3.E+01	L.T. 5.E+01
K-40	L.T. 4.E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 4.E+01
MN-54	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 5.E+00
CO-58	L.T. 2.E+00	L.T. 4.E+00	L.T. 3.E+00	L.T. 6.E+00
FE-59	L.T. 5.E+00	L.T. 1.E+01	L.T. 9.E+00	L.T. 1.E+01
CO-60	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 6.E+00
ZN-65	L.T. 4.E+00	L.T. 4.E+00	L.T. 5.E+00	L.T. 1.E+01
ZR-95	L.T. 4.E+00	L.T. 8.E+00	L.T. 6.E+00	L.T. 9.E+00
RU-103	L.T. 2.E+00	L.T. 9.E+00	L.T. 5.E+00	L.T. 6.E+00
RU-106	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 4.E+01
I-131	L.T. 1.E+01	L.T. 5.E+03	L.T. 1.E+02	L.T. 2.E+01
CS-134	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 4.E+00
CS-137	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 5.E+00
BA-140	L.T. 2.E+01	L.T. 8.E+02	L.T. 1.E+02	L.T. 4.E+01
LA-140	L.T. 7.E+00	L.T. 2.E+02	L.T. 3.E+01	L.T. 1.E+01
CE-141	L.T. 4.E+00	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01
CE-144	L.T. 1.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 3.E+01
RA-226	L.T. 4.E+01	L.T. 5.E+01	L.T. 5.E+01	L.T. 1.E+02
TH-228	L.T. 3.E+00	L.T. 4.E+00	L.T. 4.E+00	L.T. 8.E+00
H-3	L.T. 3.E+02	L.T. 2.E+02	L.T. 2.E+02	L.T. 3.E+02

B-13

H-33

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 8

DATE COLLECTED	03/24/11	05/16/11	08/18/11	11/14/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 6.E+00	NA	NA	L.T. 5.E+00
SR-89	L.T. 3.E+00	NA	NA	L.T. 3.E+00
SR-90	L.T. 8.E-01	NA	NA	L.T. 9.E-01
FE-55	L.T. 9.E+01	NA	NA	L.T. 2.E+02
NI-63	L.T. 3.E+00	NA	NA	L.T. 4.E+00
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 2.E+01	L.T. 6.E+01	L.T. 1.E+01	L.T. 1.E+01
K-40	L.T. 4.E+01	L.T. 2.E+01	L.T. 1.E+01	3.79E+01 ± 2.45E+01
MN-54	L.T. 2.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 1.E+00
CO-58	L.T. 2.E+00	L.T. 5.E+00	L.T. 2.E+00	L.T. 1.E+00
FE-59	L.T. 4.E+00	L.T. 2.E+01	L.T. 4.E+00	L.T. 2.E+00
CO-60	L.T. 2.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 1.E+00
ZN-65	L.T. 4.E+00	L.T. 4.E+00	L.T. 3.E+00	L.T. 3.E+00
ZR-95	L.T. 4.E+00	L.T. 9.E+00	L.T. 3.E+00	L.T. 2.E+00
RU-103	L.T. 2.E+00	L.T. 1.E+01	L.T. 2.E+00	L.T. 1.E+00
RU-106	L.T. 2.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01
I-131	L.T. 1.E+01	L.T. 4.E+04	L.T. 8.E+00	L.T. 4.E+00
CS-134	L.T. 2.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 1.E+00
CS-137	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 1.E+00
BA-140	L.T. 2.E+01	L.T. 3.E+03	L.T. 1.E+01	L.T. 1.E+01
LA-140	L.T. 6.E+00	L.T. 1.E+03	L.T. 5.E+00	L.T. 3.E+00
CE-141	L.T. 5.E+00	L.T. 3.E+01	L.T. 3.E+00	L.T. 3.E+00
CE-144	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 9.E+00
RA-226	L.T. 4.E+01	L.T. 4.E+01	L.T. 3.E+01	L.T. 3.E+01
TH-228	L.T. 3.E+00	L.T. 3.E+00	L.T. 2.E+00	L.T. 3.E+00
H-3	L.T. 3.E+02	L.T. 3.E+02	L.T. 3.E+02	L.T. 3.E+02

B-14

H-34

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 9

DATE COLLECTED	03/24/11	05/16/11	08/18/11	11/14/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 4.E+00	NA	NA	L.T. 5.E+00
SR-89	L.T. 3.E+00	NA	NA	L.T. 3.E+00
SR-90	L.T. 9.E-01	NA	NA	L.T. 8.E-01
FE-55	L.T. 9.E+01	NA	NA	L.T. 9.E+01
NI-63	L.T. 4.E+00	NA	NA	L.T. 4.E+00
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 1.E+01	L.T. 6.E+01	L.T. 2.E+01	L.T. 2.E+01
K-40	L.T. 2.E+01	L.T. 3.E+01	L.T. 3.E+01	L.T. 2.E+01
MN-54	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
CO-58	L.T. 1.E+00	L.T. 5.E+00	L.T. 2.E+00	L.T. 2.E+00
FE-59	L.T. 3.E+00	L.T. 2.E+01	L.T. 4.E+00	L.T. 4.E+00
CO-60	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
ZN-65	L.T. 2.E+00	L.T. 4.E+00	L.T. 3.E+00	L.T. 3.E+00
ZR-95	L.T. 2.E+00	L.T. 9.E+00	L.T. 3.E+00	L.T. 3.E+00
RU-103	L.T. 2.E+00	L.T. 1.E+01	L.T. 2.E+00	L.T. 2.E+00
RU-106	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 2.E+01
I-131	L.T. 9.E+00	L.T. 3.E+04	L.T. 1.E+01	L.T. 7.E+00
CS-134	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
CS-137	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
BA-140	L.T. 1.E+01	L.T. 2.E+03	L.T. 2.E+01	L.T. 1.E+01
LA-140	L.T. 4.E+00	L.T. 9.E+02	L.T. 6.E+00	L.T. 4.E+00
CE-141	L.T. 3.E+00	L.T. 3.E+01	L.T. 4.E+00	L.T. 4.E+00
CE-144	L.T. 9.E+00	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
RA-226	L.T. 3.E+01	L.T. 4.E+01	L.T. 4.E+01	L.T. 4.E+01
TH-228	L.T. 2.E+00	L.T. 4.E+00	L.T. 4.E+00	L.T. 4.E+00
H-3	L.T. 3.E+02	L.T. 2.E+02	L.T. 5.E+02	L.T. 3.E+02

B-15

H-35

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 10

DATE COLLECTED	02/17/11	03/24/11	04/26/11	05/16/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 1.E+00	L.T. 4.E+00	L.T. 9.E-01	L.T. 2.E+00
SR-89	L.T. 3.E+00	L.T. 3.E+00	L.T. 3.E+00	L.T. 4.E+00
SR-90	L.T. 7.E-01	L.T. 8.E-01	L.T. 6.E-01	L.T. 7.E-01
FE-55	L.T. 9.E+01	L.T. 9.E+01	L.T. 2.E+02	L.T. 2.E+02
NI-63	L.T. 3.E+00	L.T. 3.E+00	L.T. 4.E+00	L.T. 4.E+00
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01	L.T. 6.E+01
K-40	L.T. 1.E+01	L.T. 4.E+01	L.T. 2.E+01	L.T. 3.E+01
MN-54	L.T. 2.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00
CO-58	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 5.E+00
FE-59	L.T. 5.E+00	L.T. 5.E+00	L.T. 6.E+00	L.T. 2.E+01
CO-60	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
ZN-65	L.T. 3.E+00	L.T. 4.E+00	L.T. 3.E+00	L.T. 4.E+00
ZR-95	L.T. 4.E+00	L.T. 4.E+00	L.T. 4.E+00	L.T. 9.E+00
RU-103	L.T. 3.E+00	L.T. 3.E+00	L.T. 3.E+00	L.T. 1.E+01
RU-106	L.T. 2.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 2.E+01
I-131	L.T. 2.E+01	L.T. 1.E+01	L.T. 6.E+01	L.T. 3.E+04
CS-134	L.T. 2.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00
CS-137	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
BA-140	L.T. 2.E+01	L.T. 2.E+01	L.T. 4.E+01	L.T. 3.E+03
LA-140	L.T. 7.E+00	L.T. 7.E+00	L.T. 1.E+01	L.T. 1.E+03
CE-141	L.T. 5.E+00	L.T. 5.E+00	L.T. 5.E+00	L.T. 3.E+01
CE-144	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
RA-226	L.T. 4.E+01	L.T. 5.E+01	L.T. 4.E+01	L.T. 4.E+01
TH-228	L.T. 4.E+00	L.T. 4.E+00	L.T. 3.E+00	L.T. 4.E+00
H-3	1.03E+03 ± 4.17E+02	8.59E+02 ± 2.29E+02	8.16E+02 ± 3.46E+02	1.11E+03 ± 2.44E+02

B-16

H-36

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 10

DATE COLLECTED	06/08/11	07/14/11	08/18/11	09/19/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 3.E+00	L.T. 4.E+00	L.T. 3.E+00	L.T. 3.E+00
SR-89	L.T. 4.E+00	L.T. 3.E+00	L.T. 3.E+00	L.T. 2.E+00
SR-90	L.T. 7.E-01	L.T. 9.E-01	L.T. 7.E-01	L.T. 9.E-01
FE-55	L.T. 2.E+02	(a)	L.T. 2.E+02	L.T. 2.E+02
NI-63	L.T. 4.E+00	L.T. 4.E+00	L.T. 4.E+00	L.T. 4.E+00
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 5.E+01	L.T. 3.E+01	L.T. 2.E+01	L.T. 2.E+01
K-40	3.88E+01 ± 2.45E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 3.E+01
MN-54	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00
CO-58	L.T. 4.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00
FE-59	L.T. 1.E+01	L.T. 8.E+00	L.T. 4.E+00	L.T. 4.E+00
CO-60	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00
ZN-65	L.T. 4.E+00	L.T. 3.E+00	L.T. 4.E+00	L.T. 3.E+00
ZR-95	L.T. 7.E+00	L.T. 5.E+00	L.T. 4.E+00	L.T. 3.E+00
RU-103	L.T. 8.E+00	L.T. 5.E+00	L.T. 3.E+00	L.T. 2.E+00
RU-106	L.T. 2.E+01	L.T. 1.E+01	L.T. 2.E+01	L.T. 2.E+01
I-131	L.T. 5.E+03	L.T. 8.E+02	L.T. 1.E+01	L.T. 6.E+00
CS-134	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00	L.T. 1.E+00
CS-137	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00	L.T. 2.E+00
BA-140	L.T. 9.E+02	L.T. 2.E+02	L.T. 2.E+01	L.T. 1.E+01
LA-140	L.T. 3.E+02	L.T. 7.E+01	L.T. 6.E+00	L.T. 4.E+00
CE-141	L.T. 2.E+01	L.T. 1.E+01	L.T. 4.E+00	L.T. 4.E+00
CE-144	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01
RA-226	L.T. 4.E+01	L.T. 3.E+01	L.T. 4.E+01	L.T. 4.E+01
TH-228	L.T. 3.E+00	L.T. 2.E+00	L.T. 3.E+00	5.81E+00 ± 3.00E+00
H-3	1.35E+03 ± 2.53E+02	6.19E+02 ± 1.41E+02	9.03E+02 ± 2.27E+02	9.90E+02 ± 2.34E+02

(a) Sample consumed before Fe-55 analysis could be run.

B-17

H-37

B-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 10

DATE COLLECTED	10/17/11	11/14/11	12/15/11
RADIOCHEMICAL ANALYSIS:			
GR-A	L.T. 9.E-01	L.T. 5.E+00	L.T. 1.E+00
SR-89	L.T. 3.E+00	L.T. 3.E+00	L.T. 3.E+00
SR-90	L.T. 7.E-01	L.T. 7.E-01	L.T. 3.E-01
FE-55	L.T. 1.E+02	L.T. 1.E+02	L.T. 2.E+02
NI-63	L.T. 4.E+00	L.T. 4.E+00	L.T. 3.E+00
GAMMA SPECTRUM ANALYSIS:			
BE-7	L.T. 2.E+01	L.T. 3.E+01	L.T. 5.E+01
K-40	L.T. 2.E+01	L.T. 2.E+01	L.T. 9.E+01
MN-54	L.T. 2.E+00	L.T. 3.E+00	L.T. 5.E+00
CO-58	L.T. 3.E+00	L.T. 4.E+00	L.T. 6.E+00
FE-59	L.T. 6.E+00	L.T. 9.E+00	L.T. 1.E+01
CO-60	L.T. 2.E+00	L.T. 4.E+00	L.T. 5.E+00
ZN-65	L.T. 5.E+00	L.T. 9.E+00	L.T. 8.E+00
ZR-95	L.T. 5.E+00	L.T. 7.E+00	L.T. 9.E+00
RU-103	L.T. 3.E+00	L.T. 5.E+00	L.T. 6.E+00
RU-106	L.T. 2.E+01	L.T. 4.E+01	L.T. 5.E+01
I-131	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01
CS-134	L.T. 2.E+00	L.T. 4.E+00	L.T. 5.E+00
CS-137	L.T. 2.E+00	L.T. 4.E+00	L.T. 6.E+00
BA-140	L.T. 3.E+01	L.T. 3.E+01	L.T. 4.E+01
LA-140	L.T. 8.E+00	L.T. 8.E+00	L.T. 9.E+00
CE-141	L.T. 5.E+00	L.T. 9.E+00	L.T. 1.E+01
CE-144	L.T. 1.E+01	L.T. 3.E+01	L.T. 4.E+01
RA-226	L.T. 5.E+01	L.T. 9.E+01	L.T. 1.E+02
TH-228	L.T. 4.E+00	L.T. 7.E+00	L.T. 1.E+01
H-3	8.25E+02 ± 2.32E+02	9.08E+02 ± 2.33E+02	1.29E+03 ± 2.42E+02

B-18

H-38

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 12

DATE COLLECTED	02/17/11	03/25/11	04/26/11	05/16/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 6.E+00	L.T. 5.E+00	L.T. 1.E+00	NA
SR-89	L.T. 3.E+00	L.T. 3.E+00	L.T. 3.E+00	NA
SR-90	L.T. 8.E-01	L.T. 8.E-01	L.T. 6.E-01	NA
FE-55	L.T. 2.E+02	L.T. 9.E+01	L.T. 9.E+01	NA
NI-63	L.T. 3.E+00	L.T. 4.E+00	L.T. 4.E+00	NA
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 2.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 4.E+01
K-40	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 3.E+01
MN-54	L.T. 1.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00
CO-58	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 4.E+00
FE-59	L.T. 4.E+00	L.T. 4.E+00	L.T. 4.E+00	L.T. 1.E+01
CO-60	L.T. 2.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00
ZN-65	L.T. 3.E+00	L.T. 3.E+00	L.T. 3.E+00	L.T. 4.E+00
ZR-95	L.T. 3.E+00	L.T. 3.E+00	L.T. 3.E+00	L.T. 7.E+00
RU-103	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 7.E+00
RU-106	L.T. 1.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 2.E+01
I-131	L.T. 2.E+01	L.T. 1.E+01	L.T. 4.E+01	L.T. 4.E+03
CS-134	L.T. 1.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00
CS-137	L.T. 2.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00
BA-140	L.T. 2.E+01	L.T. 2.E+01	L.T. 4.E+01	L.T. 7.E+02
LA-140	L.T. 7.E+00	L.T. 6.E+00	L.T. 1.E+01	L.T. 2.E+02
CE-141	L.T. 5.E+00	L.T. 4.E+00	L.T. 4.E+00	L.T. 2.E+01
CE-144	L.T. 1.E+01	L.T. 1.E+01	L.T. 8.E+00	L.T. 1.E+01
RA-226	L.T. 4.E+01	L.T. 4.E+01	L.T. 3.E+01	L.T. 5.E+01
TH-228	L.T. 3.E+00	L.T. 3.E+00	L.T. 2.E+00	L.T. 3.E+00
H-3	L.T. 5.E+02	L.T. 3.E+02	L.T. 4.E+02	L.T. 2.E+02

B-19

H-39

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 12

DATE COLLECTED	08/18/11	11/15/11
----------------	----------	----------

RADIOCHEMICAL ANALYSIS:

GR-A	NA	L.T. 7.E+00
SR-89	NA	L.T. 3.E+00
SR-90	NA	L.T. 7.E-01
FE-55	NA	L.T. 2.E+02
NI-63	NA	L.T. 4.E+00

GAMMA SPECTRUM ANALYSIS:

BE-7	L.T. 3.E+01	L.T. 4.E+01
K-40	L.T. 1.E+01	L.T. 5.E+01
MN-54	L.T. 2.E+00	L.T. 5.E+00
CO-58	L.T. 2.E+00	L.T. 4.E+00
FE-59	L.T. 5.E+00	L.T. 1.E+01
CO-60	L.T. 1.E+00	L.T. 5.E+00
ZN-65	L.T. 3.E+00	L.T. 9.E+00
ZR-95	L.T. 4.E+00	L.T. 9.E+00
RU-103	L.T. 4.E+00	L.T. 6.E+00
RU-106	L.T. 2.E+01	L.T. 4.E+01
I-131	L.T. 1.E+02	L.T. 2.E+01
CS-134	L.T. 2.E+00	L.T. 5.E+00
CS-137	L.T. 2.E+00	L.T. 5.E+00
BA-140	L.T. 8.E+01	L.T. 4.E+01
LA-140	L.T. 2.E+01	L.T. 1.E+01
CE-141	L.T. 9.E+00	L.T. 1.E+01
CE-144	L.T. 2.E+01	L.T. 4.E+01
RA-226	L.T. 4.E+01	L.T. 1.E+02
TH-228	L.T. 3.E+00	L.T. 1.E+01
H-3	L.T. 2.E+02	L.T. 3.E+02

B-20

H-40

B-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 13

DATE COLLECTED	02/17/11	03/24/11	04/26/11	05/16/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 8.E-01	L.T. 6.E+00	L.T. 1.E+00	L.T. 5.E+00
SR-89	L.T. 3.E+00	L.T. 3.E+00	L.T. 3.E+00	L.T. 4.E+00
SR-90	L.T. 8.E-01	L.T. 8.E-01	L.T. 7.E-01	L.T. 9.E-01
FE-55	L.T. 1.E+02	L.T. 1.E+02	L.T. 2.E+02	L.T. 1.E+02
NI-63	L.T. 3.E+00	L.T. 3.E+00	L.T. 4.E+00	L.T. 4.E+00
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 2.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 6.E+01
K-40	4.23E+01 ± 2.40E+01	L.T. 4.E+01	L.T. 8.E+00	L.T. 3.E+01
MN-54	L.T. 1.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00
CO-58	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 5.E+00
FE-59	L.T. 4.E+00	L.T. 5.E+00	L.T. 4.E+00	L.T. 2.E+01
CO-60	L.T. 2.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00
ZN-65	L.T. 3.E+00	L.T. 4.E+00	L.T. 2.E+00	L.T. 4.E+00
ZR-95	L.T. 3.E+00	L.T. 4.E+00	L.T. 3.E+00	L.T. 9.E+00
RU-103	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 1.E+01
RU-106	L.T. 1.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 2.E+01
I-131	L.T. 2.E+01	L.T. 1.E+01	L.T. 5.E+01	L.T. 3.E+04
CS-134	L.T. 1.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00
CS-137	L.T. 2.E+00	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00
BA-140	L.T. 2.E+01	L.T. 2.E+01	L.T. 4.E+01	L.T. 3.E+03
LA-140	L.T. 7.E+00	L.T. 7.E+00	L.T. 1.E+01	L.T. 8.E+02
CE-141	L.T. 5.E+00	L.T. 4.E+00	L.T. 4.E+00	L.T. 3.E+01
CE-144	L.T. 1.E+01	L.T. 1.E+01	L.T. 9.E+00	L.T. 2.E+01
RA-226	L.T. 4.E+01	L.T. 4.E+01	L.T. 2.E+01	L.T. 4.E+01
TH-228	L.T. 3.E+00	L.T. 3.E+00	L.T. 2.E+00	5.87E+00 ± 3.25E+00
H-3	L.T. 4.73E+02	6.37E+02 ± 2.17E+02	1.58E+03 ± 4.24E+02	2.58E+03 ± 3.12E+02

B-21

H-41

B-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 13

DATE COLLECTED	06/08/11	07/14/11	08/18/11	09/19/11
RADIOCHEMICAL ANALYSIS:				
GR-A	L.T. 4.E+00	L.T. 4.E+00	L.T. 5.E+00	L.T. 2.E+00
SR-89	L.T. 2.E+00	L.T. 3.E+00	L.T. 2.E+00	L.T. 3.E+00
SR-90	L.T. 7.E-01	L.T. 8.E-01	L.T. 6.E-01	L.T. 8.E-01
FE-55	L.T. 1.E+02	L.T. 2.E+02	L.T. 1.E+02	L.T. 1.E+02
NI-63	L.T. 4.E+00	L.T. 4.E+00	L.T. 4.E+00	L.T. 4.E+00
GAMMA SPECTRUM ANALYSIS:				
BE-7	L.T. 5.E+01	L.T. 3.E+01	L.T. 2.E+01	L.T. 7.E+01
K-40	4.01E+01 ± 2.67E+01	L.T. 1.E+01	L.T. 3.E+01	L.T. 5.E+01
MN-54	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 7.E+00
CO-58	L.T. 4.E+00	L.T. 3.E+00	L.T. 2.E+00	L.T. 8.E+00
FE-59	L.T. 1.E+01	L.T. 8.E+00	L.T. 4.E+00	L.T. 2.E+01
CO-60	L.T. 2.E+00	L.T. 1.E+00	L.T. 2.E+00	L.T. 8.E+00
ZN-65	L.T. 4.E+00	L.T. 3.E+00	L.T. 3.E+00	L.T. 2.E+01
ZR-95	L.T. 8.E+00	L.T. 5.E+00	L.T. 3.E+00	L.T. 1.E+01
RU-103	L.T. 8.E+00	L.T. 5.E+00	L.T. 2.E+00	L.T. 9.E+00
RU-106	L.T. 2.E+01	L.T. 2.E+01	L.T. 1.E+01	L.T. 6.E+01
I-131	L.T. 4.E+03	L.T. 9.E+02	L.T. 9.E+00	L.T. 3.E+01
CS-134	L.T. 2.E+00	L.T. 1.E+00	L.T. 1.E+00	L.T. 8.E+00
CS-137	L.T. 2.E+00	L.T. 2.E+00	L.T. 2.E+00	L.T. 7.E+00
BA-140	L.T. 8.E+02	L.T. 3.E+02	L.T. 2.E+01	L.T. 5.E+01
LA-140	L.T. 2.E+02	L.T. 8.E+01	L.T. 6.E+00	L.T. 3.E+01
CE-141	L.T. 2.E+01	L.T. 1.E+01	L.T. 3.E+00	L.T. 2.E+01
CE-144	L.T. 2.E+01	L.T. 1.E+01	L.T. 1.E+01	L.T. 5.E+01
RA-226	L.T. 5.E+01	L.T. 4.E+01	L.T. 4.E+01	L.T. 2.E+02
TH-228	6.44E+00 ± 4.29E+00	L.T. 3.E+00	L.T. 3.E+00	L.T. 1.E+01
H-3	6.54E+03 ± 7.03E+02	1.08E+03 ± 1.70E+02	9.22E+02 ± 2.30E+02	9.29E+02 ± 2.27E+02

B-22

H-42

B-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - INGESTION
WATER - GROUND (PCI/LITER)

STATION NUMBER 13

DATE COLLECTED	10/17/11	11/14/11	12/15/11
RADIOCHEMICAL ANALYSIS:			
GR-A	L.T. 1.E+00	L.T. 6.E+00	L.T. 9.E-01
SR-89	L.T. 2.E+00	L.T. 3.E+00	L.T. 3.E+00
SR-90	L.T. 7.E-01	L.T. 6.E-01	L.T. 7.E-01
FE-55	L.T. 2.E+02	L.T. 1.E+02	L.T. 1.E+02
NI-63	L.T. 4.E+00	L.T. 4.E+00	L.T. 4.E+00
GAMMA SPECTRUM ANALYSIS:			
BE-7	L.T. 2.E+01	L.T. 4.E+01	L.T. 6.E+01
K-40	L.T. 2.E+01	L.T. 5.E+01	L.T. 5.E+01
MN-54	L.T. 2.E+00	L.T. 4.E+00	L.T. 6.E+00
CO-58	L.T. 2.E+00	L.T. 5.E+00	L.T. 5.E+00
FE-59	L.T. 5.E+00	L.T. 1.E+01	L.T. 1.E+01
CO-60	L.T. 2.E+00	L.T. 5.E+00	L.T. 6.E+00
ZN-65	L.T. 4.E+00	L.T. 6.E+00	L.T. 7.E+00
ZR-95	L.T. 4.E+00	L.T. 8.E+00	L.T. 1.E+01
RU-103	L.T. 3.E+00	L.T. 5.E+00	L.T. 7.E+00
RU-106	L.T. 2.E+01	L.T. 4.E+01	L.T. 5.E+01
I-131	L.T. 2.E+01	L.T. 2.E+01	L.T. 2.E+01
CS-134	L.T. 2.E+00	L.T. 4.E+00	L.T. 5.E+00
CS-137	L.T. 2.E+00	L.T. 4.E+00	L.T. 6.E+00
BA-140	L.T. 2.E+01	L.T. 3.E+01	L.T. 5.E+01
LA-140	L.T. 8.E+00	L.T. 1.E+01	L.T. 1.E+01
CE-141	L.T. 6.E+00	L.T. 1.E+01	L.T. 1.E+01
CE-144	L.T. 2.E+01	L.T. 3.E+01	L.T. 4.E+01
RA-226	L.T. 5.E+01	L.T. 1.E+02	L.T. 1.E+02
TH-228	L.T. 4.E+00	L.T. 8.E+00	L.T. 1.E+01
H-3	8.16E+02 ± 2.29E+02	1.69E+03 ± 2.76E+02	1.31E+03 ± 2.40E+02

B-23

H-43

APPENDIX I
NON-ODAM REQUIRED SAMPLING, SUPPLEMENTARY STATIONS

NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
Non-ODAM Required Sampling, Supplementary Stations
2011 Annual Report
January 1, 2011 to December 31, 2011

Prepared by
Teledyne Brown Engineering
2508 Quality Lane
Knoxville, TN 37931-3133

TABLE OF CONTENTS

I. Introduction	4
II. Summary	6
III. Results and Discussion of 2011 Analytical Results.....	8
A. Airborne Particulates	9
B. Airborne Iodine	9
C. Thermoluminescent Dosimeters	9
D. Errata Data.....	9

APPENDICES

Appendix A: Non-ODAM Required Sampling LocationsA-1

Table A-1: Non-ODAM Sampling Station Description, Sample Type and Sample Location, Nebraska Public Power District, Cooper Nuclear Station, 2011A-2

Appendix B: Data Tables of Non-ODAM Required Sampling LocationsB-1

Table B-1: Exposure Pathway – Airborne Air Particulate and Charcoal FiltersB-2

Table B-2: Exposure Pathway – Airborne Composite Air Particulate FiltersB-4

Table B-3: Exposure Pathway – Thermoluminescent DosimetryB-5

SECTION I. INTRODUCTION

I. INTRODUCTION

This report contains a complete tabulation of data for non-ODAM required Sampling Stations collected during the period January through December 2011 for the Cooper Nuclear Station (CNS) of the Nebraska Public Power District (NPPD) by Teledyne Brown Engineering - Environmental Services.

In assessing all the data gathered for this report, it was concluded that the operation of CNS had no adverse radiological impact on the environment, and there are no known active releases into the groundwater or surface water at Nebraska Public Power District.

SECTION II. SUMMARY

II. Summary

Data from the radiological analyses of environmental media collected during 2011 for non-ODAM required stations are tabulated and discussed below.

Radiological analyses of environmental media characteristically approach and frequently fall below the detection limits of state-of-the-art measurement methods. The “less than” values in the data tables were calculated from each specific analysis and are dependent on sample size, detector efficiency, length of counting time, chemical yield (when appropriate) and the radioactive decay factor from time of counting to time of collection. Teledyne Brown Engineering meets the Lower Limit of Detection (LLD) requirements given in Table 2 of the USNRC Branch Technical Position, Radiological Monitoring Acceptable Program (November 1979, Revision 1).

The following is a discussion and summary of the results of the environmental measurements taken during the 2011 reporting period:

SECTION III. RESULTS and Discussion of 2011 Analytical Results

III. Results and Discussion of 2011 Analytical Results

A. *Airborne Particulates*

Gross beta activity was observed in 52 of the 52 samples collected during 2011. The average concentration was 0.022 pCi/m^3 with a range of 0.008 to 0.052 pCi/m^3 . The results of the gross beta activities are presented in Table B-1. The gross beta activities for 2011 were comparable to levels measured in the previous several years. Prior to that period the gross beta activities were higher due to atmospheric nuclear weapons testing performed in other countries. The preoperational period of 1971 through 1974 averaged 0.098 pCi/m^3 gross beta.

Air particulate filters were collected weekly and composited by locations on a quarterly basis. They were analyzed by gamma ray spectroscopy. The results are presented in Table B-2. Iodine-131 was detected in one sample at a concentration 0.068 pCi/m^3 in the 2nd quarter 2011 composite. The activity is attributed to the Fukushima accident as described in the annual REMP report. All other gamma emitters were below the detection limits.

B. *Airborne Iodine*

Charcoal cartridges used to collect airborne iodine were collected weekly and analyzed by gamma spectrometry for iodine-131. The results are presented in Table B-1. Iodine-131 was detected in two samples collected week end 03/29/11 and 04/05/11 with concentrations of 0.093 and 0.113 pCi/m^3 , respectively. The activity is attributed to the Fukushima accident as described in the annual REMP report. All other results were below the required lower limit of detection.

C. *Thermoluminescent Dosimeters*

Thermoluminescent dosimeters (TLDs) determine environmental radiation doses and the results are presented in Table B-3. Ambient radiation was monitored at 26 non-ODAM required locations and collected quarterly. The quarterly average for the locations was 22.4 millirem/quarter and a range from 14.4 to 51.3 millirem/quarter. The preoperational period of 1971 through 1974 averaged 37.0 millirem/quarter. Current year TLD averages deviate from the preoperational averages due to instrument variations from previous vendors.

The data from year to year is in good agreement and indicates no adverse changes in radiation exposure to the population near the Cooper Nuclear Station.

D. *Errata Data*

There was no errata data for 2011.

APPENDIX A
NON-ODAM REQUIRED SAMPLING STATIONS

NON-ODAM SAMPLE STATION DESCRIPTION,
SAMPLE TYPE AND SAMPLE LOCATION

<u>Sample Station (a)</u>	<u>Sample Description – Type and Location</u>
No. 111	Type: (1) Air Particulate and Charcoal Filters (2) Environmental Thermoluminescent Dosimetry Location: 10.8 miles west southwest and 1.3 miles west of Howe, Nebraska, NE ¼, S13, T4N, R13E, Nemaha County, Nebraska. Lon. 095.84.165 W – Lat. 40.31.955 N
N01	Type: (1) Environmental Thermoluminescent Dosimetry
N02	Type: (1) Environmental Thermoluminescent Dosimetry
N03	Type: (1) Environmental Thermoluminescent Dosimetry
N04	Type: (1) Environmental Thermoluminescent Dosimetry
N05	Type: (1) Environmental Thermoluminescent Dosimetry
N06	Type: (1) Environmental Thermoluminescent Dosimetry
N07	Type: (1) Environmental Thermoluminescent Dosimetry
N08	Type: (1) Environmental Thermoluminescent Dosimetry
N09	Type: (1) Environmental Thermoluminescent Dosimetry
N10	Type: (1) Environmental Thermoluminescent Dosimetry
N11	Type: (1) Environmental Thermoluminescent Dosimetry
N12	Type: (1) Environmental Thermoluminescent Dosimetry
N13	Type: (1) Environmental Thermoluminescent Dosimetry
N14	Type: (1) Environmental Thermoluminescent Dosimetry
N15	Type: (1) Environmental Thermoluminescent Dosimetry

**NON-ODAM SAMPLE STATION DESCRIPTION,
SAMPLE TYPE AND SAMPLE LOCATION**

<u>Sample Station (a)</u>	<u>Sample Description – Type and Location</u>
N16	Type: (1) Environmental Thermoluminescent Dosimetry
N17	Type: (1) Environmental Thermoluminescent Dosimetry
N18	Type: (1) Environmental Thermoluminescent Dosimetry
N19	Type: (1) Environmental Thermoluminescent Dosimetry
N20	Type: (1) Environmental Thermoluminescent Dosimetry
N21	Type: (1) Environmental Thermoluminescent Dosimetry
N22	Type: (1) Environmental Thermoluminescent Dosimetry
N23	Type: (1) Environmental Thermoluminescent Dosimetry
N24	Type: (1) Environmental Thermoluminescent Dosimetry
N25	Type: (1) Environmental Thermoluminescent Dosimetry

APPENDIX B
DATA TABLES OF NON-ODAM REQUIRED SAMPLING LOCATIONS

B-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 111

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
12/28/10	01/04/11	1.02E+04	CU.FT.	2.56E-02 ± 4.52E-03	L.T. 2.E-02
01/04/11	01/11/11	1.02E+04	CU.FT.	2.23E-02 ± 5.16E-03	L.T. 2.E-02
01/11/11	01/18/11	9.99E+03	CU.FT.	5.17E-02 ± 6.26E-03	L.T. 2.E-02
01/18/11	01/25/11	1.00E+04	CU.FT.	3.88E-02 ± 5.90E-03	L.T. 6.E-02
01/25/11	01/31/11	8.61E+03	CU.FT.	2.98E-02 ± 5.61E-03	L.T. 5.E-02
01/31/11	02/08/11	1.15E+04	CU.FT.	1.90E-02 ± 4.35E-03	L.T. 3.E-02
02/08/11	02/15/11	1.01E+04	CU.FT.	1.69E-02 ± 4.01E-03	L.T. 5.E-02
02/15/11	02/21/11	8.65E+03	CU.FT.	2.04E-02 ± 4.58E-03	L.T. 5.E-02
02/21/11	02/28/11	1.02E+04	CU.FT.	2.52E-02 ± 5.04E-03	L.T. 6.E-02
02/28/11	03/07/11	9.90E+03	CU.FT.	2.38E-02 ± 5.33E-03	L.T. 3.E-02
03/07/11	03/15/11	1.14E+04	CU.FT.	2.14E-02 ± 4.49E-03	L.T. 6.E-02
03/15/11	03/22/11	1.00E+04	CU.FT.	1.83E-02 ± 4.08E-03	L.T. 2.E-02
03/22/11	03/29/11	1.01E+04	CU.FT.	3.37E-02 ± 5.70E-03	9.31E-02 ± 4.E-02 (a)
03/29/11	04/05/11	1.00E+04	CU.FT.	3.29E-02 ± 5.54E-03	1.13E-01 ± 4.E-02 (a)
04/05/11	04/13/11	1.15E+04	CU.FT.	1.47E-02 ± 4.31E-03	L.T. 4.E-02
04/13/11	04/19/11	8.72E+03	CU.FT.	2.12E-02 ± 5.52E-03	L.T. 4.E-02
04/19/11	04/26/11	9.96E+03	CU.FT.	9.60E-03 ± 3.86E-03	L.T. 2.E-02
04/26/11	05/03/11	1.01E+04	CU.FT.	1.93E-02 ± 3.94E-03	L.T. 3.E-02
05/03/11	05/10/11	9.96E+03	CU.FT.	1.41E-02 ± 4.41E-03	L.T. 3.E-02
05/10/11	05/17/11	1.01E+04	CU.FT.	8.02E-03 ± 3.06E-03	L.T. 2.E-02
05/17/11	05/24/11	1.01E+04	CU.FT.	1.30E-02 ± 4.10E-03	L.T. 4.E-02
05/24/11	05/31/11	1.00E+04	CU.FT.	9.75E-03 ± 3.41E-03	L.T. 3.E-02
05/31/11	06/07/11	1.01E+04	CU.FT.	1.72E-02 ± 4.88E-03	L.T. 3.E-02
06/07/11	06/14/11	9.97E+03	CU.FT.	8.28E-03 ± 3.96E-03	L.T. 5.E-02
06/14/11	06/21/11	1.03E+04	CU.FT.	1.46E-02 ± 3.58E-03	L.T. 5.E-02
06/21/11	06/28/11	9.91E+03	CU.FT.	8.59E-03 ± 4.46E-03	L.T. 7.E-02
06/28/11	07/05/11	1.02E+04	CU.FT.	1.90E-02 ± 4.46E-03	L.T. 7.E-02

(a) Positive I-131 results attributed to Fukushima accident

B-2

I-15

B-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
AIR PARTICULATE & CHARCOAL FILTERS

STATION NUMBER 111

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	AP FILTER GROSS BETA (PCI/CU.M.)	CHARCOAL FILTER I-131 (PCI/CU.M.)
07/05/11	07/12/11	1.00E+04	CU.FT.	2.24E-02 ± 5.00E-03	L.T. 5.E-02
07/12/11	07/19/11	1.00E+04	CU.FT.	2.23E-02 ± 4.28E-03	L.T. 6.E-02
07/19/11	07/26/11	1.00E+04	CU.FT.	9.61E-03 ± 4.76E-03	L.T. 6.E-02
07/26/11	08/01/11	8.82E+03	CU.FT.	1.79E-02 ± 4.94E-03	L.T. 4.E-02
08/01/11	08/09/11	1.14E+04	CU.FT.	2.31E-02 ± 4.46E-03	L.T. 5.E-02
08/09/11	08/16/11	1.01E+04	CU.FT.	2.05E-02 ± 3.99E-03	L.T. 3.E-02
08/16/11	08/22/11	8.66E+03	CU.FT.	2.09E-02 ± 4.98E-03	L.T. 7.E-02
08/22/11	08/30/11	1.16E+04	CU.FT.	2.46E-02 ± 4.04E-03	L.T. 6.E-02
08/30/11	09/06/11	9.99E+03	CU.FT.	3.03E-02 ± 4.95E-03	L.T. 3.E-02
09/06/11	09/13/11	9.91E+03	CU.FT.	2.53E-02 ± 4.53E-03	L.T. 6.E-02
09/13/11	09/20/11	1.01E+04	CU.FT.	1.58E-02 ± 3.97E-03	L.T. 4.E-02
09/20/11	09/27/11	1.02E+04	CU.FT.	1.96E-02 ± 4.70E-03	L.T. 4.E-02
09/27/11	10/04/11	9.91E+03	CU.FT.	1.69E-02 ± 4.71E-03	L.T. 3.E-02
10/04/11	10/11/11	1.01E+04	CU.FT.	2.42E-02 ± 4.51E-03	L.T. 6.E-02
10/11/11	10/18/11	1.00E+04	CU.FT.	1.51E-02 ± 4.18E-03	L.T. 5.E-02
10/18/11	10/25/11	1.03E+04	CU.FT.	2.83E-02 ± 4.70E-03	L.T. 7.E-02
10/25/11	11/01/11	1.00E+04	CU.FT.	2.20E-02 ± 5.03E-03	L.T. 5.E-02
11/01/11	11/08/11	9.98E+03	CU.FT.	3.47E-02 ± 5.30E-03	L.T. 6.E-02
11/08/11	11/15/11	1.00E+04	CU.FT.	2.55E-02 ± 5.08E-03	L.T. 5.E-02
11/15/11	11/22/11	1.00E+04	CU.FT.	3.87E-02 ± 5.80E-03	L.T. 4.E-02
11/22/11	11/29/11	1.01E+04	CU.FT.	4.02E-02 ± 5.93E-03	L.T. 4.E-02
11/29/11	12/05/11	8.71E+03	CU.FT.	1.57E-02 ± 4.47E-03	L.T. 5.E-02
12/05/11	12/13/11	1.15E+04	CU.FT.	3.48E-02 ± 4.91E-03	L.T. 6.E-02
12/13/11	12/20/11	1.01E+04	CU.FT.	3.98E-02 ± 5.83E-03	L.T. 4.E-02
12/20/11	12/27/11	9.92E+03	CU.FT.	2.08E-02 ± 4.21E-03	L.T. 4.E-02
12/27/11	01/03/12	1.02E+04	CU.FT.	1.26E-02 ± 4.36E-03	L.T. 5.E-02

B-3

I-16

B-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
COMPOSITE AIR PARTICULATE FILTERS
 (PCI/CU.M.)

STATION NUMBER 111

DATE COLLECTED	03/15 - 03/22/11	03/22 - 03/29/11	03/29 - 04/05/11	04/05 - 04/13/11
----------------	------------------	------------------	------------------	------------------

GAMMA SPECTRUM ANALYSIS:

BE-7	L.T. 3.E-01	L.T. 3.E-01	L.T. 3.E-01	L.T. 2.E-01
K-40	L.T. 5.E-01	L.T. 6.E-01	L.T. 6.E-01	L.T. 4.E-01
MN-54	L.T. 3.E-02	L.T. 3.E-02	L.T. 4.E-02	L.T. 3.E-02
CO-58	L.T. 3.E-02	L.T. 3.E-02	L.T. 3.E-02	L.T. 2.E-02
FE-59	L.T. 6.E-02	L.T. 5.E-02	L.T. 8.E-02	L.T. 5.E-02
CO-60	L.T. 4.E-02	L.T. 3.E-02	L.T. 4.E-02	L.T. 2.E-02
ZN-65	L.T. 8.E-02	L.T. 6.E-02	L.T. 9.E-02	L.T. 7.E-02
ZR-95	L.T. 6.E-02	L.T. 5.E-02	L.T. 6.E-02	L.T. 3.E-02
RU-103	L.T. 3.E-02	L.T. 3.E-02	L.T. 3.E-02	L.T. 3.E-02
RU-106	L.T. 3.E-01	L.T. 3.E-01	L.T. 4.E-01	L.T. 2.E-01
I-131	L.T. 4.E-02	6.80E-02 ± 2.81E-02 (a)	L.T. 6.E-02	L.T. 5.E-02
CS-134	L.T. 3.E-02	L.T. 3.E-02	L.T. 4.E-02	L.T. 3.E-02
CS-137	L.T. 3.E-02	L.T. 4.E-02	L.T. 4.E-02	L.T. 3.E-02
BA-140	L.T. 1.E-01	L.T. 1.E-01	L.T. 1.E-01	L.T. 1.E-01
CE-141	L.T. 3.E-02	L.T. 4.E-02	L.T. 4.E-02	L.T. 2.E-02
CE-144	L.T. 1.E-01	L.T. 2.E-01	L.T. 1.E-01	L.T. 1.E-01
RA-226	L.T. 4.E-01	L.T. 5.E-01	L.T. 6.E-01	L.T. 4.E-01
TH-228	L.T. 3.E-02	L.T. 6.E-02	L.T. 5.E-02	L.T. 3.E-02

(a) Positive I-131 results attributed to Fukushima accident

B-4

I-17

B-3
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - THERMOLUMINESCENT DOSIMETRY - TLD
 COOPER NUCLEAR STATION 2011

Sample Nuclide	Station Number	First Quarter 01/01-03/31	Second Quarter 04/01-06/30	Third Quarter 07/01-09/30	Fourth Quarter 10/01-01/01	Quarter Average - 1 S.D.
TLD	111	18.4 ± 0.5	20.1 ± 0.8	22.6 ± 0.2	23.1 ± 1.2	21.1 ± 2.2
	N01	18.4 ± 0.5	48.2 ± 1.9	17.2 ± 0.4	15.2 ± 0.6	24.8 ± 0.8
	N02	20.0 ± 0.9	23.9 ± 0.5	22.6 ± 0.3	23.5 ± 0.9	22.5 ± 0.7
	N03	18.1 ± 0.7	24.0 ± 0.5	21.9 ± 0.7	21.6 ± 0.8	21.4 ± 0.7
	N04	19.7 ± 1.1	50.8 ± 1.2	16.8 ± 0.9	14.9 ± 0.2	25.6 ± 0.9
	N05	19.3 ± 0.3	23.5 ± 1.3	22.2 ± 1.1	22.0 ± 1.9	21.7 ± 1.2
	N06	18.0 ± 0.8	23.7 ± 2.3	22.3 ± 0.3	27.3 ± 0.9	22.8 ± 1.1
	N07	18.3 ± 0.5	25.8 ± 0.5	23.4 ± 0.5	29.2 ± 0.7	24.2 ± 0.6
	N08	17.3 ± 1.0	22.9 ± 1.5	21.6 ± 0.9	22.3 ± 0.8	21.0 ± 1.1
	N09	17.2 ± 0.8	23.7 ± 0.2	22.2 ± 0.5	20.7 ± 0.8	21.0 ± 0.6
	N10	18.4 ± 0.3	21.6 ± 0.1	22.6 ± 0.9	20.7 ± 1.4	20.8 ± 0.7
	N11	20.5 ± 0.8	24.4 ± 0.5	23.4 ± 0.3	23.2 ± 1.1	22.9 ± 0.7
	N12	21.6 ± 1.1	40.4 ± 1.7	17.4 ± 0.9	23.5 ± 1.0	25.7 ± 1.2
	N13	19.4 ± 1.0	22.3 ± 1.0	23.0 ± 1.0	23.5 ± 0.8	22.1 ± 0.9
	N14	18.0 ± 0.6	19.1 ± 1.1	22.1 ± 0.4	22.7 ± 0.5	20.5 ± 0.6
	N15	21.8 ± 1.2	51.3 ± 1.0	16.3 ± 1.1	14.4 ± 0.4	26.0 ± 0.9
	N16	17.9 ± 0.1	21.7 ± 0.3	22.3 ± 1.1	22.0 ± 1.0	21.0 ± 0.6
	N17	20.7 ± 0.5	22.3 ± 0.9	23.1 ± 0.8	21.9 ± 1.6	22.0 ± 1.0
	N18	18.6 ± 0.3	20.4 ± 0.9	24.9 ± 2.8	20.4 ± 1.2	21.1 ± 1.3
	N19	18.9 ± 1.5	20.7 ± 0.6	22.8 ± 0.2	25.2 ± 2.6	21.9 ± 1.2
	N20	19.8 ± 0.6	20.0 ± 0.2	23.1 ± 1.6	26.8 ± 2.7	22.4 ± 1.3
	N21	21.6 ± 1.2	19.3 ± 0.6	23.6 ± 0.3	25.7 ± 1.9	22.6 ± 1.0

B-5

I-18

B-3

NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - THERMOLUMINESCENT DOSIMETRY - TLD
COOPER NUCLEAR STATION 2011

Sample Nuclide	Station Number	First Quarter 01/01-03/31	Second Quarter 04/01-06/30	Third Quarter 07/01-09/30	Fourth Quarter 10/01-01/01	Quarter Average - 1 S.D.
	N22	18.8 ± 0.4	25.3 ± 2.6	21.0 ± 0.8	24.8 ± 1.8	22.5 ± 1.4
	N23	18.4 ± 0.7	18.6 ± 0.1	20.3 ± 1.3	19.9 ± 1.5	19.3 ± 0.9
	N24	19.4 ± 0.8	26.3 ± 1.7	24.1 ± 0.7	24.6 ± 1.1	23.6 ± 1.1
	N25	18.2 ± 0.2	21.8 ± 0.1	22.3 ± 0.6	23.6 ± 0.8	21.5 ± 0.4
	Average/Quarter	19.1 ± 1.3	26.2 ± 9.7	21.7 ± 2.3	22.4 ± 3.5	
	Average/day	0.212	0.291	0.242	0.249	
	Range	(17.2-21.8)	(18.6-51.3)	(16.3-24.9)	(14.4-29.2)	
	Detection/Total	26/26	26/26	26/26	26/26	

B-6

I-19

**APPENDIX J
ERRATA DATA**

NO ERRATA DATA FOR THIS YEAR

**APPENDIX K
FUKUSHIMA DATA 2011**

***NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
FUKUSHIMA DATA
2011***

Prepared by
*Teledyne Brown Engineering
2508 Quality Lane
Knoxville, TN 37931-3133*

Table Of Contents

I. Summary.....	4
II. Program Description.....	6
A. Sample Analysis	7
B. Program Description.....	7
III. Results and Discussion.....	8
A. Routine REMP Samples.....	9
1. Air Iodine	9
2. Air Particulate Gamma Spectroscopy	9
B. New Air Sampling Locations	9
1. Air Iodine	9
2. Air Particulate Gamma Spectroscopy	9
3. Ground Water Iodine by Chemical Separation.....	9
4. Ground Water Gamma Spectroscopy	10

Tables

Fukushima Table A-1: Exposure Pathway – Airborne
Routine REMP Locations – Charcoal Filters

Fukushima Table A-2: Exposure Pathway – Airborne
Routine REMP Locations - Air Particulate Filters – Gamma
Spectroscopy

Fukushima Table A-3: Exposure Pathway – Airborne
New Air Sampling Locations – Charcoal Filters – Air Iodine

Fukushima Table A-4: Exposure Pathway – Airborne
New Air Sampling Locations – Air Particulate Filters – Gamma
Spectroscopy

SECTION I. SUMMARY

I. SUMMARY

On March 11, 2011 an earthquake off the Japanese islands produced a massive tsunami that caused a nuclear incident at four of the six Fukushima Daiichi reactors. In planning for the potential radioactive plume reaching the United States, CNS increased the sampling frequency, added new air sampling equipment to already existing REMP stations (designated with an N, i.e. N-1, N-2, etc.), and added additional analyses of select media from pathways that were expected to be the most sensitive to any increase in ambient radiation levels. Low level I-131 analyses and gamma spectroscopy analyses were performed on air particulates, air iodine and groundwater.

The resulting radioactive plume was first detected in the environs of CNS on week ending March 29, 2011. The final date of positive detection was on week ending April 13, 2011. The radionuclide identified was Iodine-131. The maximum activity level found by media was 0.311 pCi/m³ in air iodine. Samples collected were compared to offsite control locations to verify that these positive detections were not attributable to licensed activities. All other radionuclides analyzed for were below MDL.

The radioactive half-life of I-131 is about 8 days. This short half-life allowed the affects of this radioactive plume to subside over about 3 weeks.

SECTION II. PROGRAM DESCRIPTION

II. Program Description

A. Sample Analysis

This section describes the general analytical methodologies used by TBE to analyze the environmental samples for radioactivity for the CNS REMP during March and April in 2011, as a result of the Fukushima incident.

In order to detect a potential radioactive plume, the following analyses were monitored:

1. Concentrations of iodine-131 in air iodine samples.
2. Concentrations of gamma emitting isotopes in air particulate samples.
3. Concentrations of iodine-131 by chemical separation and gamma emitting isotopes in ground water samples.

B. Program Description

1. Air Particulate and Air Iodine Sample Collection

a. Routine REMP Samples

In addition to gross beta, TBE was requested to run a gamma analysis on the weekly air particulate samples.

b. New Air Sampling Locations

New air sampling locations were established at the ODAM required locations 2 and 8 and non-ODAM required location 111. The new air sampling locations were identified as N-2, N-8 and N-111. Air particulate and air iodine samples were collected every two days (every 3 days for the weekend). Gross beta, I-131 by chemical separation and gamma spectroscopy were performed on the samples.

c. New Groundwater Sampling Locations

New groundwater sampling locations were established at the ODAM required locations 11 and 47. The new ground water sampling locations were identified at N-11 and N-47. Five grab samples were collected from 03/28/11 to 05/02/11. Gamma spectroscopy was performed on the samples.

SECTION III. RESULTS AND DISCUSSION

III. Results and Discussion

A. Routine REMP Samples

1. Air Iodine

Weekly samples from 10 air iodine locations were analyzed for iodine-131 activity (Fukushima Table A-1, Appendix A). Iodine-131 was detected at all 10 air sampling stations from week end March 29 to week end April 13, 2011. The iodine-131 values ranged from 0.047 to 0.137 pCi/m³.

2. Air Particulate Gamma Spectroscopy

Seventy samples from 10 locations were analyzed for gamma emitting radionuclides from week end March 22 to week end May 3, 2011. (Fukushima Table A-2, Appendix A). Naturally occurring beryllium-7, potassium-40 and thorium-228 were detected in some samples. Iodine-131 by gamma spectroscopy was detected at six air sampling stations (stations 2, 6, 7, 9, 10 and 111) from week end March 29 to week end April 5, 2011. The iodine-131 values ranged from 0.040 to 0.109 pCi/m³. All other gamma emitters were below the LLD.

B. New Air Sampling Locations

1. Air Iodine

Nineteen samples from three locations were analyzed for iodine-131 activity (Fukushima Table A-3, Appendix A). Iodine-131 was detected at all three air sampling stations from week end March 23 to week end April 6, 2011. The iodine-131 values ranged from 0.075 to 0.311 pCi/m³.

2. Air Particulate Gamma Spectroscopy

Fifty-seven samples from three locations were analyzed for gamma emitting radionuclides from week end March 18 to week end May 2, 2011. (Fukushima Table A-4, Appendix A). Naturally occurring beryllium-7, potassium-40 and thorium-228 were detected in some samples. Iodine-131 by gamma spectroscopy was detected in one sample from each location on week end March 30, 2011. The iodine-131 values ranged from 0.109 to 0.146 pCi/m³. All other gamma emitters were below the LLD.

3. Ground Water Iodine by Chemical Separation

Ten grab samples from two locations were analyzed for iodine by

chemical separation from March 28 to May 2, 2011. Iodine-131 was not detected in any of the samples.

4. Ground Water Gamma Spectroscopy

Ten grab samples from two locations were analyzed for gamma emitting radionuclides from March 28 to May 2, 2011. Naturally occurring thorium-228 was detected in one sample. Iodine-131 by gamma spectroscopy was not detected in any of the samples. All other gamma emitters were below the LLD.

FUKUSHIMA TABLE A-1
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
ROUTINE REMP LOCATIONS - CHARCOAL FILTERS

STATION NUMBER 1				
COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	CHARCOAL FILTER I-131 (PCI/CU.M.)
03/22/11	03/29/11	1.02E+04	CU.FT.	1.11E-01 ± 4.42E-02 (a)
03/29/11	04/05/11	9.99E+03	CU.FT.	8.81E-02 ± 4.80E-02 (a)
STATION NUMBER 2				
03/22/11	03/29/11	1.01E+04	CU.FT.	1.12E-01 ± 2.83E-02 (a)
03/29/11	04/05/11	1.00E+04	CU.FT.	1.30E-01 ± 4.06E-02 (a)
04/05/11	04/13/11	1.15E+04	CU.FT.	4.69E-02 ± 3.01E-02 (a)
STATION NUMBER 4				
03/22/11	03/29/11	1.03E+04	CU.FT.	1.37E-01 ± 4.62E-02 (a)
03/29/11	04/05/11	1.01E+04	CU.FT.	1.14E-01 ± 3.44E-02 (a)
STATION NUMBER 5				
03/22/11	03/29/11	1.03E+04	CU.FT.	9.42E-02 ± 3.08E-02 (a)
03/29/11	04/05/11	1.01E+04	CU.FT.	7.69E-02 ± 4.07E-02 (a)
STATION NUMBER 6				
03/22/11	03/29/11	1.03E+04	CU.FT.	7.78E-02 ± 4.71E-02 (a)
03/29/11	04/05/11	1.01E+04	CU.FT.	9.99E-02 ± 3.20E-02 (a)
STATION NUMBER 7				
03/22/11	03/29/11	1.01E+04	CU.FT.	1.18E-01 ± 5.95E-02 (a)
03/29/11	04/05/11	1.00E+04	CU.FT.	1.26E-01 ± 4.45E-02 (a)

(a) Positive I-131 results attributed to Fukushima incident

FUKUSHIMA TABLE A-1
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
ROUTINE REMP LOCATIONS - CHARCOAL FILTERS

STATION NUMBER 10

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	CHARCOAL FILTER I-131 (PCI/CU.M.)
-----------------------	----------------------	------------------	-------	---

STATION NUMBER 8

03/22/11	03/29/11	1.01E+04	CU.FT.	8.20E-02 ± 3.93E-02 (a)
03/29/11	04/05/11	1.00E+04	CU.FT.	1.32E-01 ± 3.31E-02 (a)

STATION NUMBER 9

03/29/11	04/05/11	1.00E+04	CU.FT.	1.30E-01 ± 3.86E-02 (a)
03/22/11	03/29/11	1.01E+04	CU.FT.	5.31E-02 ± 3.00E-02 (a)
03/29/11	04/05/11	1.00E+04	CU.FT.	8.83E-02 ± 3.70E-02 (a)

NON ODAM REMP LOCATION - CHARCOAL FILTERS

STATION NUMBER 111

03/22/11	03/29/11	1.01E+04	CU.FT.	9.31E-02 ± 3.92E-02 (a)
03/29/11	04/05/11	1.00E+04	CU.FT.	1.13E-01 ± 3.50E-02 (a)

FUKUSHIMA TABLE A-2
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
ROUTINE REMP LOCATIONS - AIR PARTICULATE FILTERS - GAMMA SPECTROSCOPY

STATION NUMBER 2

DATE COLLECTED

03/29-04/05/11

GAMMA SPECTRUM ANALYSIS:

BE-7	L.T. 4.E-01	
K-40	L.T. 7.E-01	
MN-54	L.T. 4.E-02	
CO-58	L.T. 4.E-02	
FE-59	L.T. 7.E-02	
CO-60	L.T. 4.E-02	
ZN-65	L.T. 8.E-02	
ZR-95	L.T. 8.E-02	
RU-103	L.T. 4.E-02	
RU-106	L.T. 4.E-01	
I-131	6.96E-02 ± 2.63E-02	(a)
CS-134	L.T. 5.E-02	
CS-137	L.T. 4.E-02	
BA-140	L.T. 2.E-01	
LA-140	L.T. 6.E-02	
CE-141	L.T. 4.E-02	
CE-144	L.T. 2.E-01	
RA-226	L.T. 6.E-01	
TH-228	1.34E-01 ± 5.07E-02	

(a) Positive I-131 results attributed to Fukushima incident

FUKUSHIMA TABLE A-2
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
ROUTINE REMP LOCATIONS - AIR PARTICULATE FILTERS - GAMMA SPECTROSCOPY

STATION NUMBER 6

DATE COLLECTED

03/22/11-03/29/11

03/29/11-04/05/11

GAMMA SPECTRUM ANALYSIS:

BE-7	L.T. 4.E-01	L.T. 3.E-01	
K-40	L.T. 5.E-01	L.T. 3.E-01	
MN-54	L.T. 4.E-02	L.T. 4.E-02	
CO-58	L.T. 4.E-02	L.T. 4.E-02	
FE-59	L.T. 7.E-02	L.T. 8.E-02	
CO-60	L.T. 4.E-02	L.T. 4.E-02	
ZN-65	L.T. 1.E-01	L.T. 8.E-02	
ZR-95	L.T. 5.E-02	L.T. 7.E-02	
RU-103	L.T. 4.E-02	L.T. 4.E-02	
RU-106	L.T. 3.E-01	L.T. 3.E-01	
I-131	6.77E-02 ± 2.58E-02	(a) 9.42E-02 ± 3.52E-02	(a)
CS-134	L.T. 4.E-02	L.T. 4.E-02	
CS-137	L.T. 4.E-02	L.T. 4.E-02	
BA-140	L.T. 2.E-01	L.T. 1.E-01	
LA-140	L.T. 4.E-02	L.T. 3.E-02	
CE-141	L.T. 4.E-02	L.T. 4.E-02	
CE-144	L.T. 2.E-01	L.T. 2.E-01	
RA-226	L.T. 6.E-01	L.T. 6.E-01	
TH-228	8.11E-02 ± 3.86E-02	1.69E-01 ± 3.69E-02	

(a) Positive I-131 results attributed to Fukushima incident

FUKUSHIMA TABLE A-2
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
ROUTINE REMP LOCATIONS - AIR PARTICULATE FILTERS - GAMMA SPECTROSCOPY

STATION NUMBER 7

DATE COLLECTED

03/22-03/29/11

GAMMA SPECTRUM ANALYSIS:

BE-7	L.T. 2.E-01
K-40	L.T. 7.E-01
MN-54	L.T. 3.E-02
CO-58	L.T. 3.E-02
FE-59	L.T. 7.E-02
CO-60	L.T. 4.E-02
ZN-65	L.T. 7.E-02
ZR-95	L.T. 5.E-02
RU-103	L.T. 3.E-02
RU-106	L.T. 3.E-01
I-131	1.09E-01 ± 5.05E-02 (a)
CS-134	L.T. 4.E-02
CS-137	L.T. 3.E-02
BA-140	L.T. 1.E-01
LA-140	L.T. 5.E-02
CE-141	L.T. 3.E-02
CE-144	L.T. 1.E-01
RA-226	L.T. 5.E-01
TH-228	L.T. 4.E-02

(a) Positive I-131 results attributed to Fukushima incident

FUKUSHIMA TABLE A-2
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
ROUTINE REMP LOCATIONS - AIR PARTICULATE FILTERS - GAMMA SPECTROSCOPY

STATION NUMBER 9

DATE COLLECTED 03/22/11-03/29/11

GAMMA SPECTRUM ANALYSIS:

BE-7	2.18E-01 ± 1.32E-01
K-40	L.T. 4.E-01
MN-54	L.T. 3.E-02
CO-58	L.T. 3.E-02
FE-59	L.T. 6.E-02
CO-60	L.T. 3.E-02
ZN-65	L.T. 7.E-02
ZR-95	L.T. 5.E-02
RU-103	L.T. 2.E-02
RU-106	L.T. 2.E-01
I-131	4.04E-02 ± 2.38E-02 (a)
CS-134	L.T. 3.E-02
CS-137	L.T. 3.E-02
BA-140	L.T. 1.E-01
LA-140	L.T. 4.E-02
CE-141	L.T. 3.E-02
CE-144	L.T. 1.E-01
RA-226	L.T. 5.E-01
TH-228	L.T. 4.E-02

(a) Positive I-131 results attributed to Fukushima incident

FUKUSHIMA TABLE A-2
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
ROUTINE REMP LOCATIONS - AIR PARTICULATE FILTERS - GAMMA SPECTROSCOPY

STATION NUMBER 10

DATE COLLECTED 03/22/11-03/29/11

GAMMA SPECTRUM ANALYSIS:

BE-7	L.T. 2.E-01
K-40	L.T. 3.E-01
MN-54	L.T. 3.E-02
CO-58	L.T. 2.E-02
FE-59	L.T. 6.E-02
CO-60	L.T. 3.E-02
ZN-65	L.T. 5.E-02
ZR-95	L.T. 4.E-02
RU-103	L.T. 2.E-02
RU-106	L.T. 2.E-01
I-131	4.72E-02 ± 2.72E-02 (a)
CS-134	L.T. 3.E-02
CS-137	L.T. 3.E-02
BA-140	L.T. 1.E-01
LA-140	L.T. 2.E-02
CE-141	L.T. 3.E-02
CE-144	L.T. 1.E-01
RA-226	L.T. 4.E-01
TH-228	L.T. 3.E-02

(a) Positive I-131 results attributed to Fukushima incident

FUKUSHIMA TABLE A-2
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
ROUTINE REMP LOCATIONS - AIR PARTICULATE FILTERS - GAMMA SPECTROSCOPY

STATION NUMBER 111

DATE COLLECTED 03/22/11-03/29/11

GAMMA SPECTRUM ANALYSIS:

BE-7	L.T. 3.E-01
K-40	L.T. 6.E-01
MN-54	L.T. 3.E-02
CO-58	L.T. 3.E-02
FE-59	L.T. 5.E-02
CO-60	L.T. 3.E-02
ZN-65	L.T. 6.E-02
ZR-95	L.T. 5.E-02
RU-103	L.T. 3.E-02
RU-106	L.T. 3.E-01
I-131	6.80E-02 ± 2.81E-02 (a)
CS-134	L.T. 3.E-02
CS-137	L.T. 4.E-02
BA-140	L.T. 1.E-01
LA-140	L.T. 4.E-02
CE-141	L.T. 4.E-02
CE-144	L.T. 2.E-01
RA-226	L.T. 5.E-01
TH-228	L.T. 6.E-02

(a) Positive I-131 results attributed to Fukushima incident

FUKUSHIMA TABLE A-3
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
NEW AIR SAMPLING LOCATIONS - CHARCOAL FILTERS - AIR IODINE

STATION NUMBER N-2

COLL START DATE	TIME STOP DATE	SAMPLE VOLUME	UNITS	CHARCOAL FILTER I-131 (PCI/CU.M.)
03/21/11	03/23/11	2.93E+03	CU.FT.	1.32E-01 ± 6.81E-02
03/23/11	03/25/11	2.89E+03	CU.FT.	2.63E-01 ± 8.85E-02
03/25/11	03/28/11	4.31E+03	CU.FT.	1.12E-01 ± 6.64E-02
03/28/11	03/30/11	2.72E+03	CU.FT.	2.69E-01 ± 1.16E-01
03/30/11	04/01/11	3.01E+03	CU.FT.	1.75E-01 ± 1.00E-01
04/01/11	04/04/11	4.25E+03	CU.FT.	1.19E-01 ± 7.12E-02
04/04/11	04/06/11	2.73E+03	CU.FT.	1.10E-01 ± 4.43E-02

STATION NUMBER N-8

03/21/11	03/23/11	2.93E+03	CU.FT.	1.67E-01 ± 8.66E-02
03/23/11	03/25/11	2.90E+03	CU.FT.	8.71E-02 ± 4.96E-02
03/25/11	03/28/11	4.31E+03	CU.FT.	1.06E-01 ± 4.90E-02
03/28/11	03/30/11	2.72E+03	CU.FT.	3.11E-01 ± 1.26E-01
03/30/11	04/01/11	3.00E+03	CU.FT.	1.90E-01 ± 8.59E-02
04/01/11	04/04/11	4.25E+03	CU.FT.	L.T. 6.E-02
04/04/11	04/06/11	2.89E+03	CU.FT.	9.15E-02 ± 2.60E-02

STATION NUMBER N-111

03/23/11	03/25/11	2.82E+03	CU.FT.	1.67E-01 ± 9.04E-02
03/25/11	03/28/11	4.31E+03	CU.FT.	1.14E-01 ± 7.07E-02
03/28/11	03/30/11	2.71E+03	CU.FT.	2.23E-01 ± 1.02E-01
03/30/11	04/01/11	3.01E+03	CU.FT.	1.97E-01 ± 5.76E-02
04/01/11	04/04/11	4.27E+03	CU.FT.	7.48E-02 ± 4.83E-02
04/04/11	04/06/11	2.76E+03	CU.FT.	1.62E-01 ± 6.84E-02

FUKUSHIMA TABLE A-4
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
NEW AIR SAMPLING LOCATIONS - AIR PARTICULATE FILTERS - GAMMA SPECTROSCOPY

STATION NUMBER N-2

DATE COLLECTED

03/28/11

GAMMA SPECTRUM ANALYSIS:

BE-7	L.T. 4.E-01	
K-40	L.T. 8.E-01	
MN-54	L.T. 5.E-02	
CO-58	L.T. 5.E-02	
FE-59	L.T. 1.E-01	
CO-60	L.T. 4.E-02	
ZN-65	L.T. 9.E-02	
ZR-95	L.T. 9.E-02	
RU-103	L.T. 4.E-02	
RU-106	L.T. 4.E-01	
I-131	1.09E-01 ± 7.06E-02	(a)
CS-134	L.T. 5.E-02	
CS-137	L.T. 5.E-02	
BA-140	L.T. 2.E-01	
LA-140	L.T. 6.E-02	
CE-141	L.T. 4.E-02	
CE-144	L.T. 2.E-01	
RA-226	L.T. 9.E-01	
TH-228	1.29E+00 ± 1.32E-01	

(a) Positive I-131 results attributed to Fukushima incident

FUKUSHIMA TABLE A-4
NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
NEW AIR SAMPLING LOCATIONS - AIR PARTICULATE FILTERS - GAMMA SPECTROSCOPY

STATION NUMBER N-8

DATE COLLECTED

03/28/11

GAMMA SPECTRUM ANALYSIS:

BE-7	L.T. 5.E-01	
K-40	L.T. 1.E+00	
MN-54	L.T. 5.E-02	
CO-58	L.T. 4.E-02	
FE-59	L.T. 1.E-01	
CO-60	L.T. 6.E-02	
ZN-65	L.T. 1.E-01	
ZR-95	L.T. 8.E-02	
RU-103	L.T. 5.E-02	
RU-106	L.T. 4.E-01	
I-131	1.46E-01 ± 6.62E-02	(a)
CS-134	L.T. 4.E-02	
CS-137	L.T. 6.E-02	
BA-140	L.T. 2.E-01	
LA-140	L.T. 8.E-02	
CE-141	L.T. 6.E-02	
CE-144	L.T. 2.E-01	
RA-226	L.T. 1.E+00	
TH-228	9.00E-01 ± 1.03E-01	

(a) Positive I-131 results attributed to Fukushima incident

FUKUSHIMA TABLE A-4
NEBRASKA PUBLIC POWER DISTRICT
 COOPER NUCLEAR STATION
EXPOSURE PATHWAY - AIRBORNE
NEW AIR SAMPLING LOCATIONS - AIR PARTICULATE FILTERS - GAMMA SPECTROSCOPY

STATION NUMBER N-111

DATE COLLECTED 03/28/11

GAMMA SPECTRUM ANALYSIS:

BE-7	L.T. 4.E-01	
K-40	L.T. 8.E-01	
MN-54	L.T. 4.E-02	
CO-58	L.T. 4.E-02	
FE-59	L.T. 8.E-02	
CO-60	L.T. 6.E-02	
ZN-65	L.T. 1.E-01	
ZR-95	L.T. 8.E-02	
RU-103	L.T. 4.E-02	
RU-106	L.T. 3.E-01	
I-131	1.40E-01 ± 5.79E-02	(a)
CS-134	L.T. 5.E-02	
CS-137	L.T. 4.E-02	
BA-140	L.T. 2.E-01	
LA-140	L.T. 5.E-02	
CE-141	L.T. 6.E-02	
CE-144	L.T. 2.E-01	
RA-226	L.T. 9.E-01	
TH-228	5.00E-01 ± 8.11E-02	

(a) Positive I-131 results attributed to Fukushima incident

END OF DOCUMENT