Table 1. Current Design Basis Flood Hazards for Use in the MSA

| Mechanism | Stillwater Elevation | Waves/ Runup | Design Basis Hazard Elevation | Reference |
|---|--|--|--|--------------------|
| Local Intense Precipitation | 601.9 ft MSL | Not applicable | 601.9 ft MSL | FHRR Section 2.2.2 |
| Streams and Rivers | | | | |
| PMF on Mazon River | 582.0 ft MSL | 2.0 ft | 584.0 ft MSL | FHRR Section 2.2.2 |
| PMF on Cooling Pond | 598.2 ft MSL | 4.1 ft | 602.3 ft MSL | FHRR Section 2.2.4 |
| Failure of Dams and Onsite Water Control/Storage Structures | No impact on the site identified | No impact on the site identified | No impact on the site identified | FHRR Section 2.2.3 |
| Storm Surge | No impact on the site identified | No impact on the site identified | No impact on the site identified | FHRR Section 2.2.5 |
| Seiche | No impact on the site identified | No impact on the site identified | No impact on the site identified | FHRR Section 2.2.5 |
| Tsunami | No impact on the site identified | No impact on the site identified | No impact on the site identified | FHRR Section 2.2.6 |
| Ice-Induced Flooding | 555.0 ft MSL | Not applicable | 555.0 ft MSL | FHRR Section 2.2.7 |

| Mechanism | Stillwater Elevation | Waves/ Runup | Design Basis Hazard Elevation | Reference |
|-------------------------------|--|--|--|--------------------|
| Channel Migrations/Diversions | No impact on the site identified | No impact on the site identified | No impact on the site identified | FHRR Section 2.2.8 |

Table 1. Current Design Basis Flood Hazards for Use in the MSA

Note: Reported values are rounded to the nearest one-tenth of a foot.

| Mechanism | Stillwater Elevation | Waves/ Runup | Reevaluated Hazard Elevation | Reference |
|---------------------|-------------------------|-----------------|------------------------------------|----------------|
| Streams and Rivers | | | | |
| PMF on Cooling Pond | 599.4 ft MSL | 2.5 ft | 601.9 ft MSL | FHRR Table 4.4 |
| PMF on Mazon River | 594.3 ft MSL | 1.5 ft | 595.8 ft MSL | FHRR Table 4.3 |

Table 2. Reevaluated Flood Hazards for Flood-Causing Mechanisms for Use in the MSA

Note 1: The licensee is expected to develop flood event duration parameters and applicable flood associated effects to conduct the MSA. The staff will evaluate the flood event duration parameters (including warning time and period of inundation) and flood associated effects during its review of the MSA.

Note 2: Reevaluated hazard mechanisms bounded by the current design basis (see Table 1) are not included in this table.

Note 3: Reported values are rounded to the nearest one-tenth of a foot.