

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 38

National Average: 56

2x National Average: 112

National Median: 25

Average for Selected Dockets: 38

Facility Name: Farley 1 Docket (050- 00348)

Details	Department	Work Type	Docket/Report
Fitness for Duty / IR			
125 - Work hour control	M - Mechanical	M - Maintenance / Repair	050-00348/2005-012
Number of Items for this Docket: 1			
Percent of Total for this Docket: 3			
Human-System Interface & Environmnt / IR			
170 - HSI or information availability / quality LTA	H - Health Physics	H - Health Physics	050-00348/2005-004
170 - HSI or information availability / quality LTA	O - Operations	O - Control Room Ops	050-00348/2005-006
173 - Physical conditions LTA	H - Health Physics	H - Health Physics	050-00348/2004-005
Number of Items for this Docket: 3			
Percent of Total for this Docket: 8			
Procedures & Reference Document / IR			
110 - No procedure / reference documents	F - Fuel Handling	R - Refueling	050-00348/2005-012
110 - No procedure / reference documents	M - Mechanical	V - Troubleshooting	050-00348/2005-008
111 - Procedure / reference document technical content	F - Fuel Handling	R - Refueling	050-00348/2005-012
111 - Procedure / reference document technical content	F - Fuel Handling	R - Refueling	050-00348/2005-012
111 - Procedure / reference document technical content	O - Operations	O - Control Room Ops	050-00348/2005-012
111 - Procedure / reference document technical content	O - Operations	Q - Fire Protection	050-00348/2005-006
111 - Procedure / reference document technical content	O - Operations	Q - Fire Protection	050-00348/2005-006
113 - Procedure / reference document development and maintenance L	A - Administrative Support	S - Surveillance	050-00348/2005-012
113 - Procedure / reference document development and maintenance L	G - Engineering	G - Design	050-00348/2005-008
Number of Items for this Docket: 9			
Percent of Total for this Docket: 24			
Problem Identification & Resolution / IR			
142 - Operating experience (OE) review LTA	E - Electrical	V - Troubleshooting	050-00348/2005-008
142 - Operating experience (OE) review LTA	O - Operations	O - Control Room Ops	050-00348/2005-006
144 - Audit / self-assessment / effectiveness review LTA	M - Mechanical	M - Maintenance / Repair	050-00348/2005-008
145 - Causal development LTA	M - Mechanical	M - Maintenance / Repair	050-00348/2005-008
147 - Individual corrective action LTA	H - Health Physics	H - Health Physics	050-00348/2005-008
147 - Individual corrective action LTA	M - Mechanical	V - Troubleshooting	050-00348/2005-008
Number of Items for this Docket: 6			
Percent of Total for this Docket: 16			
Work Planning & Practices / IR			
183 - Pre-job activities LTA	M - Mechanical	M - Maintenance / Repair	050-00348/2005-012

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 38

National Average: 56

2x National Average: 112

National Median: 25

Average for Selected Dockets: 38

Facility Name: Farley 1 Docket (050- 00348)

Details	Department	Work Type	Docket/Report
Work Planning & Practices / IR			
188 - Work practice or craft skill LTA	E - Electrical	V - Troubleshooting	050-00348/2004-005
188 - Work practice or craft skill LTA	E - Electrical	V - Troubleshooting	050-00348/2004-005
188 - Work practice or craft skill LTA	F - Fuel Handling	R - Refueling	050-00348/2005-012
188 - Work practice or craft skill LTA	F - Fuel Handling	T - Testing	050-00348/2005-012
188 - Work practice or craft skill LTA	H - Health Physics	H - Health Physics	050-00348/2005-004
188 - Work practice or craft skill LTA	M - Mechanical	M - Maintenance / Repair	050-00348/2005-012
188 - Work practice or craft skill LTA	M - Mechanical	M - Maintenance / Repair	050-00348/2005-012
188 - Work practice or craft skill LTA	Z - Other / Unknown	S - Surveillance	050-00348/2005-012
190 - Failure to stop work / non-conservative decision making	G - Engineering	G - Design	050-00348/2005-006
190 - Failure to stop work / non-conservative decision making	G - Engineering	Q - Fire Protection	050-00348/2005-006
190 - Failure to stop work / non-conservative decision making	O - Operations	Q - Fire Protection	050-00348/2005-008
196 - Independent verification / plant tours LTA	F - Fuel Handling	R - Refueling	050-00348/2005-012
196 - Independent verification / plant tours LTA	M - Mechanical	T - Testing	050-00348/2005-004
Number of Items for this Docket: 14			
Percent of Total for this Docket: 37			
Training / LER			
100 - Training LTA	O - Operations	S - Surveillance	050-00348/2005-002-00
Number of Items for this Docket: 1			
Percent of Total for this Docket: 3			
Work Planning & Practices / LER			
180 - Scheduling and planning LTA	I - Instrumentation & Control	V - Troubleshooting	050-00348/2005-001-00
190 - Failure to stop work / non-conservative decision making	O - Operations	S - Surveillance	050-00348/2005-002-00
190 - Failure to stop work / non-conservative decision making	O - Operations	V - Troubleshooting	050-00348/2005-001-00
192 - Work untimely	I - Instrumentation & Control	V - Troubleshooting	050-00348/2005-001-00
Number of Items for this Docket: 4			
Percent of Total for this Docket: 11			
Total Items for this Docket: 38			
